

# Version Control Systems

School of Engineering / School of Computing of Mathematical Sciences

Lecturer: Seb Blair BEng(H) PGCAP MIET MIHEEM FHEA

# About me




Sebastian (Seb) Blair

s.blair@gre.ac.uk

Office P216

Tel: 01634 883329

- Experience:
  - Industrial 10 years
  - 8 years in academia, 5 as a lecturer.
- Discipline: Computer Engineering
- Programme Leader: Computing for Emerging Technologies
- Learning Difficulty: Dyslexia
- Member of the Institution of Engineering and Technology and Institute of Electrical, Electronic Engineers
- Fellow of the Higher Education Academy
- Volunteer as a STEM ambassador
- Tech Stack:



LinkedIn



GitHub



# What are Version Control Systems (VCS)

- Tracking and managing changes:
  - Work faster and more reliably
- Keeps track of all code modifications:
  - Specialised Database (Repository)
- Solves Common Team Problems:
  - Conflicting concurrent work,
  - incompatibilities due to concurrent working,
  - having unstable releases

# Common Benefits of VCS

**Historical information** : Looking at the history of changes it is a lot easier to find where bugs have originated. Also, it might be easier to find the right team member best suited to fix an error.

**Branching**: Working concurrently on multiple issues, without interference. Working on different types of releases.

**Merging** : Making sure that team members work does not interfere with each other.

**Traceability** : Team members work more fluently together.

**Testing and Documentation**: Comments for each change and its association help producing better documentation. Creating tests is easier.

# Types of VCS

- **Local:**
  - Creates a database on the your hardware
- **Centralised:**
  - History of changes kept in a single database in a central server.
  - Clients need to constantly communicate with the database and receive a partial working copy.
- **Distributed:**
  - Single database in a central server that is also distributed among all clients
  - Each client has a full working copy of the repository

# VCS - List

## Local Data Model

- Revision Control System (RCS) [OS]
- Source Code Control System (SCCS) [OS]
- The Librarian [P]
- Panvalet [P]

## Client Server model

- Concurrent Versions System [OS]
- Subversion (SVN) [OS]
- Vesta [OS]
- AccuRev [P]
- Autodesk Vault [P]
- CADES [P]



# VCS - List

## Distrubted Model

- ArX [OS]
- Bazaar [OS]
- BitKeeper [OS]
- Fossil [OS]
- Git [OS]
- GNU Arch [OS]
- Mecurial [OS]
- Code Co-op [P]
- Sun WorkShop TeamWare [P]
- Plastic SCM [P]



# Git Characteristics

- A very popular VCS
- Performance
  - Better performance compared to competitors
  - Deals with the data in the file rather than the file properties
- Security
  - Designed to provide security
  - Uses SHA-256 encryption
- Flexibility
  - Non-linear development
  - Detailed log of information





## VCS Hosts - List

- TaraVault
- BitBucket
- SourceForge
- GitLab
- Gogs
- GitBucket
- GitHub
- AWS CodeCommit
- BeanStalk
- Phabricator
- many more



# GitHub - What is it and features?

- Web-based graphical user interface (GUI)
- Features
  - Can act as a project manager
  - Hosts Git repositories
  - Secure with keys



# Git - Branching



- **Main:** The default development branch. Whenever you create a Git repository, a branch named "master" is created, and becomes the active branch.
- **Develop:** This is another branch, which is a way to `edit/develop/test` code without changing the Master branch.
- **Topic:** A regular Git branch that is used by a developer to identify a conceptual line of development.

# Git Commands Explained

`clone` : Get a working copy of the repository

`init` : Initialise a folder as a git repository

`add` : Add tracked files to staging area

`commit` : Update the working copy with all changes from the staging area

`push` : Pushes the current branch from local copy to remote.

`fetch` : Update the working copy of the repository without copying or removing any files.

`pull` : Update the working copy of the repository with copying and removing any files necessary.


`branch/switch` : Creates a copy of the repository that can be worked independently from the main branch

`Merge` : Combine two copies of a repository. Conflicts may be present.

# Git Repository Staging Area

As part of the version control features there is the **Staging Area**.

This is feature enables the developer to move files independently of each other `git add <filename>` to the repository. Of course you can do this all in one go with `git commit -a`



# Git Flow Diagram



# Git Beyond Software Development

- Developers
- Marketing
- Management
  - Human Resources
  - Product Management
  - Project Budget
- Customer Support

# Learning Git

<https://learngitbranching.js.org/>

