

CYC Community Center Platform

Build roadmap & codebase audit · v0.1

Source of truth: CYC Platform Roadmap v0.1 discovery doc

Status: Living document — for review & comment

Prepared by: Kiran · June 23, 2026

CONTENTS

1. Overview — thesis, framing, glossary
2. 01 · Architecture
3. 02 · Reuse / Build Matrix
4. 03 · Identity, SSO & Access Control
5. 04 · Profiles & Portfolio
6. 05 · Feature Pillars → Workstreams
7. 06 · Phased Plan
8. 07 · Data Migration
9. 08 · Compliance, Privacy & Risk
10. 09 · Open Decisions — Reviewer Checklist

Every claim is tagged **Confirmed in code** or **Assumed / needs confirmation**. Each section ends with open questions for reviewers.

CYC Platform (working name) — Build Roadmap: Overview

Source of truth: CYC Platform Roadmap v0.1 discovery doc. **Status:** living document — meant to be commented on and revised.

Thesis (Doc 1)

One proven, composable infrastructure stack, deployed across multiple ventures, taking time-to-launch from months to weeks. CYC is the **third** real-world deployment, alongside two sibling portfolio companies: **Earn & Learn** and **Scaffald**.

Product framing (Doc 2, Doc 8)

- CYC = community center, District 4, California; ~2,600 active youth (grew from 1,400 in 6 years).
- Today it runs on **Antaris** (a repurposed health-club system) + Google Forms/Sheets/paper.
- The bar to clear: a single **system of record** that eliminates the manual back-and-forth.
- Working name "CYC Platform"; built under repo name **Unicorn.Gives**; final product name TBD.
- This is largely **assembly + configuration** of existing components, not net-new engineering.

The two siblings we build from

- **Earn & Learn** (earnlearn.us) — guardian/RBAC, WIOA reporting, mentoring, workforce reporting, and an existing Contra Costa K-14 school + employer network.
- **Scaffald** (scaffald.com) — verified profiles, portfolios, reputation/reviews ("LinkedIn for the trades"). The adult destination youth profiles "graduate" into.

Glossary — build-posture vocabulary (Doc 3)

- **Reuse** — extract existing code (open-source or via API) and use as-is.
- **Adapt** — adjust existing functionality to fit a new use.
- **Leverage** — call an existing API for data/functionality as an add-on.
- **Extend** — take current functionality and add to it.
- **Configure** — reconfigure existing functionality via settings/setup.
- **Open-sourced** — made public, owned by no entity, to remove ownership/dependency issues.

Conventions

- Every claim is tagged **Confirmed in code** or **Assumed / needs confirmation**.

Open questions for reviewers

1. Does CYC ship under the **Earn & Learn** family (shared account + data model) or as its own brand on the shared stack? (Doc 8)
2. What is the final product name?

01 · Architecture

Target architecture (Doc 3)

The doc specifies a composable backend: **Supabase + Kong + Temporal + AI layer**.

Audit reality check: in Unicorn.Gives, **Supabase + AI layer are present**, but **Kong (API gateway) and Temporal (orchestration) are NOT** — they are aspirational, not built. See the Unicorn.Gives audit, section 4. Reviewers should treat Kong/Temporal as planned.

How the reference codebases slot in

Unicorn.Gives = the chassis. Reuse the plumbing, not the civic domain model:

- Expo (expo-router) app, web + native
- Supabase (Postgres + RLS + edge functions)
- Square billing (already integrated)
- Gemini AI layer (admin-ai edge function)
- AWS deploy (S3/CloudFront/Route 53) + GitHub Actions CI, Nx + pnpm monorepo

Scaffald SDK = API surface to leverage (not server code to copy):

- profiles, portfolio, profile-completion, reviews, skills, certifications
- OAuth 2.0 + PKCE auth
- MIT-licensed (clean to open-source / reuse)
- Posture: **Leverage via API / Adapt patterns**

Proposed CYC architecture (for review)

Layer	Choice	Source	Posture
Frontend	Expo app + Scaffald UI package	Unicorn.Gives chassis	Reuse
Backend	Supabase (Postgres + RLS + edge functions)	Unicorn.Gives	Reuse
Identity	OAuth + PKCE federated identity	Scaffald pattern	Leverage / Adapt
Payments	OPEN: Square vs Stripe	Unicorn=Square, Scaffald=Stripe	Decide (Doc 8)
AI	Gemini admin-ai pattern	Unicorn.Gives	Reuse
Orchestration	Kong/Temporal only if MVP needs it	Doc (not built)	Defer / Build

Open questions for reviewers

1. Do we need Kong + Temporal for MVP, or can Supabase edge functions + RLS carry Phase 0/MVP?
2. Payment processor: standardize on **Square** (Unicorn.Gives) or **Stripe** (Scaffald)? (Doc 8)

3. Do we extend Unicorn.Gives' existing `profiles` schema, or stand up a fresh CYC schema and keep that repo as the infra chassis only?

02 · Reuse / Build Matrix

The doc's capability → source → posture table (Doc 3), annotated with **audit reality**: what actually exists in code vs. what is assumed. Tags: **[Confirmed]** in the audited repos, **[Assumed]** needs confirmation, **[Absent]** spec needs it but no repo provides it.

Capability needed at CYC	Source (per doc)	Posture	Audit reality
Multi-guardian access, split billing	Earn & Learn guardian system	Reuse / Extend	[Assumed] — not in audited repos; Earn & Learn not audited
Mentoring match	Earn & Learn (via WBL)	Leverage	[Assumed] — Earn & Learn not audited
WIOA reporting	Earn & Learn	Leverage	[Assumed] — Earn & Learn not audited
School & employer network	Earn & Learn partner network	Leverage	[Assumed] — relationship asset, not code
Career-navigation / WBL pathways	Earn & Learn	Leverage	[Assumed] — Earn & Learn not audited
Verified youth profile + portfolio	EarnLearn → Scaffold model	Adapt	[Confirmed] in Scaffold SDK (profiles, portfolio)
Profile-completeness gating	New (cross-cutting)	Build once	[Confirmed] Scaffold has profile-completion to leverage (Doc 5.2)
Audit log	Earn & Learn	Reuse	[Confirmed] present in Unicorn.Gives (migrations 014, 015)
Bidirectional reviews → mentor/student notes	Scaffold review pattern	Adapt	[Confirmed] Scaffold has reviews, review-links
Reputation / progress score	Scaffold "Scaffold Score" analog	Adapt	[Confirmed] Scaffold community-reputation/ratings
Notifications	Shared notification layer	Reuse	[Confirmed] Scaffold notifications resource
Composable backend (Supabase+Kong+Temporal+AI)	Shared infra	Deploy	[Partial] Supabase+AI built; Kong+Temporal absent
Square / payments	Shared	Deploy	[Confirmed] Square in Unicorn.Gives; Scaffold uses Stripe (conflict)
Badges, streaks, avatars, leaderboard	New	Build once	[Absent] in both repos

Net

CYC is largely a **new front-end + configuration over existing primitives**. The genuinely new work (completeness gating taxonomy, flag/incident taxonomy, funder-report exports, gamification) is reusable and should be built back into the shared stack, not as a one-off.

The biggest **[Assumed]** risk: most guardian/RBAC/WIOA/mentoring capability is credited to **Earn & Learn, which we have NOT audited**. Confirming it is the top follow-up.

Open questions for reviewers

1. Can we get access to audit the **Earn & Learn** codebase? Most reuse claims depend on it.
2. Square vs Stripe — which becomes the CYC standard? (Doc 8)
3. Which "build once, reusable" pieces become open-source NPM packages first?

03 · Identity, SSO & Access Control

Priority deliverable (Doc 3, Doc 4). Covers how a CYC user authenticates, how identity and profile data are shared across the sibling platforms, the multi-guardian model, RBAC, and profile-completeness gating.

Federated identity across the siblings (Doc 1, Doc 3)

Goal: one person, one identity, usable across Earn & Learn, Scaffold, and CYC.

- **Building block [Confirmed]:** Scaffold SDK ships OAuth 2.0 + PKCE (src/auth/oauth.ts, src/auth/pkce.ts). This is a usable federated-identity pattern. Posture: **Leverage / Adapt**.
- **Building block [Confirmed]:** Unicorn.Gives runs on Supabase, which has its own auth + row-level security (migration 010 shows a profiles self-update guard). Posture: **Extend**.
- **Open [Assumed]:** Earn & Learn is credited with the guardian/RBAC rails but is NOT audited.

Proposed approach (for review): a single identity provider issues tokens all three platforms trust; CYC authenticates a user, then identity/profile data is shared by API (Leverage Scaffold) rather than duplicated. Decision needed: reuse Scaffold's OAuth as the shared IdP, or stand up a dedicated IdP.

How a CYC user authenticates (proposed)

- **Student (youth):** logs in with school OR personal email (Doc 4 Student).
- **Parent / Guardian:** completes profile once, online or on an in-center kiosk, e-signs (Doc 4 Parent).
- **Staff (Admin/Coach):** role-based login; super-admin (Matt) can do any job without switching roles (Doc 4 Admin).

Multi-guardian model (Doc 4 Parent, Doc 5.4)

Requirements straight from the doc:

- More than one guardian per child.
- Multiple children attached to one guardian profile.
- Separated permissions between guardians.
- Split billing: different guardians pay for different classes; each guardian can claim any available payment for children they are connected to.

Audit reality: no guardian model exists in either audited repo. Credited to Earn & Learn (unaudited). This is **[Assumed]** until we see that code, and likely **partly net-new**.

RBAC (Doc 4)

Roles observed in the doc: Super-admin (Matt), Operations (Arti), Coach, Guardian, Student, Funder/Compliance (read/report). RBAC must gate **protected notes** and incident visibility (Doc 5.6, 5.7) to manage bias. Supabase RLS is the likely enforcement layer (Extend).

Profile-completeness gating (Doc 5.2)

A profile cannot finalize until required fields are entered (school, language at home, ethnicity, etc.), with disclosures shown for why each is collected (Doc 5.3).

- **[Confirmed]** Scaffold SDK has a profile-completion resource + profile-wizard + prerequisites — a strong base to leverage/adapt.
- **Open:** is profile-completion flexible enough for CYC's required-field set, or tuned to professional fields?

Open questions for reviewers

1. Reuse Scaffold OAuth/PKCE as the shared IdP across all three platforms, or a dedicated IdP?
2. Build the guardian model net-new, or does Earn & Learn truly provide it? (Need access.)
3. Does Supabase RLS cover the protected-notes / incident-visibility RBAC, or do we need more?
4. Can Scaffold profile-completion drive CYC required-field gating as-is?

04 · Profiles & Portfolio

Covers the youth profile (adapted from Scaffold + Earn & Learn) and the full lifecycle: minor → turns 18 → "claim your profile" → migrate to Scaffold. (Doc 3, Doc 4 Student.)

The core idea (Doc 3)

"Safe portfolio profiles for kids that become professional profiles as adults." A youth profile lives in CYC / Earn & Learn while the user is a minor, then graduates into a Scaffold professional profile at adulthood.

Source models

- **[Confirmed] Scaffold SDK** exposes the adult shape: profiles, user-profiles, portfolio, projects, experience, education, skills, certifications, reviews. Posture: **Adapt for minors**.
- **[Assumed] Earn & Learn** youth profiles (unaudited) provide the minor-side base.

The lifecycle (Doc 4 Student)

1. **Minor (< 18):** profile clearly states "your parents can see all information on your profile." Guardians have full visibility. Safe-reporting of personal info is allowed.
2. **Turns 18:** user gains the ability to **claim** their profile and make it private.
3. **Claim & migrate:** claimed profile can **migrate to Scaffold** for a professional profile.

Migration design decision (open): at claim-time, do we (a) call the Scaffold API to create/link the adult profile, or (b) replicate Scaffold's schema in CYC and sync? Trade-off: coupling vs. duplication. The MIT license on the SDK keeps either path clean on ownership.

Profile data + privacy (Doc 5.2, 5.3, Doc 7)

- Completeness gating on required fields (see Identity & SSO).
- Privacy disclosures: (i) icons explain how/where/why each field is used and who can see it.
- Sex at birth + pronouns are collected for funder gender/sex reporting (Doc 4 Student/Guardian/Funder) — sensitive; must be permissioned and disclosed.

Portfolio + engagement (Doc 5.9, Phase 2)

- Student portfolio = "what I've done across programs" (single profile across all programs).
- Avatar creation; badges/streaks; unlock customization (gear per sport).
- Future: appear on CYC TV at check-in with achievements.

Open questions for reviewers

1. Call Scaffold's API at claim-time, or replicate + sync its schema? (coupling vs duplication)
2. Where does the minor profile physically live pre-18 — CYC schema, Earn & Learn, or shared?
3. How are sensitive fields (sex at birth, pronouns, diagnoses) stored and permissioned?
4. What exactly migrates to Scaffold at 18 — everything, or a curated professional subset?

05 · Feature Pillars → Workstreams

The doc's 13 core pillars (Doc 5) broken into buildable workstreams, each tagged with its build posture and audit reality. Phase mapping lives in the Phased Plan.

#	Pillar (Doc 5)	Workstream summary	Posture	Audit reality
1	Registration & Scheduling	Timed class openings, seat caps, auto-close, waitlist on cancel, staff override outside public windows	Build	[Absent] in both repos
2	Profiles & Data	Student-guardian linking, completeness gating, disclosures	Adapt + Build	Scaffold profile-completion to leverage
3	Privacy & Disclosures	(i) icons; field-to-report mapping; who-sees-what	Build	[Absent] — cross-cutting new
4	POS / Billing	Multiple cards, split-family billing, two-guardian access, card-on-file, lower fees	Extend	Square in Unicorn (single-merchant today); processor TBD
5	Attendance & Drops	Tablet roll call, excused/unexcused, configurable-N → drop, monthly missed list	Build	[Absent]
6	Notes & Flags	Permissioned staff notes, category + color taxonomy, banner hierarchy (1-2 critical flags)	Build	[Absent]
7	Incident Log	Cross-program, profile-attached, prior context, time-decay, super-admin clear, RBAC	Build	[Absent] (paper system today)
8	Mentoring & Referrals	Auto-match on flags/struggles; academic referrals; WIOA capture (parents can decline)	Leverage	Credited to Earn & Learn [Assumed]
9	Gamification	Badges, streaks, avatars, pixel-art unlocks, TV display; drives profile completion	Build	[Absent]
10	Reporting & Exports	Arbitrary-field filtering; pre-built funder report templates	Build	[Absent] — top relief item
11	Notifications	Cancellations, school-transition prompts, card-on-file links	Reuse	Scaffold notifications resource
12	Kiosk / Paperless	In-office tablet flow + e-signature; fully digital packets	Build	[Absent]
13	Migration	Antaris export, claim-your-profile, first-login gating	Build	See Data Migration

Reusable-package candidates (Doc 3 "build once, reusable")

These new pieces should be built as open-source NPM packages, not one-offs:

- Completeness-gating engine (pillar 2/3)
- Flag/incident taxonomy + banner hierarchy (pillar 6/7)
- Funder-report export engine (pillar 10)
- Gamification engine (pillar 9)

Open questions for reviewers

1. Which pillars are truly MVP vs. deferrable? (draft in Phased Plan)
2. Which "build once" pieces get open-sourced first, and under what package names?
3. How much of pillar 8 (mentoring/referrals) is real in Earn & Learn vs. net-new?

06 • Phased Plan

Phases from the doc (Doc 6), with scope, dependencies, and rough sizing. Sizing is **T-shirt** (S/M/L) and preliminary — to be refined with Clay + Matt. "[Assumed]" items depend on Earn & Learn access.

Phase 0 — Data Migration & Foundation

Goal: get off Antaris cleanly; stand up the shared stack.

Workstream	Scope	Deps	Size
Antaris export	Invoke CA data-ownership right; request raw export; map 1:1	CYC/legal	M
Claim-your-profile blast	Email/SMS to carry over contacts; ~5% mismatch expected	Export done	M
First-login onboarding	Collect missing required fields + disclosures	Gating engine	M
Stand up stack	Supabase instance, RBAC, guardian model	Identity design	L

MVP — "Replace Antaris" baseline

Goal: the minimum to fully migrate off Antaris.

Workstream	Scope	Deps	Size
Registration	Online + kiosk, seat caps, timed openings (first-come parity)	Stack	L
Profiles + gating	Student/guardian profiles, completeness gating	Scaffold profile-completion	M
POS	Multiple cards + split-family billing	Processor decision; Square base	L
Attendance	Tablet roll call + drop reporting	Profiles	M
Priority funder report	Workforce Board report from captured demographics	Reporting engine	M

Flagged on the call as the fastest, highest-relief win: the funder/Workforce Board report.

Phase 1 — Operational depth

- Notes & flags taxonomy (color-coding + permission tiers)
- Cross-program incident log (context + time decay) — paper system exists today, so not MVP
- Event check-in

- Notifications (cancellations, school-transition prompts)

Phase 2 — Engagement & retention

- Gamification engine (badges, streaks, avatar unlocks, TV leaderboard)
- Mentoring auto-match + referral capture (incl. WIOA, disability status)
- Portfolio / "what I've done" student view

Phase 3 — Ambitious / R&D

- Academic data integration ("LinkedIn for kids" via Clever / Infinite Campus, waiver-based) — a bridge into Earn & Learn work-based-learning pathways
- Ethical attendance via CCTV/AI presence (offline, opt-in) — **jurisdiction-gated** (see Compliance)

Critical path

Identity/guardian model → profiles + gating → registration + POS → reporting. Everything keys off the guardian model, which is the top **[Assumed]** dependency (Earn & Learn access).

Open questions for reviewers

1. Confirm MVP scope — is this the true minimum to drop Antaris, or can it shrink?
2. Sizing reality check from Matt on the L items (registration, POS, stack).
3. Does the funder report alone justify an earlier partial release?

07 · Data Migration

Detail for Phase 0 (Doc 6 Phase 0, Doc 5.13).

1. Antaris export

- Invoke the **California data-ownership right**; request a raw data export from Antaris.
- Map exported fields 1:1 to the new schema.
- **Risk:** Antaris is a repurposed health-club system (Doc 2) — field semantics may not map cleanly. Budget time for transformation, not just import.

2. "Claim your profile" blast

- Carry over email/phone from the export; send an email/SMS blast inviting each family to claim their profile.
- **~5% mismatch expected** (Doc 6, Doc 8) — scrub for trust; define a handling path for the mismatched records (manual review queue).

3. First-login completeness gating

- On first login, collect missing required fields (school, language at home, ethnicity, etc.) and present disclosures explaining why each is collected (Doc 5.2, 5.3).
- This is where the **completeness-gating engine** first earns its keep — and where the funder-reporting data actually gets captured.

Dependencies

- Gating engine (cross-cutting, build once — see Feature Pillars).
- Guardian model (so a claimed profile attaches to the right guardians).
- Notification layer for the blast (Scaffald notifications — Reuse/Leverage).

Open questions for reviewers

1. Who owns the Antaris export request legally — CYC, or us on their behalf?
2. What is the acceptable mismatch threshold before a record goes to manual review? (Doc 8)
3. Do we gate ALL required fields on first login, or allow a grace period to avoid drop-off?

08 · Compliance, Privacy & Risk

From Doc 7. These are funding and legal constraints, not nice-to-haves.

Funding-driven reporting

- **Measure X / District 4:** ZIP-level reporting is a **funding requirement**. Must prove CYC serves District 4 residents (Doc 4 Funder, Doc 7).
- **WIOA / Workforce Board:** must capture referrals **out** and **disability status** (Doc 7).
- Demographic data is captured at registration (no separate survey): sex at birth vs. pronouns drives grant gender/sex reporting (Doc 4 Funder).

Minor-safety

- Flag types needing strict permissioning + careful banner design: restraining order / safety (red), allergy, injury + return-to-sport, behavioral, developmental/diagnosis, pronouns/identity (protected) (Doc 5.6, Doc 7).
- RBAC governs who sees protected notes and how much incident **content** vs. count (Doc 5.7) — to manage bias.

Consent & data ownership

- Parents own student/academic data and can refuse testing/sharing — **design for consent and waivers, never compulsion** (Doc 7). Expect stigma resistance in the population served.

Jurisdiction risk

- **CCTV/AI presence (Phase 3):** legal in some states, **illegal in others (e.g. Colorado)** (Doc 7). Treat as R&D; gate by jurisdiction. The live Michigan site has different rules than the California CYC site.
- **Recording consent:** the discovery call itself was recorded without explicit prior consent (Doc 7) — standardize a consent practice going forward.

Open questions for reviewers

1. Which compliance items are MVP-blocking (ZIP reporting?) vs. later-phase?
2. Where do consent/waiver records live, and how are they versioned for audit?
3. Who signs off on the jurisdiction gating logic for the CCTV/AI feature?

09 · Open Decisions — Reviewer Checklist

The doc's open questions (Doc 8) plus decisions surfaced by the codebase audit. Comment-bomb this file; each item needs an owner and a resolution.

From the discovery doc (Doc 8)

- [] **Payment processor** — Square, Stripe, or other?
- [] **Final product name** + whether CYC ships under the **Earn & Learn** family (shared account + data model) or as its own brand on the shared stack.
- [] **Flag/incident taxonomy** — exact categories, color codes, banner hierarchy, time-decay.
- [] **Incident visibility** — how much prior-incident content (vs. count) each coach role sees.
- [] **Gamification scope** for v1 vs. later.
- [] **Migration trust threshold** + handling of the ~5% mismatch.
- [] **In-person vs. digital** — kiosk as the bridge for paper-preferring parents (confirmed).

Surfaced by the audit

- [] **Earn & Learn access** — most reuse (guardians, RBAC, WIOA, mentoring) is credited to Earn & Learn, which was NOT cloned or audited. **Top blocker for confirming the plan.**
- [] **Square vs Stripe conflict** — Unicorn.Gives uses Square; Scaffold SDK uses Stripe. Pick one CYC standard (ties to the payment-processor decision above).
- [] **Square scope** — existing Square integration is single-business subscriptions (the Horn), not multi-card split-family billing. Confirm reusability vs. rebuild.
- [] **Kong + Temporal** — named in target architecture but not built. Required for MVP, or defer?
- [] **Profiles schema** — extend Unicorn.Gives' civic `profiles`, or new CYC schema + keep that repo as infra chassis only?
- [] **Minor→18 migration** — call Scaffold API at claim-time, or replicate schema + sync?
- [] **First open-source NPM packages** — which "build once" pieces ship first, under what names?

Process (Doc 9)

1. Circulate this repo.
2. Comment pass (all stakeholders).
3. Revision pass + second comment pass.
4. Live walkthrough.
5. Lock MVP-to-replace-Antaris scope; size Phases 1–3.
6. Single group thread + central repo as source of truth.