

Analysis of SDLC Models with Web Engineering Principles

Suman Chahar

Department of computer science and engineering
Maharishi Markandeshwar (Deemed To Be University)
Mullana, Ambala, India
sumanbhar81@gmail.com

Satyaveer Singh

Department of computer science and engineering
M.M.E.C, Maharishi Markandeshwar, (Deemed to be University)
Mullana, Ambala (Haryana), India
satyaveer.sangwan@mmumullana.org

Abstract—The dynamism of web technologies and the emergence of advanced and intricate web applications strongly call for the definition of the software development life cycle paradigms from the perspective of web engineering discipline. Hybrid models like Waterfall, V-Model and Iterative Development have been in use for formal software development while recent development methodologies are Agile. Yet, these models need to be assessed and adapted for the web engineering contexts to fit problems that are specific to web application development, for example, rapid development cycles, high user interaction, the need for scalability and constantly shifting security requirements. This paper, introduces five fundamental SDLC models of web engineering, namely the Waterfall model, V-Model, Spiral model, Agile, and DevOps. It also discusses how developments on basic web engineering components such as client-server model, cross-platform Web, rapid prototyping, and continuous deployment map to various phases of the Web SDLC namely requirement analysis, design, construction, testing, and maintenance. Upon reviewing the strengths and weaknesses of each model as applied to web development, this paper introduces a new approach that combines the best elements of Agility and conventional models into a single framework competent for modern web applications. Hence, the paper endeavors to understand how Web Engineering can improve on traditional SDLC models with the ultimate vision of presenting an optimal paradigm for web application development. Another key theme of this paper is the need to adapt SDLC models to meet the need of Web applications that require integration, flexibility, and usability. Web applications meet complex and dynamic requirements; therefore, web engineering principles have to be created as scalable, secure, and dynamically adaptive to multi-plenary devices and platforms, which mandate iterative and adaptive life cycles. Having evaluated how SDLC models address these requirements, the paper establishes that traditional models are in some ways deficient and proposes enhancements that helpful for web-based projects. It also discuss how current trends such as DevOps and Agile hybrids can be used to deal with issues of speedy deployment and real time feedback to enhance web application reliability, expandability and usability in current complex environment. Web engineering principles' incorporation into the SDLC methodologies gives the developers a guideline to use in managing the complicated web application developments' issues without compromising on quality or performance issues.

Index Terms—Software Engineering Models, Web engineering, Traditional SDLC models, DevOps spiral model.

I. INTRODUCTION

Web application development has evolved significantly over the past two decades, driven by advancements in technology and changing user expectations. Traditional SDLC models, such as Waterfall and V-Model, provide a structured approach to software development but often lack the flexibility needed for modern web applications. Conversely, Agile and DevOps methodologies offer adaptability and continuous delivery but may overlook critical web-specific principles[7]. Web engineering focuses on the systematic development of high-quality web-based systems and applications, incorporating principles such as usability, accessibility, performance, and security. Integrating these principles into SDLC models can enhance the overall development process, ensuring that web applications meet user needs and industry standards[1][17]. This paper examines the integration of web engineering principles with various SDLC models to create a robust framework for web application development. We analyze the benefits and limitations of traditional and modern SDLC models and propose a hybrid approach that combines structured methodologies with flexible, iterative practices.

A. Web Engineering

Web Engineering is a multifaceted discipline that encompasses various aspects of designing, developing, deploying, and maintaining web-based applications and services. Web engineering is a collection of techniques and tools that make it possible to design web systems more easily. It also handles the security, navigation, and change requirements that web projects have before other software[1]. Virtually every industry relies on web-based systems and applications to support their business operations, customer experiences, and data management[20].

1) *Web Engineering Models*: Web engineering models are methodical techniques or approaches that are applied in a systematic way when creating web applications. The design, development, testing, and maintenance of web-based systems are made easier by the organized rules and procedures that these models offer. Applying concepts from science, engineering, and management to web engineering enables the development and upkeep of superior web-based systems[11].

The process begins with communication, Planning involves creating a detailed project plan, managing risks, and allocating resources. During the modeling phase, high-level designs and analysis are created. The construction stage encompasses coding and testing. The application is deployed in the deployment phase, where it is transferred to the production environment and verified for correct operation.

- 1) Waterfall Model: Specifically, the Waterfall model in web engineering is used in a project that has well-defined requirements and minimal chances of requirement change during the entire project. is being developed. It is proper for some world web projects due to the fact that it has a linear and systematic structure. The process starts with Requirement Analysis which can be explained as a detailed analysis of user's requirement. making sure that the objective of the project is adequately communicated. These functionalities are achieved by comprehensive documentation[26][27]. This is succeeded by system design phase which structural designs, layouts, and designs on interfaces, and all database. systems are put in place as frames to be followed in the developmental processes. During the implementation phase, developers put into construction the web application that must meet these specifications, while are built keeping in view a distinct line of developing its components. The integration and testing phase that follows is another phase on the software development lifecycle. end-to-end stock testing of the whole application to ensure every Each component in the identification and choosing process synchronizes well and achieves the first requirements. When testing is through, it is further deployed to the production environment of the web application is deployed. everything that is needed is there. The final phase, maintenance and entails the ability to monitor and to fix simple bugs without requiring intensive attention. and upgrades so that the application will continue running. And most importantly, it is consistent and reliable. The waterfall model provides much structure. and documentation, and which is why this type is especially suitable for web projects that demand specifications with a disciplined approach. It is given for its high degree of predictability and controllability. planned project timelines and costs are contributing to the nature of projects with a fixed scope. This puts the model at an advantage because, despite its simplicity, it does not have the complicated structural problems that many other models consists of. also makes it easy to manage, I think this makes sense since it also simplifies management fashion so that all aspects All aspects of the project are descried in a logical order. However, its 'the major disadvantage with this system is that it can be rigid, thus not very flexible.' to help to implement modification once a phase is over. Further, the testing phase will be conducted later than properly timed which may lead to identifying major




Fig. 1. Waterfall model

Figure 1 explain the phases of waterfall model. Phases starts from requirement followed by design, coding, testing, maintenance[22].




Fig. 2. Working of Agile Model

Figure 2 describe the working of agile model. we can change in design, implementation and testing at any time.

problems early in the process or at least midway through when it is still appropriate to make them more costly to fix[1][2].

- 2) Agile Model: In web engineering, the Agile model is extensively used to manage and execute projects with flexibility, collaboration, and iterative development. This iterative approach ensures continuous improvement, as each sprint ends with a review and feedback session that informs subsequent development. Agile's adaptability allows for changes to be easily incorporated even late in the process, which is essential for web projects where requirements often evolve. The model emphasizes collaboration among cross-functional teams, enhancing communication and alignment with project goals through daily stand-up meetings[12][18]. By prioritizing a dynamic product backlog, agile ensures the most valuable features are developed first, aligning the project with business objectives[3][5].
- 3) Iterative Model: In web engineering, the Iterative Model is particularly useful for managing projects with evolving requirements or when initial requirements are not well understood[14]. This model entail the process of develop of the application in incremental steps that can be easily manageable. The varieties are the pre/post de-

sign, pre/post implementation, and pilot/placebo testing and evaluating the levels. It is an iterative approach, a form of development and refinement through give and take feedback and pilot testing. Due to the way the Iterative Model is structured, with attention to delivering a functional part of the application by the end of each cycle, teams are able to respond to change, mitigate risks, and increase the usefulness and goodness of the web application[21]. Because of this, it is well suited to projects that require a lot of flexibility and user feedback as the project unfolds.

- 4) **Spiral Model:** The Spiral Model provides a clear and logical framework for managing projects, while at the same time providing a great deal of flexibility, especially for projects which are liable to prove challenging in terms of the degree of difficulty or level of uncertainty. Each of these steps is called a 'spiral' and this model works in cycles of planning, risk analysis, development and evaluation. We then hit the Objectives and Alternatives step for each spiral, and risk analysis to solve possible challenges and risks that may occur. Implementation and verification are performed in succeeding stages so as to arrive at the creation of a prototype or increment to the web application. The spiral model enables one to result in and respond to risks in the initial stages, thus it can be most appropriate for web projects within which customers may change their requirements as frequently as it is required or there are constant changes within the project[2].
- 5) **Lean Startup Model:** The Lean Startup Model was directed on the efficient building and validating of hypotheses on a product's market opportunity. It focuses on prototyping a minimum viable product (MVP) to start receiving feed back from customers and therefore verify hypotheses. The Lean Startup Model is a Build-Measure-Learn cycle: teams build featuring appealing and attractive customers and measure the outcome of those features with metrics; teams learn the lesson from those metrics in order to plan the next steps. This approach fosters innovation, flexibility and focuses on the goal to solve problems for users. In the context of web engineering, The Lean Startup Model can be especially helpful for startup or for creating new Web projects because of the proposed method help use resources effectively, avoid the creation of non-essential features, and adapt to the market's feedback. Due to a focus on learning and iteration, the Lean Startup Model allows teams to develop successful web applications that would meet user needs and organizational goals successfully.

II. WEB ENGINEERING PRINCIPLES

Web-specific engineering principles encompass a set of guidelines, best practices, and methodologies tailored specifically for the development of web applications. These principles help ensure the reliability, scalability, security, and

maintainability of web-based systems. Here are some key web-specific engineering principles are:

- 1) **Client-server architecture** embrace where clients (e.g. web browsers) interact with servers over a network to request and receive resources. This separation of concerns facilitates modularity, scalability, and reusability in web application development[13][14][15].
- 2) **Statelessness** design web applications to be used, where each client request is processed independently, without relying on previous interactions. Stateless architectures improve scalability, fault tolerance, and simplicity.
- 3) **RESTful APIs** design following the principles of representational state transfer (REST), emphasizing resource based architecture, stateless communication, and standard HTTP methods (GET, POST, PUT, DELETE). RESTful APIs promote interoperability, scalability, and simplicity in web service integration.
- 4) **Progressive enhancement** adopt a approach to web development, where the core functionality and content of the application are accessible to all users, regardless of device or browser capabilities.
- 5) **Asynchronous communication** leverage patterns (e.g., AJAX, Web Sockets) to enable real-time updates, interactive features, and efficient data exchange between clients and servers. Asynchronous communication enhances responsiveness and user experience in web applications.
- 6) **Caching strategies** implement mechanisms at various levels (e.g., browser caching, server-side caching, CDN caching) to optimize performance, reduce server load, and minimize network latency. Effective caching strategies improve scalability, reliability, and user-perceived performance.
- 7) **Cross-Browser compatibility** ensure that web applications render and function consistently across different web browsers and platforms by testing and addressing compatibility issues. Cross-browser compatibility testing enhances usability, accessibility, and user satisfaction.
- 8) **User-Centered Design:** Focusing on the needs and behaviors of users to create intuitive and engaging interfaces.
- 9) **Accessibility:** Web accessibility making sure web applications meet given standards regarding accessibility by persons with different disabilities, such as WCAG.
- 10) **Performance Optimization:** Optimisation of a website's code base and better use of cached assets to reduce load times and increase interactivity.
- 11) **Security:** Ensuring that also secure measures are put in place to secure the users data and control any instances of vulnerability.
- 12) **Responsive Design:** Designing fluid layouts that work effectively across any device and the resolution of this screen.
- 13) **Usability:** To maintain user-friendliness and to provide clear feedback the design should be as consistent as

possible.

III. INTEGRATING WEB ENGINEERING WITH SDLC MODELS

Several efforts have indicated that there's a need to use Web Engineering principles in conjunction with Software Development Life Cycle (SDLC) models for better web site construction. In the conventional Model, which is the Waterfall model, integration starts with a detailed analysis of requirements as seen through user requirements, usability of the website, and scalability. Design phases necessarily consider UI interfaces in terms of web usability, effective navigation, and accessibility compliance. During the implementation process, developers appropriately use web technologies and frameworks together with a proper coding standard, and security measures. Testing includes high pressure function, usability, compatibility and performance test in relation to several browsers and gadgets. Deployment activities are server setup, environment, and post-deployment status. Maintenance involves providing support, fixing of bugs, and making new release based on the feedback of the users as well as changing needs. In iterative and incremental models such as Agile integration means that the development tasks are divided into small iterations with the possibility of continual integration of the project, continual deployment of project, and continual receiving of feedback[14]. Both in prototyping models, capturing user feedback by using rapid prototyping is incorporated in the early stages of the system development to enhance the cycle of web engineering improvement. Finally, the incorporation of web engineering principles into models of system development for large complex applications helps ensure that the developed web applications meet the identified needs of users satisfactorily, it also enhances web applications scalably, and also sustains an optimal level of usability and security throughout the application's life cycle[24].

A. Waterfall Model and Web Engineering

The Waterfall Model is an SDLC process which is characterized by a highly structured linear model, with phase activities such as requirements gathering, design, implementation, testing, deployment, and maintenance. This makes it very useful where there are defined requirements of projects to avoid confusion and to document all the proceedings well. The Waterfall Model, when adapted to the domain of Web Engineering, can be used to design successive steps of web applications development, accompanied by phases such as user requirement analysis, web interfaces design, web applications back-end implementation, or/and web applications testing. However, the ability to mass-produce applications with such rigidity may be problematic in dynamic web projects where the needs of the project can rapidly change, suggesting that adaptability and an iterative development approach are essential in most environments.[1].

B. Iterative Model and Web Engineering

The Waterfall Model is an SDLC process which is characterized by a highly structured linear model, with phase activities

such as requirements gathering, design, implementation, testing, deployment, and maintenance. This makes it very useful where there are defined requirements of projects to avoid confusion and to document all the proceedings well. The Waterfall Model, when adapted to the domain of Web Engineering, can be used to design successive steps of web applications development, accompanied by phases such as user requirement analysis, web interfaces design, web applications back-end implementation, or/and web applications testing. However, the ability to mass-produce applications with such rigidity may be problematic in dynamic web projects where the needs of the project can rapidly change, suggesting that adaptability and an iterative development approach are essential in most environments.

C. Incremental Model and Web Engineering

The Incremental Model uses similar methodology to the Waterfall Model but is more flexible than iterative development by delivering a system in small parts. This process continues with the successive development of increments wherein each increment adds features to end with the constructing of a total system. In Web Engineering, this model is quite useful in the development of scale web applications since the key elements can be developed and implemented on the web and users can start using the system as other elements are phased in. This approach minimizes on risks, optimizes resource utilization and incorporates user feedback hence suitable for any web project that requires phase-governed delivery and flexibility[1].

D. Spiral Model and Web Engineering

The Spiral Model of software development is an extension of the iterative development model with the conventional risk-driven model integrated into it, The Spiral Model comprises of repeated cycles of planning, risk analysis, engineering, and evaluation. In Web Engineering, this model is very much useful in complex or uncertain cases which include large scale e-commerce applications and two or more interacting web applications. Managing risks at each iteration enables web developers to gain adequate design, secure implementation, as well as the ability to answer changing needs. It brings into focus early Integrated decision-making about important issues, user participation throughout the development process, and gradual delivery into subsequent phases, which are major advantages when developing web applications, especially on projects that require good balance between risk and responsiveness[4].

E. Prototype Model and Web Engineering

The Prototype Model is about developing an operational model of the system during the early phase of developing the system to be incorporated in the development of the final system to address any shortcomings that may be as a result of unclear requirements. In Web Engineering, this approach is particularly advantageous in designs of interfaces or applications, where users' requirements are often uncertain, or may change so frequently. Such a model will enable

stakeholders to have a rough idea of the system and then offer their opinions and possible problems. It enhances the scheme's usability, corresponds to the user's expectations, and minimizes potential risks; therefore, the Prototype Model is a suitable strategy for dynamic and user-oriented web design projects.[25].

F. Agile Model and Web Engineering

The Agile Model is based on the concept of incremental and iterative and it entails flexibility, teamwork, and timely delivery of working software. In Web Engineering, Agile methodology is best applied because of the nature of web development which is highly likely to change often due to the ever changing market and user needs. Scrum or Kanban frameworks let the web development teams operate in small sprints where they build usable features to obtain constant feedback. This approach makes projects more flexible, user-oriented and allows for continuous testing and the involvement of stakeholders, making it appropriate for Web development projects that need speed and flexibility in today's world[16].

G. DevOps Model and Web Engineering

The DevOps Model ensures that Development and Operations teams work together to right-handedly develop an application by implementing Continuous Integration, Continuous Deployment/Delivery. In WE, DevOps is indeed effective in creating, deploying and managing web application in a constantly exposing and evolving environment. It makes delivery of updates quicker, engenders collaboration and makes for higher quality through automation of testing and deployment. Docker and Kubernetes, as well as Jenkins, help web engineering achieve scalability of resources and minimize downtimes for the page. The DevOps Model promotes team work and flexibility and is best suited for applications that require frequent updates and for web applications that need to provide seamless service to its users[19].

H. V-Model and Web Engineering

V Model popular as Verification and Validation model is indeed an extension of Waterfall model which focuses a symbiotic relation between development phases and testing phases. It might be specifically valuable in Web Engineering when the project aims at maintaining an adequate quality control and at documenting different phases of the project, especially in the case of enterprise web application. Each of the development phases: requirements, design, implementation, and deployment has its corresponding testing phase so that defects are found at the development phase. However, in exchange for this flexibility the model is highly reliable and delivers a high quality output, making it ideally suited to web based projects where the requirements are well defined and there is little room for alteration.

I. RAD Model and Web Engineering

The RAD Model is a technique that valiantly emphasizes high speed and the fallow user feedbacks Sophisticated techniques like prototyping, radical development plus modularity

are other chief characteristics of RAD Model to intensify the speed of the project. Different Web Engineering methodologies are also outlined and it is explained that the RAD Model is useful for projects that need to be delivered quickly, or for instances that require subsequent modifications like dynamic web applications with a marketing agenda. Due to the fact that rad breaks the application down into modules and develops them in parallel, there is the creation of an early model of the application in form of a prototype where immediate feedback is possible from stakeholders. This is another approach has the advantage of short development period, improved user satisfaction, and problem early a detection. But it presupposes the direct cooperation with users and skilled developers, which makes this language perfect for web applications – projects where high speed and the possibility of flexible improvements are an essential factor.

J. Lean Software Development and Web Engineering

LSD as a concept is built around principles of continuous delivery of value, minimization of waste in the software development process. Prominently in Web Engineering, this approach contribute to buildinglinear, user-centric web applications. It is based on similar and understandable clear guiding principles, for example aiming at developing value for the customer, reduction of waste, such as including features that the target audience does not need, and optimization of processes, all of which makes the approach lean and robust for web projects. Such as continuous delivery, testing and increments responses to the fast-paced web development environment and feedback and changing requirements. Lean Software Development is most suitable for use in Web based projects where efficiency, quality, and users' satisfaction is paramount.

IV. CHALLENGES IN WEB-BASED APPLICATION

Web-based application development comes with its own set of challenges, ranging from technical hurdles to user experience considerations. Some common challenges faced in web based application development:

- 1) Technology Integration Complexity: Integrating diverse web engineering and SDLC models poses challenges due to the complexity of aligning methodologies and tools.
- 2) Interdisciplinary Collaboration: Bridging the gap between web engineering and traditional software development requires effective collaboration among multi-disciplinary teams, which can be challenging due to differences in terminology, practices, and priorities.
- 3) Adaptation to Rapid Technological Changes: Web technologies evolve rapidly, making it challenging to ensure that integrated frameworks remain relevant and adaptable to emerging trends and advancements[6].
- 4) Tooling and Infrastructure: Developing supporting tools and infrastructure facilitate the adoption of integrated frameworks can be challenging due to resource constraints and the need for cross-functional expertise[22].

TABLE I
SOFTWARE MODEL WORKING USING WEB ENGINEERING PRINCIPLE'S

S/W Model/Web Eng.Principal	Client-Server Architecture	Stateless Design	RESTful APIs Design	Progressive Enhancement	Responsive Design	Single Page Applications	Asynchronous Communication	Cross-Browser	Security by Design	Continuous Deployment	Big design upfront	predictive scheduling	siloed teams	Usability
Waterfall Model	High	Low	High	High	Moderate	Moderate	High	High	High	Moderate	High	High	High	Low
Iterative Model	High	High	High	High	High	Moderate	High	High	High	High	Low	Low	Low	High
Incremental Model	High	Moderate	High	High	High	Moderate	High	High	High	High	Moderate	Moderate	Moderate	High
Spiral Model	High	Moderate	High	High	High	Low	High	High	High	High	Moderate	Low	Low	Moderate
Prototype Model	High	Moderate	High	High	High	Low	High	High	High	Moderate	Moderate	Moderate	Moderate	Very High
Agile Model	High	High	High	High	High	High	High	High	High	High	Low	Low	Low	Very High
DevOps Model	High	High	High	High	High	High	High	High	High	High	Low	Low	Low	Very High
V-Model	High	Low	High	Moderate	Moderate	Low	Moderate	High	High	High	High	High	High	Low
RAD	High	High	High	High	High	High	High	High	High	High	Low	Low	Low	High
Lean Software Development	High	High	High	High	High	High	High	High	High	High	Low	Low	Low	High

Table I explains the working of Software model like waterfall model,iterative model,Incremental Model, model,prototype model,Agile model,DevOps Model,V-model,RAD,Lean Software with the web engineering principle[8][9][10][23].

V. CONCLUSION

At the same time, the analysis of the models reveals that Web Engineering implies the need to adapt traditional development frameworks within an SDLC environment, as the web application development process poses specific issues. More conventional frameworks such as the Waterfall with its phases that are strictly sequential are deficient in flexibility and that greatly matters in the fast developing world of web. On the other hand, Iterative models like Iterative and Incremental models are also similar to each other in that they provide more flexibility in terms of constant checking and reassessment as is common with Web applications since the scope of developments demands feedback loops. They build upon this flexibility; other models like the Spiral and the Prototype assess risk and get a response from the user which is important when requirements are evolving. Two important models recurring in the process of Web Engineering are Agile and DevOps as these frameworks share certain tenets with web engineering, particularly on their user-oriented iterative nature and focus on integration and deployment. These models enable quick changes to be made when necessary; the integration of user feedback data; and quick commencement of work, which makes them ideal for web applications. In the same manner, the V-Model though has highly established verification and validation techniques prove to be too much mechanized for the fluidity of science of web designing. Other models like RAD and Lean Software Development are also meaningful for web projects because both of them mainly concentrate on fast prototyping and reduction of waste which is important for supporting and improving the web applications. This analysis underlines with so much emphasis the need to select and/or

customize SDLC models that espouse the contemporary web development paradigms of dynamism, user centrality, and iterative development.

VI. FUTURE DIRECTION

Web Engineering combined with SDLC models is likely to experience major enhancements in multiple potential future developments. There is a possibility to improve flexibility and timeliness of the response to the users' requirements by integrating the elements of Agile and DevOps approaches; also, the elements of the application of artificial intelligence and machine learning make the respective methodologies potentially more effective. Perhaps, the focus on security with the help of DevSecOps and constant evaluation will supply right enough protection against cyber threats. Further, increasing the efforts in user-oriented design which means constant user input and broad usability studies will enhance usability and user experience. To do so, it is possible to harness newly developing markets like blockchain, AR, and IoT to build remarkable web applications. In addition we will embrace environmental responsibility with such factors like energy efficient coding system, and green host. The following future directions appear as follows in sum to create quality, friendly and safe, efficient and durable Web applications with prolonged development and advancement in the area.

REFERENCES

- [1] Garg, A., Kaliyar, R. K., Goswami, A. (2022, March). PDRSD-A systematic review on plan-driven SDLC models for software development. In 2022 8th International Conference on Advanced Computing and Communication Systems (ICACCS) (Vol. 1, pp. 739-744). IEEE.
- [2] Doshi, D., Jain, L., Gala, K. (2021). Review of the spiral model and its applications. Int. J. Eng. Appl. Sci. Technol, 5, 311-316.

- [3] Dutonde, P. D., Mamidwar, S. S., Korvate, M. S., Bafna, S., Shirbhate, D. D. (2022). Website Development Technologies: A Review. *Int. J. Res. Appl. Sci. Eng. Technol*, 10(1), 359-366.
- [4] Rindell, K., Ruohonen, J., Holvitie, J., Hyrynsalmi, S., Leppänen, V. (2021). Security in agile software development: A practitioner survey. *Information and Software Technology*, 131, 106488.
- [5] Gary, K. (2022, May). Project-based Pedagogy Online: Challenges in online software engineering education. In *Proceedings of the First International Workshop on Designing and Running Project-Based Courses in Software Engineering Education* (pp. 25-26).
- [6] Patel, P., Hande, A., Meshram, B. B. (2013). Survey of existing web models techniques to design web application. *International Journal of Computer Technology and Applications*, 4(3), 514.
- [7] Saputri, T. R. D., Lee, S. W. (2021). Integrated framework for incorporating sustainability design in software engineering life-cycle: An empirical study. *Information and Software Technology*, 129, 106407.
- [8] Fagarasan, C., Cristea, C., Cristea, M., Popa, O., Pislă, A. (2023). Integrating Sustainability Metrics into Project and Portfolio Performance Assessment in Agile Software Development: A Data-Driven Scoring Model. *Sustainability*, 15(17), 13139.
- [9] Adeagbo, M. A., Akinsola, J. E. T., Awoseyi, A. A., Kasali, F. (2021). Project implementation decision using Software Development Life Cycle models: A comparative approach. *Journal of Computer Science and Its Application*, 28(1).
- [10] RANA, T. (2022). Devising a Usability Development Life Cycle (UDLC) Model for Enhancing Usability and User Experience in Interactive Applications. *Sir Syed University Research Journal of Engineering Technology*, 12(2), 81-94.
- [11] Kumar, S., Sangwan, S. (2011). Adapting the software engineering process to web engineering process. *International Journal of Computing and Business Research*, 2(1), 42-63.
- [12] Alsharari, A. S., Zainon, W. M. N. W., Letchmunan, S., Mohammed, B. A., Alsharari, M. S. (2023, February). A Review of Agile Methods for Requirement Change Management in Web Engineering. In *2023 International Conference on Smart Computing and Application (ICSCA)* (pp. 1-9). IEEE.
- [13] Snoeck, M., Wautelet, Y. (2022). Agile MERODE: a model-driven software engineering method for user-centric and value-based development. *Software and Systems Modeling*, 21(4), 1469-1494.
- [14] Paiva, D. M. B., Freire, A. P., de Mattos Fortes, R. P. (2021). Accessibility and software engineering processes: A systematic literature review. *Journal of Systems and Software*, 171, 110819.
- [15] Almeyda, S., Da'vila, A. (2022). Process Improvement in Software Requirements Engineering: A Systematic Mapping Study. *Programming and Computer Software*, 48(8), 513-533.
- [16] Murugesan, S., Deshpande, Y., Hansen, S., Ginige, A. (2001). Web engineering: A new discipline for development of web-based systems. *Web engineering: Managing diversity and complexity of Web application development*, 3-13.
- [17] Hnaini, H., Mazo, R., Champeau, J., Vallejo, P., Galindo, J. (2024). E-SCORE: A web-based tool for security requirements engineering. *SoftwareX*, 26, 101704.
- [18] Rindell, K., Ruohonen, J., Holvitie, J., Hyrynsalmi, S., Leppänen, V. (2021). Security in agile software development: A practitioner survey. *Information and Software Technology*, 131, 106488.
- [19] Qadir, M., Farid, S., Nasir, M. H. N. B. M., Akbar, A. (2021). A Rigorous Approach to Prioritizing Challenges of Web-Based Application Systems. *Malaysian Journal of Computer Science*, 34(2), 130-150.
- [20] Jadhav, D., Kundale, J., Bhagwat, S., Joshi, J. (2023). A Systematic Review of the Tools and Techniques in Distributed Agile Software Development. *Agile Software Development: Trends, Challenges and Applications*, 161-186.
- [21] Alaydrus, F., Raharjo, T., Hardian, B., Prasetyo, A. (2021, April). Approaches in determining software development methods for organizations: A systematic literature review. In *2021 IEEE International IOT, Electronics and Mechatronics Conference (IEMTRONICS)* (pp. 1-6). IEEE.
- [22] Satveer, S., Singh, S. (2022, November). Towards a Life Cycle Model for the Development of Semantic Web Applications. In *2022 International Conference on Fourth Industrial Revolution Based Technology and Practices (ICFIRTP)* (pp. 154-159). IEEE.
- [23] Paiva, D. M. B., Freire, A. P., de Mattos Fortes, R. P. (2021). Accessibility and software engineering processes: A systematic literature review. *Journal of Systems and Software*, 171, 110819.
- [24] Moo-Medina, M., Munoz-Ubando, L. A., Mazu'n Cruz, R. (2022). Adaptation of Models and Processes for Web-based Development. *Computación y Sistemas*, 26(4), 1515-1525.
- [25] Sunner, D. (2016, July). Agile: Adapting to need of the hour: Understanding Agile methodology and Agile techniques. In *2016 2nd International Conference on Applied and Theoretical Computing and Communication Technology (iCATccT)* (pp. 130-135). IEEE.
- [26] Alaydrus, F., Raharjo, T., Hardian, B., Prasetyo, A. (2021, April). Approaches in determining software development methods for organizations: A systematic literature review. In *2021 IEEE International IOT, Electronics and Mechatronics Conference (IEMTRONICS)* (pp. 1-6). IEEE.
- [27] Yahya, N., Maidin, S. S. (2022, September). The Waterfall Model with Agile Scrum as the Hybrid Agile Model for the Software Engineering Team. In *2022 10th International Conference on Cyber and IT Service Management (CITSM)* (pp. 1-5). IEEE.