

GAMING COMPUTER CASE MOD.YCH-041520 CAJA PC / GABINETE GAMING

USER'S MANUAL DE USUARIO











SPECIFICATIONS ESPECIFICACIONES



ENGLISH

Computer Case Size	Product Size	
Computer Case Weight (No Package) Computer Case Weight (No Package) Chassis SPCC 0.019685" (Black Interior) Front Panel Top Cover Magnetic Dust-Proof Net Right Side Panel Left Side Panel Metal Tempered Glass Power Supply Bottom ATX with Power Supply Chamber USB and Audio USB USB 3.0 (3) Audio Audio HD Fan and Water Cooling Positions Front 4.7" x 3 or 5.5" x 2 Rear 4.7" x 1 Top 4.7" x 2 PSU Cover Fan and Water Cooling Positions Front 4.7" x 5.5" / 9.4" / 11" Rear Drive Bays PCI Slots PCI Slots PCI Slots Motherboard Motherboard Motherboard Max. CPU Cooler Height Cable Management		l .
Computer Case Weight (No Package) Material Chassis SPCC 0.019685" (Black Interior) Front Panel Metal Top Cover Magnetic Dust-Proof Net Right Side Panel Left Side Panel Metal Tempered Glass Power Supply Bottom ATX with Power Supply Chamber USB and Audio USB USB 3.0 (3) Audio Audio HD Fan and Water Cooling Positions Front 4.7" x 3 or 5.5" x 2 Rear 4.7" x 1 Top 4.7" x 2 PSU Cover Fan and Water Cooling Positions Front 4.7" / 5.5" / 9.4" / 11" Rear Drive Bays S.25" ODD x 0 3.5" HDD x 2 / 1 2.5" SSD x 2 / 3 PCI Slots PCI Slots PCI Slots Motherboard Motherboard Motherboard Motherboard Motherboard Max. CPU Cooler Height Cable Management	Product	Weight
Material Chassis SPCC 0.019685" (Black Interior) Front Panel Metal Top Cover Magnetic Dust-Proof Net Right Side Panel Tempered Glass Power Supply Bottom ATX with Power Supply Chamber USB and Audio USB USB 3.0 (3) Audio Audio HD Fan and Water Cooling Positions Front 4.7" x 3 or 5.5" x 2 Rear 4.7" x 1 Top 4.7" x 2 PSU Cover 4.7" x 2 Fan and Water Cooling Positions Front 4.7" x 5.5" / 9.4" / 11" Rear 4.7" Drive Bays Drive Bays PCI Slots PCI Slots PCI Slots Motherboard Motherboard Motherboard Max. VGA Card Length Max. CPU Cooler Height Cable Management	Computer Case Weight (Package)	9.03 lb
Chassis SPCC 0.019685" (Black Interior) Front Panel Metal Top Cover Magnetic Dust-Proof Net Right Side Panel Metal Left Side Panel Tempered Glass Power Supply Bottom ATX with Power Supply Chamber USB and Audio USB USB 3.0 (3) Audio Audio HD Fan and Water Cooling Positions Front 4.7" x 3 or 5.5" x 2 Rear 4.7" x 1 Top 4.7" x 2 PSU Cover 4.7" x 2 Fan and Water Cooling Positions Front 4.7" / 5.5" / 9.4" / 11" Rear 4.7" Drive Bays Drive Bays PCI Slots PCI Slots PCI Slots Motherboard Motherboard Motherboard Motherboard Max. CPU Cooler Height Cable Management	Computer Case Weight (No Package)	7.93 lb
Front Panel Top Cover Magnetic Dust-Proof Net Right Side Panel Left Side Panel Tempered Glass Power Supply Bottom ATX with Power Supply Chamber USB and Audio USB USB 3.0 (3) Audio Audio HD Fan and Water Cooling Positions Front 4.7" x 3 or 5.5" x 2 Rear 4.7" x 1 Top 4.7" x 2 PSU Cover 4.7" x 2 Fan and Water Cooling Positions Front 4.7" / 5.5" / 9.4" / 11" Rear Drive Bays Drive Bays PCI Slots PCI Slots PCI Slots PCI Slots PCI Slots PCI Slots Motherboard Motherboard Motherboard Motherboard Motherboard Max. CPU Cooler Height Max. CPU Cooler	Mat	erial
Top Cover Right Side Panel Left Side Panel Left Side Panel Rower Supply Bottom ATX with Power Supply Chamber USB and Audio USB USB 3.0 (3) Audio Audio HD Fan and Water Cooling Positions Front 4.7" x 2 Rear 4.7" x 1 Top 4.7" x 2 PSU Cover 4.7" x 2 Fan and Water Cooling Positions Front 4.7" / 5.5" / 9.4" / 11" Rear 5.25" ODD x 0 3.5" HDD x 2 / 1 2.5" SSD x 2 / 3 PCI Slots PCI Slots PCI Slots PCI Slots PCI Slots Motherboard Motherboard Motherboard Motherboard Motherboard Max. CPU Cooler Height Cable Management	Chassis	SPCC 0.019685" (Black Interior)
Right Side Panel Left Side Panel Tempered Glass Power Supply Bottom ATX with Power Supply Chamber USB and Audio USB 3.0 (3) Audio HD Fan and Water Cooling Positions Front 4.7" x 3 or 5.5" x 2 Rear 4.7" x 1 Top 4.7" x 2 PSU Cover 4.7" x 2 Fan and Water Cooling Positions Front 4.7" / 5.5" / 9.4" / 11" Rear Drive Bays 5.25" ODD x 0 3.5" HDD x 2 / 1 2.5" SSD x 2 / 3 PCI Slots PCI Slots PCI Slots Motherboard Motherboard Motherboard Motherboard Motherboard Max. VGA Card Length Max. CPU Cooler Height 6.2"	Front Panel	Metal
Tempered Glass Power Supply	Top Cover	Magnetic Dust-Proof Net
Power Supply ATX with Power Supply Chamber USB and Audio USB USB 3.0 (3) Audio Audio HD Fan and Water Cooling Positions Front 4.7" x 3 or 5.5" x 2 Rear 4.7" x 1 Top 4.7" x 2 PSU Cover 4.7" x 2 PSU Cover 4.7" x 2 Fan and Water Cooling Positions Front 4.7" / 5.5" / 9.4" / 11" Rear 4.7" Drive Bays 5.25" ODD x 0 3.5" HDD x 2 / 1 2.5" SSD x 2 / 3 PCI Slots PCI Slots 4 VGA Card Length Max. VGA Card Length Motherboard Motherboard Motherboard Motherboard Motherboard Motherboard Max. CPU Cooler Height Cable Management	Right Side Panel	Metal
Bottom ATX with Power Supply Chamber USB and Audio USB USB 3.0 (3) Audio Audio HD Fan and Water Cooling Positions Front 4.7" x 3 or 5.5" x 2 Rear 4.7" x 1 Top 4.7" x 2 PSU Cover 4.7" x 2 Fan and Water Cooling Positions Front 4.7" / 5.5" / 9.4" / 11" Rear 4.7" Drive Bays Drive Bays Drive Bays PCI Slots PCI Slots PCI Slots 4 VGA Card Length Max. VGA Card Length Motherboard Motherboard Motherboard Motherboard Motherboard Motherboard Max. CPU Cooler Height Max. CPU Cooler Height Cable Management	Left Side Panel	Tempered Glass
Bottom ATX with Power Supply Chamber USB and Audio USB USB 3.0 (3) Audio Audio HD Fan and Water Cooling Positions Front 4.7" x 3 or 5.5" x 2 Rear 4.7" x 1 Top 4.7" x 2 PSU Cover 4.7" x 2 Fan and Water Cooling Positions Front 4.7" / 5.5" / 9.4" / 11" Rear 4.7" Drive Bays Drive Bays Drive Bays PCI Slots PCI Slots PCI Slots 4 VGA Card Length Max. VGA Card Length Motherboard Motherboard Motherboard Motherboard Motherboard Motherboard Max. CPU Cooler Height Max. CPU Cooler Height Max. CPU Cooler Height Cable Management	Power Supply	
USB		
Audio HD Fan and Water Cooling Positions Front 4.7" x 3 or 5.5" x 2 Rear 4.7" x 1 Top 4.7" x 2 PSU Cover 4.7" x 2 Fan and Water Cooling Positions Front 4.7" / 5.5" / 9.4" / 11" Rear 4.7" Drive Bays Drive Bays 5.25" ODD x 0 3.5" HDD x 2 / 1 2.5" SSD x 2 / 3 PCI Slots PCI Slots PCI Slots 4 VGA Card Length Max. VGA Card Length Motherboard Motherboard ITX / Micro ATX CPU Cooler Height Max. CPU Cooler Height 6.2"	USB and Audio	
Fan and Water Cooling Positions Front 4.7" x 3 or 5.5" x 2 Rear 4.7" x 1 Top 4.7" x 2 PSU Cover 4.7" x 2 Fan and Water Cooling Positions Front 4.7" / 5.5" / 9.4" / 11" Rear 4.7" Drive Bays Drive Bays 5.25" ODD x 0 3.5" HDD x 2 / 1 2.5" SSD x 2 / 3 PCI Slots PCI Slots PCI Slots 4 VGA Card Length Max. VGA Card Length Motherboard	USB	USB 3.0 (3)
Rear	Audio	Audio HD
Rear	Fan and Water Cooling Positions	
Top	Front	
PSU Cover Fan and Water Cooling Positions Front 4.7" / 5.5" / 9.4" / 11" Rear Drive Bays 5.25" ODD × 0 3.5" HDD × 2 / 1 2.5" SSD × 2 / 3 PCI Slots PCI Slots 4 VGA Card Length Max. VGA Card Length Motherboard Motherboard Motherboard ITX / Micro ATX CPU Cooler Height Max. CPU Cooler Height 6.2"	Rear	
Fan and Water Cooling Positions Front 4.7" / 5.5" / 9.4" / 11" Rear 4.7" Drive Bays 5.25" ODD x 0 3.5" HDD x 2 / 1 2.5" SSD x 2 / 3 PCI Slots PCI Slots 4 VGA Card Length Max. VGA Card Length Motherboard Motherboard Motherboard ITX / Micro ATX CPU Cooler Height Max. CPU Cooler Height 6.2"	Тор	4.7" x 2
Rear 4.7" 5.5" 9.4" 11" Rear 4.7" Drive Bays 5.25" ODD x 0 3.5" HDD x 2 / 1 2.5" SSD x 2 / 3 PCI Slots 4 VGA Card Length 12.5" Motherboard ITX Micro ATX CPU Cooler Height 6.2" Cable Management 6.2"		
Rear 4.7" Drive Bays 5.25" ODD x 0 3.5" HDD x 2 / 1 2.5" SSD x 2 / 3 PCI Slots PCI Slots 4 VGA Card Length Max. VGA Card Length Motherboard Motherboard Motherboard ITX / Micro ATX CPU Cooler Height Max. CPU Cooler Height 6.2"	Fan and Water Cooling Positions	
Drive Bays 5.25" ODD x 0 3.5" HDD x 2 / 1 2.5" SSD x 2 / 3 PCI Slots PCI Slots 4 VGA Card Length Max. VGA Card Length Motherboard Motherboard Motherboard ITX / Micro ATX CPU Cooler Height Max. CPU Cooler Height Cable Management	Front	4.7" / 5.5" / 9.4" / 11"
Drive Bays PCI Slots PCI Slots PCI Slots PCI Slots 4 VGA Card Length Max. VGA Card Length Motherboard Motherboard Motherboard CPU Cooler Height Max. CPU Cooler Height Cable Management	Rear	4.7"
PCI Slots PCI Slots PCI Slots PCI Slots PCI Slots 4 VGA Card Length Max. VGA Card Length Motherboard Motherboard ITX / Micro ATX CPU Cooler Height Max. CPU Cooler Height Cable Management		
PCI Slots PCI Slots PCI Slots PCI Slots 4 VGA Card Length Max. VGA Card Length Motherboard Motherboard Motherboard ITX / Micro ATX CPU Cooler Height Max. CPU Cooler Height Cable Management		
PCI Slots PCI Slots 4 VGA Card Length Max. VGA Card Length Motherboard Motherboard ITX / Micro ATX CPU Cooler Height Max. CPU Cooler Height Cable Management	Drive Bays	· · · · · · · · · · · · · · · · · · ·
PCI Slots 4 VGA Card Length Max. VGA Card Length 12.5" Motherboard Motherboard ITX / Micro ATX CPU Cooler Height Max. CPU Cooler Height Cable Management		
VGA Card Length Max. VGA Card Length Motherboard Motherboard ITX / Micro ATX CPU Cooler Height Max. CPU Cooler Height Cable Management		
Max. VGA Card Length 12.5" Motherboard Motherboard ITX / Micro ATX CPU Cooler Height Max. CPU Cooler Height Cable Management	1 01 01000	
Motherboard Motherboard ITX / Micro ATX CPU Cooler Height Max. CPU Cooler Height Cable Management		_
Motherboard ITX / Micro ATX CPU Cooler Height Max. CPU Cooler Height 6.2" Cable Management	•	
CPU Cooler Height Max. CPU Cooler Height 6.2" Cable Management		
Max. CPU Cooler Height 6.2" Cable Management		'
Cable Management	-	
U.9"		
-	Gable Ivianagement	U.9"


ESPAÑOL

Tamaño del Producto	
Tamaño Caja PC Gaming	325mm x 200mm x 380mm
Peso del	Producto
Tamaño Caja PC Gaming (Embalaje)	4.1 kg
Tamaño Caja PC Gaming (Sin Embalaje)	3.6 kg
Mate	erial
Chasis	SPCC 0.5mm (Interior Negro)
Panel Frontal	Metal
Cubierta Superior	Red Magnética a Prueba de Polvo
Panel Lateral Derecho	Metal
Panel Lateral Izquierdo	Vidrio Templado
Fuente de Alimentación	
Inferior	ATX con Cámara de Alimentación
USB y Audio	
USB	USB 3.0 (3)
Audio	Audio HD
Sistema de Enfriamiento por Aire	
Frente	120mm x 3 o 140mm x 2
Atras	120mm x 1
Arriba	120mm x 2
Cubierta Fuente de Alimentación	120mm x 2
Sistema de Refrigeración por Agua	
Frente	120mm / 140mm / 240mm / 280mm
Atras	120mm
Ranuras de Unidad	
	133.35mm ODD x 0
Ranuras de Unidad	88.9mm HDD x 2 / 1 63.5mm SSD x 2 / 3
Ranuras PCI	
Ranuras PCI	4
Longitud de la	Tarieta VGA
Max. Longitud de la Tarjeta VGA	320mm
Placa	Base
Placa Base	ITX / Micro ATX
Altura del Enfriamiento CPU	
Max. Altura del Enfriamiento CPU	160mm
Mantenimiento de Cable	
Mantenimiento de Cable	23mm
	LGIIIII

MEASUREMENTS MEDIDAS



GAMING COMPUTER CASE MOD.YCH-041520



INSTALLATION INSTALACIÓN



