Monitoring JavaMelody on /unionvms/movement_wildfly - all

Statistics of JavaMelody monitoring taken at 2018-11-14 09:34 from 2018-11-14 08:08 on /unionvms/movement_wildfly

Statistics http - all

None

Statistics sql - all

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
sql global	100	20 011 191	1	3 677	24	0,00
sql warning	0	0	-1	0	-1	0,00
sql severe	80	60 023	411	3 677	174	0,03

19 111 hits/min on 70 requests

Statistics ejb - all

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of cumulative cpu time	Mean cpu time (ms)	% of system error	Mean hits sql	Mean time sql (ms)
ejb global	100	600 144	316	5 960	286	100	123	0,00	101	154
ejb warning	42	120 020	679	3 934	179	53	329	0,00	278	477
ejb severe	0	0	-1	0	-1	0	-1	0,00	-1	-1

578 hits/min on 11 requests

Statistics http system errors - all

None

Statistics system errors logs - all

| Error	Hits
WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.	306

3 hits/min on 1 errors

Current requests

None

System information

Monitoring JavaMelody on /unionvms/movement_wildfly - all

|	
Host:	**wildfly@172.17.0.4**
Java memory used:	3 151 Mb / 5 986 Mb
Nb of http sessions:	0
Nb of active threads (current http requests):	0
Nb of active jdbc connections:	0
Nb of used jdbc connections (opened if no datasource):	0
System load:	0,60
% System CPU:	52,67

⚙ Threads

Threads on wildfly@172.17.0.4: Number = 380, Maximum = 510, Total started = 9 701 912

Host:	**wildfly@172.17.0.4**
Java memory used:	3 151 Mb / 5 986 Mb
Nb of http sessions:	0
Nb of active threads (current http requests):	0
Nb of active jdbc connections:	0
Nb of used jdbc connections (opened if no datasource):	0

Monitoring JavaMelody on /unionvms/movement_wildfly - all

📈 Detailed statistics

% Garbage Collector time - all	Threads count - all	Loaded classes count - all
Mean Mean: NaN Maximum Maximum: NaN	Mean Mean: NaN Maximum Maximum: NaN	Mean Mean: NaN Maximum Maximum: NaN
Used buffered memory - all	Used non heap memory - all	Used physical memory - all
Mean Mean: NaN Maximum Maximum: NaN	Mean Mean: NaN Maximum Maximum: NaN	Mean Mean: NaN Maximum Maximum: NaN
Used swap space - all	System load - all	% System CPU - all
Mean Mean: NaN Maximum Maximum: NaN	Mean Mean: NaN Maximum Maximum: NaN	Mean Mean: NaN Maximum Maximum: NaN
Nb of opened files - all	Mean age of http sessions (min) - all	Transactions per minute - all
Mean Mean: NaN Maximum Maximum: NaN	Mean Mean: NaN Maximum Maximum: NaN	Mean Mean: NaN Maximum Maximum: NaN
	Free disk space - all	
	Mean Mean: NaN Maximum Maximum: NaN	

Monitoring JavaMelody on /unionvms/movement_wildfly - all

Used memory - all - 2018-11-14 on /unionvms/movement_wildfly

Mean Mean:	NaN
Maximum Maximum:	NaN

% CPU - all - 2018-11-14 on /unionvms/movement_wildfly

Mean Mean:	NaN
Maximum Maximum:	NaN

Http sessions - all - 2018-11-14 on /unionvms/movement_wildfly

Mean Mean:	NaN
Maximum Maximum:	NaN

Monitoring JavaMelody on /unionvms/movement_wildfly - all

Monitoring JavaMelody on /unionvms/movement_wildfly - all

Http hits per minute - all - 2018-11-14 on /unionvms/movement_wildfly

| | Mean Mean: | NaN |
| | Maximum Maximum: | NaN |

Http mean times (ms) - all - 2018-11-14 on /unionvms/movement_wildfly

| | Mean Mean: | NaN |
| | Maximum Maximum: | NaN |

% of http errors - all - 2018-11-14 on /unionvms/movement_wildfly

| | Mean Mean: | NaN |
| | Maximum Maximum: | NaN |

Monitoring JavaMelody on /unionvms/movement_wildfly - all

Sql hits per minute - all - 2018-11-14 on /unionvms/movement_wildfly

Mean Mean: NaN
Maximum Maximum: NaN

Sql mean times (ms) - all - 2018-11-14 on /unionvms/movement_wildfly

Mean Mean: NaN
Maximum Maximum: NaN

% of sql errors - all - 2018-11-14 on /unionvms/movement_wildfly

Mean Mean: NaN
Maximum Maximum: NaN

Monitoring JavaMelody on /unionvms/movement_wildfly - all

Ejb hits per minute - all - 2018-11-14 on /unionvms/movement_wildfly

Mean Mean: NaN
Maximum Maximum: NaN

Ejb mean times (ms) - all - 2018-11-14 on /unionvms/movement_wildfly

Mean Mean: NaN
Maximum Maximum: NaN

% of ejb errors - all - 2018-11-14 on /unionvms/movement_wildfly

Mean Mean: NaN
Maximum Maximum: NaN

Monitoring JavaMelody on /unionvms/movement_wildfly - all

🔵 Detailed statistics http - all

None

🛢 Detailed statistics sql - all

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
select areatransi0_.areatran_move_id as areatran6_3_0_, areatransi0_.areatran_id as areatran1_3_0_, areatransi0_.areatran_id as areatran1_3_1_, areatransi0_.areatran_area_id as areatran5_3_1_, areatransi0_.areatran_move_id as areatran6_3_1_, areatransi0_.areatran_movetype_id as areatran2_3_1_, areatransi0_.areatran_updattim as areatran3_3_1_, areatransi0_.areatran_upuser as areatran4_3_1_ from areatransition areatransi0_ where areatransi0_.areatran_move_id=?	13	16 716 853	0	300	0	0,00
select distinct movement0_.move_id as move_id1_6_0_, movementco1_.moveconn_id as moveconn1_8_1_, activity2_.act_id as act_id1_0_2_, track3_.trac_id as trac_id1_17_3_, segment4_.seg_id as seg_id1_15_4_, segment5_.seg_id as seg_id1_15_5_, movementme6_.movemet_id as movemet_1_11_6_, movementar7_.movarea_id as movarea_1_7_7_, area8_.area_id as area_id1_2_8_, areatype9_.areatype_id as areatype1_4_9_, movement0_.move_act_id as move_ac18_6_0_, movement0_.move_altitude as move_alt2_6_0_, movement0_.move_duplicate as move_dup3_6_0_, movement0_.move_duplicate_id as move_dup4_6_0_, movement0_.move_guid as move_gui5_6_0_, movement0_.move_heading as move_hea6_6_0_, movement0_.move_internal_reference_number as move_int7_6_0_, movement0_.move_location as move_loc8_6_0_, movement0_.move_movemet_id as move_mo19_6_0_, movement0_.move_moveconn_id as move_mo20_6_0_, movement0_.move_movesour_id as move_mov9_6_0_, movement0_.move_movetyp_id as move_mo10_6_0_, movement0_.move_processed as move_pr11_6_0_, mov...	8	6 000	412	891	174	0,00
select distinct movement0_.move_id as move_id1_6_0_, movementco1_.moveconn as moveconn1_8_1_, activity2_.act_id as act_id1_0_2_, track3_.trac_id as trac_id1_17_3_, segment4_.seg_id as seg_id1_15_4_, segment5_.seg_id as seg_id1_15_5_, movementme6_.movemet_id as movemet_1_11_6_, movementar7_.movarea_id as movarea_1_7_7_, area8_.area_id as area_id1_2_8_, areatype9_.areatype_id as areatype1_4_9_, movement0_.move_act_id as move_ac18_6_0_, movement0_.move_altitude as move_alt2_6_0_, movement0_.move_duplicate as move_dup3_6_0_, movement0_.move_duplicate_id as move_dup4_6_0_, movement0_.move_guid as move_gui5_6_0_, movement0_.move_heading as move_hea6_6_0_, movement0_.move_internal_reference_number as move_int7_6_0_, movement0_.move_location as move_loc8_6_0_, movement0_.move_movemet_id as move_mo19_6_0_, movement0_.move_moveconn_id as move_mo20_6_0_, movement0_.move_movesour_id as move_mov9_6_0_, movement0_.move_movetyp_id as move_mo10_6_0_, movement0_.move_processed as move_pr11_6_0_, mov...	8	6 000	412	963	174	0,00
select distinct movement0_.move_id as move_id1_6_0_, movementco1_.moveconn_id as moveconn1_8_1_, activity2_.act_id as act_id1_0_2_, track3_.trac_id as trac_id1_17_3_, segment4_.seg_id as seg_id1_15_4_, segment5_.seg_id as seg_id1_15_5_, movementme6_.movemet_id as movemet_1_11_6_, movementar7_.movarea_id as movarea_1_7_7_, area8_.area_id as area_id1_2_8_, areatype9_.areatype_id as areatype1_4_9_, movement0_.move_act_id as move_ac18_6_0_, movement0_.move_altitude as move_alt2_6_0_, movement0_.move_duplicate as move_dup3_6_0_, movement0_.move_duplicate_id as move_dup4_6_0_, movement0_.move_guid as move_gui5_6_0_, movement0_.move_heading as move_hea6_6_0_, movement0_.move_internal_reference_number as move_int7_6_0_, movement0_.move_location as move_loc8_6_0_, movement0_.move_movemet_id as move_mo19_6_0_, movement0_.move_moveconn_id as move_mo20_6_0_, movement0_.move_movesour_id as move_mov9_6_0_, movement0_.move_movetyp_id as move_mo10_6_0_, movement0_.move_processed as move_pr11_6_0_, mov...	8	6 000	412	966	174	0,00
select distinct movement0_.move_id as move_id1_6_0_, movementco1_.moveconn as moveconn1_8_1_, activity2_.act_id as act_id1_0_2_, track3_.trac_id as trac_id1_17_3_, segment4_.seg_id as seg_id1_15_4_, segment5_.seg_id as seg_id1_15_5_, movementme6_.movemet_id as movemet_1_11_6_, movementar7_.movarea_id as movarea_1_7_7_, area8_.area_id as area_id1_2_8_, areatype9_.areatype_id as areatype1_4_9_, movement0_.move_act_id as move_ac18_6_0_, movement0_.move_altitude as move_alt2_6_0_, movement0_.move_duplicate as move_dup3_6_0_, movement0_.move_duplicate_id as move_dup4_6_0_, movement0_.move_guid as move_gui5_6_0_, movement0_.move_heading as move_hea6_6_0_, movement0_.move_internal_reference_number as move_int7_6_0_, movement0_.move_location as move_loc8_6_0_, movement0_.move_movemet_id as move_mo19_6_0_, movement0_.move_moveconn_id as move_mo20_6_0_, movement0_.move_movesour_id as move_mov9_6_0_, movement0_.move_movetyp_id as move_mo10_6_0_, movement0_.move_processed as move_pr11_6_0_, mov...	8	6 000	412	3 677	178	0,00
select distinct movement0_.move_id as move_id1_6_0_, movementco1_.moveconn_id as moveconn1_8_1_, activity2_.act_id as act_id1_0_2_, track3_.trac_id as trac_id1_17_3_, segment4_.seg_id as seg_id1_15_4_, segment5_.seg_id as seg_id1_15_5_, movementme6_.movemet_id as movemet_1_11_6_, movementar7_.movarea_id as movarea_1_7_7_, area8_.area_id as area_id1_2_8_, areatype9_.areatype_id as areatype1_4_9_, movement0_.move_act_id as move_ac18_6_0_, movement0_.move_altitude as move_alt2_6_0_, movement0_.move_duplicate as move_dup3_6_0_, movement0_.move_duplicate_id as move_dup4_6_0_, movement0_.move_guid as move_gui5_6_0_, movement0_.move_heading as move_hea6_6_0_, movement0_.move_internal_reference_number as move_int7_6_0_, movement0_.move_location as move_loc8_6_0_, movement0_.move_movemet_id as move_mo19_6_0_, movement0_.move_moveconn_id as move_mo20_6_0_, movement0_.move_movesour_id as move_mov9_6_0_, movement0_.move_movetyp_id as move_mo10_6_0_, movement0_.move_processed as move_pr11_6_0_, mov...	8	6 000	411	910	174	0,00
select distinct movement0_.move_id as move_id1_6_0_, movementco1_.moveconn_id as moveconn1_8_1_, activity2_.act_id as act_id1_0_2_, track3_.trac_id as trac_id1_17_3_, segment4_.seg_id as seg_id1_15_4_, segment5_.seg_id as seg_id1_15_5_, movementme6_.movemet_id as movemet_1_11_6_, movementar7_.movarea_id as movarea_1_7_7_, area8_.area_id as area_id1_2_8_, areatype9_.areatype_id as areatype1_4_9_, movement0_.move_act_id as move_ac18_6_0_, movement0_.move_altitude as move_alt2_6_0_, movement0_.move_duplicate as move_dup3_6_0_, movement0_.move_duplicate_id as move_dup4_6_0_, movement0_.move_guid as move_gui5_6_0_, movement0_.move_heading as move_hea6_6_0_, movement0_.move_internal_reference_number as move_int7_6_0_, movement0_.move_location as move_loc8_6_0_, movement0_.move_movemet_id as move_mo19_6_0_, movement0_.move_moveconn_id as move_mo20_6_0_, movement0_.move_movesour_id as move_mov9_6_0_, movement0_.move_movetyp_id as move_mo10_6_0_, movement0_.move_processed as move_pr11_6_0_, mov...	8	6 000	411	931	175	0,00
select distinct movement0_.move_id as move_id1_6_0_, movementco1_.moveconn_id as moveconn1_8_1_, activity2_.act_id as act_id1_0_2_, track3_.trac_id as trac_id1_17_3_, segment4_.seg_id as seg_id1_15_4_, segment5_.seg_id as seg_id1_15_5_, movementme6_.movemet_id as movemet_1_11_6_, movementar7_.movarea_id as movarea_1_7_7_, area8_.area_id as area_id1_2_8_, areatype9_.areatype_id as areatype1_4_9_, movement0_.move_act_id as move_ac18_6_0_, movement0_.move_altitude as move_alt2_6_0_, movement0_.move_duplicate as move_dup3_6_0_, movement0_.move_duplicate_id as move_dup4_6_0_, movement0_.move_guid as move_gui5_6_0_, movement0_.move_heading as move_hea6_6_0_, movement0_.move_internal_reference_number as move_int7_6_0_, movement0_.move_location as move_loc8_6_0_, movement0_.move_movemet_id as move_mo19_6_0_, movement0_.move_moveconn_id as move_mo20_6_0_, movement0_.move_movesour_id as move_mov9_6_0_, movement0_.move_movetyp_id as move_mo10_6_0_, movement0_.move_processed as move_pr11_6_0_, mov...	8	6 000	411	941	174	0,00
select distinct movement0_.move_id as move_id1_6_0_, movementco1_.moveconn_id as moveconn1_8_1_, activity2_.act_id as act_id1_0_2_, track3_.trac_id as trac_id1_17_3_, segment4_.seg_id as seg_id1_15_4_, segment5_.seg_id as seg_id1_15_5_, movementme6_.movemet_id as movemet_1_11_6_, movementar7_.movarea_id as movarea_1_7_7_, area8_.area_id as area_id1_2_8_, areatype9_.areatype_id as areatype1_4_9_, movement0_.move_act_id as move_ac18_6_0_, movement0_.move_altitude as move_alt2_6_0_, movement0_.move_duplicate as move_dup3_6_0_, movement0_.move_duplicate_id as move_dup4_6_0_, movement0_.move_guid as move_gui5_6_0_, movement0_.move_heading as move_hea6_6_0_, movement0_.move_internal_reference_number as move_int7_6_0_, movement0_.move_location as move_loc8_6_0_, movement0_.move_movemet_id as move_mo19_6_0_, movement0_.move_moveconn_id as move_mo20_6_0_, movement0_.move_movesour_id as move_mov9_6_0_, movement0_.move_movetyp_id as move_mo10_6_0_, movement0_.move_processed as move_pr11_6_0_, mov...	8	6 000	411	918	173	0,00
select distinct movement0_.move_id as move_id1_6_0_, movementco1_.moveconn_id as moveconn1_8_1_, activity2_.act_id as act_id1_0_2_, track3_.trac_id as trac_id1_17_3_, segment4_.seg_id as seg_id1_15_4_, segment5_.seg_id as seg_id1_15_5_, movementme6_.movemet_id as movemet_1_11_6_, movementar7_.movarea_id as movarea_1_7_7_, area8_.area_id as area_id1_2_8_, areatype9_.areatype_id as areatype1_4_9_, movement0_.move_act_id as move_ac18_6_0_, movement0_.move_altitude as move_alt2_6_0_, movement0_.move_duplicate as move_dup3_6_0_, movement0_.move_duplicate_id as move_dup4_6_0_, movement0_.move_guid as move_gui5_6_0_, movement0_.move_heading as move_hea6_6_0_, movement0_.move_internal_reference_number as move_int7_6_0_, movement0_.move_location as move_loc8_6_0_, movement0_.move_movemet_id as move_mo19_6_0_, movement0_.move_moveconn_id as move_mo20_6_0_, movement0_.move_movesour_id as move_mov9_6_0_, movement0_.move_movetyp_id as move_mo10_6_0_, movement0_.move_processed as move_pr11_6_0_, mov...	8	6 000	411	910	174	0,00
select distinct movement0_.move_id as move_id1_6_0_, movementco1_.moveconn_id as moveconn1_8_1_, activity2_.act_id as act_id1_0_2_, track3_.trac_id as trac_id1_17_3_, segment4_.seg_id as seg_id1_15_4_, segment5_.seg_id as seg_id1_15_5_, movementme6_.movemet_id as movemet_1_11_6_, movementar7_.movarea_id as movarea_1_7_7_, area8_.area_id as area_id1_2_8_, areatype9_.areatype_id as areatype1_4_9_, movement0_.move_act_id as move_ac18_6_0_, movement0_.move_altitude as move_alt2_6_0_, movement0_.move_duplicate as move_dup3_6_0_, movement0_.move_duplicate_id as move_dup4_6_0_, movement0_.move_guid as move_gui5_6_0_, movement0_.move_heading as move_hea6_6_0_, movement0_.move_internal_reference_number as move_int7_6_0_, movement0_.move_location as move_loc8_6_0_, movement0_.move_movemet_id as move_mo19_6_0_, movement0_.move_moveconn_id as move_mo20_6_0_, movement0_.move_movesour_id as move_mov9_6_0_, movement0_.move_movetyp_id as move_mo10_6_0_, movement0_.move_processed as move_pr11_6_0_, mov...	8	6 000	410	906	173	0,00
select movement0_.move_id as move_id1_6_, movement0_.move_act_id as move_ac18_6_, movement0_.move_altitude as move_alt2_6_, movement0_.move_duplicate as move_dup3_6_, movement0_.move_duplicate as move_dup4_6_, movement0_.move_guid as move_gui5_6_, movement0_.move_heading as move_hea6_6_, movement0_.move_internal_reference_number as move_int7_6_, movement0_.move_location as move_loc8_6_, movement0_.move_movemet_id as move_mo19_6_, movement0_.move_moveconn_id as move_mo20_6_, movement0_.move_movesour_id as move_mov9_6_, movement0_.move_movetyp_id as move_mo10_6_, movement0_.move_processed as move_pr11_6_, movement0_.move_speed as move_sp12_6_, movement0_.move_status as move_st13_6_, movement0_.move_timestamp as move_ti14_6_, movement0_.move_trac_id as move_tr21_6_, movement0_.move_trip_number as move_tr15_6_, movement0_.move_updattim as move_up16_6_, movement0_.move_upuser as move_up17_6_ from movement movement0_ inner join movementconnect movementco1_ on movement0_.move_moveconn_id=m...	1	32 649	10	113	9	0,00

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
select movement0_.move_location as col_0_0_ from movement movement0_ where movement0_.move_duplicate=false and movement0_.move_trac_id=? order by movement0_.move_timestamp ASC	0	59 929	5	130	3	0,00
select movement0_.move_id as move_id1_6_0_, movement0_.move_act_id as move_ac18_6_0_, movement0_.move_altitude as move_alt2_6_0_, movement0_.move_duplicate as move_dup3_6_0_, movement0_.move_duplicate_id as move_dup4_6_0_, movement0_.move_guid as move_gui5_6_0_, movement0_.move_heading as move_hea6_6_0_, movement0_.move_internal_reference_number as move_int7_6_0_, movement0_.move_location as move_loc8_6_0_, movement0_.move_movemet_id as move_mo19_6_0_, movement0_.move_moveconn_id as move_mo20_6_0_, movement0_.move_movesour_id as move_mov9_6_0_, movement0_.move_movetyp_id as move_mo10_6_0_, movement0_.move_processed as move_pr11_6_0_, movement0_.move_speed as move_sp12_6_0_, movement0_.move_status as move_st13_6_0_, movement0_.move_timestamp as move_ti14_6_0_, movement0_.move_trac_id as move_tr21_6_0_, movement0_.move_trip_number as move_tr15_6_0_, movement0_.move_updattim as move_up16_6_0_, movement0_.move_upuser as move_up17_6_0_, activity1_.act_id as act_id1_0_1_, activity1_.act_actt...	0	84 589	2	174	2	0,00
insert into areatransition (areatran_area_id, areatran_move_id, areatran_movetype_id, areatran_updattim, areatran_upuser, areatran_id) values (?, ?, ?, ?, ?, ?)	0	462 514	0	224	0	0,00
select nextval ('area_trans_seq')	0	462 514	0	279	1	0,00
update track set trac_geom=?, trac_totalsea=? where trac_id=?	0	59 920	1	85	1	0,00
insert into movementarea (movarea_area_id, movarea_move_id, movarea_updattim, movarea_upuser, movarea_id) values (?, ?, ?, ?, ?)	0	296 408	0	119	0	0,00
select area0_.area_id as area_id1_2_, area0_.area_code as area_cod2_2_, area0_.area_name as area_nam3_2_, area0_.area_areatype_id as area_are7_2_, area0_.area_updattim as area_upd4_2_, area0_.area_upuser as area_upu5_2_, area0_.area_remoteid as area_rem6_2_ from area area0_ where area0_.area_code=?	0	296 459	0	238	1	0,00
select nextval ('movarea_seq')	0	296 408	0	254	1	0,00
select areatype0_.areatype_id as areatype1_4_0_, areatype0_.areatype_name as areatype2_4_0_, areatype0_.areatype_updattim as areatype3_4_0_, areatype0_.areatype_upuser as areatype4_4_0_ from areatype areatype0_ where areatype0_.areatype_id=?	0	176 769	0	96	1	0,00
select latestmove0_.movelate_id as movelate1_5_, latestmove0_.movelate_move_id as movelate3_5_, latestmove0_.movelate_moveconn_id as movelate4_5_, latestmove0_.movelate_timestamp as movelate2_5_ from latestmovement latestmove0_ cross join movementconnect movementco1_ where latestmove0_.movelate_moveconn_id=movementco1_.moveconn_id and movementco1_.moveconn_value=?	0	120 020	0	94	1	0,00
select movement0_.move_id as move_id1_6_, movement0_.move_act_id as move_ac18_6_, movement0_.move_altitude as move_alt2_6_, movement0_.move_duplicate as move_dup3_6_, movement0_.move_duplicate_id as move_dup4_6_, movement0_.move_guid as move_gui5_6_, movement0_.move_heading as move_hea6_6_, movement0_.move_internal_reference_number as move_int7_6_, movement0_.move_location as move_loc8_6_, movement0_.move_movemet_id as move_mo19_6_, movement0_.move_moveconn_id as move_mo20_6_, movement0_.move_movesour_id as move_mov9_6_, movement0_.move_movetyp_id as move_mo10_6_, movement0_.move_processed as move_pr11_6_, movement0_.move_speed as move_sp12_6_, movement0_.move_status as move_st13_6_, movement0_.move_timestamp as move_ti14_6_, movement0_.move_trac_id as move_tr21_6_, movement0_.move_trip_number as move_tr15_6_, movement0_.move_updattim as move_up16_6_, movement0_.move_upuser as move_up17_6_ from movement movement0_ cross join movementconnect movementco1_ where movement0_.move_moveconn_i...	0	60 010	0	142	1	0,00
insert into segment (seg_cog, seg_distance, seg_duration, seg_frommove_id, seg_geom, seg_segcat_id, seg_sog, seg_tomove_id, seg_trac_id, seg_updattim, seg_upuser, seg_id) values (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)	0	59 990	0	85	1	0,00
insert into movement (move_guid, move_heading, move_internal_reference_number, move_location, move_movemet_id, move_moveconn_id, move_movesour_id, move_movetyp_id, move_processed, move_speed, move_timestamp, move_updattim, move_upuser, move_id) values (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)	0	60 010	0	98	1	0,00
update movement set move_processed=? where move_id=?	0	59 942	0	85	0	0,00
insert into movementmetadata (movemet_closestport_code, movemet_closestport_dist, movemet_closestport_name, movemet_closestport_remoteid, movemet_updattim, movemet_upuser, movemet_id) values (?, ?, ?, ?, ?, ?, ?)	0	60 010	0	70	1	0,00
select nextval ('segment_seq')	0	59 990	0	83	1	0,00
select movementco0_.moveconn_id as moveconn1_8_, movementco0_.moveconn_updattim as moveconn2_8_, movementco0_.moveconn_upuser as moveconn3_8_, movementco0_.moveconn_value as moveconn4_8_ from movementconnect movementco0_ where movementco0_.moveconn_value=?	0	60 010	0	99	1	0,00
select nextval ('hibernate_sequence')	0	60 010	0	118	1	0,00
select nextval ('movement_meta_seq')	0	60 010	0	238	1	0,00
update movement set move_duplicate=? where move_id=?	0	32 649	0	63	1	0,00
update track set trac_distance=?, trac_duration=? where trac_id=?	0	59 929	0	64	0	0,00
update segment set seg_cog=?, seg_distance=?, seg_duration=?, seg_geom=?, seg_sog=?, seg_tomove_id=?, seg_updattim=? where seg_id=?	0	32 622	0	95	1	0,00
update movement set move_trac_id=? where move_id=?	0	32 664	0	267	1	0,00
update movement set move_duplicate=?, move_trac_id=? where move_id=?	0	27 294	0	89	0	0,00
select movementar0_.movarea_move_id as movarea_5_7_0_, movementar0_.movarea_id as movarea_1_7_0_, movementar0_.movarea_id as movarea_1_7_1_, movementar0_.movarea_area_id as movarea_4_7_1_, movementar0_.movarea_move_id as movarea_5_7_1_, movementar0_.movarea_updattim as movarea_2_7_1_, movementar0_.movarea_upuser as movarea_3_7_1_, area1_.area_id as area_id1_2_2_, area1_.area_code as area_cod2_2_2_, area1_.area_name as area_nam3_2_2_, area1_.area_areatype_id as area_are7_2_2_, area1_.area_updattim as area_upd4_2_2_, area1_.area_upuser as area_upu5_2_2_, area1_.area_remoteid as area_rem6_2_2_ from movementarea movementar0_ inner join area area1_ on movementar0_.movarea_area_id=area1_.area_id where movementar0_.movarea_move_id=?	0	32 648	0	95	1	0,00
select movementme0_.movemet_id as movemet_1_11_0_, movementme0_.movemet_closecounty_code as movemet_2_11_0_, movementme0_.movemet_closecounty_dist as movemet_3_11_0_, movementme0_.movemet_closecounty_name as movemet_4_11_0_, movementme0_.movemet_closecounty_remoteid as movemet_5_11_0_, movementme0_.movemet_closestport_code as movemet_6_11_0_, movementme0_.movemet_closestport_dist as movemet_7_11_0_, movementme0_.movemet_closestport_name as movemet_8_11_0_, movementme0_.movemet_closestport_remoteid as movemet_9_11_0_, movementme0_.movemet_updattim as movemet10_11_0_, movementme0_.movemet_upuser as movemet11_11_0_ from movementmetadata movementme0_ where movementme0_.movemet_id=?	0	32 648	0	83	0	0,00
update latestmovement set movelate_move_id=?, movelate_timestamp=? where movelate_id=?	0	27 341	0	89	0	0,00
select segment0_.seg_id as seg_id1_15_0_, segment0_.seg_cog as seg_cog2_15_0_, segment0_.seg_distance as seg_dist3_15_0_, segment0_.seg_duration as seg_dura4_15_0_, segment0_.seg_frommove_id as seg_fro10_15_0_, segment0_.seg_geom as seg_geom5_15_0_, segment0_.seg_segcat_id as seg_segc6_15_0_, segment0_.seg_sog as seg_sog7_15_0_, segment0_.seg_tomove_id as seg_tom11_15_0_, segment0_.seg_trac_id as seg_tra12_15_0_, segment0_.seg_updattim as seg_upda8_15_0_, segment0_.seg_upuser as seg_upus9_15_0_ from segment segment0_ where segment0_.seg_tomove_id=?	0	32 648	0	53	0	0,00
select track0_.trac_id as trac_id1_17_0_, track0_.trac_avgspeed as trac_avg2_17_0_, track0_.trac_distance as trac_dis3_17_0_, track0_.trac_duration as trac_dur4_17_0_, track0_.trac_geom as trac_geo5_17_0_, track0_.trac_totalsea as trac_to6_17_0_, track0_.trac_updattim as trac_upd7_17_0_, track0_.trac_upuser as trac_upu8_17_0_ from track track0_ where track0_.trac_id=?	0	6 694	1	181	5	0,00
insert into areatype (areatype_name, areatype_updattim, areatype_upuser, areatype_id) values (?, ?, ?, ?)	0	22	318	624	239	72,73
select segment0_.seg_id as seg_id1_15_0_, segment0_.seg_cog as seg_cog2_15_0_, segment0_.seg_distance as seg_dist3_15_0_, segment0_.seg_duration as seg_dura4_15_0_, segment0_.seg_frommove_id as seg_fro10_15_0_, segment0_.seg_geom as seg_geom5_15_0_, segment0_.seg_segcat_id as seg_segc6_15_0_, segment0_.seg_sog as seg_sog7_15_0_, segment0_.seg_tomove_id as seg_tom11_15_0_, segment0_.seg_trac_id as seg_tra12_15_0_, segment0_.seg_updattim as seg_upda8_15_0_, segment0_.seg_upuser as seg_upus9_15_0_ from segment segment0_ where segment0_.seg_frommove_id=?	0	24 599	0	92	0	0,00
select area0_.area_id as area_id1_2_0_, area0_.area_code as area_cod2_2_0_, area0_.area_name as area_nam3_2_0_, area0_.area_areatype_id as area_are7_2_0_, area0_.area_updattim as area_upd4_2_0_, area0_.area_upuser as area_upu5_2_0_, area0_.area_remoteid as area_rem6_2_0_ from area area0_ where area0_.area_id=?	0	3 785	0	71	2	0,00
insert into track (trac_avgspeed, trac_distance, trac_duration, trac_geom, trac_totalsea, trac_updattim, trac_upuser, trac_id) values (?, ?, ?, ?, ?, ?, ?, ?)	0	61	7	82	15	0,00
select nextval ('track_seq')	0	61	7	59	10	0,00
select nextval ('movement_connect_seq')	0	20	9	58	17	0,00
select nextval ('area_seq')	0	104	1	69	7	0,00
select nextval ('latest_movement_seq')	0	20	8	53	13	0,00
select areatype0_.areatype_id as areatype1_4_, areatype0_.areatype_name as areatype2_4_, areatype0_.areatype_updattim as areatype3_4_, areatype0_.areatype_upuser as areatype4_4_ from areatype areatype0_ where areatype0_.areatype_name=?	0	104	1	28	3	0,00
insert into movementconnect (moveconn_updattim, moveconn_upuser, moveconn_value, moveconn_id) values (?, ?, ?, ?)	0	20	7	111	24	0,00
select nextval ('areatype_seq')	0	22	6	67	15	0,00
update movement set move_duplicate=?, move_processed=? where move_id=?	0	39	3	54	8	0,00
update segment set seg_cog=?, seg_distance=?, seg_duration=?, seg_geom=?, seg_segcat_id=?, seg_sog=?, seg_tomove_id=?, seg_updattim=? where seg_id=?	0	26	4	21	5	0,00
insert into area (area_code, area_name, area_areatype_id, area_updattim, area_upuser, area_remoteid, area_id) values (?, ?, ?, ?, ?, ?, ?)	0	88	0	19	2	0,00

Monitoring JavaMelody on /unionvms/movement_wildfly - all

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
select distinct movement0_.move_id as move_id1_6_0_, movementco1_.moveconn_id as moveconn1_8_1_, activity2_.act_id as act_id1_0_2_, track3_.trac_id as trac_id1_17_3_, segment4_.seg_id as seg_id1_15_4_, segment5_.seg_id as seg_id1_15_5_, movementme6_.movemet_id as movemet_1_11_6_, movementar7_.movarea_id as movarea_1_7_7_, area8_.area_id as area_id1_2_8_, areatype9_.areatype_id as areatype1_4_9_, movement0_.move_act_id as move_ac18_6_0_, movement0_.move_altitude as move_alt2_6_0_, movement0_.move_duplicate as move_dup3_6_0_, movement0_.move_duplicate_id as move_dup4_6_0_, movement0_.move_guid as move_gui5_6_0_, movement0_.move_heading as move_hea6_6_0_, movement0_.move_internal_reference_number as move_int7_6_0_, movement0_.move_location as move_loc8_6_0_, movement0_.move_movemet_id as move_mo19_6_0_, movement0_.move_moveconn_id as move_mo20_6_0_, movement0_.move_movesour_id as move_mov9_6_0_, movement0_.move_movetyp_id as move_mo10_6_0_, movement0_.move_processed as move_pr11_6_0_, mov...	0	1	57	57	0	0,00
update movement set move_duplicate=?, move_processed=?, move_trac_id=? where move_id=?	0	28	1	10	2	0,00
insert into latestmovement (movelate_move_id, movelate_moveconn_id, movelate_timestamp, movelate_id) values (?, ?, ?, ?)	0	20	2	10	2	0,00
update track set track_totalsea=? where trac_id=?	0	9	3	21	6	0,00
select distinct movement0_.move_id as move_id1_6_0_, movementco1_.moveconn_id as moveconn1_8_1_, activity2_.act_id as act_id1_0_2_, track3_.trac_id as trac_id1_17_3_, segment4_.seg_id as seg_id1_15_4_, segment5_.seg_id as seg_id1_15_5_, movementme6_.movemet_id as movemet_1_11_6_, movementar7_.movarea_id as movarea_1_7_7_, area8_.area_id as area_id1_2_8_, areatype9_.areatype_id as areatype1_4_9_, movement0_.move_act_id as move_ac18_6_0_, movement0_.move_altitude as move_alt2_6_0_, movement0_.move_duplicate as move_dup3_6_0_, movement0_.move_duplicate_id as move_dup4_6_0_, movement0_.move_guid as move_gui5_6_0_, movement0_.move_heading as move_hea6_6_0_, movement0_.move_internal_reference_number as move_int7_6_0_, movement0_.move_location as move_loc8_6_0_, movement0_.move_movemet_id as move_mo19_6_0_, movement0_.move_moveconn_id as move_mo20_6_0_, movement0_.move_movesour_id as move_mov9_6_0_, movement0_.move_movetyp_id as move_mo10_6_0_, movement0_.move_processed as move_pr11_6_0_, mov...	0	1	14	14	0	0,00
select movement0_.move_id as move_id1_6_, movement0_.move_act_id as move_ac18_6_, movement0_.move_altitude as move_alt2_6_, movement0_.move_duplicate as move_dup3_6_, movement0_.move_duplicate_id as move_dup4_6_, movement0_.move_guid as move_gui5_6_, movement0_.move_heading as move_hea6_6_, movement0_.move_internal_reference_number as move_int7_6_, movement0_.move_location as move_loc8_6_, movement0_.move_movemet_id as move_mo19_6_, movement0_.move_moveconn_id as move_mo20_6_, movement0_.move_movesour_id as move_mov9_6_, movement0_.move_movetyp_id as move_mo10_6_, movement0_.move_processed as move_pr11_6_, movement0_.move_speed as move_sp12_6_, movement0_.move_status as move_st13_6_, movement0_.move_timestamp as move_ti14_6_, movement0_.move_trac_id as move_tr21_6_, movement0_.move_trip_number as move_tr15_6_, movement0_.move_updattim as move_up16_6_, movement0_.move_upuser as move_up17_6_ from movement movement0_ inner join movementconnect movementco1_ on movement0_.move_moveconn_id=m...	0	1	14	14	0	0,00
select distinct movement0_.move_id as move_id1_6_0_, movementco1_.moveconn_id as moveconn1_8_1_, activity2_.act_id as act_id1_0_2_, track3_.trac_id as trac_id1_17_3_, segment4_.seg_id as seg_id1_15_4_, segment5_.seg_id as seg_id1_15_5_, movementme6_.movemet_id as movemet_1_11_6_, movementar7_.movarea_id as movarea_1_7_7_, area8_.area_id as area_id1_2_8_, areatype9_.areatype_id as areatype1_4_9_, movement0_.move_act_id as move_ac18_6_0_, movement0_.move_altitude as move_alt2_6_0_, movement0_.move_duplicate as move_dup3_6_0_, movement0_.move_duplicate_id as move_dup4_6_0_, movement0_.move_guid as move_gui5_6_0_, movement0_.move_heading as move_hea6_6_0_, movement0_.move_internal_reference_number as move_int7_6_0_, movement0_.move_location as move_loc8_6_0_, movement0_.move_movemet_id as move_mo19_6_0_, movement0_.move_moveconn_id as move_mo20_6_0_, movement0_.move_movesour_id as move_mov9_6_0_, movement0_.move_movetyp_id as move_mo10_6_0_, movement0_.move_processed as move_pr11_6_0_, mov...	0	1	14	14	0	0,00
select distinct movement0_.move_id as move_id1_6_0_, movementco1_.moveconn_id as moveconn1_8_1_, activity2_.act_id as act_id1_0_2_, track3_.trac_id as trac_id1_17_3_, segment4_.seg_id as seg_id1_15_4_, segment5_.seg_id as seg_id1_15_5_, movementme6_.movemet_id as movemet_1_11_6_, movementar7_.movarea_id as movarea_1_7_7_, area8_.area_id as area_id1_2_8_, areatype9_.areatype_id as areatype1_4_9_, movement0_.move_act_id as move_ac18_6_0_, movement0_.move_altitude as move_alt2_6_0_, movement0_.move_duplicate as move_dup3_6_0_, movement0_.move_duplicate_id as move_dup4_6_0_, movement0_.move_guid as move_gui5_6_0_, movement0_.move_heading as move_hea6_6_0_, movement0_.move_internal_reference_number as move_int7_6_0_, movement0_.move_location as move_loc8_6_0_, movement0_.move_movemet_id as move_mo19_6_0_, movement0_.move_moveconn_id as move_mo20_6_0_, movement0_.move_movesour_id as move_mov9_6_0_, movement0_.move_movetyp_id as move_mo10_6_0_, movement0_.move_processed as move_pr11_6_0_, mov...	0	1	13	13	0	0,00
select distinct movement0_.move_id as move_id1_6_0_, movementco1_.moveconn_id as moveconn1_8_1_, activity2_.act_id as act_id1_0_2_, track3_.trac_id as trac_id1_17_3_, segment4_.seg_id as seg_id1_15_4_, segment5_.seg_id as seg_id1_15_5_, movementme6_.movemet_id as movemet_1_11_6_, movementar7_.movarea_id as movarea_1_7_7_, area8_.area_id as area_id1_2_8_, areatype9_.areatype_id as areatype1_4_9_, movement0_.move_act_id as move_ac18_6_0_, movement0_.move_altitude as move_alt2_6_0_, movement0_.move_duplicate as move_dup3_6_0_, movement0_.move_duplicate_id as move_dup4_6_0_, movement0_.move_guid as move_gui5_6_0_, movement0_.move_heading as move_hea6_6_0_, movement0_.move_internal_reference_number as move_int7_6_0_, movement0_.move_location as move_loc8_6_0_, movement0_.move_movemet_id as move_mo19_6_0_, movement0_.move_moveconn_id as move_mo20_6_0_, movement0_.move_movesour_id as move_mov9_6_0_, movement0_.move_movetyp_id as move_mo10_6_0_, movement0_.move_processed as move_pr11_6_0_, mov...	0	1	12	12	0	0,00
select distinct movement0_.move_id as move_id1_6_0_, movementco1_.moveconn_id as moveconn1_8_1_, activity2_.act_id as act_id1_0_2_, track3_.trac_id as trac_id1_17_3_, segment4_.seg_id as seg_id1_15_4_, segment5_.seg_id as seg_id1_15_5_, movementme6_.movemet_id as movemet_1_11_6_, movementar7_.movarea_id as movarea_1_7_7_, area8_.area_id as area_id1_2_8_, areatype9_.areatype_id as areatype1_4_9_, movement0_.move_act_id as move_ac18_6_0_, movement0_.move_altitude as move_alt2_6_0_, movement0_.move_duplicate as move_dup3_6_0_, movement0_.move_duplicate_id as move_dup4_6_0_, movement0_.move_guid as move_gui5_6_0_, movement0_.move_heading as move_hea6_6_0_, movement0_.move_internal_reference_number as move_int7_6_0_, movement0_.move_location as move_loc8_6_0_, movement0_.move_movemet_id as move_mo19_6_0_, movement0_.move_moveconn_id as move_mo20_6_0_, movement0_.move_movesour_id as move_mov9_6_0_, movement0_.move_movetyp_id as move_mo10_6_0_, movement0_.move_processed as move_pr11_6_0_, mov...	0	1	12	12	0	0,00
select distinct movement0_.move_id as move_id1_6_0_, movementco1_.moveconn_id as moveconn1_8_1_, activity2_.act_id as act_id1_0_2_, track3_.trac_id as trac_id1_17_3_, segment4_.seg_id as seg_id1_15_4_, segment5_.seg_id as seg_id1_15_5_, movementme6_.movemet_id as movemet_1_11_6_, movementar7_.movarea_id as movarea_1_7_7_, area8_.area_id as area_id1_2_8_, areatype9_.areatype_id as areatype1_4_9_, movement0_.move_act_id as move_ac18_6_0_, movement0_.move_altitude as move_alt2_6_0_, movement0_.move_duplicate as move_dup3_6_0_, movement0_.move_duplicate_id as move_dup4_6_0_, movement0_.move_guid as move_gui5_6_0_, movement0_.move_heading as move_hea6_6_0_, movement0_.move_internal_reference_number as move_int7_6_0_, movement0_.move_location as move_loc8_6_0_, movement0_.move_movemet_id as move_mo19_6_0_, movement0_.move_moveconn_id as move_mo20_6_0_, movement0_.move_movesour_id as move_mov9_6_0_, movement0_.move_movetyp_id as move_mo10_6_0_, movement0_.move_processed as move_pr11_6_0_, mov...	0	1	12	12	0	0,00
select distinct movement0_.move_id as move_id1_6_0_, movementco1_.moveconn_id as moveconn1_8_1_, activity2_.act_id as act_id1_0_2_, track3_.trac_id as trac_id1_17_3_, segment4_.seg_id as seg_id1_15_4_, segment5_.seg_id as seg_id1_15_5_, movementme6_.movemet_id as movemet_1_11_6_, movementar7_.movarea_id as movarea_1_7_7_, area8_.area_id as area_id1_2_8_, areatype9_.areatype_id as areatype1_4_9_, movement0_.move_act_id as move_ac18_6_0_, movement0_.move_altitude as move_alt2_6_0_, movement0_.move_duplicate as move_dup3_6_0_, movement0_.move_duplicate_id as move_dup4_6_0_, movement0_.move_guid as move_gui5_6_0_, movement0_.move_heading as move_hea6_6_0_, movement0_.move_internal_reference_number as move_int7_6_0_, movement0_.move_location as move_loc8_6_0_, movement0_.move_movemet_id as move_mo19_6_0_, movement0_.move_moveconn_id as move_mo20_6_0_, movement0_.move_movesour_id as move_mov9_6_0_, movement0_.move_movetyp_id as move_mo10_6_0_, movement0_.move_processed as move_pr11_6_0_, mov...	0	1	11	11	0	0,00
select distinct movement0_.move_id as move_id1_6_0_, movementco1_.moveconn_id as moveconn1_8_1_, activity2_.act_id as act_id1_0_2_, track3_.trac_id as trac_id1_17_3_, segment4_.seg_id as seg_id1_15_4_, segment5_.seg_id as seg_id1_15_5_, movementme6_.movemet_id as movemet_1_11_6_, movementar7_.movarea_id as movarea_1_7_7_, area8_.area_id as area_id1_2_8_, areatype9_.areatype_id as areatype1_4_9_, movement0_.move_act_id as move_ac18_6_0_, movement0_.move_altitude as move_alt2_6_0_, movement0_.move_duplicate as move_dup3_6_0_, movement0_.move_duplicate_id as move_dup4_6_0_, movement0_.move_guid as move_gui5_6_0_, movement0_.move_heading as move_hea6_6_0_, movement0_.move_internal_reference_number as move_int7_6_0_, movement0_.move_location as move_loc8_6_0_, movement0_.move_movemet_id as move_mo19_6_0_, movement0_.move_moveconn_id as move_mo20_6_0_, movement0_.move_movesour_id as move_mov9_6_0_, movement0_.move_movetyp_id as move_mo10_6_0_, movement0_.move_processed as move_pr11_6_0_, mov...	0	1	11	11	0	0,00
select distinct movement0_.move_id as move_id1_6_0_, movementco1_.moveconn_id as moveconn1_8_1_, activity2_.act_id as act_id1_0_2_, track3_.trac_id as trac_id1_17_3_, segment4_.seg_id as seg_id1_15_4_, segment5_.seg_id as seg_id1_15_5_, movementme6_.movemet_id as movemet_1_11_6_, movementar7_.movarea_id as movarea_1_7_7_, area8_.area_id as area_id1_2_8_, areatype9_.areatype_id as areatype1_4_9_, movement0_.move_act_id as move_ac18_6_0_, movement0_.move_altitude as move_alt2_6_0_, movement0_.move_duplicate as move_dup3_6_0_, movement0_.move_duplicate_id as move_dup4_6_0_, movement0_.move_guid as move_gui5_6_0_, movement0_.move_heading as move_hea6_6_0_, movement0_.move_internal_reference_number as move_int7_6_0_, movement0_.move_location as move_loc8_6_0_, movement0_.move_movemet_id as move_mo19_6_0_, movement0_.move_moveconn_id as move_mo20_6_0_, movement0_.move_movesour_id as move_mov9_6_0_, movement0_.move_movetyp_id as move_mo10_6_0_, movement0_.move_processed as move_pr11_6_0_, mov...	0	1	11	11	0	0,00
update movement set move_processed=?, move_trac_id=? where move_id=?	0	1	1	1	0	0,00

19 110 hits/min on 70 requests

🫘 Detailed statistics ejb - all

Monitoring JavaMelody on /unionvms/movement_wildfly - all

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of cumulative cpu time	Mean cpu time (ms)	% of system error	Mean hits sql	Mean time sql (ms)
MovementMessageConsumerBean.onMessage	30	120 036	487	5 960	257	31	197	0,00	161	252
MovementEventBean.getMovementMapByQuery	21	60 010	693	3 934	179	27	335	0,00	278	477
MovementService.getMapByQuery	21	60 010	666	3 910	179	26	322	0,00	278	477
MovementEventBean.createMovement	8	60 026	278	5 714	117	4	57	0,00	44	27
MovementService.createMovement	8	60 026	267	5 467	112	4	54	0,00	41	26
SpatialService.enrichMovementWithSpatialData	6	60 026	191	5 466	78	0	5	0,00	4	1
IncomingMovementBean.processMovement	1	60 010	58	4 735	59	3	38	0,00	28	22
SegmentBean.splitSegment	0	32 648	25	4 222	27	0	18	0,00	6	8
SegmentBean.newSegment	0	27 341	23	3 229	22	0	16	0,00	4	6
MovementBatchModelBean.createMovement	0	60 010	9	361	10	0	7	0,00	7	2
SegmentBean.addMovementBeforeFirst	0	1	109	109	0	0	5	0,00	2	71

578 hits/min on 11 requests

⚠ Detailed statistics http system errors - all

None

⚠ Last http system errors - all

None

👣 Detailed statistics system errors logs - all

Error	Hits
WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.	306

3 hits/min on 1 errors

👣 Last system errors logs - all

Only the 100 last errors are displayed

Date	Error
2018-11-14 09:07:54	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:07:54	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:07:54	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:07:54	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:08:03	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:08:03	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:08:03	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:10:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:10:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:10:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:12:51	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:12:51	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:12:51	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:12:53	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:12:53	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:12:53	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:12:54	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:12:54	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:12:54	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:12:54	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:12:54	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:13:03	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:13:03	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:13:03	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:15:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:15:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:15:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:17:51	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:17:51	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:17:51	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:17:53	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:17:53	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:17:53	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:17:54	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:17:54	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:17:54	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:17:54	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:17:54	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:17:54	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:18:03	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:18:03	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:18:03	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:20:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:20:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.

Monitoring JavaMelody on /unionvms/movement_wildfly - all

Date	Error
2018-11-14 09:20:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:22:51	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:22:51	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:22:51	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:22:53	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:22:53	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:22:53	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:22:54	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:22:54	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:22:54	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:22:54	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:22:54	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:23:03	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:23:03	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:23:03	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:25:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:25:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:25:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:27:51	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:27:51	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:27:51	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:27:53	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:27:53	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:27:53	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:27:54	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:27:54	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:27:54	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:27:54	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:27:54	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:28:03	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:28:03	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:28:03	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:30:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:30:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:30:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:32:51	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:32:51	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:32:51	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:32:53	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:32:53	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:32:53	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:32:54	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:32:54	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:32:54	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:32:54	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:32:54	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:33:03	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:33:03	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:33:03	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:35:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:35:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-14 09:35:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.

Detailed current requests

None

Detailed system information

Host:	**wildfly@172.17.0.4**
Java memory used:	3 151 Mb / 5 986 Mb
Nb of http sessions:	0
Nb of active threads (current http requests):	0
Nb of active jdbc connections:	0
Nb of used jdbc connections (opened if no datasource):	0
System load:	0,60
% System CPU:	52,67
OS:	Linux, 4.9.93-linuxkit-aufs , amd64/64 (4 cores)
Java:	OpenJDK Runtime Environment, 1.8.0_111-internal-alpine-r0-b14
JVM:	OpenJDK 64-Bit Server VM, 25.111-b14, mixed mode
PID of process:	96
Nb of opened files:	1 722 / 1 048 576
Server:	WildFly Full 14.0.1.Final (WildFly Core 6.0.2.Final) - 2.0.13.Final
Webapp context:	/unionvms/movement
Start:	2018-11-14 08:08

Monitoring JavaMelody on /unionvms/movement_wildfly - all

JVM arguments:	-D[Standalone] -Xms1024m -Xmx6096m -XX:+AggressiveOpts -XX:+DoEscapeAnalysis -Djava.net.preferIPv4Stack=true -Duser.timezone=UTC -Dresteasy.preferJacksonOverJsonB=true -Djboss.modules.system.pkgs=org.jboss.byteman -Djava.awt.headless=true -agentlib:jdwp=transport=dt_socket,address=8787,server=y,suspend=n -Dorg.jboss.boot.log.file=/opt/jboss/wildfly/standalone/log/server.log -Dlogging.configuration=file:/opt/jboss/wildfly/standalone/configuration/logging.properties
Mean age of http sessions (min):	-1
Memory:	Non heap memory = 549 Mb (Perm Gen, Code Cache), Buffered memory = 34 Mb, Loaded classes = 66,780, Garbage collection time = 577,513 ms, Process cpu time = 50,058,060 ms, Committed virtual memory = 8,922 Mb, Free physical memory = 692 Mb, Total physical memory = 15,754 Mb, Free swap space = 1,005 Mb, Total swap space = 1,023 Mb
Free disk space:	53 489 Mb
DataBase:	java:/jdbc/uvms_movement: jdbc:postgresql://postgres:5432/db71u PostgreSQL, 9.6.10 Driver JDBC: PostgreSQL JDBC Driver, 42.1.4.jre7

⚙ Detailed threads

Threads on wildfly@172.17.0.4: Number = 380, Maximum = 510, Total started = 9 701 912

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
__DEFAULT__	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	0	0
__DEFAULT__	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	0	0
__DEFAULT__	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	0	0
ActiveMQ InactivityMonitor ReadCheckTimer	yes	5	🟡 TIMED_WAITING	java.lang.Object.wait(Native Method)	5 181	2 720
ActiveMQ InactivityMonitor Worker	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	25	0
ActiveMQ InactivityMonitor Worker	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	13	10
ActiveMQ InactivityMonitor Worker	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	11	0
ActiveMQ InactivityMonitor Worker	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	35	20
ActiveMQ InactivityMonitor Worker	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	22	0
ActiveMQ InactivityMonitor Worker	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	31	0
ActiveMQ InactivityMonitor Worker	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	5	0
ActiveMQ InactivityMonitor Worker	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	6	0
ActiveMQ InactivityMonitor Worker	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	1	0
ActiveMQ InactivityMonitor Worker	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	56	30
ActiveMQ InactivityMonitor Worker	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	5	0
ActiveMQ InactivityMonitor Worker	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	45	0
ActiveMQ InactivityMonitor Worker	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	64	20
ActiveMQ InactivityMonitor WriteCheckTimer	yes	5	🟡 TIMED_WAITING	java.lang.Object.wait(Native Method)	10 927	3 280
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38892	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	16 500	4 680
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38894	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	413	140
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38896	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	5 940	4 360
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38898	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	15 721	7 400
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38900	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	421	140
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38902	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	417	120
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38904	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	451	130
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38906	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	14 355	8 610
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38908	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	10 656	4 080
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38910	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	491	200
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38912	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	400	120
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38914	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	416	120
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38916	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	21 112	7 490
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38918	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	420	100
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38920	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	430	60
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38922	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	2 459	1 070
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38924	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	437	150
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38926	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	462	150
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38928	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	428	120
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38930	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	2 435	1 030

Monitoring JavaMelody on /unionvms/movement_wildfly - all

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38932	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	413	110
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38934	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	398	50
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38936	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	2 428	920
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38938	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	457	180
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38940	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	2 423	1 100
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38942	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	2 418	1 200
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38944	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	2 479	1 190
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38946	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	2 438	1 090
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38948	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	2 454	1 150
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38950	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	2 455	1 040
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38952	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	2 399	1 060
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38954	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	368	50
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38956	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	409	140
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38958	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	376	130
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38960	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	355	160
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38962	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	393	150
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38964	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	366	70
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38966	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	408	160
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38968	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	401	160
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38970	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	384	90
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38972	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	392	70
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38974	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	435	170
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38976	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	447	60
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@38978	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	398	170
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@40100	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	18 366	5 100
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@55320	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	0	0
ActiveMQConnection[ID:wildfly-44241-1542125255018-35:1] Scheduler	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	0	0
ActiveMQConnection[ID:wildfly-44241-1542125255018-37:1] Scheduler	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	0	0
ActiveMQConnection[ID:wildfly-44241-1542125255018-41:1] Scheduler	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	0	0
ActiveMQConnection[ID:wildfly-44241-1542125255018-47:1] Scheduler	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	0	0
ActiveMQConnection[ID:wildfly-44241-1542125255018-49:1] Scheduler	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	0	0
ActiveMQConnection[ID:wildfly-44241-1542125255018-51:1] Scheduler	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	0	0
ActiveMQConnection[ID:wildfly-44241-1542125255018-53:1] Scheduler	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	0	0
ActiveMQConnection[ID:wildfly-44241-1542125255018-55:1] Scheduler	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	0	0
ActiveMQConnection[ID:wildfly-44241-1542125255018-57:1] Scheduler	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	0	0
ActiveMQConnection[ID:wildfly-44241-1542125255018-59:1] Scheduler	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	0	0
ActiveMQConnection[ID:wildfly-44241-1542125255018-65:1] Scheduler	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	0	0
ActiveMQConnection[ID:wildfly-44241-1542125255018-67:1] Scheduler	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	0	0
ActiveMQConnection[ID:wildfly-44241-1542125255018-69:1] Scheduler	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	0	0
ActiveMQConnection[ID:wildfly-44241-1542125255018-71:1] Scheduler	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	0	0
ActiveMQConnection[ID:wildfly-44241-1542125255018-73:1] Scheduler	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	0	0
ActiveMQConnection[ID:wildfly-44241-1542125255018-75:1] Scheduler	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	0	0
Clean up old files	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	1	0
ConnectionValidator	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	0	0
default Accept	no	5	🟢 RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	64	50
default I/O-1	no	5	🟢 RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	8 567	5 070
default I/O-2	Daemon	5	🟢 RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	19 638	17 910
default I/O-3	no	5	🟢 RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	4 381	2 700
default I/O-4	no	5	🟢 RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	143	130
default I/O-5	no	5	🟢 RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	8 711	4 850
default I/O-6	no	5	🟢 RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	155	150
default I/O-7	no	5	🟢 RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	7 322	4 220

Monitoring JavaMelody on /unionvms/movement_wildfly - all

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
default I/O-8	no	5	🟢 RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	99	70
default task-101	no	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	76	70
default task-102	no	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	113	90
default task-103	no	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	95	80
default task-104	no	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	126	110
default task-105	no	5	🟢 RUNNABLE	java.lang.Thread.dumpThreads(Native Method)	141	120
default task-106	no	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	26	20
default task-97	no	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	584	490
default-threads - 1	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	34 470	27 640
default-threads - 10	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	108 860	98 340
default-threads - 11	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	109 887	98 840
default-threads - 12	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	105 028	94 560
default-threads - 13	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	109 000	98 820
default-threads - 14	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	112 329	101 430
default-threads - 15	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	33 846	27 060
default-threads - 16	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	112 586	101 730
default-threads - 17	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	33 741	26 230
default-threads - 18	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	109 776	99 460
default-threads - 19	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	33 833	26 840
default-threads - 2	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	112 216	101 380
default-threads - 20	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	110 332	99 950
default-threads - 21	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	112 937	102 170
default-threads - 22	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	107 623	97 200
default-threads - 23	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	107 450	97 100
default-threads - 24	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	106 886	96 400
default-threads - 25	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	107 034	96 020
default-threads - 26	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	112 433	102 260
default-threads - 27	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	106 307	95 830
default-threads - 28	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	34 107	26 760
default-threads - 29	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	110 015	99 220
default-threads - 3	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	113 485	102 840
default-threads - 30	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	112 608	101 170
default-threads - 31	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	109 521	98 770
default-threads - 32	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	103 094	93 330
default-threads - 33	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	107 824	97 510
default-threads - 34	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	111 768	101 770
default-threads - 35	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	34 206	27 140
default-threads - 36	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	106 654	95 430
default-threads - 37	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	110 244	99 770
default-threads - 38	no	5	🟡 WAITING	sun.nio.Unsafe.park(Native Method)	107 428	97 170
default-threads - 39	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	111 720	100 950
default-threads - 4	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	108 278	97 670
default-threads - 40	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	106 567	96 260
default-threads - 41	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	109 877	100 010
default-threads - 42	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	109 382	98 940
default-threads - 43	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	33 768	27 040
default-threads - 44	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	20 964 190	15 142 850
default-threads - 45	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	106 286	95 900
default-threads - 46	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	113 577	103 210
default-threads - 47	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	111 781	101 230
default-threads - 48	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	108 256	97 730
default-threads - 49	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	110 037	99 320
default-threads - 5	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	108 086	98 030
default-threads - 50	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	110 382	100 580
default-threads - 51	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	112 476	101 910
default-threads - 52	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	114 910	103 940
default-threads - 53	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	107 489	96 410
default-threads - 54	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	113 527	102 420
default-threads - 55	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	109 222	98 510
default-threads - 56	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	111 121	100 570
default-threads - 57	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	114 270	103 630
default-threads - 58	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	117 923	106 750
default-threads - 59	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	106 361	96 250
default-threads - 6	no	5	🟡 WAITING	sun.nio.Unsafe.park(Native Method)	34 550	27 350
default-threads - 60	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	106 760	96 290
default-threads - 61	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	103 702	93 450
default-threads - 62	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	105 967	96 010
default-threads - 63	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	104 296	94 190

Monitoring JavaMelody on /unionvms/movement_wildfly - all

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
default-threads - 64	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	34 140	27 270
default-threads - 7	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	33 987	27 220
default-threads - 8	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	108 054	97 840
default-threads - 9	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	110 792	100 430
DeploymentScanner-threads - 1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	62 198	57 760
DeploymentScanner-threads - 2	no	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	60 824	56 510
DestroyJavaVM	no	5	RUNNABLE		1 027	920
EJB default - 1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 657	1 420
EJB default - 10	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	855	580
EJB default - 11	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	875	610
EJB default - 12	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	937	750
EJB default - 13	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	874	580
EJB default - 14	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	888	640
EJB default - 15	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	818	630
EJB default - 16	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	849	600
EJB default - 17	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	853	640
EJB default - 18	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	853	650
EJB default - 19	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	841	590
EJB default - 2	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	833	640
EJB default - 20	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	845	590
EJB default - 21	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	865	490
EJB default - 22	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	839	590
EJB default - 23	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	794	610
EJB default - 24	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	929	630
EJB default - 25	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	926	690
EJB default - 26	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	857	690
EJB default - 27	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	883	720
EJB default - 28	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	830	560
EJB default - 29	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	836	620
EJB default - 3	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	889	620
EJB default - 30	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	859	610
EJB default - 31	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	845	700
EJB default - 32	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	876	580
EJB default - 33	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	897	660
EJB default - 34	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	772	650
EJB default - 35	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	802	550
EJB default - 36	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	910	710
EJB default - 37	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	867	600
EJB default - 38	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	783	530
EJB default - 39	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	835	510
EJB default - 4	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	931	610
EJB default - 40	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	836	560
EJB default - 41	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	808	550
EJB default - 42	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	892	720
EJB default - 43	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	939	650
EJB default - 44	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 044	730
EJB default - 45	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	958	710
EJB default - 46	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	857	610
EJB default - 47	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	891	640
EJB default - 48	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	894	660
EJB default - 49	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	965	760
EJB default - 5	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	891	620
EJB default - 50	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	882	630
EJB default - 51	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	939	590
EJB default - 52	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	959	730
EJB default - 53	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	949	600
EJB default - 54	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	981	770
EJB default - 55	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	982	750
EJB default - 56	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 417	1 230
EJB default - 57	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	810	610
EJB default - 58	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	823	650
EJB default - 59	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	853	620
EJB default - 6	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	875	640
EJB default - 60	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	865	560
EJB default - 61	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	796	510
EJB default - 62	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	842	660
EJB default - 63	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	874	630
EJB default - 64	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	881	580

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
EJB default - 7	no	5	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	1 623	1 380
EJB default - 8	no	5	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	863	620
EJB default - 9	no	5	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	868	630
EMF Reference Cleaner	yes	5	⏳ WAITING	java.lang.Object.wait(Native Method)	0	0
expiration-thread--p4-t1	yes	1	⏳ TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	63	50
expiration-thread--p9-t1	yes	1	⏳ TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	1 060	850
External Management Request Threads -- 1	no	5	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	67	60
FileSystemWatcher-1	yes	5	⏳ TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	791	310
Finalizer	yes	8	⏳ WAITING	java.lang.Object.wait(Native Method)	8 706	6 900
GC Daemon	yes	2	⏳ TIMED_WAITING	java.lang.Object.wait(Native Method)	0	0
GT authority factory disposer	yes	5	⏳ WAITING	java.lang.Object.wait(Native Method)	0	0
GT authority factory disposer	yes	5	⏳ WAITING	java.lang.Object.wait(Native Method)	1	0
GuavaAuthCache-0-1	yes	5	⏳ TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	10	10
GWC DiskQuota clean up thread-1	no	2	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	290	10
GWC DiskQuota clean up thread-2	no	2	⏳ TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	583	580
GWC DiskQuota Updates Gathering Thread-1	no	5	⏳ TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	25 065	13 440
GWC DiskQuota Usage Stats Gathering Thread-1	no	5	⏳ TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	25 163	13 420
GWC GeoRSS Poll Tasks-1	yes	2	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	18	10
IdleRemover	yes	5	⏳ TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	240	140
jaeger.RemoteReporter-FlushTimer	yes	5	⏳ TIMED_WAITING	java.lang.Object.wait(Native Method)	4 775	1 350
jaeger.RemoteReporter-FlushTimer	yes	5	⏳ TIMED_WAITING	java.lang.Object.wait(Native Method)	4 827	1 370
jaeger.RemoteReporter-FlushTimer	yes	5	⏳ TIMED_WAITING	java.lang.Object.wait(Native Method)	4 784	1 330
jaeger.RemoteReporter-FlushTimer	yes	5	⏳ TIMED_WAITING	java.lang.Object.wait(Native Method)	4 882	1 420
jaeger.RemoteReporter-FlushTimer	yes	5	⏳ TIMED_WAITING	java.lang.Object.wait(Native Method)	4 832	1 360
jaeger.RemoteReporter-FlushTimer	yes	5	⏳ TIMED_WAITING	java.lang.Object.wait(Native Method)	4 826	1 530
jaeger.RemoteReporter-FlushTimer	yes	5	⏳ TIMED_WAITING	java.lang.Object.wait(Native Method)	4 862	1 380
jaeger.RemoteReporter-FlushTimer	yes	5	⏳ TIMED_WAITING	java.lang.Object.wait(Native Method)	4 713	1 250
jaeger.RemoteReporter-FlushTimer	yes	5	⏳ TIMED_WAITING	java.lang.Object.wait(Native Method)	4 832	1 230
jaeger.RemoteReporter-FlushTimer	yes	5	⏳ TIMED_WAITING	java.lang.Object.wait(Native Method)	4 866	1 510
jaeger.RemoteReporter-FlushTimer	yes	5	⏳ TIMED_WAITING	java.lang.Object.wait(Native Method)	4 754	1 350
jaeger.RemoteReporter-FlushTimer	yes	5	⏳ TIMED_WAITING	java.lang.Object.wait(Native Method)	4 848	1 120
jaeger.RemoteReporter-FlushTimer	yes	5	⏳ TIMED_WAITING	java.lang.Object.wait(Native Method)	4 724	1 440
jaeger.RemoteReporter-FlushTimer	yes	5	⏳ TIMED_WAITING	java.lang.Object.wait(Native Method)	4 839	1 100
jaeger.RemoteReporter-FlushTimer	yes	5	⏳ TIMED_WAITING	java.lang.Object.wait(Native Method)	4 813	1 380
jaeger.RemoteReporter-QueueProcessor	yes	5	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	3 292	1 880
jaeger.RemoteReporter-QueueProcessor	yes	5	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	3 269	1 810
jaeger.RemoteReporter-QueueProcessor	yes	5	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	3 221	1 780
jaeger.RemoteReporter-QueueProcessor	yes	5	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	3 380	1 660
jaeger.RemoteReporter-QueueProcessor	yes	5	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	3 329	1 930
jaeger.RemoteReporter-QueueProcessor	yes	5	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	3 274	1 690
jaeger.RemoteReporter-QueueProcessor	yes	5	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	3 233	1 750
jaeger.RemoteReporter-QueueProcessor	yes	5	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	3 336	2 440
jaeger.RemoteReporter-QueueProcessor	yes	5	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	3 370	2 300
jaeger.RemoteReporter-QueueProcessor	yes	5	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	3 363	2 040
jaeger.RemoteReporter-QueueProcessor	yes	5	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	3 305	1 900
jaeger.RemoteReporter-QueueProcessor	yes	5	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	3 376	1 760
jaeger.RemoteReporter-QueueProcessor	yes	5	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	3 298	1 700
jaeger.RemoteReporter-QueueProcessor	yes	5	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	3 354	1 900
jaeger.RemoteReporter-QueueProcessor	yes	5	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	3 331	1 850
Java2D Disposer	yes	10	⏳ WAITING	java.lang.Object.wait(Native Method)	11	10
javamelody unionvms asset	yes	5	⏳ TIMED_WAITING	java.lang.Object.wait(Native Method)	23 165	10 860
javamelody unionvms movement	yes	5	⏳ TIMED_WAITING	java.lang.Object.wait(Native Method)	1 409	680
javamelody unionvms movement-rules	yes	5	⏳ TIMED_WAITING	java.lang.Object.wait(Native Method)	1 700	750
javamelody unionvms spatial	yes	5	⏳ TIMED_WAITING	java.lang.Object.wait(Native Method)	466 395	451 390
JCA PoolFiller	yes	5	⏳ WAITING	java.lang.Object.wait(Native Method)	1 413	1 080
logback-1	yes	5	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	482	390
logback-1	yes	5	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	265	180
logback-1	yes	5	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	383	280
logback-1	yes	5	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	287	210
logback-1	yes	5	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	621	450
logback-2	yes	5	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	212	190
logback-2	yes	5	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	378	260
logback-2	yes	5	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	282	220
logback-2	yes	5	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	254	210
logback-2	yes	5	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	1	0
logback-3	yes	5	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	0	0
logback-3	yes	5	⏳ WAITING	sun.misc.Unsafe.park(Native Method)	0	0

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
logback-3	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	620	620
logback-3	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	246	210
logback-4	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	0	0
logback-4	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	249	190
logback-4	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	0	0
logback-4	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	348	290
logback-5	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	0	0
logback-5	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	0	0
logback-5	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	341	290
logback-6	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	0	0
logback-6	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	0	0
logback-6	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	0	0
logback-7	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	0	0
logback-7	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	0	0
logback-8	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	0	0
logback-8	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	0	0
management Accept	no	5	RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	1	0
management I/O-1	no	5	RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	0	0
management I/O-2	no	5	RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	16	10
management task-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	122	110
MSC service thread 1-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	10 384	9 460
MSC service thread 1-2	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	12 079	11 540
MSC service thread 1-3	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	11 477	11 060
MSC service thread 1-4	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	10 178	9 750
MSC service thread 1-5	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	10 489	9 620
MSC service thread 1-6	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	7 983	7 690
MSC service thread 1-7	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	10 646	9 920
MSC service thread 1-8	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	7 962	7 560
Periodic Recovery	no	5	RUNNABLE	java.lang.Thread.start0(Native Method)	4 940 190	2 223 240
pool-120094-thread-1	no	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	0	0
pool-13-thread-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	389	380
pool-15-thread-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	199	180
pool-16-thread-1	no	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	319	170
pool-18-thread-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	345	320
pool-19-thread-1	no	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	317	150
pool-20-thread-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	366	360
pool-21-thread-1	no	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	293	180
pool-22-thread-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	260	240
pool-23-thread-1	no	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	273	240
pool-35-thread-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	345	260
pool-35-thread-2	no	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	307	230
pool-36-thread-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	234	210
pool-37-thread-1	no	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	375	290
Post result to registry	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	5 714	2 860
PostgreSQL-JDBC-SharedTimer-1	yes	5	WAITING	java.lang.Object.wait(Native Method)	485	280
Reference Handler	yes	10	WAITING	java.lang.Object.wait(Native Method)	4 780	4 140
Reference Reaper	yes	5	WAITING	java.lang.Object.wait(Native Method)	0	0
ServerService Thread Pool -- 1	no	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	370	110
ServerService Thread Pool -- 104	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	14 186	13 500
ServerService Thread Pool -- 38	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	364	50
ServerService Thread Pool -- 72	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	497	260
ServerService Thread Pool -- 73	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	521	170
Signal Dispatcher	yes	9	RUNNABLE		0	0
Statistics Thread-__DEFAULT__-1	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	42	40
Statistics Thread-__DEFAULT__-1	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	38	30
Statistics Thread-__DEFAULT__-1	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	396	390
Thread-161	no	5	TIMED_WAITING	java.lang.Thread.sleep(Native Method)	954	490
Timer-0	no	5	WAITING	java.lang.Object.wait(Native Method)	0	0
Timer-1	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	958	410
Timer-10	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	1 065	780
Timer-11	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	1 071	760
Timer-12	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	1 059	780
Timer-13	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	1 047	700
Timer-14	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	1 024	690
Timer-15	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	1 066	810
Timer-16	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	1 064	790
Timer-2	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	1 104	770
Timer-3	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	1 106	760

Monitoring JavaMelody on /unionvms/movement_wildfly - all

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
Timer-4	yes	5	🟡 TIMED_WAITING	java.lang.Object.wait(Native Method)	1 064	830
Timer-5	yes	5	🟡 TIMED_WAITING	java.lang.Object.wait(Native Method)	1 056	770
Timer-6	yes	5	🟡 TIMED_WAITING	java.lang.Object.wait(Native Method)	1 060	800
Timer-7	yes	5	🟡 TIMED_WAITING	java.lang.Object.wait(Native Method)	1 061	780
Timer-8	yes	5	🟡 TIMED_WAITING	java.lang.Object.wait(Native Method)	1 053	720
Timer-9	yes	5	🟡 TIMED_WAITING	java.lang.Object.wait(Native Method)	1 054	810
Transaction Expired Entry Monitor	yes	5	🟡 TIMED_WAITING	java.lang.Object.wait(Native Method)	0	0
Transaction Reaper	yes	5	🟡 TIMED_WAITING	java.lang.Object.wait(Native Method)	30	30
Transaction Reaper Worker 0	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	0	0
wcs111timerFactory-1	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	351	340
WeakCollectionCleaner	yes	8	🟡 WAITING	java.lang.Object.wait(Native Method)	0	0
WeakCollectionCleaner	yes	8	🟡 WAITING	java.lang.Object.wait(Native Method)	0	0
Weld Thread Pool -- 1	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	883	830
Weld Thread Pool -- 2	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	911	840
Weld Thread Pool -- 3	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	774	740
Weld Thread Pool -- 4	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	725	660
Weld Thread Pool -- 5	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	805	720

The cpu times and user times of these threads are measured from the start of the server

Last collect time: 39 ms
Display time: 2074 ms
Memory overhead estimate: < 1 Mb
Disk usage: 1 Mb

JavaMelody 1.72.0.SE