
# 

#### /unionvms/exchange\_wildfly



## Statistics http - all

Request	% of cumulative time	Hits	Mean time (ms)			% of cumulative cpu time	Mean cpu time (ms)	% of system error	Mean size (Kb)
http global	100	1	132	132	0	100	97	0,00	0
http warning	0	0	-1	0	-1	0	-1	0,00	0
http severe	0	0	-1	0	-1	0	-1	0,00	0

0 hits/min on 1 requests

## Statistics sql - all

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
sql global	100	1 195 700	9	521	12	0,00
sql warning	0	0	-1	0	-1	0,00
sql severe	0	0	-1	0	-1	0,00

1 237 hits/min on 20 requests

## 🥭 Statistics ejb - all

Request	% of cumulativ e time		Mean time (ms)		deviation		Mean cpu time (ms)			Mean time sql (ms)
ejb global	100	498 025	76	39 413	135	100	5	0,00	4	37
ejb warning	0	0	-1	0	-1	0	-1	0,00	-1	-1
ejb severe	0	44	505	5 622	1 033	0	38	0,00	18	23

515 hits/min on 13 requests

Statistics http system errors - all

None



· · · · · · · · · · · · · · · · · · ·	
Error	Hits
WARN: WELYE, IR0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED	601.812


630 hits/min on 49 errors





## Monitoring JavaMelody on /unionvms/exchange\_wildfly - all

#### None





Host:	wildfly@172.17.0.4
Java memory used:	2 829 Mb / 5 956 Mb
Nb of http sessions:	0
Nb of active threads (current http requests):	0
Nb of active jdbc connections:	0
Nb of used jdbc connections (opened if no datasource):	0
System load:	0,77
% System CPU:	0,00





Threads on wildfly@172.17.0.4: Number = 363, Maximum = 569, Total started = 7 897 072


#### **Detailed statistics**
















## Detailed statistics http - all

Request	% of cumulative time		Mean time (ms)		deviation	% of cumulative cpu time		% of system error	Mean size (Kb)
/unsecured/rest/sse/subscribe GET	100	1	132	132	0	100	97	0,00	0

0 hits/min on 1 requests



## Detailed statistics sql - all

Detailed statistics sqi - ali	0/ <b>af</b>	Llian	Maan tima	May time	Ctondord	0/ of avatom
Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
select nextval ('hibernate_sequence')	28	298 544	10	521	14	0,00
insert into log_status_(logstatus_log_id, logstatus_status, logstatus_timestamp, logstatus_updattim, logstatus_upuser, logstatus_id) values (?, ?, ?, ?, ?)	15	198 916	8	452	11	0,00
select serviceset0_servset_serv_id as servset_6_4_0_, serviceset0_servset_id as servset_1_4_0_, serviceset0_servset_id as servset_1_4_1_, serviceset0_servset_setting as servset_2_4_1_, serviceset0_servset_upuser as servset_3_4_1_, serviceset0_servset_updattim as servset_4_4_1_, serviceset0_servset_value as servset_5_4_1_ from service_setting serviceset0_where serviceset0_servset_serv_id=?	8	99 989	9	504	14	0,00
select servicecap0_servcap_serv_id as servcap_6_3_0_, servicecap0_servcap_id as servcap_1_3_0_, servicecap0_servcap_id as servcap_1_3_1_, servicecap0_servcap_servcap_servcap_servcap_2_3_1_, servicecap0_servcap_serv_id as servcap_6_3_1_, servicecap0_servcap_serv_id as servcap_6_3_1_, servicecap0_servcap_serv_id=2_3_1_, servicecap0_servcap_serv_id=2_3_1_, servicecap0_servcap_serv_id=2_serv_id=2_serv	8	99 988	9	510	13	0,00
select statushist0_logstatus_log_id as logstatu6_1_0_, statushist0_logstatus_id as logstatu1_1_0_, statushist0_logstatus_id as logstatu1_1_1_, statushist0_logstatus_status as logstatu2_1_1_, statushist0_logstatus_status as logstatu2_1_1_, statushist0_logstatus_updattim as logstatu4_1_1_, statushist0_logstatus_updattim as logstatu4_1_1_1, statushist0_logstatus_u	8	99 458	9	420	11	0,00
select service0_serv_id as serv_id1_2_, service0_serv_active as serv_act2_2_, service0_serv_desc as serv_des3_2_, service0_serv_name as serv_name_2_, service0_serv_sat_type as serv_sat5_2_, service0_serv_service0_sersname as serv_ser6_2_, service0_serv_service0_serv_ser0. serv_ser0. ser0. serv_ser0. ser0. ser0. serv_ser0. ser0. ser0	8	99 619	8	465	13	0,00
select exchangelo0_log_id as log_id1_0_, exchangelo0_log_business_error as log_busi2_0_, exchangelo0_log_daterecieved as log_date3_0_, exchangelo0_log_destination as log_dest4_0_, exchangelo0_log_date3_0_, exchangelo0_log_destination as log_dest4_0_, exchangelo0_log_date3_0_, exchangelo0_log_mdc_request id as log_fwddf_0_, exchangelo0_log_mdc_request id as log_mdc_9_0_, exchangelo0_log_on as log_on10_0_, exchangelo0_log_guid as log_rec11_0_, exchangelo0_log_snderreciver as log_sen12_0_, exchangelo0_log_source as log_sou13_0_, exchangelo0_log_status as log_stat14_0_, exchangelo0_log_to as log_to15_0_, exchangelo0_log_transfer_incomings a log_tat17_0_, exchangelo0_log_type as log_typ18_0_, exchangelo0_log_type_ref_guid as log_typ19_0_, exchangelo0_log_type_ref_message as log_typ20_0_, exchangelo0_log_type_ref_type as log_typ21_0_, exchangelo0_log_type_tas log_upu23_0_fr	8	99 458	8	370	11	0,00
update log set log_business_error=?, log_daterecieved=?, log_destination=?, log_df=?, log_fwddate=?, log_fwdrule=?, log_guid=?, log_mdc_request_id=?, log_on=?, log_recipient=?, log_senderreceiver=?, log_source=?, log_status=?, log_to=?, log_tot=?, log_tot=?, log_troncoring=?, log_type=?, log_type_ref_guid=?, log_type_ref_message=?, log_type_ref_type=?, log_updattim=?, log_upuser=? where log_id=?	7	99 458	8	399	11	0,00
insert into log (log_business_error, log_daterecieved, log_destination, log_df, log_fwddate, log_twdrule, log_guid, log_mdc_request_id, log_on, log_recipient, log_senderreceiver, log_source, log_status, log_to, log_tott, log_transfer_incoming, log_type_log_type_ref_guid, log_type_ref_message, log_type_ref_type, log_updattim, log_upuser, log_id) values (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?	7	99 458	7	504	11	0,00
select parameter0_param_id as param_id1_0_, parameter0_param_description as param_de2_0_, parameter0_param_value as param_va3_0_ from Parameter parameter0_ where parameter0_param_id=?	0	230	1	127	8	0,00
select service0_serv_id as serv_id1_2_, service0_serv_active as serv_act2_2_, service0_serv_desc as serv_des3_2_, service0_serv_ame as serv_nam4_2_, service0_serv_sat_type as serv_sat5_2_, service0_serv_service0_sers, service0_serv_service0_serv_service0_serv_service0_serv_service0_serv_tatus as serv_sat8_2_, service0_serv_type as serv_type_2_, service0_serv_updattim as serv_up10_2_, service0_serv_upuser as serv_up11_2_ from service0_service0_where service0_serv_type in (?)	0	192	1	69	5	0,00
select service0_serv_id as serv_id1_2_, service0_serv_active as serv_act2_2_, service0_serv_desc as serv_des3_2_, service0_serv_anme as serv_name_2_, service0_serv_set_serv_service0_serv_service0_serv_service0_serv_service0_serv_service0_serv_service0_serv_service0_serv_service0_serv_service0_serv_service0_serv_service0_serv_up0_2_, service0_serv_up0_2_, serv_up0_2_, serv_up0_2_, serv_up0_2_,	0	23	6	122	25	0,00
delete from Parameter where param_id=?	0	33	3	94	16	0,00
insert into service_capability (servcap_capability, servcap_serv_id, servcap_upuser, servcap_updattim, servcap_value, servcap_id) values (?, ?, ?, ?, ?)	0	115	0	16	1	0,00
insert into service_setting (servset_serv_id, servset_setting, servset_upuser, servset_updattim, servset_value, servset_id) values (?, ?, ?, ?, ?, ?, ?)	0	25	1	9	2	0,00
delete from service_capability where servcap_id=?	0	110	0	7	0	0,00
delete from service_setting where servset_id=?	0	24	1	11	2	0,00
insert into Parameter (param_description, param_value, param_id) values (?, ?, ?)	0	34	0	6	1	0,00
update service set serv_active=?, serv_desc=?, serv_name=?, serv_sat_type=?, serv_serviceclassname=?, serv_serviceresponse=?, serv_status=?, serv_type=?, serv_updattim=?, serv_upuser=? where serv_id=?	0	25	0	1	0	0,00
select parameter0_param_id as param_id1_0_, parameter0_param_description as param_de2_0_, parameter0_param_value as param_va3_0_ from Parameter parameter0_	0	1	1	1	0	0,00

1 237 hits/min on 20 requests



#### Detailed statistics ejb - all

Request	% of cumulativ e time		Mean time (ms)	Max time (ms)	deviation	% of cumulativ e cpu time		% of system error	Mean hits sql	Mean time sql (ms)
ExchangeEventIncomingServiceBean.processMovement	34	99 473	131	39 413	261	31	8	0,00	5	49
ExchangeEventOutgoingServiceBean.handleProcessedMovement	26	99 458	102	19 897	79	24	6	0,00	5	45
ExchangeLogServiceBean.updateStatus	16	99 458	64	575	41	20	5	0,00	5	45
ExchangeServiceBean.getService		99 496	49	597	40	12	3	0,00	3	27
ExchangeLogServiceBean.log	8	99 473	34	660	31	10	3	0,00	2	21
ExchangeEventIncomingServiceBean.getPluginListByTypes	0	171	181	23 973	1 843	0	8	0,00	5	6
PluginServiceBean.registerService	0	44	505	5 622	1 033	0	38	0,00	18	23
ExchangeServiceBean.getServiceList	0	215	20	489	52	0	6	0,00	5	8
PluginServiceBean.setConfig	0	99	19	499	52	0	6	0,00	2	4
ExchangeServiceBean.registerService	0	23	62	496	101	0	22	0,00	19	10
ExchangeServiceBean.upsertSettings	0	98	12	448	46	0	3	0,00	1	4
ExchangeEventIncomingServiceBean.processAcknowledge		15	9	33	12	0	1	0,00	0	0
ExchangeServiceBean.updateServiceStatus	0	2	16	17	1	0	7	0,00	4	1

515 hits/min on 13 requests



Detailed statistics http system errors - all

#### None



## Last http system errors - all

#### None



## Detailed statistics system errors logs - all

Error	Hits
WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.	601 812
ERROR: WFLYEJB0034: EJB Invocation failed on component %s for method %s	4 876
WARN: WFLYEJB0043: A previous execution of timer %s is still in progress, skipping this overlapping scheduled execution at: %s.	232
WARN: ARJUNA016061: {0} - XAResource.start returned: {2} for {1}	120
WARN: ARJUNA016138: Failed to enlist XA resource (0)	120
WARN: ARJUNA012117: TransactionReaper::check timeout for TX {0} in state {1}  WARN: ARJUNA012077: About called an already abouted stemic action (0)	114
WARN: ARJUNA012077: Abort called on already aborted atomic action {0}	93
ERROR: error dispatching message:  ERROR: WFLYEJB0020: Error invoking timeout for timer: %s	92
WARN: ARJUNA012121: TransactionReaper::doCancellations worker {0} successfully canceled TX {1}	84
ERROR: WFLYEJB0022: Error during retrying timeout for timer: %s	84
WARN: ARJUNA012108: CheckedAction::check - atomic action {0} aborting with {1} threads active!	66
WARN: ARJUNA012095: Abort of action id (0) invoked while multiple threads active within it.	66
WARN: ARJUNA012381: Action id {0} completed with multiple threads - thread {1} was in progress with {2}	66
ERROR e.e.e.f.u.e.s.bean.PluginServiceBean - Couldn't upsert settings in exchange	44
WARN: HHH000451: Transaction afterCompletion called by a background thread; delaying afterCompletion processing until the original thread can handle it. [status=%s]	36
WARN: SQL Error: 0, SQLState: null	24
WARN: ARJUNA016027: (0) got XA exception (1)	24
ERROR: lavax.resource.ResourceException: IJ000460: Error checking for a transaction	15
ERROR e.e.e.f.u.e.s.b.ExchangeEventIncomingServiceBean - Could not process SetMovementReportRequest	15
ERROR e.e.e.f.u.e.m.p.b.ExchangeMessageProducerBean - [Error when sending rules message.] [Error when sending message.]	15
ERROR e.e.e.f.u.c.m.mapper.JAXBMarshaller - [ Error when Text message to object ] unexpected element (uri: urn:module.config.schema.fisheries.ec.europa.eu:v1", local: "SettingsListResponse").	11
Expected elements are <{urn:types.config.schema.fisheries.ec.europa.eu:v1}configFault>	
ERROR e.e.e.f.u.e.s.b.ExchangeEventOutgoingServiceBean - [Error when sending message.]	10
ERROR e.e.e.f.u.e.m.p.b.ExchangeMessageProducerBean - [ Error when sending message. ]	10
WARN: ARJUNA012378: ReaperElement appears to be wedged: {0}	9
WARN: IJ000609: Attempt to return connection twice: %s	4
ERROR: javax.resource.ResourceException: IJ000457: Unchecked throwable in managedConnectionReconnected() cle-org.jboss.jca.core.connectionmanager.listener.TxConnectionListener@41f85a37[state=NORMAL managed connection=org.jboss.jca.adapters.jdbc.xa.XAManagedConnection@1161cabf connection handles=0 lastReturned=1543428427016 lastValidated=1543421646435 lastCheckedCut=1543428426349 trackByTx=false pool=org.jboss.jca.core.connectionmanager.pool.strategy.OnePool@616b8ba1 mcp=SemaphoreConcurrentLinkedQueueManagedConnectionPool@41ca9f9b[pool=jdbc/uvms_movement] xaResource=XAResourceWrapperimpl@7cbed3cyResource=org.jboss.jca.adapters.jdbc.xa.XAManagedConnection@1161cabf pad=false overrideRmValue=null productName=PostgreSQL	3
xaResource=XAResourceWrapperImpl@7cbed43c(xaResource=org.jboss.jca.adapters.jdbc.xa.XAManagedConnection@1161cabf pad=false overrideRmValue=null productVame=PostgreSQL productVersion=9.6.10 jndiName=javaz/jdbc/uvms_movement jbcsync=null productVersion=9.6.10 jndiName=javaz/jdbc/uvms_movement jbcsync=null productVersion=9.6.10 jndiName=javaz/jdbc/uvms_movement jbcsync=null productVame=PostgreSQL productVersion=9.6.10 jndiName=javaz/jdbc/uvms_movement jbcsync=null productVersion=9.6.10 jndiName=javaz/jdbc/uvms_movement jbcsyn	
ERROR: JJ031070: Transaction cannot proceed: STATUS_ROLLEDBACK	3
ERROR: javax.resource.ResourceException: IJ000457: Unchecked throwable in managedConnectionReconnected() cl=org.jboss.jca.coro.connectionmanager.listener.TxConnectionListener@79544a34[state=NORMAL managed connection=org.jboss.jca.adapters.jdbc.xa.XAManagedConnection@1d657481 connection handles=0 lastReturned=1543422173294 lastValidated=1543422017685 lastCheckedCut=1543422172257 trackByTx=false pool=org.jboss.jca.core.connectionmanager.pool.strategy.OnePool@616b8ba1 mcp=SemaphoreConcurrentLinkedQueueManagedConnectionPool@41ca9f9b[pool=jdbc/uvms_movement] xaResource=XAResourceeXvapperImpl@61e666f[yaRsesource=org.jboss.jca.adapters.jdbc.xa.XAManagedConnection@1d657481 pad=false overrideRmValue=null productName=PostgreSQL productVersion=9.6.10 jndiName=java:/jdbc/uvms_movement] txSync=null]	3
WARN: ARJUNA012110: TransactionReaper::check successfuly marked TX {0} as rollback only	3
WARN: ARJUNA012120: TransactionReaper::check worker {0} not responding to interrupt when cancelling TX {1} worker marked as zombie and TX scheduled for mark-as-rollback	3
WARN: ARJUNA012113: TransactionReaper::doCancellations worker {0} missed interrupt when cancelling TX {1} exiting as zombie (zombie count decremented to {2})	3
WARN: Connection failed: javax.jms.JMSException: Channel was inactive (no connection attempt made) for too (>30000) long: tcp://172.17.0.2:61616	2
WARN: IJ000305: Connection error occured: %s	2
ERROR e.e.f.u.c.m.impl.AbstractProducer - [ Error when sending message. ] LI000457: Unchecked throwable in managedConnectionReconnected() clorg jboss_jca.core.connectionmanger_listener_TxConnectionListener@sa6e734e[stack-DRMAL managed connection=[org_apache_activemq.ra_ActiveMOManagedConnection   Post-Base2   Connection=[org_apache_activemq.ra_ActiveMOManagedConnection   Post-Base2   Connection   Post-Base2   Post-Bas	1
ERROR e.e.f.u.c.m.impl.AbstractProducer - [ Error when sending message. ] LI000457: Unchecked throwable in managedConnectionReconnected() cleorg.jboss.jca.core.connectionmanager.listener.TxConnectionListener@sa6c734ejstac6PXMeJtamaaged connection=[org.apache.activemq.ra.ActiveMOManagedConnection 95fd2c7,ActiveMOConnection [id=ID-wiidfly-38397-1543421682841-52983:t, clientId=ID-wiidfly-38397-1543421682841-52983:t, listerd=Idse)] connection handles=0 lastReturned=1543423179235 lastValidated=1543423137749 lastCheckedOut=1543423179068 trackByTx=false pool=org.jboss.jca.core.connectionmanager.pool.strategy.OnePool@4b887cf1 mcp=SemaphoreConcurrentLinkedQueueManagedConnectionPool@503aa9b1[pool=ConnectionFactory] xaResourcevEngperImpl@7cde5dc5[xaResourcevEng.apache.activemq.ra.ActiveMOManagedConnection\$1@5a0fcdd,TransactionContext(transactionId=null.connection=ActiveMQConnection rid=ID-wiidfly-38397-1543421682841-52983:t, clientId=ID-wiidfly-38397-1543421682841-52983:t, clientId=ID-wiidfly-38397-1543421682841-	1
	1
ERROR e.e.e.f.u.c.m.impl.AbstractProducer - [ Error when sending message. ] IJ000457: Unchecked throwable in managedConnectionReconnected() cl=org.jboss.jca.core.connectionmanager.listener.TxConnectionListener@5a6c734e[state=NORMAL managed Connection] Georgia. apache.activemg.ra.ActiveMOManagedConnection@95fd2c7.ActiveMOConnection [dielD:wildfly-38397-1543421682841-52982:1, started=false)] connection andles=0 lastReturned=1543423178566 [astValidated=1543423137749 [astCheckedOut=1543423173256 trackByTx=false] connectionmanager.pool.strategy.OnePool@4b687c1 mcp=SemaphoreConcurrentLinkedQueueManagedConnectionPool@503aa9b1[pool=ConnectionFactory] xaResource=XResourceWrapperImpl@7ede5dc5[xaResource=[org.apache.activemq.ra.ActiveMOManagedConnection\$1 @5a0fcdd_TransactionContext[transactionId=null,connection=ActiveMQConnection]	
n {id=ID:wildfly-38397-1543421682841-52983:1,clientld=ID:wildfly-38397-1543421682841-52982:1,started=fa	
ERROR e.e.e.f.u.c.m.impl.AbstractProducer - [Error when sending message.] IJ000457; Unchecked throwable in managedConnectionReconnected() cl=org.jboss.jca.core.connectionmanager.listener.TxConnectionListener@5a6c734e[state=NORMAL managed connection=[org.apache.activemq.ra.ActiveMQManagedConnection@95fd2c7,ActiveMQConnection [d=lD:wildfly-38397-1543421682841-52983:1,clientId=lD:wildfly-38397-1543421682841-52982:1,started=false)] connection handles=0 lastReturned=1543423256154 lastValidated=154342317749 lastCheckedOut=1543423256146 trackByTx=false pool=org.jboss.jca.core.connectionmanager.pool.strategy.OnePool@4b687cf1 mcp=SemaphoreConcurrentLinkedQueueManagedConnectionPool@503aa9b1[pool=ConnectionFactory] xaResource=XAResource=VarpperImpl@?ede5dc[SyRaResource=lorg.apache.activemq.rativeMQManagedConnection\$1 @5a0fcdd,TransactionContext{transactionId=null,connection=ActiveMQConnection} n {id=ID:wildfly-38397-1543421682841-52983:1,clientId=ID:wildfly-38397-1543421682841-52982:1,started=fa}	1
pool=org.jboss.jca.core.connectionmanager.pool.strategy.UnePool@4687c11 mcp=SemaphoreConcurrentLinkedQueueManagedConnectionPool@503aa9b1[pool=ConnectionFactory] xaResource=XAResourceWrapperImpl@7ede5dc5[xaResource=[org.apache.activemq.ra.ActiveMQManagedConnection\$1@5a0fcdd,TransactionContext{transactionId=null,connection=ActiveMQConnection f(id=ID:wildfly-38397-1543421682841-52983:1,clientId=ID:wildfly-38397-15	
ERROR e.e.e.f.u.c.m.impl.AbstractProducer - [ Error when sending message.] LI000457: Unchecked throwable in managedConnectionReconnected() cleorg.jboss.jca.core.connectionmanager.listener.TxConnectionListener@5a6c734e[state=NORMAL managed connection=forg.apache.activemq.ra.ActiveMQManagedConnection@95fd2c7.ActiveMQConnection [id=ID:wildfly-38397-1543421682841-52983:1,clientId=ID:wildfly-38397-1543421682841-52982:1,started=false)] connection handles=0 lastReturned=1543423179474 lastValidated=1543423137749 lastCheckedOut=1543423179474 lastValidated=1543423137749 lastCheckedOut=1543423179474 lastValidated=1543423137749 lastCheckedOut=1543423179474 lastValidated=1543423137749 lastCheckedOut=1543423179474 lastValidated=1543423137749 lastCheckedOut=1543423179474 lastValidated=1543423179474 lastValidated=15434231794749 lastValidated=1543423179474 lastValidated=1543	
xarcesource=xArcesourcevvrapperimpie_y-deeoccpxarcesource=jorg_apacne_activemq_ra.activemquonnection\$1@saurcod, rransactionContext(transactionid=nuil,connection=ActivemqConnection n (id=ID:wildfly-38397-1543421682841-52983:_istand=d=f_a  ERROR e.e.e.f.u.c.m.impl.AbstractProducer - [ Error when sending message. ] IJ000457: Unchecked throwable in managedConnectionReconnected()	1
cle-org.jboss.jca.core.connectionmanager.listener.TxConnectionListener@5a6c734e[state=NORMAL managed connection=lorg.apache.activemq.ra.ActiveM0ManagedConnection@95d2c7,ActiveM0Connection (id=ID:wildfly-38397-1543421682841-52983:1,clientId=ID:wildfly-38397-1543421682841-52982:1,started=false) connection handles=0 lastReturned=1543423179290 lastValidated=1543423179290 lastValidated=1543423179	·
n (id=ID:wildfly-38397-1543421682841-52983:1, clientId=ID:wildfly-38397-1543421682841-52982:1, started=fa	

Error	Hits
ERROR e.e.e.f.u.c.m.impl.AbstractProducer - [ Error when sending message. ] IJ000457: Unchecked throwable in managedConnectionReconnected() cl=org.jboss.jca.core.connectionIndanager.listener.TxConnectionListener@5a6c734e[state=NORMML managed connection.geg1c27_ActiveMQML managed connection.geg1c27_ActiveMQMCO	1
ERROR e.e.e.f.u.c.m.impl AbstractProducer - [ Error when sending message, ] J.000457: Unchecked throwable in managedConnectionReconnected() clorig jboss; jca.core.connectionmanager; listener. TxConnectionListener@5abe6734e[state-DRMAL managed connection=[org.apache.activemq.ra.ActiveMQManagedConnection@95fd2c7,ActiveMQConnection [id=ID.wildfly-38397-1543421682841-52983:1, clientId=ID.wildfly-38397-1543421682841-52982:1, started=false)] connectionmencion handlesse ol lastReturned=f543423258152 [ lastValidated=f543423137749 [ lastCheckedOut=15434232358037 trackByTx=false pool=org.jboss; jca.core.connectionmanager.pool.strategy.OnePool@4b687cf1 mcp=SemaphoreConcurrentLinkedQueueManagedConnectionPool@503aa9b1[pool=ConnectionFactory] xaResourceeXAResourceVraperImpl@7c9665dc5[xaResource=[org.apache.activemq.ra.ActiveMQManagedConnection\$1@5a0fcdd,TransactionContext[transactionId=null,connection=ActiveMQConnection r[dd=ID.wildfly-38397-1543421682841-52983:1,clientId=ID.wildfly-38397-	1
ERROR e.e.e.f.u.c.m.impl.AbstractProducer - [ Error when sending message. ] IJ000457: Unchecked throwable in managedConnectionReconnected() cl=org.jboss.jca.core.connectionmanager.listener.TxConnectionListener@5a6c734e[state=NORMAL managed connection=[org.apache, activemq.ra.ActiveMQManagedConnection@95fd2c7.ActiveMQCOnnection fice=ID-wildfly-38397-1543421682841-52983:1,clientId=ID-wildfly-38397-1543421682841-52982:1,started=false)] connection handles=0 lastReturned=1543423178878 lastValidated=1543423137749 lastCheckedOut=1543423178801 trackByTx=false pool=org.jboss.jca.core.connectionmanager.pool.strategy.OnePool@4b687cf1 mcp=SemaphoreConcurrentLinkedQueueManagedConnectionPool@503aa9b1[pool=ConnectionFactory] xaResourcesVAResourceWrapperfimpl@7ede5dcS[yaResource=lorg.apache.activemq.ra.ActiveMQManagedConnection\$1@5a0fcdd,TransactionContext{transactionId=null,connection=ActiveMQConnection n (id=ID-wildfly-38397-1543421682841-52982:1,started=fa	1
ERROR e.e.e.f.u.c.m.impl.AbstractProducer - [ Error when sending message. ] IJ000457: Unchecked throwable in managedConnectionReconnected() cl=org.jboss.jca.core.connectionIndnanager.istener.TxConnectionListener@5a6c734e[state=NORMML managed Connection_G9.61267.ActiveMQManagedConnection_G9.61267	1
ERROR e.e.e.f.u.c.m.impl.AbstractProducer - [ Error when sending message. ] IJ000457: Unchecked throwable in managedConnectionReconnected() cl=org.jboss.jca.core.connectionmanager.listener.TxConnectionListener@5a6c734e[state=NORMML managed connection.ge9f2c7_ActiveMQML managed connection.ge9f2c7_ActiveMQCOnnection f(jel_D.wildfly-38397-1543421682841-52983:1,clientId=ID:wildfly-38397-1543421682841-52982:1,started=false)] connection handles=0 lastReturned=1543423257101 lastValidated=1543423137749 lastCheckedOut=1543423256990 trackByTx=false pool=org.jboss.jca.core.connectionmanager.pool.strategy.OnePool@4b687cf1 mcp=SemaphoreConcurrentLinkedQueueManagedConnectionPool@503aa9b1[pool=ConnectionFactory] xaResourcesVAResourceWrapperfimpl@7ede5c6Sc[yaResource=lorg.apache.activemq.ra_ActiveMQManagedConnection\$1@5a0fcdd,TransactionContext{transactionId=null,connection=ActiveMQConnection f(id=ID:wildfly-38397-1543421682841-52982:1,started=fa	1
ERROR e.e.e.f.u.c.m.impl.AbstractProducer - [ Error when sending message. ] IJ000457: Unchecked throwable in managedConnectionReconnected() cl=org.jboss.jca.core.connectionIndnanager.istener.TxConnectionListener@5a6c734e[state=NORMML managed Connection_G9fd_2c7_ActiveMQManagedConnection_G9fd_2c7	1
ERROR e.e.e.f.u.c.m.impl.AbstractProducer - [ Error when sending message. ] IJ000457: Unchecked throwable in managedConnectionReconnected() cl=org.jboss.jca.core.connectionmanager.listener.TxConnectionListener@5a6c734e[state=NORMAL managed connection=Gender_Grg.apache, activemq.ra.ActiveMQManagedConnection@96f2c7_ActiveMQMonection=Gender_Grg.apache, activemq.ra.ActiveMQManagedConnection@96f2c7_ActiveMQMonection=Gender_Grg.apache, activemq.ra.ActiveMQManagedConnection=Gender_Grg.apache, activemq.ra.activem	1
ERROR e.e.e.f.u.c.m.impl.AbstractProducer - [ Error when sending message. ] IJ000457: Unchecked throwable in managedConnectionReconnected() cl=org.jboss.jca.core.connectionmanager.listener.TxConnectionListener@5a6c734e[state=NORMAL managed connection=G951627]. ActiveMQManagedConnection@501627, ActiveMQCOnnection [G951627]. ActiveMQManagedConnection@501627, ActiveMQCOnnection [G951627]. ActiveMQManagedConnection@501627]. Statred=G1se]] connection handles=O lastReturned=1543423179049 lastValidated=1543423137749 lastCheckedOut=1543423179027 trackByTx=false pool=org.jboss.jca.core.connectionmanager.pool.strategy.OnePool@4b687cf1 mcp=SemaphoreConcurrentLinkedQueueManagedConnectionPool@503aa9b1[pool=ConnectionFactory] xaResources*XAResourceWrapperfimpl@7ede5dc65(SpaResource=Lorg.apache.activemq.ra.ActiveMQManagedConnection\$1@5a0fcdd,TransactionContext{transactionId=null,connection=ActiveMQConnection (id=ID:wildfly-38397-1543421682841-52982:1,started=fa	1
ERROR e.e.e.f.u.c.m.impl.AbstractProducer - [ Error when sending message. ] IJ000457: Unchecked throwable in managedConnectionReconnected() cl=org.jboss.jca.core.connectionIndnanager.istener.TxConnectionListener@5a6c73de[state=NORMML managed Connection_G9.61267.ActiveMOManagedConnection.G9.61267.ActiveMOManagedConnection.G9.61267.ActiveMOManagedConnection.G9.61267.ActiveMOManagedConnection.G9.61267.ActiveMOManagedConnection.G9.61267.ActiveMOManagedConnection.G9.61267.ActiveMOManagedConnection.G9.61267.ActiveMOManagedConnection.G9.61267.ActiveMOManagedConnection.G9.61267.ActiveMOManagedConnection.G9.61267.ActiveMOManagedConnection.G9.61267.ActiveMOManagedConnection.G9.61267.ActiveMOManagedConnection.G9.61267.ActiveMom	1

630 hits/min on 49 errors



## 

Date	Error
2018-11-29 08:00:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:00:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:00:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:00:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:00:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:00:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:00:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:00:06	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:00:06	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:00:06	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:00:16	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:00:16	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:00:16	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:02:55	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:02:55	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:02:55	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:04:28	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:04:28	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:04:28	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:05:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:05:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:05:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:05:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:05:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:05:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:05:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:05:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:05:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:05:06	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:05:06	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:05:06	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.

Date	Error
2018-11-29 08:05:16	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:05:16	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:05:16	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.  WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:10:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:10:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:10:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:10:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:10:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:10:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.  WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.  WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:12:55	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:14:28	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:14:28	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:14:28	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:15:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:15:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.  WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:15:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:15:06	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:15:06	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:15:06	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:15:16	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:15:16	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.  WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:20:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:20:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:20:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:20:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:20:06	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:20:06	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.  WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.  WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:20:16	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:22:55	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.



# Detailed current requests

#### None

# **M** Detailed system information

wildfly@172.17.0.4 Host: 2 829 Mb / 5 956 Mb Nb of http sessions: 0

## Monitoring JavaMelody on /unionvms/exchange\_wildfly - all

Nb of active threads (current http requests): 0 Nb of active jdbc connections: 0 Nb of used jdbc connections (opened if no datasource): 0

System load: 0,77 % System CPU:

△ Linux, 4.9.125-linuxkit , amd64/64 (4 cores) OS:

Java: OpenJDK Runtime Environment, 1.8.0\_111-internal-alpine-r0-b14

JVM: OpenJDK 64-Bit Server VM, 25,111-b14, mixed mode

PID of process:

Nb of opened files: 1 706 / 1 048 576

WildFly Full 14.0.1.Final (WildFly Core 6.0.2.Final) - 2.0.13.Final Server:

Webapp context: /unionvms/exchange Start: 2018-11-28 16:19 JVM arguments:

2018-11-28 16:19

-D[Standalone]
-Xms1024m
-Xms6096m
-XX:+ApgressiveOpts
-XX:+DoEscapeAnalysis
-Djava.net.preferiPv4Stack=true
-Duser.timezone=UTC
-Dresteasy.preferJacksonOverJsonB=true
-Djboss.modules.system.pkgs=org.jboss.byteman
-Djava.awt.headless=true
-agentilib\_idwp=transport=dt\_socket\_address=8787.server=y,suspend=n
-Dorg.jboss.boot.log.file=/opt/jboss/wildfly/standalone/log/server.log
-Dlogging.configuration=file./opt/jboss/wildfly/standalone/configuration/logging.properties

Mean age of http sessions (min):

Memory:

Non heap memory = 662 Mb (Perm Gen, Code Cache), Buffered memory = 35 Mb, Loaded classes = 82,954, Garbage collection time = 427,798 ms, Process cpu time = 32,477,840 ms, Committed virtual memory = 9,026 Mb, Free physical memory = 1,131 Mb, Total physical memory = 15,754 Mb, Free swap space = 1,023 Mb, Total swap space = 1,023 Mb

99 051 Mb Free disk space:

DataBase:

java:/jdbc/uvms\_exchange: jdbc:postgresql://postgres:5432/db71u PostgresQL, 9.6.10 Driver JDBC: PostgreSQL JDBC Driver, 42.1.4.jre7



Threads on wildfly@172.17.0.4: Number = 363, Maximum = 569, Total started = 7 897 072

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
DEFAULT	yes	5	WAITING	java.lang.Object.wait(Native Method)	0	0
DEFAULT	yes	5	WAITING	java.lang.Object.wait(Native Method)	0	0
DEFAULT	yes	5	WAITING	java.lang.Object.wait(Native Method)	0	0
ActiveMQ InactivityMonitor ReadCheckTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	10 157	6 760
ActiveMQ InactivityMonitor Worker	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	38	10
ActiveMQ InactivityMonitor Worker	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	26	10
ActiveMQ InactivityMonitor Worker	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	2	0
ActiveMQ InactivityMonitor Worker	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	34	0
ActiveMQ InactivityMonitor Worker	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	9	0
ActiveMQ InactivityMonitor Worker	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	143	70
ActiveMQ InactivityMonitor Worker	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	28	0
ActiveMQ InactivityMonitor Worker	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	33	20
ActiveMQ InactivityMonitor WriteCheckTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	13 500	4 090
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34612	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	5 711	2 250
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34764	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	5 654	2 410
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34768	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	449	150
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34770	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	655	300
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34772	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	465	140
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34778	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	484	130
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34780	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	1 938	740
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34782	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	14 867	6 830
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34786	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	435	140
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34788	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	1 771	640
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34790	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	479	180
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34792	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	1 694	550
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34794	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	1 807	590
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34796	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	1 757	640

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
ActiveMQ Transport: tcp://activemg/172.17.0.2:61616@34798	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	421	120
ActiveMQ Transport:	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	1 738	520
tcp://activemq/172.17.0.2:61616@34800  ActiveMQ Transport:	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	459	150
tcp://activemq/172.17.0.2:61616@34802  ActiveMQ Transport:	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	450	80
tcp://activemq/172.17.0.2:61616@34804 ActiveMQ Transport:	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	555	150
tcp://activemq/172.17.0.2:61616@34806 ActiveMQ Transport:	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	1 777	680
tcp://activemq/172.17.0.2:61616@34808 ActiveMQ Transport:	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	513	110
tcp://activemq/172.17.0.2:61616@34810 ActiveMQ Transport:	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	14 888	9 240
tcp://activemq/172.17.0.2:61616@34814 ActiveMQ Transport:	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	1 888	570
tcp://activemq/172.17.0.2:61616@34816 ActiveMQ Transport:	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	425	130
tcp://activemq/172.17.0.2:61616@34818 ActiveMQ Transport:	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	1 810	770
tcp://activemq/172.17.0.2:61616@34820 ActiveMQ Transport:	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	420	190
tcp://activemq/172.17.0.2:61616@34822 ActiveMQ Transport:	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	444	110
tcp://activemq/172.17.0.2:61616@34824	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	1 685	490
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34826 ActiveMQ Transport:	no	5		java.net.SocketInputStream.socketRead0(Native Method)	390	50
tcp://activemq/172.17.0.2:61616@34830  ActiveMQ Transport:	no	5	RUNNABLE	java.net.SocketinputStream.socketRead0(Native Method)	473	70
tcp://activemq/172.17.0.2:61616@34832  ActiveMQ Transport:	no	5	RUNNABLE	java.net.Socketinputstream.socketRead0(Native Method)  iava.net.SocketInputStream.socketRead0(Native Method)	473	200
tcp://activemq/172.17.0.2:61616@34834			RUNNABLE			
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34836	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	470	200
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@49510	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	571	160
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@49512	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	16 577	10 350
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@49514	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	508	160
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@49518	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	553	160
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@49520	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	529	140
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@49522	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	547	180
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@49524	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	549	190
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@49528	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	538	180
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@49530	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	544	180
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@49532	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	581	210
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@49534	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	595	160
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@49552	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	527	130
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@49554	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	492	100
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@49556	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	556	200
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@56154	no	5	RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	3	0
ActiveMQConnection[ID:wildfly-38397- 1543421682841-31:1] Scheduler	yes	5	● WAITING	java.lang.Object.wait(Native Method)	1 268	1 240
ActiveMQConnection[ID:wildfly-38397- 1543421682841-35:1] Scheduler	yes	5	● WAITING	java.lang.Object.wait(Native Method)	1 223	1 210
ActiveMQConnection[ID:wildfly-38397- 1543421682841-39:1] Scheduler	yes	5	WAITING	java.lang.Object.wait(Native Method)	8	0
ActiveMQConnection[ID:wildfly-38397-1543421682841-43:1] Scheduler	yes	5	● WAITING	java.lang.Object.wait(Native Method)	15	10
ActiveMQConnection[ID:wildfly-38397- 1543421682841-45:1] Scheduler	yes	5	WAITING	java.lang.Object.wait(Native Method)	11	10
ActiveMQConnection[ID:wildfly-38397-	yes	5	WAITING	java.lang.Object.wait(Native Method)	16	10
1543421682841-47:1] Scheduler ActiveMQConnection[ID:wildfly-38397-	yes	5	○ WAITING	java.lang.Object.wait(Native Method)	6	0
1543421682841-51:1] Scheduler ActiveMQConnection[ID:wildfly-38397-	yes	5	○ WAITING	java.lang.Object.wait(Native Method)	0	0
1543421682841-59:1) Scheduler ActiveMQConnection[ID:wildfly-38397-	yes	5	● WAITING	java.lang.Object.wait(Native Method)	30	30
1543421682841-65:1] Scheduler ActiveMQConnection[ID:wildfly-38397-	yes	5	WAITING	java.lang.Object.wait(Native Method)	1 148	1 140
1543421682841-69:1] Scheduler ActiveMQConnection[ID:wildfly-38397-	yes	5	9 WAITING	java.lang.Object.wait(Native Method)	16	0
1543421682841-74:1] Scheduler Clean up old files	yes	5	TIMED WAITING	sun.misc.Unsafe.park(Native Method)	1	0
Clean up old files	yes	5	TIMED_WAITING  TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	1	0
ConnectionValidator	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	0	0
default Accept	no	5	RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	12.065	7 940
default I/O-1 default I/O-2	no no	5	RUNNABLE  RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method) sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	12 065 127	7 840
default I/O-3	no	5	RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	11 543	7 780
default I/O-4	no	5	RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	142	120

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time
default I/O-5		-			8 466	(ms) 5 370
default I/O-6	no no	5	RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method) sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	100	70
default I/O-7	no	5	RUNNABLE  RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	12 920	8 610
default I/O-8	no	5	RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	28 904	26 510
default task-191	no	5	RUNNABLE	java.lang.Thread.dumpThreads(Native Method)	59 996	57 100
default task-209	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	3 706	3 580
default-threads - 1	no	5	→ WAITING	sun.misc.Unsafe.park(Native Method)	45 479	39 520
default-threads - 10	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	611 645	583 020
default-threads - 11	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	107 217	97 590
default-threads - 12	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	59 474	54 900
default-threads - 13	no	5	● WAITING	sun.misc.Unsafe.park(Native Method)	94 535	86 740
default-threads - 14	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	359 509	342 970
default-threads - 15	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	185 830	177 080
default-threads - 16	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	84 930	76 190
default-threads - 17	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	62 100	56 210
default-threads - 18	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	503 777	480 040
default-threads - 19	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	47 573	43 340
default-threads - 2	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	89 554	81 560
default-threads - 20	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	80 216	71 470
default-threads - 21	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	307 992	290 780
default-threads - 22	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	120 961	115 000
default-threads - 23	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	56 957	51 960
default-threads - 24	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	82 293	73 380
default-threads - 25	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	483 387 107 789	454 890 100 920
default-threads - 26 default-threads - 27	no no	5	WAITING	sun.misc.Unsafe.park(Native Method) sun.misc.Unsafe.park(Native Method)	432 084	411 560
default-threads - 28	no	5	<ul><li>● WAITING</li><li>● WAITING</li></ul>	sun.misc.Unsafe.park(Native Method)	49 186	44 570
default-threads - 29	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	281 068	265 370
default-threads - 3	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	102 916	93 610
default-threads - 30	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	90 924	82 450
default-threads - 31	no	5	● WAITING	sun.misc.Unsafe.park(Native Method)	55 596	48 040
default-threads - 32	no	5	● WAITING	sun.misc.Unsafe.park(Native Method)	79 934	73 010
default-threads - 33	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	62 589	57 320
default-threads - 34	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	53 520	48 480
default-threads - 35	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	77 060	70 500
default-threads - 36	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	63 895	59 050
default-threads - 37	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	88 830	81 080
default-threads - 38	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	67 939	62 700
default-threads - 39	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	188 338	177 560
default-threads - 4	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	603 844	575 030
default-threads - 40	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	118 246	110 450
default-threads - 41	no	5	- 17.41.110	sun.misc.Unsafe.park(Native Method)	92 803	87 200
default-threads - 42	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	55 035	50 980
default-threads - 43	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	404 714	382 290
default-threads - 44	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	389 097	366 440
default-threads - 45	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	99 577	91 540
default-threads - 46 default-threads - 47	no no	5	WAITING	sun.misc.Unsafe.park(Native Method) sun.misc.Unsafe.park(Native Method)	51 109 146 977	46 580 137 950
default-threads - 48	no	5	- 17.41.110	sun.misc.Unsafe.park(Native Method)	100 332	92 070
default-threads - 49	no	5	<ul><li>→ WAITING</li><li>→ WAITING</li></ul>	sun.misc.Unsafe.park(Native Method)	146 200	136 430
default-threads - 5	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	46 736	42 660
default-threads - 50	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	44 292	40 300
default-threads - 51	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	161 080	150 480
default-threads - 52	no	5		sun.misc.Unsafe.park(Native Method)	354 477	335 800
default-threads - 53	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	64 987	58 020
default-threads - 54	no	5	● WAITING	sun.misc.Unsafe.park(Native Method)	95 208	89 280
default-threads - 55	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	89 174	78 590
default-threads - 56	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	244 157	229 150
default-threads - 57	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	76 637	68 100
default-threads - 58	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	45 373	41 220
default-threads - 59	no	5	● WAITING	sun.misc.Unsafe.park(Native Method)	117 952	106 430
default-threads - 6	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	96 696	89 760
default-threads - 60	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	59 455	54 830
default-threads - 61	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	134 895	121 600
default-threads - 62	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	225 407	213 540
default-threads - 63	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	176 105	163 790
default-threads - 64	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	58 994	54 740
default-threads - 7	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	212 616	201 340

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time
		-				(ms)
default-threads - 8 default-threads - 9	no no	5	WAITING	sun.misc.Unsafe.park(Native Method) sun.misc.Unsafe.park(Native Method)	108 040 443 774	100 580 417 900
DeploymentScanner-threads - 1	no	5	● WAITING ● WAITING	sun.misc.Unsafe.park(Native Method)	58 945	54 350
DeploymentScanner-threads - 2	no	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	57 174	52 910
DestroyJavaVM	no	5	RUNNABLE		1 063	920
EJB default - 1	no	5		sun.misc.Unsafe.park(Native Method)	1 828	1 390
EJB default - 10	no	5	● WAITING	sun.misc.Unsafe.park(Native Method)	1 389	920
EJB default - 11	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 282	790
EJB default - 12	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 366	920
EJB default - 13	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 535	1 160
EJB default - 14	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 352	920
EJB default - 15	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 330	870
EJB default - 16	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 352	1 040
EJB default - 17	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 442	1 100
EJB default - 18  EJB default - 19	no	5	WAITING	sun.misc.Unsafe.park(Native Method) sun.misc.Unsafe.park(Native Method)	2 778 1 354	2 250 900
EJB default - 19	no no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 310	900
EJB default - 20	no	5	<ul><li>● WAITING</li><li>● WAITING</li></ul>	sun.misc.Unsafe.park(Native Method)	1 372	1 030
EJB default - 21	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 447	1 080
EJB default - 22	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 484	1 080
EJB default - 23	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 425	1 030
EJB default - 24	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 442	1 120
EJB default - 25	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 283	930
EJB default - 26	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 241	910
EJB default - 27	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 380	1 080
EJB default - 28	no	5	● WAITING	sun.misc.Unsafe.park(Native Method)	1 505	1 090
EJB default - 29	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 423	1 070
EJB default - 3	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 328	920
EJB default - 30	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 602	2 230
EJB default - 31	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 606	1 090
EJB default - 32	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 544	1 120
EJB default - 33	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 477	1 030
EJB default - 34	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 596	1 110
EJB default - 35 EJB default - 36	no	5	WAITING	sun.misc.Unsafe.park(Native Method) sun.misc.Unsafe.park(Native Method)	1 392 1 161	1 030
EJB default - 37	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 259	900
EJB default - 38	no	5	● WAITING ● WAITING	sun.misc.Unsafe.park(Native Method)	1 297	980
EJB default - 39	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 418	930
EJB default - 4	no	5	_	sun.misc.Unsafe.park(Native Method)	2 719	2 320
EJB default - 40	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 471	1 170
EJB default - 41	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 512	1 090
EJB default - 42	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 365	1 000
EJB default - 43	no	5	● WAITING	sun.misc.Unsafe.park(Native Method)	1 364	910
EJB default - 44	no	5	● WAITING	sun.misc.Unsafe.park(Native Method)	1 494	1 080
EJB default - 45	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 230	890
EJB default - 46	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 304	910
EJB default - 47	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 390	1 000
EJB default - 48	no	5		sun.misc.Unsafe.park(Native Method)	1 337	890
EJB default - 49	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 367	1 070
EJB default - 5 EJB default - 50	no no	5	WAITING	sun.misc.Unsafe.park(Native Method) sun.misc.Unsafe.park(Native Method)	1 343 1 154	1 040
EJB default - 51	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 256	1 020
EJB default - 52	no	5	<ul><li>● WAITING</li><li>● WAITING</li></ul>	sun.misc.Unsafe.park(Native Method)	1 266	950
EJB default - 53	no	5		sun.misc.Unsafe.park(Native Method)	1 728	1 430
EJB default - 54	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 253	920
EJB default - 55	no	5	● WAITING	sun.misc.Unsafe.park(Native Method)	1 205	900
EJB default - 56	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 363	1 020
EJB default - 57	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 599	2 300
EJB default - 58	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 290	950
EJB default - 59	no	5		sun.misc.Unsafe.park(Native Method)	1 559	1 150
EJB default - 6	no	5	● WAITING	sun.misc.Unsafe.park(Native Method)	1 902	1 500
EJB default - 60	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	3 085	2 850
EJB default - 61	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 465	2 150
EJB default - 62	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 162	860
EJB default - 63	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 288	950
EJB default - 64	no	5		sun.misc.Unsafe.park(Native Method)	1 439	1 020
EJB default - 7	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 256	1 020
EJB default - 8	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 351	1 060

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
EJB default - 9	no	5	● WAITING	sun.misc.Unsafe.park(Native Method)	1 267	1 040
EMF Reference Cleaner	yes	5	● WAITING	java.lang.Object.wait(Native Method)	0	0
EMF Reference Cleaner	yes	5	WAITING	java.lang.Object.wait(Native Method)	0	0
expiration-threadp4-t1	yes	1	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	57	40
expiration-threadp9-t1	yes	1	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	1 242	1 100
External Management Request Threads 1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 051	850
FileSystemWatcher-1	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	821	370
FileSystemWatcher-1	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	1	0
Finalizer	yes	8	WAITING	java.lang.Object.wait(Native Method)	6 427	5 970
GC Daemon	yes	2	TIMED_WAITING	java.lang.Object.wait(Native Method)	0	0
GT authority factory disposer	yes	5	WAITING	java.lang.Object.wait(Native Method)	0	0
GT authority factory disposer	yes	5	WAITING	java.lang.Object.wait(Native Method)	0	0
GuavaAuthCache-0-1 GuavaAuthCache-0-1	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method) sun.misc.Unsafe.park(Native Method)	10	10
GWC DiskQuota clean up thread-1	yes	2	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	249	240
GWC DiskQuota clean up thread-2	no	2	<ul><li>→ WAITING</li><li>→ TIMED_WAITING</li></ul>	sun.misc.Unsafe.park(Native Method)	517	510
GWC DiskQuota Updates Gathering	no	5	TIMED_WAITING  TIMED WAITING	sun.misc.Unsafe.park(Native Method)	22 574	12 550
Thread-1			_			
GWC DiskQuota Usage Stats Gathering Thread-1	no	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	22 523	12 710
GWC GeoRSS Poll Tasks-1	yes	2	WAITING	sun.misc.Unsafe.park(Native Method)	1	0
IdleRemover	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	2 795	2 740
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 255	1 250
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 301	1 390
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 309	1 270
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 279	1 090
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 310	1 380
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 354	1 290
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 333	1 290
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 340 4 235	1 090
jaeger.RemoteReporter-FlushTimer jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method) java.lang.Object.wait(Native Method)	4 316	1 460
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING TIMED WAITING	java.lang.Object.wait(Native Method)	4 329	1 250
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING  TIMED_WAITING	java.lang.Object.wait(Native Method)	4 370	1 340
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING  TIMED_WAITING	java.lang.Object.wait(Native Method)	4 318	1 180
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED WAITING	java.lang.Object.wait(Native Method)	4 320	1 430
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 327	1 130
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 305	1 440
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 268	1 130
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 365	1 470
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 231	920
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 267	1 340
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 939	1 760
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 945	1 330
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 877	1 700
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 969	1 680
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 895	1 550
jaeger.RemoteReporter-QueueProcessor jaeger.RemoteReporter-QueueProcessor	yes yes	5	WAITING	sun.misc.Unsafe.park(Native Method) sun.misc.Unsafe.park(Native Method)	2 915 2 893	1 690
jaeger.RemoteReporter-QueueProcessor	yes	5	<ul><li>● WAITING</li><li>● WAITING</li></ul>	sun.misc.Unsafe.park(Native Method)	2 929	1 590
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 950	1 720
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 935	1 570
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 898	1 540
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 921	1 610
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 924	1 690
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 857	1 810
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 852	1 410
jaeger.RemoteReporter-QueueProcessor	yes	5	● WAITING	sun.misc.Unsafe.park(Native Method)	2 862	1 430
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 922	1 600
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 971	1 560
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	3 190	2 100
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 961	1 530
Java2D Disposer	yes	10	WAITING	java.lang.Object.wait(Native Method)	18	10
javamelody unionvms asset	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	22 131	12 190
javamelody unionvms exchange	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	22 498	12 990
javamelody unionyms movement	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	396	220
javamelody unionyms movement-rules	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	375	246 000
javamelody unionvms spatial	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	258 311	246 000
JCA PoolFiller	yes	5	WAITING	java.lang.Object.wait(Native Method)	1 119	830

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
management Accept	no	5	RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	3	0
management I/O-1	no	5	RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	0	0
management I/O-2	no	5	RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	356	350
management task-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	124	110
management task-2	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	52	40
MSC service thread 1-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	14 350	13 240
MSC service thread 1-2	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	18 086	16 760
MSC service thread 1-3	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	11 873	11 200
MSC service thread 1-4	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	14 090	13 050
MSC service thread 1-5	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	12 929	11 960
MSC service thread 1-6	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	7 987	7 530
MSC service thread 1-7	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	9 634	8 760
MSC service thread 1-8 Periodic Recovery	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	17 017 4 651 902	15 570 1 909 770
pool-13-thread-1	no no	5	TIMED_WAITING	java.lang.Object.wait(Native Method) sun.misc.Unsafe.park(Native Method)	4031 902	390
pool-15-thread-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	263	170
pool-16-thread-1	no	5	TIMED_WAITING WAITING	sun.misc.Unsafe.park(Native Method)	203	200
pool-18-thread-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	351	310
pool-19-thread-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	0	0
pool-21-thread-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	357	320
pool-23-thread-1	no	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	294	210
pool-25-thread-1	no	5	_	sun.misc.Unsafe.park(Native Method)	225	220
pool-26-thread-1	no	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	1 512	1 430
pool-27-thread-1	no	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	1 504	1 440
pool-27-thread-2	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 406	1 350
pool-28-thread-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	303	270
pool-29-thread-1	no	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	299	170
pool-37-thread-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	253	230
pool-38-thread-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	0	0
pool-50-thread-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1	0
pool-51-thread-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	814	800
pool-52-thread-1	no	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	258	150
pool-55-thread-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	123	120
pool-56-thread-1	no	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	1 539	1 450
Post result to registry	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	5 164	3 520
PostgreSQL-JDBC-SharedTimer-1	yes	5	WAITING	java.lang.Object.wait(Native Method)	375	140
Reference Handler Reference Reaper	yes	10	WAITING	java.lang.Object.wait(Native Method)	3 753 0	3 390
ServerService Thread Pool 1	yes	5	WAITING	java.lang.Object.wait(Native Method) sun.misc.Unsafe.park(Native Method)	440	140
ServerService Thread Pool 120	no	5	TIMED_WAITING WAITING	sun.misc.Unsafe.park(Native Method)	12 608	12 130
ServerService Thread Pool 38	no	5		sun.misc.Unsafe.park(Native Method)	308	150
ServerService Thread Pool 72	no	5	● WAITING	sun.misc.Unsafe.park(Native Method)	392	200
ServerService Thread Pool 73	no	5	● WAITING	sun.misc.Unsafe.park(Native Method)	332	110
Signal Dispatcher	yes	9	RUNNABLE		0	0
Statistics ThreadDEFAULT1	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	48	40
Statistics ThreadDEFAULT1	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	47	40
Statistics ThreadDEFAULT1	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	1 288	1 280
Thread-323	no	5	TIMED_WAITING	java.lang.Thread.sleep(Native Method)	842	520
Timer-0	no	5	● WAITING	java.lang.Object.wait(Native Method)	0	0
Timer-1	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	888	330
Timer-10	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	668	470
Timer-11	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	645	500
Timer-12	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	663	450
Timer-13	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	648	480
Timer-14	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	645	410
Timer-15	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	693	510
Timer-16	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	654	470
Timer-17	yes	5	- 111125_17711110	java.lang.Object.wait(Native Method)	663	400
Timer-18	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	686	480
Timer-19	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	666	520
Timer-20	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	675 668	500 450
Timer-20	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method) java.lang.Object.wait(Native Method)	665	450
Timer-21	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	679	540
Timer-4	yes	5	- 111125_17711110	java.lang.Object.wait(Native Method)	679	510
Timer-5	yes	5	TIMED_WAITING TIMED_WAITING	java.lang.Object.wait(Native Method)	685	490
Timer-6	yes	5	TIMED_WAITING  TIMED WAITING	java.lang.Object.wait(Native Method)	657	480
Timer-7	yes	5	TIMED_WAITING  TIMED_WAITING	java.lang.Object.wait(Native Method)	672	500
	,		- INVIED_WAITING	[· • • · · · · · · · · · · · · · · · · ·	J	530

## Monitoring JavaMelody on /unionvms/exchange\_wildfly - all

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
Timer-8	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	675	470
Timer-9	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	672	440
Transaction Expired Entry Monitor	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	0	0
Transaction Reaper	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	64	60
Transaction Reaper Worker 1	yes	5	WAITING	java.lang.Object.wait(Native Method)	2 589	2 540
wcs111timerFactory-1	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	368	340
WeakCollectionCleaner	yes	8	WAITING	java.lang.Object.wait(Native Method)	0	0
WeakCollectionCleaner	yes	8	WAITING	java.lang.Object.wait(Native Method)	0	0
Weld Thread Pool 1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	941	840
Weld Thread Pool 2	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 051	990
Weld Thread Pool 3	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 091	990
Weld Thread Pool 4	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 045	880
Weld Thread Pool 5	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 091	1 060

The cpu times and user times of these threads are measured from the start of the server

Last collect time: 39 ms Display time: 1764 ms Memory overhead estimate: < 1 Mb Disk usage: 2 Mb

JavaMelody 1.72.0.SE