Monitoring JavaMelody on /unionvms/movement_wildfly - all

📊 Statistics of JavaMelody monitoring taken at 2018-11-29 08:23 from 2018-11-29 08:02 on /unionvms/movement_wildfly

🌐 Statistics http - all

None

🛢 Statistics sql - all

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
sql global	100	1 959 849	11	532	15	0,00
sql warning	12	99 390	27	401	23	0,00
sql severe	0	0	-1	0	-1	0,00

2 023 hits/min on 33 requests

☕ Statistics ejb - all

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of cumulative cpu time	Mean cpu time (ms)	% of system error	Mean hits sql	Mean time sql (ms)
ejb global	100	596 859	422	1 596 223	7 934	100	38	0,00	10	110
ejb warning	0	0	-1	0	-1	0	-1	0,00	-1	-1
ejb severe	0	0	-1	0	-1	0	-1	0,00	-1	-1

619 hits/min on 7 requests

⚠ Statistics http system errors - all

None

## 👣 Statistics system errors logs - all

| Error	Hits
WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.	87

4 hits/min on 1 errors

⏳ Current requests

None

🖥 System information

# Monitoring JavaMelody on /unionvms/movement_wildfly - all

Host:	**wildfly@172.17.0.4**
Java memory used:	2 623 Mb / 5 956 Mb
Nb of http sessions:	0
Nb of active threads (current http requests):	0
Nb of active jdbc connections:	0
Nb of used jdbc connections (opened if no datasource):	0
System load:	0,84
% System CPU:	37,36

⚙ Threads

Threads on wildfly@172.17.0.4: Number = 363, Maximum = 569, Total started = 7 897 072

Host:	**wildfly@172.17.0.4**
Java memory used:	2 623 Mb / 5 956 Mb
Nb of http sessions:	0
Nb of active threads (current http requests):	0
Nb of active jdbc connections:	0
Nb of used jdbc connections (opened if no datasource):	0
System load:	0,84
% System CPU:	37,36

Monitoring JavaMelody on /unionvms/movement_wildfly - all

Detailed statistics

% Garbage Collector time - all	Threads count - all	Loaded classes count - all
Mean Mean: NaN	Mean Mean: NaN	Mean Mean: NaN
Maximum Maximum: NaN	Maximum Maximum: NaN	Maximum Maximum: NaN
Used buffered memory - all	Used non heap memory - all	Used physical memory - all
Mean Mean: NaN	Mean Mean: NaN	Mean Mean: NaN
Maximum Maximum: NaN	Maximum Maximum: NaN	Maximum Maximum: NaN
Used swap space - all	System load - all	% System CPU - all
Mean Mean: NaN	Mean Mean: NaN	Mean Mean: NaN
Maximum Maximum: NaN	Maximum Maximum: NaN	Maximum Maximum: NaN
Nb of opened files - all	Mean age of http sessions (min) - all	Transactions per minute - all
Mean Mean: NaN	Mean Mean: NaN	Mean Mean: NaN
Maximum Maximum: NaN	Maximum Maximum: NaN	Maximum Maximum: NaN
	Free disk space - all	
	Mean Mean: NaN	
	Maximum Maximum: NaN	

Monitoring JavaMelody on /unionvms/movement_wildfly - all

Used memory - all - 2018-11-29 on /unionvms/movement_wildfly

Mean Mean:	NaN
Maximum Maximum:	NaN

% CPU - all - 2018-11-29 on /unionvms/movement_wildfly

Mean Mean:	NaN
Maximum Maximum:	NaN

Http sessions - all - 2018-11-29 on /unionvms/movement_wildfly

Mean Mean:	NaN
Maximum Maximum:	NaN

Monitoring JavaMelody on /unionvms/movement_wildfly - all

Monitoring JavaMelody on /unionvms/movement_wildfly - all

Http hits per minute - all - 2018-11-29 on /unionvms/movement_wildfly

Mean Mean: NaN
Maximum Maximum: NaN

Http mean times (ms) - all - 2018-11-29 on /unionvms/movement_wildfly

Mean Mean: NaN
Maximum Maximum: NaN

% of http errors - all - 2018-11-29 on /unionvms/movement_wildfly

Mean Mean: NaN
Maximum Maximum: NaN

Monitoring JavaMelody on /unionvms/movement_wildfly - all

Ejb hits per minute - all - 2018-11-29 on /unionvms/movement_wildfly

Mean Mean: NaN
Maximum Maximum: NaN

Ejb mean times (ms) - all - 2018-11-29 on /unionvms/movement_wildfly

Mean Mean: NaN
Maximum Maximum: NaN

% of ejb errors - all - 2018-11-29 on /unionvms/movement_wildfly

Mean Mean: NaN
Maximum Maximum: NaN

🔵 Detailed statistics http - all

None

🗄 Detailed statistics sql - all

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of system error
select movement0_.move_location as col_0_0_ from movement movement0_ where movement0_.move_duplicate=false and movement0_.move_trac_id=? order by movement0_.move_timestamp ASC	12	99 390	27	401	23	0,00
select latestmove0_.movelate_id as movelate1_6_, latestmove0_.movelate_move_id as movelate3_6_, latestmove0_.movelate_moveconn_id as movelate4_6_, latestmove0_.movelate_timestamp as movelate2_6_ from latestmovement latestmove0_ cross join movementconnect movementco1_ where latestmove0_.movelate_moveconn_id=movementco1_.moveconn_id and movementco1_.moveconn_value=?	10	198 955	11	439	15	0,00
update track set trac_geom=?, track_totalsea=? where trac_id=?	9	99 378	20	464	20	0,00
select movement0_.move_id as move_id1_7_, movement0_.move_act_id as move_ac18_7_, movement0_.move_altitude as move_alt2_7_, movement0_.move_duplicate as move_dup3_7_, movement0_.move_duplicate_id as move_dup4_7_, movement0_.move_guid as move_gui5_7_, movement0_.move_heading as move_hea6_7_, movement0_.move_internal_reference_number as move_int7_7_, movement0_.move_location as move_loc8_7_, movement0_.move_moveconn_id as move_mo19_7_, movement0_.move_movesour_id as move_mov9_7_, movement0_.move_movetyp_id as move_mo10_7_, movement0_.move_processed as move_pr11_7_, movement0_.move_speed as move_sp12_7_, movement0_.move_status as move_st13_7_, movement0_.move_timestamp as move_ti14_7_, movement0_.move_trac_id as move_tr20_7_, movement0_.move_trip_number as move_tr15_7_, movement0_.move_updattim as move_up16_7_, movement0_.move_upuser as move_up17_7_ from movement movement0_ inner join movementconnect movementco1_ on movement0_.move_moveconn_id=movementco1_.moveconn_id where movement0_.mov...	6	56 385	25	414	21	0,00
select movement0_.move_id as move_id1_7_, movement0_.move_act_id as move_ac18_7_, movement0_.move_altitude as move_alt2_7_, movement0_.move_duplicate as move_dup3_7_, movement0_.move_duplicate_id as move_dup4_7_, movement0_.move_guid as move_gui5_7_, movement0_.move_heading as move_hea6_7_, movement0_.move_internal_reference_number as move_int7_7_, movement0_.move_location as move_loc8_7_, movement0_.move_moveconn_id as move_mo19_7_, movement0_.move_movesour_id as move_mov9_7_, movement0_.move_movetyp_id as move_mo10_7_, movement0_.move_processed as move_pr11_7_, movement0_.move_speed as move_sp12_7_, movement0_.move_status as move_st13_7_, movement0_.move_timestamp as move_ti14_7_, movement0_.move_trac_id as move_tr20_7_, movement0_.move_trip_number as move_tr15_7_, movement0_.move_updattim as move_up16_7_, movement0_.move_upuser as move_up17_7_ from movement movement0_ cross join movementconnect movementco1_ where movement0_.move_moveconn_id=movementco1_.moveconn_id and movementco1_....	6	99 481	14	470	16	0,00
select movement0_.move_id as move_id1_7_0_, movement0_.move_act_id as move_ac18_7_0_, movement0_.move_altitude as move_alt2_7_0_, movement0_.move_duplicate as move_dup3_7_0_, movement0_.move_duplicate_id as move_dup4_7_0_, movement0_.move_guid as move_gui5_7_0_, movement0_.move_heading as move_hea6_7_0_, movement0_.move_internal_reference_number as move_int7_7_0_, movement0_.move_location as move_loc8_7_0_, movement0_.move_moveconn_id as move_mo19_7_0_, movement0_.move_movesour_id as move_mov9_7_0_, movement0_.move_movetyp_id as move_mo10_7_0_, movement0_.move_processed as move_pr11_7_0_, movement0_.move_speed as move_sp12_7_0_, movement0_.move_status as move_st13_7_0_, movement0_.move_timestamp as move_ti14_7_0_, movement0_.move_trac_id as move_tr20_7_0_, movement0_.move_trip_number as move_tr15_7_0_, movement0_.move_updattim as move_up16_7_0_, movement0_.move_upuser as move_up17_7_0_, activity1_.act_id as act_id1_0_1_, activity1_.act_acttyp_id as act_actt2_0_1_, activity1_.act_callba...	5	149 305	8	459	11	0,00
update movement set move_processed=? where move_id=?	5	99 404	11	532	14	0,00
select count(movement0_.move_id) as col_0_0_ from movement movement0_ cross join movementconnect movementco1_ where movement0_.move_moveconn_id=movementco1_.moveconn_id and (movement0_.move_timestamp between ? and ?) and movementco1_.moveconn_value=? and movement0_.move_duplicate=false	4	99 462	10	446	12	0,00
select movement0_.move_id as move_id1_7_, movement0_.move_act_id as move_ac18_7_, movement0_.move_altitude as move_alt2_7_, movement0_.move_duplicate as move_dup3_7_, movement0_.move_duplicate_id as move_dup4_7_, movement0_.move_guid as move_gui5_7_, movement0_.move_heading as move_hea6_7_, movement0_.move_internal_reference_number as move_int7_7_, movement0_.move_location as move_loc8_7_, movement0_.move_moveconn_id as move_mo19_7_, movement0_.move_movesour_id as move_mov9_7_, movement0_.move_movetyp_id as move_mo10_7_, movement0_.move_processed as move_pr11_7_, movement0_.move_speed as move_sp12_7_, movement0_.move_status as move_st13_7_, movement0_.move_timestamp as move_ti14_7_, movement0_.move_trac_id as move_tr20_7_, movement0_.move_trip_number as move_tr15_7_, movement0_.move_updattim as move_up16_7_, movement0_.move_upuser as move_up17_7_ from movement movement0_ where movement0_.move_guid=? and movement0_.move_duplicate=false	4	99 474	9	367	12	0,00
insert into segment (seg_cog, seg_distance, seg_duration, seg_frommove_id, seg_geom, seg_segcat_id, seg_sog, seg_tomove_id, seg_trac_id, seg_updattim, seg_upuser, seg_id) values (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)	3	99 454	8	332	10	0,00
update movement set move_duplicate=? where move_id=?	3	56 385	13	497	16	0,00
insert into movement (move_guid, move_heading, move_internal_reference_number, move_location, move_moveconn_id, move_movesour_id, move_movetyp_id, move_processed, move_speed, move_timestamp, move_updattim, move_upuser, move_id) values (?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?)	3	99 481	7	451	10	0,00
select nextval ('segment_seq')	3	99 454	7	496	10	0,00
select nextval ('hibernate_sequence')	3	99 481	6	458	10	0,00
update track set trac_distance=?, trac_duration=? where trac_id=?	3	99 390	6	423	10	0,00
select movementco0_.moveconn_id as moveconn1_8_, movementco0_.moveconn_updattim as moveconn2_8_, movementco0_.moveconn_upuser as moveconn3_8_, movementco0_.moveconn_value as moveconn4_8_ from movementconnect movementco0_ where movementco0_.moveconn_value=?	3	99 481	6	379	9	0,00
select segment0_.seg_id as seg_id1_14_0_, segment0_.seg_cog as seg_cog2_14_0_, segment0_.seg_distance as seg_dist3_14_0_, segment0_.seg_duration as seg_dura4_14_0_, segment0_.seg_frommove_id as seg_fro10_14_0_, segment0_.seg_geom as seg_geom5_14_0_, segment0_.seg_segcat_id as seg_segc6_14_0_, segment0_.seg_sog as seg_sog7_14_0_, segment0_.seg_tomove_id as seg_tom11_14_0_, segment0_.seg_trac_id as seg_tra12_14_0_, segment0_.seg_updattim as seg_upda8_14_0_, segment0_.seg_upuser as seg_upus9_14_0_ from segment segment0_ where segment0_.seg_tomove_id=?	2	56 385	9	450	12	0,00
update segment set seg_cog=?, seg_distance=?, seg_duration=?, seg_geom=?, seg_sog=?, seg_tomove_id=?, seg_updattim=? where seg_id=?	2	56 362	8	322	11	0,00
update movement set move_trac_id=? where move_id=?	1	56 396	7	371	10	0,00
select segment0_.seg_id as seg_id1_14_0_, segment0_.seg_cog as seg_cog2_14_0_, segment0_.seg_distance as seg_dist3_14_0_, segment0_.seg_duration as seg_dura4_14_0_, segment0_.seg_frommove_id as seg_fro10_14_0_, segment0_.seg_geom as seg_geom5_14_0_, segment0_.seg_segcat_id as seg_segc6_14_0_, segment0_.seg_sog as seg_sog7_14_0_, segment0_.seg_tomove_id as seg_tom11_14_0_, segment0_.seg_trac_id as seg_tra12_14_0_, segment0_.seg_updattim as seg_upda8_14_0_, segment0_.seg_upuser as seg_upus9_14_0_ from segment segment0_ where segment0_.seg_frommove_id=?	1	49 847	7	327	11	0,00
update latestmovement set movelate_move_id=?, movelate_timestamp=? where movelate_id=?	1	43 074	8	308	11	0,00
update movement set move_duplicate=?, move_trac_id=? where move_id=?	1	43 024	7	476	11	0,00
insert into track (trac_avgspeed, trac_distance, trac_duration, trac_geom, track_totalsea, trac_updattim, trac_upuser, trac_id) values (?, ?, ?, ?, ?, ?, ?, ?)	0	64	14	175	28	0,00
select track0_.trac_id as trac_id1_16_0_, track0_.trac_avgspeed as trac_avg2_16_0_, track0_.trac_distance as trac_dis3_16_0_, track0_.trac_duration as trac_dur4_16_0_, track0_.trac_geom as trac_geo5_16_0_, track0_.track_totalsea as track_to6_16_0_, track0_.trac_updattim as trac_upd7_16_0_, track0_.trac_upuser as trac_upu8_16_0_ from track track0_ where track0_.trac_id=?	0	91	6	135	14	0,00
select nextval ('track_seq')	0	64	7	51	9	0,00
update movement set move_duplicate=?, move_processed=? where move_id=?	0	40	5	39	7	0,00
update movement set move_duplicate=?, move_processed=?, move_trac_id=? where move_id=?	0	30	7	48	10	0,00
update segment set seg_cog=?, seg_distance=?, seg_duration=?, seg_geom=?, seg_segcat_id=?, seg_sog=?, seg_tomove_id=?, seg_updattim=? where seg_id=?	0	20	5	14	4	0,00
insert into movementconnect (moveconn_updattim, moveconn_upuser, moveconn_value, moveconn_id) values (?, ?, ?, ?)	0	20	4	33	8	0,00
update track set track_totalsea=? where trac_id=?	0	12	6	21	7	0,00
insert into latestmovement (movelate_move_id, movelate_moveconn_id, movelate_timestamp, movelate_id) values (?, ?, ?, ?)	0	20	3	24	6	0,00
select nextval ('movement_connect_seq')	0	20	3	12	3	0,00
select nextval ('latest_movement_seq')	0	20	3	22	5	0,00

2 023 hits/min on 33 requests

☕ Detailed statistics ejb - all

Monitoring JavaMelody on /unionvms/movement_wildfly - all

Request	% of cumulative time	Hits	Mean time (ms)	Max time (ms)	Standard deviation	% of cumulative cpu time	Mean cpu time (ms)	% of system error	Mean hits sql	Mean time sql (ms)
MovementCreateConsumerBean.onMessage	34	99 485	880	1 596 223	10 985	30	69	0,00	19	217
MovementService.createMovement	27	99 485	692	1 596 093	10 083	29	66	0,00	18	207
IncomingMovementBean.processMovement	20	99 481	528	1 596 039	8 813	23	53	0,00	13	148
SegmentBean.splitSegment	10	56 385	463	1 595 934	10 122	9	39	0,00	6	72
SegmentBean.newSegment	5	43 076	313	1 178 002	6 625	6	36	0,00	4	56
MovementBatchModelBean.createMovement	0	99 485	24	4 934	41	0	2	0,00	2	13
MovementService.countNrOfMovementsLastDayForAsset	0	99 462	12	447	13	0	0	0,00	1	10

619 hits/min on 7 requests

Detailed statistics http system errors - all

None

Last http system errors - all

None

Detailed statistics system errors logs - all

Error	Hits
WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.	87

4 hits/min on 1 errors

Last system errors logs - all

Date	Error
2018-11-29 08:02:55	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:02:55	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:02:55	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:04:28	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:04:28	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:04:28	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:05:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:05:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:05:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:05:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:05:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:05:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:05:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:05:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:05:06	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:05:06	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:05:06	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:05:16	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:05:16	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:05:16	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:07:55	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:07:55	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:07:55	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:09:28	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:09:28	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:09:28	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:10:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:10:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:10:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:10:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:10:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:10:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:10:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:10:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:10:06	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:10:06	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:10:06	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:10:16	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:10:16	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:10:16	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:12:55	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:12:55	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:12:55	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:14:28	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:14:28	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:14:28	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:15:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.

Monitoring JavaMelody on /unionvms/movement_wildfly - all

Date	Error
2018-11-29 08:15:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:15:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:15:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:15:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:15:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:15:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:15:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:15:06	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:15:06	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:15:06	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:15:16	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:15:16	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:15:16	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:17:55	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:17:55	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:17:55	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:19:28	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:19:28	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:19:28	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:20:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:20:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:20:00	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:20:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:20:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:20:05	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:20:06	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:20:06	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:20:06	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:20:06	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:20:06	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:20:06	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:20:16	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:20:16	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:20:16	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:22:55	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:22:55	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.
2018-11-29 08:22:55	WARN: WFLYEJB0485: Transaction type %s is unspecified for the %s method of the %s message-driven bean. It will be handled as NOT_SUPPORTED.

⧗ Detailed current requests

None

🛠 Detailed system information

Host:	**wildfly@172.17.0.4**
Java memory used:	2 623 Mb / 5 956 Mb
Nb of http sessions:	0
Nb of active threads (current http requests):	0
Nb of active jdbc connections:	0
Nb of used jdbc connections (opened if no datasource):	0
System load:	0,84
% System CPU:	37,36
OS:	Linux, 4.9.125-linuxkit , amd64/64 (4 cores)
Java:	OpenJDK Runtime Environment, 1.8.0_111-internal-alpine-r0-b14
JVM:	OpenJDK 64-Bit Server VM, 25.111-b14, mixed mode
PID of process:	96
Nb of opened files:	1 706 / 1 048 576
Server:	WildFly Full 14.0.1.Final (WildFly Core 6.0.2.Final) - 2.0.13.Final
Webapp context:	/unionvms/movement
Start:	2018-11-29 08:02
JVM arguments:	-D[Standalone] -Xms1024m -Xmx6096m -XX:+AggressiveOpts -XX:+DoEscapeAnalysis -Djava.net.preferIPv4Stack=true -Duser.timezone=UTC -Dresteasy.preferJacksonOverJsonB=true -Djboss.modules.system.pkgs=org.jboss.byteman -Djava.awt.headless=true -agentlib:jdwp=transport=dt_socket,address=8787,server=y,suspend=n -Dorg.jboss.boot.log.file=/opt/jboss/wildfly/standalone/log/server.log -Dlogging.configuration=file:/opt/jboss/wildfly/standalone/configuration/logging.properties
Mean age of http sessions (min):	-1
Memory:	Non heap memory = 659 Mb (Perm Gen, Code Cache), Buffered memory = 35 Mb, Loaded classes = 82,812, Garbage collection time = 427,798 ms, Process cpu time = 32,474,520 ms, Committed virtual memory = 9,024 Mb, Free physical memory = 1,132 Mb, Total physical memory = 15,754 Mb, Free swap space = 1,023 Mb, Total swap space = 1,023 Mb
Free disk space:	99 051 Mb

Monitoring JavaMelody on /unionvms/movement_wildfly - all

DataBase: java:/jdbc/uvms_movement:
jdbc:postgresql://postgres:5432/db71u
PostgreSQL, 9.6.10
Driver JDBC:
PostgreSQL JDBC Driver, 42.1.4.jre7

⚙️ Detailed threads

Threads on wildfly@172.17.0.4: Number = 363, Maximum = 569, Total started = 7 897 072

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
__DEFAULT__	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	0	0
__DEFAULT__	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	0	0
__DEFAULT__	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	0	0
ActiveMQ InactivityMonitor ReadCheckTimer	yes	5	🟡 TIMED_WAITING	java.lang.Object.wait(Native Method)	10 156	6 760
ActiveMQ InactivityMonitor Worker	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	38	10
ActiveMQ InactivityMonitor Worker	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	25	10
ActiveMQ InactivityMonitor Worker	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	2	0
ActiveMQ InactivityMonitor Worker	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	33	0
ActiveMQ InactivityMonitor Worker	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	9	0
ActiveMQ InactivityMonitor Worker	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	143	70
ActiveMQ InactivityMonitor Worker	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	28	0
ActiveMQ InactivityMonitor Worker	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	33	20
ActiveMQ InactivityMonitor WriteCheckTimer	yes	5	🟡 TIMED_WAITING	java.lang.Object.wait(Native Method)	13 499	4 090
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34612	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	5 711	2 250
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34764	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	5 654	2 410
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34768	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	449	150
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34770	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	655	300
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34772	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	465	140
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34778	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	484	130
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34780	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	1 938	740
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34782	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	14 867	6 830
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34786	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	435	140
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34788	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	1 771	640
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34790	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	479	180
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34792	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	1 694	550
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34794	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	1 807	590
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34796	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	1 757	640
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34798	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	421	120
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34800	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	1 738	520
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34802	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	459	150
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34804	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	450	80
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34806	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	555	150
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34808	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	1 777	680
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34810	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	513	110
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34814	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	14 888	9 240
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34816	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	1 888	570
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34818	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	425	130
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34820	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	1 810	770
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34822	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	420	190
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34824	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	444	110
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34826	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	1 685	490
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34830	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	390	50
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34832	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	473	70
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34834	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	493	200
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@34836	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	470	200
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@49510	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	571	160
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@49512	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	16 577	10 350

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@49514	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	508	160
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@49518	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	553	160
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@49520	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	529	140
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@49522	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	547	180
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@49524	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	549	190
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@49528	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	538	180
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@49530	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	544	180
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@49532	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	580	210
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@49534	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	595	160
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@49552	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	526	130
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@49554	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	492	100
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@49556	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	555	200
ActiveMQ Transport: tcp://activemq/172.17.0.2:61616@56154	no	5	🟢 RUNNABLE	java.net.SocketInputStream.socketRead0(Native Method)	3	0
ActiveMQConnection[ID:wildfly-38397-1543421682841-31:1] Scheduler	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	1 268	1 240
ActiveMQConnection[ID:wildfly-38397-1543421682841-35:1] Scheduler	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	1 223	1 210
ActiveMQConnection[ID:wildfly-38397-1543421682841-39:1] Scheduler	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	8	0
ActiveMQConnection[ID:wildfly-38397-1543421682841-43:1] Scheduler	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	15	10
ActiveMQConnection[ID:wildfly-38397-1543421682841-45:1] Scheduler	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	11	10
ActiveMQConnection[ID:wildfly-38397-1543421682841-47:1] Scheduler	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	16	10
ActiveMQConnection[ID:wildfly-38397-1543421682841-51:1] Scheduler	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	6	0
ActiveMQConnection[ID:wildfly-38397-1543421682841-59:1] Scheduler	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	0	0
ActiveMQConnection[ID:wildfly-38397-1543421682841-65:1] Scheduler	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	30	30
ActiveMQConnection[ID:wildfly-38397-1543421682841-69:1] Scheduler	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	1 148	1 140
ActiveMQConnection[ID:wildfly-38397-1543421682841-74:1] Scheduler	yes	5	🟡 WAITING	java.lang.Object.wait(Native Method)	16	0
Clean up old files	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	1	0
Clean up old files	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	1	0
ConnectionValidator	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	0	0
default Accept	no	5	🟢 RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	84	30
default I/O-1	no	5	🟢 RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	12 065	7 840
default I/O-2	no	5	🟢 RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	127	110
default I/O-3	no	5	🟢 RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	11 543	7 780
default I/O-4	no	5	🟢 RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	142	120
default I/O-5	no	5	🟢 RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	8 466	5 370
default I/O-6	no	5	🟢 RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	100	70
default I/O-7	no	5	🟢 RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	12 920	8 610
default I/O-8	no	5	🟢 RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	28 904	26 510
default task-191	no	5	🟢 RUNNABLE	java.lang.Thread.dumpThreads(Native Method)	58 138	55 290
default task-209	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	3 706	3 580
default-threads - 1	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	45 479	39 520
default-threads - 10	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	611 645	583 020
default-threads - 11	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	107 217	97 590
default-threads - 12	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	59 474	54 900
default-threads - 13	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	94 535	86 740
default-threads - 14	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	359 509	342 970
default-threads - 15	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	185 830	177 080
default-threads - 16	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	84 930	76 190
default-threads - 17	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	62 100	56 210
default-threads - 18	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	503 777	480 040
default-threads - 19	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	47 573	43 340
default-threads - 2	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	89 554	81 560
default-threads - 20	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	80 216	71 470
default-threads - 21	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	307 992	290 780
default-threads - 22	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	120 961	115 000
default-threads - 23	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	56 957	51 960
default-threads - 24	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	82 293	73 380
default-threads - 25	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	483 387	454 890
default-threads - 26	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	107 789	100 920
default-threads - 27	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	432 084	411 560
default-threads - 28	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	49 186	44 570

Monitoring JavaMelody on /unionvms/movement_wildfly - all

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
default-threads - 29	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	281 068	265 370
default-threads - 3	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	102 916	93 610
default-threads - 30	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	90 924	82 450
default-threads - 31	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	55 596	48 040
default-threads - 32	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	79 934	73 010
default-threads - 33	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	62 589	57 320
default-threads - 34	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	53 520	48 480
default-threads - 35	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	77 060	70 500
default-threads - 36	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	63 895	59 050
default-threads - 37	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	88 830	81 080
default-threads - 38	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	67 939	62 700
default-threads - 39	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	188 338	177 560
default-threads - 4	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	603 844	575 030
default-threads - 40	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	118 246	110 450
default-threads - 41	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	92 803	87 200
default-threads - 42	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	55 035	50 980
default-threads - 43	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	404 714	382 290
default-threads - 44	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	389 097	366 440
default-threads - 45	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	99 577	91 540
default-threads - 46	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	51 109	46 580
default-threads - 47	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	146 977	137 950
default-threads - 48	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	100 332	92 070
default-threads - 49	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	146 200	136 430
default-threads - 5	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	46 736	42 660
default-threads - 50	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	44 292	40 300
default-threads - 51	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	161 080	150 480
default-threads - 52	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	354 477	335 800
default-threads - 53	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	64 987	58 020
default-threads - 54	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	95 208	89 280
default-threads - 55	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	89 174	78 590
default-threads - 56	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	244 157	229 150
default-threads - 57	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	76 637	68 100
default-threads - 58	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	45 373	41 220
default-threads - 59	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	117 952	106 430
default-threads - 6	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	96 696	89 760
default-threads - 60	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	59 455	54 830
default-threads - 61	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	134 895	121 600
default-threads - 62	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	225 407	213 540
default-threads - 63	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	176 105	163 790
default-threads - 64	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	58 994	54 740
default-threads - 7	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	212 616	201 340
default-threads - 8	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	108 040	100 580
default-threads - 9	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	443 774	417 900
DeploymentScanner-threads - 1	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	58 945	54 350
DeploymentScanner-threads - 2	no	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	57 153	52 890
DestroyJavaVM	no	5	🟢 RUNNABLE		1 063	920
EJB default - 1	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	1 828	1 390
EJB default - 10	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	1 389	920
EJB default - 11	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	1 282	790
EJB default - 12	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	1 366	920
EJB default - 13	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	1 535	1 160
EJB default - 14	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	1 352	920
EJB default - 15	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	1 330	870
EJB default - 16	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	1 352	1 040
EJB default - 17	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	1 442	1 100
EJB default - 18	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	2 778	2 250
EJB default - 19	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	1 354	900
EJB default - 2	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	1 310	900
EJB default - 20	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	1 372	1 030
EJB default - 21	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	1 447	1 080
EJB default - 22	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	1 484	1 080
EJB default - 23	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	1 425	1 030
EJB default - 24	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	1 442	1 120
EJB default - 25	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	1 283	930
EJB default - 26	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	1 241	910
EJB default - 27	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	1 380	1 080
EJB default - 28	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	1 505	1 090
EJB default - 29	no	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	1 423	1 070

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
EJB default - 3	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 328	920
EJB default - 30	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 602	2 230
EJB default - 31	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 606	1 090
EJB default - 32	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 544	1 120
EJB default - 33	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 477	1 030
EJB default - 34	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 596	1 110
EJB default - 35	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 392	1 030
EJB default - 36	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 161	900
EJB default - 37	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 259	910
EJB default - 38	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 297	980
EJB default - 39	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 418	930
EJB default - 4	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 719	2 320
EJB default - 40	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 471	1 170
EJB default - 41	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 512	1 090
EJB default - 42	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 365	1 000
EJB default - 43	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 364	910
EJB default - 44	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 494	1 080
EJB default - 45	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 230	890
EJB default - 46	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 304	910
EJB default - 47	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 390	1 000
EJB default - 48	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 337	890
EJB default - 49	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 367	1 070
EJB default - 5	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 343	1 040
EJB default - 50	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 154	830
EJB default - 51	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 256	1 020
EJB default - 52	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 266	950
EJB default - 53	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 728	1 430
EJB default - 54	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 253	920
EJB default - 55	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 205	900
EJB default - 56	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 363	1 020
EJB default - 57	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 599	2 300
EJB default - 58	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 290	950
EJB default - 59	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 559	1 150
EJB default - 6	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 902	1 500
EJB default - 60	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	3 085	2 850
EJB default - 61	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 465	2 150
EJB default - 62	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 162	860
EJB default - 63	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 288	950
EJB default - 64	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 439	1 020
EJB default - 7	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 256	1 020
EJB default - 8	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 351	1 060
EJB default - 9	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 267	1 040
EMF Reference Cleaner	yes	5	WAITING	java.lang.Object.wait(Native Method)	0	0
EMF Reference Cleaner	yes	5	WAITING	java.lang.Object.wait(Native Method)	0	0
expiration-thread--p4-t1	yes	1	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	57	40
expiration-thread--p9-t1	yes	1	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	1 242	1 100
External Management Request Threads -- 1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 051	850
FileSystemWatcher-1	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	821	370
FileSystemWatcher-1	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	1	0
Finalizer	yes	8	WAITING	java.lang.Object.wait(Native Method)	6 427	5 970
GC Daemon	yes	2	TIMED_WAITING	java.lang.Object.wait(Native Method)	0	0
GT authority factory disposer	yes	5	WAITING	java.lang.Object.wait(Native Method)	0	0
GT authority factory disposer	yes	5	WAITING	java.lang.Object.wait(Native Method)	0	0
GuavaAuthCache-0-1	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	10	10
GuavaAuthCache-0-1	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	10	10
GWC DiskQuota clean up thread-1	no	2	WAITING	sun.misc.Unsafe.park(Native Method)	249	240
GWC DiskQuota clean up thread-2	no	2	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	517	510
GWC DiskQuota Updates Gathering Thread-1	no	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	22 570	12 550
GWC DiskQuota Usage Stats Gathering Thread-1	no	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	22 519	12 700
GWC GeoRSS Poll Tasks-1	yes	2	WAITING	sun.misc.Unsafe.park(Native Method)	1	0
IdleRemover	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	2 795	2 740
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 255	1 250
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 300	1 390
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 308	1 270
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 278	1 090
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 309	1 380
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 353	1 290

Monitoring JavaMelody on /unionvms/movement_wildfly - all

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 332	1 290
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 339	1 090
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 233	1 300
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 315	1 460
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 328	1 250
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 369	1 330
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 317	1 180
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 319	1 430
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 326	1 130
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 305	1 440
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 266	1 130
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 364	1 470
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 230	920
jaeger.RemoteReporter-FlushTimer	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 265	1 340
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 938	1 760
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 945	1 330
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 877	1 700
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 969	1 680
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 894	1 550
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 914	1 690
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 893	1 360
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 927	1 590
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 949	1 710
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 935	1 570
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 897	1 540
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 921	1 610
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 922	1 690
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 856	1 810
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 851	1 410
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 862	1 430
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 921	1 600
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 969	1 550
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	3 189	2 090
jaeger.RemoteReporter-QueueProcessor	yes	5	WAITING	sun.misc.Unsafe.park(Native Method)	2 960	1 530
Java2D Disposer	yes	10	WAITING	java.lang.Object.wait(Native Method)	18	10
javamelody unionvms asset	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	22 131	12 190
javamelody unionvms exchange	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	22 498	12 990
javamelody unionvms movement	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	385	220
javamelody unionvms movement-rules	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	364	140
javamelody unionvms spatial	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	258 311	246 000
JCA PoolFiller	yes	5	WAITING	java.lang.Object.wait(Native Method)	1 119	830
management Accept	no	5	RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	3	0
management I/O-1	no	5	RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	0	0
management I/O-2	no	5	RUNNABLE	sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)	356	350
management task-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	124	110
management task-2	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	52	40
MSC service thread 1-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	14 350	13 240
MSC service thread 1-2	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	18 086	16 760
MSC service thread 1-3	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	11 873	11 200
MSC service thread 1-4	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	14 090	13 050
MSC service thread 1-5	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	12 929	11 960
MSC service thread 1-6	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	7 987	7 530
MSC service thread 1-7	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	9 634	8 760
MSC service thread 1-8	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	17 017	15 570
Periodic Recovery	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	4 651 902	1 909 770
pool-13-thread-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	402	390
pool-15-thread-1	no	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	263	170
pool-16-thread-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	204	200
pool-18-thread-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	351	310
pool-19-thread-1	no	5	WAITING	sun.wildlc.Unsafe.park(Native Method)	0	0
pool-21-thread-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	357	320
pool-23-thread-1	no	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	294	210
pool-25-thread-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	225	220
pool-26-thread-1	no	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	1 512	1 430
pool-27-thread-1	no	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	1 504	1 440
pool-27-thread-2	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 406	1 350
pool-28-thread-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	303	270
pool-29-thread-1	no	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	299	170

Monitoring JavaMelody on /unionvms/movement_wildfly - all

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
pool-37-thread-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	253	230
pool-38-thread-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	0	0
pool-50-thread-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1	0
pool-51-thread-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	814	800
pool-52-thread-1	no	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	258	150
pool-55-thread-1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	123	120
pool-56-thread-1	no	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	1 539	1 450
Post result to registry	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	5 163	3 520
PostgreSQL-JDBC-SharedTimer-1	yes	5	WAITING	java.lang.Object.wait(Native Method)	375	140
Reference Handler	yes	10	WAITING	java.lang.Object.wait(Native Method)	3 753	3 390
Reference Reaper	yes	5	WAITING	java.lang.Object.wait(Native Method)	0	0
ServerService Thread Pool -- 1	no	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	440	140
ServerService Thread Pool -- 120	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	12 608	12 130
ServerService Thread Pool -- 38	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	308	150
ServerService Thread Pool -- 72	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	392	200
ServerService Thread Pool -- 73	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	332	110
Signal Dispatcher	yes	9	RUNNABLE		0	0
Statistics Thread-__DEFAULT__-1	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	48	40
Statistics Thread-__DEFAULT__-1	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	47	40
Statistics Thread-__DEFAULT__-1	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	1 288	1 280
Thread-323	no	5	TIMED_WAITING	java.lang.Thread.sleep(Native Method)	842	520
Timer-0	no	5	WAITING	java.lang.Object.wait(Native Method)	0	0
Timer-1	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	886	330
Timer-10	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	668	470
Timer-11	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	645	500
Timer-12	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	663	450
Timer-13	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	648	480
Timer-14	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	645	410
Timer-15	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	693	510
Timer-16	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	654	470
Timer-17	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	663	400
Timer-18	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	686	480
Timer-19	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	666	520
Timer-2	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	675	500
Timer-20	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	668	450
Timer-21	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	665	440
Timer-3	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	679	540
Timer-4	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	671	510
Timer-5	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	685	490
Timer-6	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	657	480
Timer-7	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	672	500
Timer-8	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	675	470
Timer-9	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	672	440
Transaction Expired Entry Monitor	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	0	0
Transaction Reaper	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	64	60
Transaction Reaper Worker 1	yes	5	WAITING	java.lang.Object.wait(Native Method)	2 589	2 540
wcs111timerFactory-1	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	368	340
WeakCollectionCleaner	yes	8	WAITING	java.lang.Object.wait(Native Method)	0	0
WeakCollectionCleaner	yes	8	WAITING	java.lang.Object.wait(Native Method)	0	0
Weld Thread Pool -- 1	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	941	840
Weld Thread Pool -- 2	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 051	990
Weld Thread Pool -- 3	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 091	990
Weld Thread Pool -- 4	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 045	880
Weld Thread Pool -- 5	no	5	WAITING	sun.misc.Unsafe.park(Native Method)	1 091	1 060

The cpu times and user times of these threads are measured from the start of the server

Last collect time: 41 ms
Display time: 1707 ms
Memory overhead estimate: < 1 Mb
Disk usage: 1 Mb

JavaMelody 1.72.0.SE