JARILLA, ELLYSA KAYE Q

UNDERSTANDING FOR EACH

Question	Attempt	Answer
What would be the output of the following code? Try to guess	0 - 1	0 - 1
the output of the code before running it!	1 - 3	1 - 3
(1.2.5.T)	2 - 5	2 - 5
\$x = array(1,3,5,7);	3 - 7	3 - 7
foreach(\$x as \$key => \$value)		
echo \$key . " - " . \$value ." ";		
}		
What would be the output of the following code? Try to guess	1	1
the output of the code before running it!	3	3
¢., a., (1.2.5.7).	5	5
x = array(1,3,5,7); foreach($x = array(1,3,5,7);$	7	7
foreacti(\psi \text{as \psi value})		•
echo \$value ." ";		
}		
What would be the output of the following code? Try to	Hi – dojo	hi - Dojo
guess the output of the code before running it!	Awesome - game	awesome - game
		Č
\$x = array("hi" => "Dojo", "awesome" => "game");		
foreach(\$x as \$key => \$value)		
{		
echo \$key . " - " . \$value ." ";		
}	D :	
What would be the output of the following code? Try to	Dojo	Dojo
guess the output of the code before running it!	Game	game
Cr. amay("hill > "Daia" "arragama" > "arrag")		
\$x = array("hi" => "Dojo", "awesome" => "game");		

<pre>foreach(\$x as \$key => \$value) { echo \$value ." "; } What would be the output of the following code? Try to guess the output of the code before running it! \$x = array("hi" => "Dojo", "awesome" => "game"); foreach(\$x as \$key => \$value) { echo \$key ." "; }</pre>	Hi awesome	hi awesome
Okay. Now let's make it a little bit harder. What would be the output of the following code? \$x = array(array(1,3,5), array(2,4,6), array(3,6,9)); foreach(\$x as \$key => \$value) { echo "Key is {\$key} "; echo "var_dumping value"; var_dump(\$value); }	Key 0 $0 \Rightarrow 1,3,5$ $1 \Rightarrow 2,4,6$ $2 \Rightarrow 3,6,9$	Key is 0 var_dumping valuearray(3) { [0]=> int(1) [1]=> int(3) [2]=> int(5) } Key is 1 var_dumping valuearray(3) { [0]=> int(2) [1]=> int(4) [2]=> int(6) } Key is 2 var_dumping valuearray(3) { [0]=> int(3) [1]=> int(6) [2]=> int(9) }
x = array(array(1,3,5), array(2,4,6), array(3,6,9));	Var dumping valuearray(3) {	var_dumping valuearray(3) { [0]=> int(1) [1]=> int(3) [2]=>
foreach(\$x as \$value)	[0] => int(1) [1] => int(3)	int(5) } var_dumping
{ echo "var_dumping value";	[2] => int(5) } var_dumping valuearray(3) { [0]=> int(2)	valuearray(3) { [0]=> int(2) [1]=> int(4) [2]=> int(6) } var_dumping valuearray(3) { [0]=> int(3) [1]=> int(6) [2]=> int(9) }

<pre>var_dump(\$value); } \$x = array(array("hi"=>"Dojo", "game"=>"awesome"), array("dude"=>"fun", "play"=>"what?"), array("no"=>"way", "i am"=>"confused?"));</pre>	[1]=> int(4) [2]=> int(6) } var_dumping valuearray(3) { [0]=> int(3) [1]=> int(6) [2]=> int(9) } Key is 0 Hi-dojo Game-awesome	key is 0 hi - Dojo game - awesome
<pre>foreach(\$x as \$key => \$value) { echo "key is {\$key} "; foreach(\$value as \$key2=>\$value2) { echo \$key2 ." - " . \$value2." "; } }</pre>	Key is 1 Dude-fun Play-what? Key is 2 No-way I am -confused	key is 1 dude - fun play - what? key is 2 no - way i am - confused?
<pre>\$x = array(array("hi"=>"Dojo", "game"=>"awesome"), array("dude"=>"fun", "play"=>"what?"), array("no"=>"way", "i am"=>"confused?")); foreach(\$x as \$y) {</pre>	Hi – dojo Game-awesome Dude-fun Play-what? No-way I am-confused	hi - Dojo game - awesome dude - fun play - what? no - way i am - confused?

foreach(\$y as \$key=>\$value)	
{	
echo \$key ." - " . \$value." ";	
}	
}	