

ICESD COLLAGE OF IT &
MANAGEMENT

Handia Allahabad 9956555439 ashishyadav6204@gmail.com



#### Multiple Choice

- 1. The main function of a browser is to:
- a. Compile html
- b. Interpret html
- c. De-compile html
- d. Interpret CGI programs
- 2. Spider is a
- a. a program that crawls around the web and stores pages in search engines
- b. hacking software that spreads virally
- c. software that examines network vulnerabilities
- d. a protocol for distributing large files
- 3. FTP does not use:
- a. Two transfer mode
- b. Control connection to remote computer before file can be transferred
- c. User datagram protocol (UDP)
- d. Authorization of a user through login and password verification
- 4. \_\_\_\_\_ is used to enable the use of active documents
- a. Html
- b. Java
- c. CGI
- d. All of the above
- 5. In <img src="c:picture/BB1.gif" align="middle" statement Align is:
- a. A tag
- b. The head
- c. The body
- d. An attribute
- 6. Web pages are uniquely defined using:
- a. IP addresses
- b. URL
- c. Domain
- d. File name
- 7. Which of the following services are available on the world wide web
- i. Encryption
- ii. http
- iii. html
- iv. firewalls
  - a. 1 and 2
  - b. 2 and 3
  - c. 3 and 4
  - d. 1 and 4
  - 8. Internet uses
  - a. Packet switching
  - b. Circuit switching
  - c. Telephone switching
  - d. Telex switching
  - 9. The ownership rights as related to content on the we are governed under:
  - a. Copyright law
  - b. Patent law

- c. Data protection law
- d. Privacy law
- 10. Multipurpose internet mail extension (MIME) was developed :
- a. To support e-mail messages containing text and video
- b. To support e-mail messages containing text audio and video
- c. To support e-mail messages containing audio and video
- d. To support text- based e-mail messages
- 11. Access control is implemented using
- a. Cache
- b. Firewall
- c. Hyperlink
- d. Jsp
- 12. Domain names are converted to:
- a. A binary string
- b. Alphanumeric string
- c. Ip addresses
- d. A hexadecimal string
- 13. It is possible to display pictures in html specification by using the tag:
- a. <gr src=picture file>
- b. <pic src=picture file>
- c. <img src=picture file>
- d. <gif src=picture file>
- 14. Desirable properties of a website are:
  - i. A meaningful address
  - ii. Help and search facilities
  - iii. Links to related sites
  - iv. Features to allow users to give feedback
  - v. Hosting on a mainframe
- a. 1,3,5
- b. 2,3,4,5
- c. 1,2,3,4,5
- d. 1,2,3,4,
- 15. Url specifies the following:
- i. Protocol used
- ii. Domain name of server hosting web page
- iii. Name of folder with required information
- iv. Name of document formatted using html
- v. Name of isp
  - a. 1,2,3,4
  - b. 2,3,4,5
- c. 1,3,4
- d. 1,2,3,5
- 16. A search engine is a program to search:
- a. For information
- b. Web pages
- c. Web pages for specified index terms
- d. Web pages for information using specified search terms
- 17. XML is
- a. Superset of html
- b. Extensible markup language



- c. Part of dhtml
- d. Presentation language
- 18. A world wide web contains web pages
- a. Residing in many computers
- b. Created using html
- c. With links to other web pages
- d. Residing in many computes linked together using html
- 19. By an extranet we mean:
- a. An extra fast computer network
- b. The intranets of two co-operation organizations interconnected via a secure leased line
- c. An extra network used by an organization for higher reliability
- d. An extra connection to internet
- 20. Plug-in is a;
- a. Software
- b. Hardware
- c. Software and hardware both used for specific purpose
- d. Flash player
- 21. The transport layer protocols is
- a. UDP
- b. PPX
- c. TXP
- d. ALP
- 22. Which of the following protocol is used by electronic mail?
- a. telnet
- b. FTP
- c. SMTP
- d. RDP
- 23. Which of the following is suitable for networking in a building?
- a. WAN
- b. LAN
- c. MAN
- d. BAN
- 24. Which of the following is not a search engine?
- a. Google
- b. Yahoo
- c. Twitter
- d. Alta vista
- 25. A cookie is
- a. An advertisement displayed on a web page
- b. A program that records website visits
- c. Information stored by web server on client system
- d. A technology to store password on client system
- 26. Extension of vrml files is
- a. .vml
- b. .vrm
- c. .wrm

- d. .wrl
- 27. An applet is a
- a. Picture displayed on the web page
- b. Program that can be embedded in another application
- c. Tag in html program
- d. Compiler
- 28. SSL is a:
- a. Scripting language
- b. Browser
- c. Secure connection
- d. Authoring tool
- 29. The right to copy can be granted by
- a. Court
- b. Company
- c. Government
- d. Owner
- 30. What is the default scripting language is ASP?
- a. Java script
- b. Perl
- c. Ecma script
- d. Vb script
- 31. The rules with regards to conduct for internet users is known as
- a. Mosaic
- b. Netiquette
- c. Protocol
- d. Internet protocol
- 32. TCP/IP is
- a. Abbreviation for transmission control protocol and internet protocol
- b. A suite of networking protocols
- c. A standard protocol that lets disparate type of computers communicate over the net
- d. All of the above
- 33. The protocol that allows a computer to use the internet protocol with standard voice-grade telephone line and a high-speed modem is
- a. SLIP
- b. SMTP
- c. SGML
- d. RTF
- 34. A spider is
- a. A computer virus
- b. A browser
- c. A program that catalogs
- d. A hacker community
- 35. ftp does not use
- a. two transfer mode
- b. control connection to remote computer before file can be transferred
- c. user datagram protocol
- d. authorization of a user through login and password verification



- 36. a terminal emulation protocol that allows users to log-on to a host computer from remote computers is
- a. telnet
- b. TCP/IP
- c. FTP
- d. point-to-point protocol (PPP)
- 37. which of the following is used to enable the use of active documents?
- a. HTML
- b. CGI
- c. JAVA
- d. ALL of the above
- 38. A networking standard developed by Xerox, intel and DEC capable of connection as many as 1,.24 workstations and transmitting data at a maximum speed of 10 Mbps
- a. Ethernet
- b. Fddi
- c. File transfer protocol
- d. Gopher
- 39. The HTML tags that create a table header are
- a. <head></head>
- b. <ttop>></ttop>
- c. >
- d.
- 40. Which of the following is the correct html for inserting background image?
- a. <background img="background.gif">
- b. <br/> <br/>background img="background.gif"/background>
- c. <a href="background.gif">
- d. <body background ="background.gif">
- 41. E-mail message can be protected by
- a. Encryption
- b. Caching
- c. Mirroring
- d. Shadowing
- 42. IP address of a packet is normally analysed by
- a. CPU
- b. Router
- c. Modem
- d. Hub
- 43. MIME stands for
- a. Multipoint internet mail extensions
- b. Multimedia interface mail extensions
- c. Multipoint mail extensions
- d. Multipurpose internet mail extensions
- 44. Which connector is used mostly with STP?
- a. BNC
- b. R-11
- c. Rj-45
- d. Rj-69

- 45. Which of the following cable media is not affected by electromagnetic interference (EMI)?
- a. Fibre optic
- b. Co-axial cable
- c. Shielded twisted pair cable (STP)
- d. Unshielded Twisted Pair Cable (UTP)
- 46. Web crawler has a web robot called
- a. Crawler robot
- b. Crawl bot
- c. Web bot
- d. Web robot
- 47. A modem is not needed when accessing the internet through
- a. Wi-Fi
- b. LAN
- c. Cable
- d. None of the above
- 48. WAN stands for
- a. Wire accessible network
- b. Widely accessible network
- c. Wide area network
- d. Wire and network
- 49. Which tag is a container?
- a. <body>
- b. <br>
- c. <hr>
- d.
- 50. Which of the following is used to send or receive files between two computers?
- a. SLIP
- b. URL
- c. Internet explorer
- d. FTP
- 51. TCP is a commonly used protocol at
- a. Application layer
- b. Network layer
- c. Transport layer
- d. Physical laver
- 52. The domain name in a URL refers to the
- a. Protocol
- b. File name
- c. Server
- d. Directory
- 53. Cell base architecture is known as
- a. LAN
- b. ATM
- c. FDDI
- d. Client-Server
- 54. Telnet is
- a. Terminal network
- b. Telephone
- c. Telecommunication network
- d. Terrestrial network
- 55. A software that prevents external access to a system is termed as



- a. Gateway
- b. Firewall
- c. Intrusion prevention system
- d. Anti-virus
- 56. A valid e-mail address is
- a. Vml.@india.com
- b. @vrm@india.com
- c. Vrm.india.com
- d. vrm@india.com
- 57. A web publishing tool developed by Microsoft is
- a. Navigator
- b. Hot metal
- c. Page mill
- d. Front page
- 58. Which of the following cable types is generally associated with the linear bus topology
- a. Unshielded twisted
- b. Fiber optic pair
- c. Thin coaxial cable
- d. Telephone cable
- 59. Error detection at a data link level is achieved by
- a. Parity
- b. Cyclic redundancy code
- c. Hamming code
- d. Equalization
- 60. On internet, which version of the internet protocol is the most widely used
- a. Ipv1
- b. IPv6
- c. IPv2
- d. IPv4
- 61. On the internet which version of internet protocol is most widely used
- a. IPv1
- b. IPv3
- c. IPv4
- d. IPv6
- 62. A web publishing tool developed by Microsoft is
- a. Netscape navigator
- b. Front page
- c. Hot metal
- d. Page mill
- 63. What is cookie?
- a. Computer code used to show animation and play sound.
- b. Information sent to the computer that is used later to give information back to a visited web site.
- c. An advertisement that will at sometime be displayed on your screen.

- d. Computer code that automatically records all purchases and payments, your make from your computer.
- 64. SMTP is associated with
- a. TCP\IP
- b. Electronic mail
- c. Internet Explorer
- d. WWW
- 65. Secure socket layer (SSL) a protocol developed by
- a. IETF
- b. APPLE
- c. Netscape
- d. HP
- 66. Which of the following is best suited for networking in a building?
- a. WAN
- b. MAN
- c. LAN
- d. SAN
- 67. The pieces of information that are sent over internet is
- a. Cookies
- b. Tags
- c. Packets
- d. Components
- 68. Which of the following is NOT a valid image format?
- a. Tiff
- b. Gif
- c. Jpeg
- d. Mpeg
- 69. Which type of physical cable has fastest transmission speed?
- a. Twisted-wire pairs
- b. Co-axial Cable
- c. Fiber optic Cable
- d. Micro-Wave
- 70. An applet is a
- a. Picture displayed on a web page
- b. Program that can be embedded in another application
- c. Tag is html program
- d. Security protocol
- 71. \_\_\_\_\_ are networks that connect people within a company to each other and to the company network.
- a. Extranets
- b. Internets
- c. Bitstreams
- d. Intranets
- 72. The internet model or TCP/IP reference model specifically applies to internet worked systems, and has four layers the movement of data packets across a network would be managed by which layer?



- a. The link layer
- b. The inter network layer
- c. The transport layer
- d. The application layer
- 73. Which is not a good web security strategy?
- a. Restrict access to the web server keep a minimum number of ports open
- b. limit the users who can load software edit or add files
- c. Add demo programs so users can test system without accessing production data.
- d. Remove unnecessary compilers and interpreters.
- 74. A passive threat to computer security is
- a. Malicious intent
- b. Sabotage
- c. Accident errors
- d. Espionage agents
- 75. \_\_\_\_\_ are used to identify a user who returns to a website..
- a. Cookies
- b. Plug-ins
- c. Scripts
- d. ASPs
- 76. E-mail message can be protected by
- a. Mirroring
- b. Caching
- c. Encryption
- d. Resending
- 77. Multipurpose internet mail extension (MIME) was developed
- a. To support e-mail messages containing text, audio and video
- b. To support ftp clients
- c. To support telnet between two machines
- d. To support text- based e-mail messages only
- 78. The tag used in html to link it with other URL is
- a. <H>
- b. <A>
- c. <U>
- d. <L>
- 79. HTTP stands for
- a. Hypertext Transfer protocol
- b. Hyper tetra transfer protocol
- c. Heavy text transfer protocol
- d. Huge text transfer protocol
- 80. A reliable stream service in TCP is

described as two-way transmission, free of transmission \_\_\_\_\_ with no lost or

duplicate \_\_\_\_\_ and the bytes are

delivered in the same \_\_\_\_\_ in which they were transmitted

- a. Errors bytes manner
- b. Failure packets sequence

- c. Errors activity manner
- d. Errors bytes sequence
- 81. What is internet?
- a. A single network
- b. A vast collection of different networks
- c. Interconnection of local area networks
- d. None of the above
- 82. IPV6 address have a size of
- a. 32 bits
- b. 128 bits
- c. 64 bits
- d. 256 bits
- 83. This protocol is used to transfer mail among mail servers
- a. HTTP
- b. SMTP
- c. FTP
- d. TELENET
- 84. Online publishing means
- a. Creating and uploading web pages on web server
- b. Selling online books on web server
- c. Printing online books on web server
- d. Creating online books on web server
- 85. How can you open a link in its own unique new window?
- a. TARGET=" NEW WINDOW"
- b. TARGET="NEW"
- c. TARGET="\_BLANK"
- d. TARGET="\_NEW"
- 86. Which protocol encrypts data between web server and browser?
- a. SIP
- b. HTTPS
- c. HTML
- d. SMTP
- 87. Which TCP port is used by a web server, in general?
- a. 21
- b. 80
- c. 25
- d. 23
- 88. Which is not a valid extension for html files?
- a. .htm
- b. .phtml
- c. .xml
- d. .shtml
- 89. Google service is an example of
- a. A DNS server
- b. A database server
- c. A portal
- d. A search engine
- 90. What is a web crawler?
- a. A computer virus
- b. A browser
- c. A program that index web sites



- d. A hacker community who hacks web sites
- 91. The memory allocation scheme subject to "external" fragmentation is
- a. Segmentation
- b. Swapping
- c. Pure demand paging
- d. Multiple fixed contiguous partitions
- 92. SSTF stands for
- a. Shortest-seek-time scheduling
- b. Small-small-time-first
- c. Simple-seek-time-first
- d. Small-simple-time-first scheduling
- 93. The total time to prepare a disk drive mechanism for a block od data to be read from its
- a. Latency
- b. Latency plus transmission time
- c. Latency plus seek time
- d. Latency plus seek time plus transmission time
- 94. Resolution of externally defined symbols is performed by
- a. Linker
- b. loader
- c. Compiler
- d. Editor
- 95. The total time to prepare a disk drive mechanism for a block of data to be read from is
- a. Latency
- b. Latency plus transmission time
- c. Latency plus seek time
- d. Latency plus seek time plus transmission time
- 96. FTP tool is to
- a. Used to transfer data/files among computers on the internet
- b. Archive data/files
- c. Copy files from external sources
- d. Delete file from internet
- 97. Multi programming system is
- a. A computer system that permits multiple users to run programs at same time
- b. A compute system that permits run similar programs at multiple time
- c. A computer system that permits multiple programs to run at same time
- d. None of the above
- 98. The circuit used to store one bit of data is known as
- a. Register
- b. encoder
- c. Decoder
- d. Flip flop
- 99. \_\_\_\_\_ command is used to manipulate TCP/IP routing table

- a. Route
- b. Ipconfig
- c. Ifconfig
- d. Traceroute
- 100. Which of the following is related to ipconfig in Microsoft Windows?
- a. Display all current TCP/IP network configuration values
- b. Modify DHCP settings
- c. Modify DNS settings
- d. All of the above
- 101. What is world wide web?
- a. A computer game
- b. A software program
- c. Another name for the internet
- d. The part of the internet that enables information sharing
- 102. Which of they following protocol is used by remote login?
- a. TELNET
- b. FTP
- c. SMTP
- d. NTP
- 103. What is a spider?
- a. A computer virus
- b. A program that catalogs web sites
- c. A hacker who breaks into computer systems
- d. An application form viewing web pages
- 104. Which of the following is a search engine?
- a. Twitter
- b. Facebook
- c. Myspace
- d. Google
- 105. What is a god way to protect sensitive information sent via e-mail.
- a. Write it in another language
- b. Keep the message in attachment
- c. Encrypt the message
- d. Send as a blind copy
- 106. What is the html element to bold a text?
- a. <b>
- b. <bold>
- c. <wide>
- d. <big>
- 107. which of the following is not considered to be malware?
- a. Viruses
- b. Spyware
- c. Worm
- d. Adware
- 108. https is a
- a. scripting language
- b. browser



- c. secure connection
- d. authoring tool
- 109. copyright law protects
- a. tangible property
- b. intangible property
- c. the name of a particular good or service
- d. ideas contained in varied forms of expression
- 110. What is a Web Crawler?
- a. A program that index web sites
- b. A computer virus
- c. A browser
- d. A hacker community
- 111. Protocols are
- a. Agreements on how communication components and DTE's are to communicate
- b. Logical communication channels for transferring data
- c. Physical communication channels sued for transferring data
- d. None of the above
- 112. Which data communication method is used to transmit the data over a serial communication link?
- a. Simplex
- b. Half-duplex
- c. Full duplex
- d. All of the above
- 113. In communication satellite, multiple repeaters are known as
- a. Detectors
- b. Modulators
- c. Stations
- d. Transponders
- 114. Error detection at the data link layer is achieved by
- a. Bit stuffing
- b. Cyclic redundancy codes
- c. Hamming codes
- d. Equalization
- 115. What are the transmission impairments?
- a. Attenuation
- b. Distortion
- c. Noise
- d. All of the above
- 116. The topology with highest reliability is?
- a. Bus topology
- b. Star topology
- c. Ring topology
- d. Mesh topology
- 117. Baud means
- a. The number of bits transmitted per unit time

- b. The number of bytes transmitted per unit time
- c. The rate at which the signal changes
- d. None of the above
- 118. In OSI model cable is used in
- a. Physical layer
- b. Network layer
- c. Transport layer
- d. Data link layer
- 119. The TCP/IP model has
- a. 7 layers
- b. 3 layers
- c. 4 layers
- d. 5 layers
- 120. HTML is
- a. Hyper text markedup language
- b. Hyper text markup language
- c. Hyper text marked language
- d. Hyper text marking language
- 121. FTP is
- a. Server side encryption protocol
- b. Control connection to remote computer to transfer files
- c. User datagram protocol
- d. Authorization of a user through login and password verification
- 122. Client-side extensions
- a. Add functionality to the script running on server
- b. Add functionality to the script running on user computer
- c. Add functionality to the script running on network devices
- d. Add functionality to the script running on firewall devices
- 123. To join on the internet the computer has to be connected through the
- a. Internet architecture board
- b. Internet society
- c. Internet service provider
- d. None of the mentioned
- 124. Protocol assigns IP address to the client connected in the internet?
- a. DHCP
- b. IP
- c. TCP
- d. Telnet
- 125. IRC stands for
- a. Internet related chat
- b. Internet relay chat
- c. Internet related content
- d. Internet reliable content
- 126. An \_\_\_\_\_\_ is a series of unique numbers that identifies a computer connected to the internet. Every computer that gets online has an internet address.



- a. Ethernet
- b. Internet protocol
- c. Internet address
- d. Extranet address
- 127. Integrated services for digital network (ISDN) is a set of communication standards for simultaneous digital transmission of
- a. Voice
- b. Video
- c. Data
- d. All of the above
- 128. How to define hyperlink to open in new page in html
- a. <a href=<u>http://www.aiims.edu'</u> <u>target=</u>"blank">click here</a>
- b. <a href=<u>http://www.aiims.edu'</u> <u>target=</u>"\_blank">click here</a>
- c. <a href=<u>http://www.aiims.edu'</u> <u>target=</u>"#blank">click here</a>
- d. <a href=http://www.aiims.edu' target="new">click here</a>
- 129. Website means
- a. URL+ web space + html content
- b. URL+ web space + name resolution
- c. URL+ web space +name resolution+ html content
- d. Html+ content + web space + name resolution
- 130. A firewall is installed at the point where the secure internal network and untrusted external network meet which point is known as
- a. Choke point
- b. Meeting point
- c. Firewall point
- d. Secure point
- 131. Correct Html tag for largest heading
- a. <head>
- b. <h6>
- c. <heading>
- d. <h1>
- 132. www is based on which model?
- a. Local-server
- b. Client-server
- c. 3-tier
- d. None of the above
- 133. The system that translates an IP address into an easier to remember name is the
- a. Packet switching
- b. DNS
- c. Domain numbering system
- d. None of the above
- 134. In an email address <a href="mailto:abc@dsdu.com">abc@dsdu.com</a> dsdu is the

- a. Host computer in a business with the name dsdu
- b. Host computer in a commercial domain
- c. Client computer in a commercial business
- d. Client computer in a commercial domain
- 135. The way in which information is transmitted to multiple internet connected devices is called
- a. Internet connectivity
- b. IP address
- c. Multicasting
- d. Multitasking
- 136. What protocol does PPP use to identify the network layer protocol?
- a. NCP
- b. ISDN
- c. LCP
- d. HDLC
- 137. How many broadcast domains are created when you segment a network with a 12-port switch?
- a. 1
- b. 2
- c. 5
- d. 12
- 138. Which class of IP address has the most host addresses available by default?
- a. A
- b. B
- c. C
- d. None of the above
- 139. What is the correct html for adding a background color?
- a. <background color="yellow">
- b. <body color="yellow">
- c. <body bgcolor="yellow">
- d. <body bg="yellow">
- 140. Physical addresses will change from
- a. Point-to-point
- b. Hop to hop
- c. Sender to receiver
- d. Frame to frame
- 141. IPv6 addressed have a size of
- a. 32 bits
- b. 64 bits
- c. 128 bits
- d. 256 bits
- 142. TCP/IP is a \_\_\_\_ hierarchical protocol suite developed before the OSI model.
- a. 7-lavers
- b. 5-layers
- c. 4-layers
- d. 3-layers



- 143. Raj can receive his e-mail, but he cannot send e-mail which of the following is most likely causing his problem?
- a. POP3
- b. SMTP
- c. IMAP
- d. UART
- 144. The 4 byte IP address consists of
- a. Network address
- b. Host address
- c. Both A) and B)
- d. None of the above
- 145. The default port for SMTP is
- a. 21
- b. 23
- c. 25
- d. 80
- 146. In this topology there is a central controller or hub
- a. Star
- b. Mesh
- c. Ring
- d. Bus
- 147. A computer communication technology that provides a way to interconnect multiple computers across short distance is
- a. LAN
- b. WAN
- c. MAN
- d. None of the above
- 148. A webpage displays a picture what tag was used to display that picture?
- a. Picture
- b. Image
- c. Img
- d. Src
- 149. What is the correct HTML for adding a background color?
- a. <body color="yellow">
- b. <body bgcolor="yellow">
- c. <background>yellow</background>
- d. <body background="yellow">
- 150. A proxy firewall filters at the
- a. Physical layer
- b. Application layer
- c. Data link layer
- d. Network layer

#### > True or False

- 1. TCP provides packet-level reliability.
- 2. Subnet mask allows flexible division of address bits into a network address part and a host address part.
- 3. The internet is managed and controlled by the US Government.

- 4. There are up to six levels of header tag in html.
- 5. Client sends the request in the form of URLs to the server.
- 6. A single hypertext document can contain link to one document on the world wide web.
- 7. IP only allows fixed packet sizes.
- 8. DNS is a distributed database offering strong consistency and atomicity guarantees.
- 9. HTTP uses TCP and DNS uses UDP.
- 10. Connectivity is equivalent to a point-topoint physical link.
- 11. Browsers uses compiler for web page display.
- 12. Internet data is broken up as variable length packets.
- 13. www is another name for internet..
- 14. asp pages are active web pages
- 15. URI stands for universal resource indicator.
- 16. A URL specifies the name of ISP.
- 17. HTML is similar to a scripting language.
- 18. HTML uses user defined tags.
- 19. SAX is parser for XML processing.
- 20. The time taken by internet packets can be predetermined before transmission.
- 21. ARPANET was the world's first operational packet switched network.
- 22. Lynx is a graphical web browser.
- 23. EDI can be transmitted by FTP protocol only
- 24. Firewall is used to block sites on a LAN.
- 25. Video conferencing can only allow one user to interact with other on the internet
- 26. HTML is a web authoring tool.
- 27. Each station in the ring topology acts as a repeater.
- 28. Disconnect is a command used to close FTP session.
- 29. Every computer on the internet has a domain name.
- 30. Graphics created by flash can b scaled to any size without losing clarity/quality.
- 31. Client server computing is the fundamental relationship of computers on the net (or any network) in which one computer acts as a client by remotely connection to another computer that acts as a server.
- 32. Domain name will change if a system's IP address changes.
- 33. Firewall protects an organization's computer systems from external access.
- 34. XML is a cross platform, software and hardware independent tool for transmitting information over the net.



- 35. Just as html, XML also uses predefined tags.
- 36. IP only allows fixed packet sizes.
- 37. Cipher text is the meaningful form of encrypted message that can be read in transit by anyone.
- 38. Meta search engines are search engine tools that pass queries to a maximum of 6 search engines.
- 39. telnet is a network protocol used on internet to provide a bidirectional interactive text oriented communications via a virtual terminal connection
- 40. java script can read and write html elements.
- 41. Fiber optic cable has lower attenuation than copper wires
- 42. 10 Base 2 is a Ethernet standard on thick Ethernet coaxial cable.
- 43. FDDI is another ring based network that is implemented without hub.
- 44. Fiber optic channels have the 'core' as a very thin strand of highly refined cylindrical glass.
- 45. IPX stands for internet work protocol exchange.
- 46. Actual internet addresses are numerical and called domain name systems
- 47. Internet is not owned by any company or country.
- 48. Java script has no facilities for communicating between web browser & http server.
- 49. Two machines can have the same IP address if they are connected in same segment of LAN.
- 50. Gigabyte is equal to 1000 kilo bytes.
- 51. Web traffic on internet is transferred using FTP.
- 52. ASP is the product of Microsoft.
- 53. Download means to copy a file from your compute to another
- 54. When the cursor pointer changes to a hand you are over a hyperlink.
- 55. SMTP protocol is used by a mail client program to fetch mail from mail server
- 56. Java script is the default scripting language in ASP.
- 57. HTTPS traffic is encrypted traffic.
- 58. WAN is based on Ethernet.
- 59. GIF format is suitable to save a full color photograph.
- 60. A web browser is also referred to as a web client.
- 61. TCP/IP divides the message into packets that are sent over the lines and directed by routes to their destination.

- 62. A Permanent assigned IP address, one that is given to a computer or router connected to the internet is called dynamic IP address.
- 63. IPv6, the latest IP routing protocol has IP address size of 128 bits.
- 64. Using cookies file, a web server can keep track of the web pages you visit.
- 65. A meta search engine maintains its own database information.
- 66. In a dithered image, a lot of information is lost from the original image and it can not be reconstructed from the file containing dithered image.
- 67. In an E-mail message users in Cc fields can not see other recipients whereas users in Bcc fields can see all the recipients of the message.
- 68. In a <frameset > tag cols and rows can not be used in conjunction with one another.
- 69. The image and hyperlink both can not be included in a table in HTML.
- 70. Jpg can save full color information about an image comparing to GIF, since JPG store 24 bits per pixel whereas GIF is limited to 8 bits per pixel.
- 71. The core of fiber optic cable is made of highly refined cylindrical glass.
- 72. Wi-Fi can be used for connecting two machines without any cable.
- 73. A socket address comprises the IP address of the host and a port number.
- 74. TCP is reliable and segments include a check-sum field in the header. UDP is unreliable and therefore has no checksum in its header.
- 75. ARP is used to find the appropriate IP address given a MAC address.
- 76. The domain name system (DNS) is primarily used to determine the symbolic name of a host, given its IP address.
- 77. A Gigabyte contains 1000 megabytes.
- 78. Java script embeds a script within an HTML page when the HTML interpreter reaches the script it invokes an interpreter which executes it.
- 79. IPv6 address mappings require a AAAA DNS record.
- 80. The network address is usually encoded as a prefix of the IP address.
- 81. SSH is a protocol that allows computers to communicate with each other over encrypted connections.
- 82. A closed padlock icon in browser indicates that the connection is secure.
- 83. HTML tags tell a web browser how to render a web page.



- 84. A Trojan horse program will replicate itself via files that move from one computer to another.
- 85. Jpeg is used to compress images.
- 86. Java is unique among programming languages because it is platform dependent and only runs on windows.
- 87. Copyrights are automatically associated with all written documents that contain original material.
- 88. IPV4 has 64-bit addresses.
- 89. The number of addressed in a class C block is 256.
- 90. telnet is a client-server application program.
- 91. Re-locatable programs can be loaded almost anywhere in memory..
- 92. Action implementing instruction are actually carried out by instruction program.
- 93. The main reason to encrypt a file is to secure it form transmission.
- 94. Compile and go loader is executed when a system is first turned on.
- 95. The average time required to reach a storage location in memory and obtain its contents is called access time.
- 96. A program is execution is called procedure.
- 97. Simple mail transfer protocol is used for encrypting files.
- 98. DVD is a memory device
- 99. Printer can be shared in LAN by many users.
- 100. PKZIP utility is used to encrypt or decrypt files.
- 101. UDP stands for user Datagram Protocol .
- 102. Apache is most popular web browser.
- 103. A CAPTCHA is a program to vary a computer.
- 104. You can legally download and use freeware for as long as you want without having to pay for it.
- 105. DVD is a digital versatile disc.
- 106. Java script execute on the web server.
- 107. NNTP is a network news transfer protocol..
- 108. Ripping is the process of copying data from CD to Hard disk.
- 109. IMAP is a geographic information system.
- 110. A password is a string of characters used for authenticating a user on a computer system.

- 111. A WAN covers a large geographic distance, such as a state, a country, or even the entire world.
- 112. Coaxial cable and twisted-pair cable are types of wireless media.
- 113. Bandwidth refers to the capacity of the communications line.
- 114. Class A of IP address has the most host addresses available by default.
- 115. There are no collisions in full-duplex mode.
- 116. Frames from one LAN can be transmitted to another LAN via the device modem.
- 117. The default subnet mask for a class C network is 255.255.255.0
- 118. Contention is the condition when two or more stations attempt to use the same channel at the same time.
- 119. ISO-OSI model has 8 layers.
- 120. Microwave is a wireless communication technique.
- 121. HTML Tags are case sensitive.
- 122. MIME stands for Multi-Program Internet Mail Extensions.
- 123. The Back and Forward buttons can be used to visit only pages from the same website.
- 124. Refresh button returns to home page.
- 125. E-mail is limited to text based messages.
- 126. Web browser lets you download while surfing the Internet.
- 127. In the ring topology, the network consists of a set of repeaters joined by point-to-point links in a closed loop.
- 128. Default port of SMTP is 25.
- 129. Back-end code runs on Client side and frontend end on the server side.
- 130. ATM is Automatic Teller Machine in terms of Transfer Mode.
- 131. RSA is a public key cryptographic algorithm. In case one loses the private key, it is possible to reconstruct it from the public key.
- 132. Today Twisted Pair cable is the media of choice for backbone networks.
- 133. Alice uses her private key to authenticate herself to Bob.
- 134. Client-side scripts can perform many functions such as data validation and provide interactive feedback to the user.
- 135. Every host implements the transport layer.



- 136. The standard protocol of the Internet is Ethernet.
- 137. In a peer-to-peer network, any client computer can also be a server.
- 138. A hub connects two different LANs.
- 139. The advantage of packet-switching over circuit switching is more pronounced for bursty traffic than for smooth traffic than for smooth traffic.
- 140. HTML is a protocol to describe web content.
- 141. Mesh topology is highly reliable.
- 142. 255.0.0.0 is default network mask for CLASS A.
- 143. Printer can be shared in LAN by many users.
- 144. POP is the incoming email server.
- 145. .com is represents education domain.
- 146. Internet Service Provider provides services for web hosting.
- 147. ASP is server side scripting language.
- 148. HTML is generally use for web designing purpose.
- 149. TELNET protocol is working on port 24.
- 150. UDP is used where the acknowledgement from receiver side must be needed.

### Match the Following

- 1. A technique in which two different keys are used for performing encryption and decryption
- 2. The internet transfer protocol means that you are working through a secure web connection
- 3. Every web document must begin and end with
- 4. The path up to destination is allocated before the transmission of message begins
- 5. Control gateways in a computer by enabling selected connections from external network and disabling selected connection to external networks
- 6. It allows user to dial into the internet
- 7. It is a process that along with providing an interface to the user sends messages into a socket
- 8. Connectionless protocol
- 9. It is a cell relay protocol that sonnet, allows high-speed connections
- 10. It is an application program that uses the services of ICMP to test the reachability of a host
- 11. Dynamic web page creation

- 12. E-mail address must have
- 13. Indian ISP
- 14. Meta tag
- 15. Server pages
- 16. Data interchange
- 17. Copyright are protected by
- 18. Protocol responsible for hypertext transmission
- 19. Algorithm for encryption
- 20. Markup language
- 21. An application that is downloaded from a web page and executed by a browser software
- 22. Also known as raster graphics
- 23. Combining a search term with operators AND,OR,NOT,ETC
- 24. Software that will load and display a web page
- 25. Browser stores copies of recently visited files
- 26. The legal protection against copying
- 27. Transfer of file from another system to your system through a network connection
- 28. A graphical format widely used in www pages
- 29. A text only web browser
- 30. A security protocol generally used for secured transactions on the internet
- 31. An internet standard that extends the format of e-mail to support text in character sets
- 32. A hardware device connected to a host on a LAN that acts as a gateway between different types of networks
- 33. A set of formatting codes for creation documents.
- 34. A self service model where customers configure and customize the products and services they wish to pay
- 35. An example of meta search engine
- 36. The screen in which you type a query and which displays the search results
- 37. Set of computer interchange standards for business documents such as invoices bills and purchase orders
- 38. Any web document must began and end with
- 39. It is automatically appended to an outgoing mail message or network news post
- 40. A technique in which two different keys are used for performing encryption and decryption
- 41. Mime
- 42. 100 base FX
- 43. Virus
- 44. CGI



- 45. Database
- 46. Copyright are protected by
- 47. Top level domain
- 48. Dial-in user service
- 49. Derivate off VB language
- 50. Network protocol
- 51. Backbone
- 52. Wi-Fi
- 53. Ping
- 54. Throughput
- **55. SLIP**
- 56. RDP
- 57. POP3
- **58. NNTP**
- 59. ISDN
- 60. Bridge
- 61. A computer program that translates between domain names and IP addresses
- 62. A measure of the rate at which data is transferred over telecommunication lines
- 63. Local memory where copies of frequently used or recently requested web pages are saved.
- 64. A set of legal rights extended to an individual or company that has produced a creative work.
- 65. The science of encoding and decoding information.
- 66. A mechanism that can be used to sign an electronic document officially
- 67. A web document that contains any combination of audio, graphics, movie or video as well as links and navigation tools
- 68. A system that is used by mailer and web browser to identify file contents by use of file extension.
- 69. A special purpose computer that direct packets of data along a networks
- 70. While using e-mail to express opinions or ideas, especially when the message will be read by people who do not know you well
- 71. IP packet is encapsulated within a new IP packet
- 72. Transfer of electronic mail.
- 73. The network protocol that breaks messages into packets reassembles the packets at the destination and takes care of errors.
- 74. Speed of printer is measured in
- 75. A script used to display a non-text based object at a specified location within a page
- 76. Protocol used to fetch e-mail from a remote mailbox
- 77. A protocol provides routing and error reporting functions in addition to forwarding fragmentation/re-assembly and address resolution

- 78. Used to send/receive files between two computers
- 79. An alternative to TCP that achieves higher transmission speeds
- 80. Format of e-mail attachments
- 81. Serving dynamic documents on web
- 82. Method to send information to web server
- 83. Direct connection between two nodes
- 84. Network technology for high-speed transmission
- 85. VB script gets executed in
- 86. Domain names translation
- 87. Live communication
- 88. Transfer files to server
- 89. Animation software
- 90. An encryption system that uses two keys
- 91. Assembly language
- 92. Process
- 93. Cache
- 94. An assembler is
- 95. .doc
- 96. An assembly language is a
- 97. Virtual memory is
- 98. Throughput of a system is
- 99. Router
- 100. FTP
- 101. Search files on ftp server
- 102. Maximum data transfer rate
- 103. Reduce size of a file
- 104. Authenticate the contents of electronic documents
- 105. Ethernet technology
- 106. Business over the internet
- 107. Gain unauthorized access
- 108. Program code freely available
- 109. Publish content on the web server
- 110. Extensible markup language
- 111. Slowest transmission speed
- 112. TCP/IP configuration problems reduction
- 113. 3rd layer of OSI model
- 114. Network of networks called
- 115. Does not allow multiple users or devices to share one communications line
- 116. Optical fiber is
- 117. Standard for transfer of electronic mail
- 118. Supports two-way traffic but only one direction at a time
- 119. Length of IPv4
- 120. Converting analog to digital signals
- 121. An application layer protocol that facilitates communication in the form of text.
- 122. Markup language.

| 122 | , |
|-----|---|

| 123. Number of links to connect n nodes   | 2document is a copy of a program   |
|---|--|
| in a fully connected mesh topology is   | retrieved by the client and executed at the  |
|   | client site.   |
| 124. Trading in products or services  | 3. Multipurpose internet mail extension  |
| using the internet.   | (MIME) is an extension of that   |
| 125. Server-side scripting language   | allows the transfer of multimedia and other  |
|   |  |
| 126. A special computer designed for  | non-ASCII messages.  |
| scientific applications   | 4. POP3 and are protocols used by  |
| 127that provides you with   | a mail server in conjunction with SMTP to  |
| access to the internet.   | received and hold e-mail for hosts.  |
| 128. The process of encoding messages   | 5. Domain name system (DNS) is a   |
| or information in such a way that only  | application that identifies each host on the   |
| authorized parties can read it.   | internet with a unique user-friendly name.   |
| 129. Network topology is also referred as   | 6. In remote login is used to access   |
| 1231 Treem of the opened is also referred as  | distant service.   |
| 130. Combination of different content   | 7. IPv6 is the latest version of the   |
| forms.  | which has a 128 bit address space, a   |
|   | •  |
| Doing business electronically   | resource allocation and increased security   |
| 132. End-to-end flow control  | measures.  |
| 133. Keeps digital pests and hackers out  | 8. The is a standard for creating and  |
| 134. One to one communication in one  | handling dynamic web documents   |
| direction only  | 9. Java is a combination of a high-level   |
| 135. Provides best effort delivery service  | programming language a run-time  |
| for transmission but does not guaranteed  | environment and a class library that allows  |
| delivery of data  | a programmer to write an active document   |
| 136. User can synchronize their email   | and a to run it.   |
| among multiple devices  | 10. The portion of the IP address that identifies  |
|   | •  |
| 137. Character stuffing   | the network is called the  |
| 138. All nodes connected to a central   | 11. For IRC client machines need   |
| switch  | software.  |
| 139. Cell switching   | 12. JSP is side scripting language.  |
| 140. Digital transmission of voice, video,  | 13. Browser use for web page   |
| data, and services over the traditional   | presentation   |
| circuits of the PSTN  | 14. Electronic data are transmitted between  |
| 141. It is stateless protocol.  | two devices through  |
| 142. It is used to create static web page.  | 15. Image map can be created by  |
| 143. It can be accessed from any email  |  |
|   |  |
| 3   | 16. History in a web browser is used to stop   |
| client.   | <ol><li>History in a web browser is used to stop<br/>user</li></ol>  |
| client.  144. It is used to exchange different  | <ul><li>16. History in a web browser is used to stop user</li><li>17. Firewall is a software to computer</li></ul>   |
| client.  144. It is used to exchange different kinds of data files on the internet audio,   | <ul><li>16. History in a web browser is used to stop user</li><li>17. Firewall is a software to computer</li><li>18. Java class execution needs</li></ul>  |
| client.  144. It is used to exchange different kinds of data files on the internet audio, video, images, application programs.  | <ul> <li>16. History in a web browser is used to stop user</li> <li>17. Firewall is a software to computer</li> <li>18. Java class execution needs</li> <li>19. Indexing is mechanism used by</li> </ul>   |
| client.  144. It is used to exchange different kinds of data files on the internet audio,   | <ul><li>16. History in a web browser is used to stop user</li><li>17. Firewall is a software to computer</li><li>18. Java class execution needs</li></ul>  |
| client.  144. It is used to exchange different kinds of data files on the internet audio, video, images, application programs.  | <ul> <li>16. History in a web browser is used to stop user</li> <li>17. Firewall is a software to computer</li> <li>18. Java class execution needs</li> <li>19. Indexing is mechanism used by</li> <li>20. Net beans and eclipse are tool.</li> </ul>  |
| client.  144. It is used to exchange different kinds of data files on the internet audio, video, images, application programs.  145. It is used to establish a direct connection between two nodes.   | <ul> <li>16. History in a web browser is used to stop user</li> <li>17. Firewall is a software to computer</li> <li>18. Java class execution needs</li> <li>19. Indexing is mechanism used by</li> <li>20. Net beans and eclipse are tool.</li> <li>21 is a storage repository for software</li> </ul>   |
| client.  144. It is used to exchange different kinds of data files on the internet audio, video, images, application programs.  145. It is used to establish a direct connection between two nodes.  146. First network to implement TCP/IP   | <ul> <li>16. History in a web browser is used to stop user</li> <li>17. Firewall is a software to computer</li> <li>18. Java class execution needs</li> <li>19. Indexing is mechanism used by</li> <li>20. Net beans and eclipse are tool.</li> <li>21 is a storage repository for software data or other materials to be saved and</li> </ul>   |
| client.  144. It is used to exchange different kinds of data files on the internet audio, video, images, application programs.  145. It is used to establish a direct connection between two nodes.  146. First network to implement TCP/IP suite.  | <ul> <li>16. History in a web browser is used to stop user</li> <li>17. Firewall is a software to computer</li> <li>18. Java class execution needs</li> <li>19. Indexing is mechanism used by</li> <li>20. Net beans and eclipse are tool.</li> <li>21 is a storage repository for software data or other materials to be saved and preserved.</li> </ul>  |
| client.  144. It is used to exchange different kinds of data files on the internet audio, video, images, application programs.  145. It is used to establish a direct connection between two nodes.  146. First network to implement TCP/IP suite.  147. It is token ring based protocol.   | <ul> <li>16. History in a web browser is used to stop user</li> <li>17. Firewall is a software to computer</li> <li>18. Java class execution needs</li> <li>19. Indexing is mechanism used by</li> <li>20. Net beans and eclipse are tool.</li> <li>21 is a storage repository for software data or other materials to be saved and preserved.</li> <li>22 is the frequency width of a</li> </ul>  |
| client.  144. It is used to exchange different kinds of data files on the internet audio, video, images, application programs.  145. It is used to establish a direct connection between two nodes.  146. First network to implement TCP/IP suite.  147. It is token ring based protocol.  148. It is hierarchical decentralized  | <ul> <li>16. History in a web browser is used to stop user</li> <li>17. Firewall is a software to computer</li> <li>18. Java class execution needs</li> <li>19. Indexing is mechanism used by</li> <li>20. Net beans and eclipse are tool.</li> <li>21 is a storage repository for software data or other materials to be saved and preserved.</li> <li>22 is the frequency width of a transmission channel in hertz, kilohertz</li> </ul>   |
| client.  144. It is used to exchange different kinds of data files on the internet audio, video, images, application programs.  145. It is used to establish a direct connection between two nodes.  146. First network to implement TCP/IP suite.  147. It is token ring based protocol.  148. It is hierarchical decentralized naming system for computers.   | <ul> <li>16. History in a web browser is used to stop user</li> <li>17. Firewall is a software to computer</li> <li>18. Java class execution needs</li> <li>19. Indexing is mechanism used by</li> <li>20. Net beans and eclipse are tool.</li> <li>21 is a storage repository for software data or other materials to be saved and preserved.</li> <li>22 is the frequency width of a transmission channel in hertz, kilohertz megahertz, etc.</li> </ul>   |
| client.  144. It is used to exchange different kinds of data files on the internet audio, video, images, application programs.  145. It is used to establish a direct connection between two nodes.  146. First network to implement TCP/IP suite.  147. It is token ring based protocol.  148. It is hierarchical decentralized naming system for computers.  149. It is used for digital transmission of  | <ul> <li>16. History in a web browser is used to stop user</li> <li>17. Firewall is a software to computer</li> <li>18. Java class execution needs</li> <li>19. Indexing is mechanism used by</li> <li>20. Net beans and eclipse are tool.</li> <li>21 is a storage repository for software data or other materials to be saved and preserved.</li> <li>22 is the frequency width of a transmission channel in hertz, kilohertz megahertz, etc.</li> <li>23. 8 bits of data is called</li> </ul>   |
| client.  144. It is used to exchange different kinds of data files on the internet audio, video, images, application programs.  145. It is used to establish a direct connection between two nodes.  146. First network to implement TCP/IP suite.  147. It is token ring based protocol.  148. It is hierarchical decentralized naming system for computers.  149. It is used for digital transmission of voice, video, data and other network   | <ul> <li>16. History in a web browser is used to stop user</li> <li>17. Firewall is a software to computer</li> <li>18. Java class execution needs</li> <li>19. Indexing is mechanism used by</li> <li>20. Net beans and eclipse are tool.</li> <li>21 is a storage repository for software data or other materials to be saved and preserved.</li> <li>22 is the frequency width of a transmission channel in hertz, kilohertz megahertz, etc.</li> <li>23. 8 bits of data is called</li> <li>24. A form of real-time electronic</li> </ul>   |
| client.  144. It is used to exchange different kinds of data files on the internet audio, video, images, application programs.  145. It is used to establish a direct connection between two nodes.  146. First network to implement TCP/IP suite.  147. It is token ring based protocol.  148. It is hierarchical decentralized naming system for computers.  149. It is used for digital transmission of voice, video, data and other network services over the traditional circuits.   | <ul> <li>16. History in a web browser is used to stop user</li> <li>17. Firewall is a software to computer</li> <li>18. Java class execution needs</li> <li>19. Indexing is mechanism used by</li> <li>20. Net beans and eclipse are tool.</li> <li>21 is a storage repository for software data or other materials to be saved and preserved.</li> <li>22 is the frequency width of a transmission channel in hertz, kilohertz megahertz, etc.</li> <li>23. 8 bits of data is called</li> <li>24. A form of real-time electronic communication is called</li> </ul>   |
| client.  144. It is used to exchange different kinds of data files on the internet audio, video, images, application programs.  145. It is used to establish a direct connection between two nodes.  146. First network to implement TCP/IP suite.  147. It is token ring based protocol.  148. It is hierarchical decentralized naming system for computers.  149. It is used for digital transmission of voice, video, data and other network   | <ul> <li>16. History in a web browser is used to stop user</li> <li>17. Firewall is a software to computer</li> <li>18. Java class execution needs</li> <li>19. Indexing is mechanism used by</li> <li>20. Net beans and eclipse are tool.</li> <li>21 is a storage repository for software data or other materials to be saved and preserved.</li> <li>22 is the frequency width of a transmission channel in hertz, kilohertz megahertz, etc.</li> <li>23. 8 bits of data is called</li> <li>24. A form of real-time electronic</li> </ul>   |
| client.  144. It is used to exchange different kinds of data files on the internet audio, video, images, application programs.  145. It is used to establish a direct connection between two nodes.  146. First network to implement TCP/IP suite.  147. It is token ring based protocol.  148. It is hierarchical decentralized naming system for computers.  149. It is used for digital transmission of voice, video, data and other network services over the traditional circuits.  150. FTP   | <ul> <li>16. History in a web browser is used to stop user</li> <li>17. Firewall is a software to computer</li> <li>18. Java class execution needs</li> <li>19. Indexing is mechanism used by</li> <li>20. Net beans and eclipse are tool.</li> <li>21 is a storage repository for software data or other materials to be saved and preserved.</li> <li>22 is the frequency width of a transmission channel in hertz, kilohertz megahertz, etc.</li> <li>23. 8 bits of data is called</li> <li>24. A form of real-time electronic communication is called</li> </ul>   |
| client.  144. It is used to exchange different kinds of data files on the internet audio, video, images, application programs.  145. It is used to establish a direct connection between two nodes.  146. First network to implement TCP/IP suite.  147. It is token ring based protocol.  148. It is hierarchical decentralized naming system for computers.  149. It is used for digital transmission of voice, video, data and other network services over the traditional circuits.  150. FTP  Fill in the blanks                               | <ul> <li>16. History in a web browser is used to stop user</li> <li>17. Firewall is a software to computer</li> <li>18. Java class execution needs</li> <li>19. Indexing is mechanism used by</li> <li>20. Net beans and eclipse are tool.</li> <li>21 is a storage repository for software data or other materials to be saved and preserved.</li> <li>22 is the frequency width of a transmission channel in hertz, kilohertz megahertz, etc.</li> <li>23. 8 bits of data is called</li> <li>24. A form of real-time electronic communication is called</li> <li>25. A is a file downloaded on your system by a web page which includes</li> </ul>                               |
| client.  144. It is used to exchange different kinds of data files on the internet audio, video, images, application programs.  145. It is used to establish a direct connection between two nodes.  146. First network to implement TCP/IP suite.  147. It is token ring based protocol.  148. It is hierarchical decentralized naming system for computers.  149. It is used for digital transmission of voice, video, data and other network services over the traditional circuits.  150. FTP  Fill in the blanks  1transforms an intentionally | <ul> <li>16. History in a web browser is used to stop user</li> <li>17. Firewall is a software to computer</li> <li>18. Java class execution needs</li> <li>19. Indexing is mechanism used by</li> <li>20. Net beans and eclipse are tool.</li> <li>21 is a storage repository for software data or other materials to be saved and preserved.</li> <li>22 is the frequency width of a transmission channel in hertz, kilohertz megahertz, etc.</li> <li>23. 8 bits of data is called</li> <li>24. A form of real-time electronic communication is called</li> <li>25. A is a file downloaded on your system by a web page which includes information about your usage.</li> </ul> |
| client.  144. It is used to exchange different kinds of data files on the internet audio, video, images, application programs.  145. It is used to establish a direct connection between two nodes.  146. First network to implement TCP/IP suite.  147. It is token ring based protocol.  148. It is hierarchical decentralized naming system for computers.  149. It is used for digital transmission of voice, video, data and other network services over the traditional circuits.  150. FTP  Fill in the blanks                               | <ul> <li>16. History in a web browser is used to stop user</li> <li>17. Firewall is a software to computer</li> <li>18. Java class execution needs</li> <li>19. Indexing is mechanism used by</li> <li>20. Net beans and eclipse are tool.</li> <li>21 is a storage repository for software data or other materials to be saved and preserved.</li> <li>22 is the frequency width of a transmission channel in hertz, kilohertz megahertz, etc.</li> <li>23. 8 bits of data is called</li> <li>24. A form of real-time electronic communication is called</li> <li>25. A is a file downloaded on your system by a web page which includes</li> </ul>                               |

Internet Networking Module Paper Part A

# ASHISH YADAV FROM HANDIA "O"LEVEL 13-April-2017

| 27.         | is an internet protocol that permits          |     | running a computer program that sends          |
|-------------|---|-----|--|
|             | you to transfer files between your system     |     | information from person's computer to          |
|             | and another system.                           |     | outsider?                                      |
| 28.         | is a network topology in which all            | 50. | is used for fetching email from a              |
|             | computer and devices are connected            |     | remote mailbox.                                |
|             | directly to a central hub.                    | 51. | is a device containing software                |
| 29.         | is a coding system used to create             |     | that help in determining the best path out of  |
|             | WWW pages                                     |     | the available paths.                           |
| 30.         | in a web page brings you to                   | 52. | An application receiving data is called        |
|             | another location or resource when             |     |  |
|             | activated.                                    | 53. | A local area networks technology that used     |
| 31.         | A (n) is a place where you can                |     | fiber optics to interconnect station in a ring |
|             | store the information about the people with   |     | topology is                                    |
|             | whom you correspond.                          | 54. | help to locate PDF files on                    |
| 32.         | is a Swiss organization that                  |     | internet.                                      |
|             | developed WWW.                                | 55. | A simple protocol used for fetching e-mail     |
| 33          | is one of the popular free web                | 00. | from a remote mailbox is                       |
| 00.         | presence providers, which helps you to        | 56. | was originally developed by                    |
|             | create your own website free of cost          | 00. | Netscape for client side validation.           |
| 34          | is a powerful system for searching            | 57  | is used to deliver web pages and               |
| <i>J</i> 1. | and retrieving information from databases     | 57. | other content to multiple users on internet.   |
|             | scattered across the net.                     | 58  | Virtual worlds are created using a computer    |
| 35          | System administrator for a world wide web     | 50. | language called                                |
| 55.         | server is called as                           | 59  | is an address used as an entry                 |
| 36          | is a protocol that is used to retrieve        | 57. | point into another network.                    |
| 50.         | e-mail from a mail server.                    | 60  | is a standard way in which the                 |
| 37          | The fundamental relationship of computers     | 00. | web interacts with outside resources such      |
| 37.         | on the net in which one computer acts as a    |     | as a database.                                 |
|             | client by remotely connecting to another      | 61  | protocol used for transferring                 |
|             | computer that acts as a host is called as     | 01. | packets over a telephone lines                 |
|             | computer that acts as a nost is canca as      | 62  | is a scripting language that is                |
| 38          | is a security feature that allows             | 02. | embedded in HTML and is useful for adding      |
| 50.         | access to information on an individual basis. |     | dynamic features to web pages.                 |
| 39          | An inflammatory remark or a message           | 63  | uses regular telephone lines and               |
| 0,1         | usually associated with e-mail or an article  | 00. | replaces modem with special adaptors up to     |
|             | posted to a newsgroup is referred to as       |     | five times faster than a traditional modem.    |
|             | posted to a newsgroup is referred to as       | 64  | makes it easy and possible for                 |
| 40          | is a computer user who illegally              | 01. | nearly anyone to publish and browse            |
| 10.         | visits networked computers to look around     |     | hypertext documents on the internet.           |
|             | or cause harm.                                | 65  | The component that traverses the web           |
| <b>4</b> 1  | Speed of printer is measured in               | 05. | collecting information about pages is called   |
|             | is a relational database.                     |     | concerning information about pages is cancu    |
|             | tag is used to tackle the problem             | 66  | A protocol that has been designed to           |
| 15.         | caused by the browser that does not           | 00. | transport messages between workstation         |
|             | support frame.                                |     | and mail server is called                      |
| 1.1.        | is a software you can obtain from             | 67  | is a protocol by which a machine               |
| тт.         | anywhere but must purchase agter a set        | 07. | can obtain an IP number (and other             |
|             | condition                                     |     | network configuration ) from a server on       |
| 4.5         | matches domain name to IP                     |     | the local network.                             |
| 45.         | addresses.                                    | 60  |  |
| 16          | Unsolicited commercial e-mail is called       | 00. | . IP protocol is an implementation of the OSI  |
| 40.         | onsonctieu commercial e-man is Calleu         | 40  | layer feature of browser used to re-visit      |
| 17          | ISDN is an example of network                 | 09. | web sites visited during a given session.      |
|             | X.25 is an example of network.                | 70  | Device used for translating digital signals    |
|             | is a security attack in which                 | 70. |  |
| 47.         | <del>-</del>                                  |     | into analog signals and vice-versa is called a |
|             | someone inside a company is tricked into      |     | (n)  |

Page 15

| 1 | 6 |   | g | Ī |
|---|---|---|---|---|
| ŧ | H |   |   |   |
| 1 |   | M |   |   |

| 71. MACs are keyed that create a  | 98loader is executed when a                    |
|---|--|
| compressed digest from the message added                                | system is first turned on or restarted.        |
| with the key.   | 99. Device used to translating digital signals |
| 72. An document is a copy of a  | into analog signals and vice-versa is called   |
| program retrieved by the client and run at                              | a(n)   |
| the client site.  | ( )  |
| 73 is the main protocol used to   | 100 . The logical addresses in the             |
| access data on the world wide web.                                      | protocol suite are called IP addresses.        |
| 74 consists of a controller, client                                     | •  |
|   | 101 refers to multiple computers               |
| programs, and interpreters  | that have been infected with malicious         |
| 75 allows negotiation to set transfer                                   | software.                                      |
| conditions between the client and server                                |  |
| before and during the use of the service                                | 102. the internet was launched in 1969 and     |
| 76 is for authenticating a document                                     | was originally called                          |
| in electronic universe.   |  |
| 77. A TCP connection normally consists of three                         | 103 is the process of converting data          |
| phases connection establishment,  | to an unrecognizable form.                     |
| and connection termination.   |  |
| 78. The address resolution protocol (ARP) is a                          | 104 is a file that links to other              |
| mapping method that finds a   | information.                                   |
| physical address, given a logical address.                              |  |
|   | 105. Web server requires address to            |
| 79 is an application program that uses the services of ICMP to test the | connect to internet.                           |
|   |  |
| reachability of a host.   | 106 Internet standard for dial-up              |
| 80 is a relational database.  | modem connections.                             |
| 81 is a connection oriented   |  |
| protocol.   | 107 is a search engine developed by            |
| 82 is a markup language.  | Microsoft.                                     |
| 83 is a multi-user multi-channel  |  |
| chatting network.   | 108 is an internet phone services.             |
| 84. A web browser can display any ASCII text                            |  |
| file has a file name with the file extension                            | 109 is protocol to chat on internet.           |
|   | 110 HTML to a few arrestions a live housely in |
| 85 is a social network site.  | 110. HTML tag for creating a line break is     |
| 86 is a protocol that allows non-                                       | ·  |
| ASCII data to be sent through email.                                    | 111 is the physical address                    |
| 87is a search engine.   | 111 is the physical address.                   |
| 88 is a web publishing tool.  | 112 is standard Protocol used to               |
| 89tag makes text bold in HTML.  | transfer file between two hosts.               |
| 90 is a data format standard used in                                    | transier the between two nosts.                |
| e-commerce.   | 113. FDDI is a                                 |
| 91. Compressing multiple files into one using                           |  |
|   | 114 topology can be considered as an           |
| is an easy process.  92 address is usually stored in ROM                | extension to BUS topology.                     |
|   | 1 03   |
| on the network adapter card and is unique.                              | 115is the standard Protocol for                |
| 93. Direct memory access is abbreviated as                              | receiving e-mail.                              |
|   |  |
| 94 protocol used for transmission of                                    | 116. Error detection at a data link level is   |
| IP datagrams across a serial line.                                      | achieved by                                    |
| 95 are present in the network to  | 445  |
| interconnect the an with WANs   | 117 is the loopback address.                   |
| 96. Write through technique is used in                                  | 118 is the address of the router.              |
| for updating the data.  | 110 is the dutiess of the fouter.              |
| 97. Cache memory acts between CPU and                                   | 119 is a device that links two                 |
| ·   | homogeneous packet-broadcast local networks.   |
|   |  |

| ļ | ø  |   | 9   |  |
|---|----|---|-----|--|
| Ŀ | N. | 3 | 115 |  |
| - | ì  | Y |     |  |

| 120 is the range for a class C IP address   | 138 simply downloads email to your   |  |  |  |  |  |
|---|--|--|--|--|--|--|
| 121. Coaxial cable is suitable fortopology.   | computer, and usually (but not always) deletes the email from the remote server.     |  |  |  |  |  |
| 122. A is a short text file you create to append at the end of your e-mail notes or                               | 139 is an underlying TCP/IP protocol for accessing remote computers.                 |  |  |  |  |  |
| Usenet messages.  | 140 ensures that information can only be accessed or modified by those authorized to |  |  |  |  |  |
| 123 is a standard protocol for receiving e-mail.  | do so.   |  |  |  |  |  |
| 124 are programs that search documents for specified keywords and returns   | 141 provides a universal platform to support commercial activities across the globe. |  |  |  |  |  |
| a list of the documents where the keywords were found.  | 142. <meta/> element can be added in the section of HTML page.                       |  |  |  |  |  |
| 125. Java script is a scripting language.   | 143 is mainly designed for group communication in discussion forums, but also        |  |  |  |  |  |
| 126. Control connection and Data Connection are used in   | allows one-on-one communication via private messages.                                |  |  |  |  |  |
| 127. The was an early packet switching network and the first network to implement the                             | 144 is physical address of computer.   |  |  |  |  |  |
| protocol suite TCP/IP.  | 145 is device which is used in Network layer.  |  |  |  |  |  |
| 128 is known as Computer crime.   | 146 uses encodes data into small, fixed-   |  |  |  |  |  |
| 129. A is a network that connects computers and other devices in a relatively                                     | sized packets.   |  |  |  |  |  |
| small area, typically a   | 147. Using tag, you can add JavaScript in HTML document.                             |  |  |  |  |  |
| 130 is cryptography in which a pair of keys is used to encrypt and decrypt a message so that it arrives securely. | 148 is used to identify computer in network.   |  |  |  |  |  |
| 131. Hub is a device.   | 149 is an encapsulation of the Internet  |  |  |  |  |  |
| 132 is an Internet standard that extends the format of email to support Text other than                           | Protocol designed to work over serial ports and modem connections.                   |  |  |  |  |  |
| ASCII, Non text attachments etc.  | 150. The declaration must be the very first thing in your HTML document, before the  |  |  |  |  |  |
| 133. The layer of OSI model can use the trailer of the frame for error detection.                                 | <html> tag.</html>   |  |  |  |  |  |
| 134. To deliver a message to the correct application program running on the host, the address must be consulted.  |  |  |  |  |  |  |
| 135. In a topology, if there are n devices in a network, each device has n-1 ports for cables.                    |  |  |  |  |  |  |
| 136 is the unit of data at data link layer  |  |  |  |  |  |  |
| 137. Communication circuit that transmit data in both directions but not at same time is                          |  |  |  |  |  |  |
|   |  |  |  |  |  |  |



### ✓ Multiple Choice Answer Sheet

| 1.   | В | 2.   | Α | 3.   | С | 4.   | D | 5.   | D | 6.   | В | 7.   | Α | 8.   | Α |
|------|---|------|---|------|---|------|---|------|---|------|---|------|---|------|---|
| 9.   | Α | 10.  | В | 11.  | Α | 12.  | С | 13.  | С | 14.  | В | 15.  | В | 16.  | D |
| 17.  | В | 18.  | D | 19.  | В | 20.  | Α | 21.  | С | 22.  | С | 23.  | В | 24.  | С |
| 25.  | С | 26.  | D | 27.  | В | 28.  | С | 29.  | В | 30.  | D | 31.  | В | 32.  | Α |
| 33.  | Α | 34.  | С | 35.  | С | 36.  | Α | 37.  | Α | 38.  | Α | 39.  | С | 40.  | D |
| 41.  | Α | 42.  | В | 43.  | D | 44.  | С | 45.  | Α | 46.  | D | 47.  | В | 48.  | С |
| 49.  | Α | 50.  | D | 51.  | С | 52.  | В | 53.  | В | 54.  | С | 55.  | В | 56.  | D |
| 57.  | D | 58.  | С | 59.  | В | 60.  | D | 61.  | С | 62.  | В | 63.  | В | 64.  | В |
| 65.  | С | 66.  | С | 67.  | С | 68.  | D | 69.  | С | 70.  | В | 71.  | D | 72.  | С |
| 73.  | D | 74.  | Α | 75.  | Α | 76.  | С | 77.  | Α | 78.  | В | 79.  | Α | 80.  | D |
| 81.  | В | 82.  | В | 83.  | В | 84.  | Α | 85.  | С | 86.  | В | 87.  | В | 88.  | С |
| 89.  | D | 90.  | С | 91.  | Α | 92.  | Α | 93.  | С | 94.  | Α | 95.  | С | 96.  | Α |
| 97.  | С | 98.  | D | 99.  | Α | 100. | Α | 101. | С | 102. | Α | 103. | D | 104. | D |
| 105. | С | 106. | Α | 107. | D | 108. | С | 109. | В | 110. | Α | 111. | Α | 112. | С |
| 113. | D | 114. | В | 115. | D | 116. | D | 117. | С | 118. | Α | 119. | С | 120. | Α |
| 121. | В | 122. | В | 123. | С | 124. | Α | 125. | В | 126. | В | 127. | D | 128. | В |
| 129. | Α | 130. | Α | 131. | D | 132. | С | 133. | С | 134. | Α | 135. | С | 136. | С |
| 137. | А | 138. | Α | 139. | С | 140. | В | 141. | С | 142. | С | 143. | Α | 144. | С |
| 145. | С | 146. | Α | 147. | Α | 148. | С | 149. | В | 150. | В |      |   |      |   |

### ✓ True or False Answer Sheet

|      | · – |      | - |      |   | T 4  | T - | T =  | T = | Ι.   | ι – | T    | T - |      | - I |
|------|-----|------|---|------|---|------|-----|------|-----|------|-----|------|-----|------|-----|
| 1.   | Т   | 2.   | Т | 3.   | F | 4.   | Т   | 5.   | Т   | 6.   | F   | 7.   | Т   | 8.   | Т   |
| 9.   | F   | 10.  | Т | 11.  | Т | 12.  | Т   | 13.  | Т   | 14.  | F   | 15.  | F   | 16.  | Т   |
| 17.  | F   | 18.  | F | 19.  | Т | 20.  | F   | 21.  | Т   | 22.  | F   | 23.  | F   | 24.  | Т   |
| 25.  | F   | 26.  | Т | 27.  | Т | 28.  | Т   | 29.  | Т   | 30.  | Т   | 31.  | Т   | 32.  | F   |
| 33.  | Т   | 34.  | Т | 35.  | F | 36.  | F   | 37.  | F   | 38.  | Т   | 39.  | Т   | 40.  | Т   |
| 41.  | F   | 42.  | Т | 43.  | Т | 44.  | Т   | 45.  | F   | 46.  | Т   | 47.  | Т   | 48.  | F   |
| 49.  | F   | 50.  | F | 51.  | Т | 52.  | Т   | 53.  | F   | 54.  | Т   | 55.  | Т   | 56.  | F   |
| 57.  | Т   | 58.  | Т | 59.  | Т | 60.  | Т   | 61.  | Т   | 62.  | F   | 63.  | Т   | 64.  | Т   |
| 65.  | F   | 66.  | Т | 67.  | F | 68.  | Т   | 69.  | F   | 70.  | Т   | 71.  | Т   | 72.  | Т   |
| 73.  | Т   | 74.  | Т | 75.  | Т | 76.  | Т   | 77.  | F   | 78.  | Т   | 79.  | Т   | 80.  | Т   |
| 81.  | Т   | 82.  | Т | 83.  | Т | 84.  | F   | 85.  | Т   | 86.  | F   | 87.  | Т   | 88.  | F   |
| 89.  | Т   | 90.  | Т | 91.  | Т | 92.  | F   | 93.  | Т   | 94.  | F   | 95.  | Т   | 96.  | F   |
| 97.  | F   | 98.  | Т | 99.  | Т | 100. | F   | 101. | Т   | 102. | F   | 103. | F   | 104. | Т   |
| 105. | Т   | 106. | F | 107. | Т | 108. | Т   | 109. | Т   | 110. | Т   | 111. | Т   | 112. | F   |
| 113. | Т   | 114. | Т | 115. | Т | 116. | F   | 117. | Т   | 118. | Т   | 119. | F   | 120. | Т   |
| 121. | Т   | 122. | F | 123. | F | 124. | F   | 125. | Т   | 126. | Т   | 127. | Т   | 128. | Т   |
| 129. | Т   | 130. | F | 131. | Т | 132. | F   | 133. | Т   | 134. | Т   | 135. | Т   | 136. | Т   |
| 137. | Т   | 138. | Т | 139. | Т | 140. | F   | 141. | Т   | 142. | Т   | 143. | Т   | 144. | Т   |
| 145. | F   | 146. | Т | 147. | Т | 148. | Т   | 149. | F   | 150. | F   |      |     |      |     |

### ✓ Match the following Answer Sheet

| 1.   | Public key infrastructure   | 2.   | https             | 3.   | <html>and</html>  | 4.    | TCP                              |
|------|-----------------------------|------|-------------------|------|---|-------|----------------------------------|
| 5.   | Firewalls                   | 6.   | PPP               | 7.   | Web browser   | 8.    | UDP                              |
| 9.   | ATM                         | 10.  | Ping              | 11.  | Java Script   | 12.   | @ Sign                           |
| 13.  | IT Act 2000                 | 14.  | Keywords          | 15.  | JSP   | 16.   | EDI                              |
| 17.  | Patent Law                  | 18.  | http              | 19.  | CGI   | 20.   | SGML                             |
| 21.  | Download                    | 22.  | Bitmap            | 23.  | Boolean search  | 24.   | Browser                          |
| 25.  | Cache                       | 26.  | Copyright         | 27.  | Telnet  | 28.   | Jpeg                             |
| 29.  | Lynx                        | 30.  | SSL               | 31.  | MIME  | 32.   | Router                           |
| 33.  | SGML                        | 34.  | B2C               | 35.  | Dogpile   | 36.   | User interface                   |
| 37.  | EDI system                  | 38.  | <html> and</html> | 39.  | Signature   | 40.   | Public key                       |
|      |                             |      |                   |      |   |       | infrastructure                   |
| 41.  | E-mail                      | 42.  | Optical fiber     | 43   | Replicating code segment  | 44.   | Client side                      |
| 45.  | Relational                  | 46.  | Patent law        | 47.  | Com   | 48.   | Radius                           |
| 49.  | VB Script                   | 50.  | Ethernet          | 51.  | Connects two localarea  | 52.   | Wireless network                 |
| 53.  | Check                       | 54.  | Communication     | 55.  | Internet on serial  | 56.   | Telecommunications               |
|      | network                     | 34.4 | speed             |      | interface   | [m]   | network                          |
|      | errors                      |      | 100               |      |   |       |                                  |
| 57.  | Mail                        | 58.  | Usenet            | 59.  | File transfer   | 60.   | Connects large networks          |
| 61.  | Resolver                    | 62.  | Baud rate         | 63.  | Cache   | 64.   | Copyright                        |
| 65.  | Cryptography                | 66.  | Digital signature | 67.  | Hypermedia  | 68.   | MIME                             |
| 69.  | Router                      | 70.  | Netiquette        | 71.  | UDP   | 72.   | SMTP                             |
| 73.  | IP                          | 74.  | PPM               | 75.  | List  | 76.   | POP3                             |
| 77.  | Telnet                      | 78.  | FTP               | 79.  | TCP   | 80.   | MIME                             |
| 81.  | CGI                         | 82.  | Post              | 83.  | PPP   | 84.   | ATM                              |
| 85.  | Browser                     | 86.  | DNS               | 87.  | Chat  | 88.   | FTP                              |
| 89.  | Flash                       | 90.  | PKI               | 91.  | Uses alphabetic codes in place of binary numbers used in machine language | 92.   | A program in execution is called |
| 93.  | Local memory                | 94.  | Machine           | 95.  | M.S office file   | 96.   | Low level                        |
|      | wh <mark>ere</mark> copies  | - V  | dependent         |      | extension   | - 40  | programming                      |
|      | of <mark>freq</mark> uently |      |                   |      |   |       | language                         |
|      | used or                     | 7,5  |                   |      |   | 104.1 |                                  |
|      | recently                    | W/   |                   |      |   | 9.1   |                                  |
|      | requested web               | -10  |                   |      |   |       |                                  |
|      | pages are<br>saved          |      | 44.00 m           |      | A STAN  |       |                                  |
| 97.  | Used in all                 | 98.  | Number of         | 99.  | A special purpose   | 100.  | File transfer protocol           |
| 77.  | major                       | 70.  | programs          | 77.  | computer that   | 100.  | The dansier protocol             |
|      | commercial                  |      | processed by it   |      | directs packets of  |       |                                  |
|      | operating                   |      | per unit time     |      | data along a  |       |                                  |
|      | system                      |      |                   |      | network   |       |                                  |
| 101. | Transport<br>layer          | 102. | Bandwidth         | 103. | PK zip  | 104.  | Digital signature                |
| 105. | CSMA/CD                     | 106. | Amazon            | 107. | Hacker  | 108.  | Open source                      |
| 109. | SMTP                        | 110. | XML               | 111. | Twisted pair wire   | 112.  | DHCP server                      |
| 113. | Network                     | 114. | Internet          | 115. | Double plexer   | 116.  | Transmission media               |
| 117. | SMTP                        | 118. | Half duplex       | 119. | 32  | 120.  | Modulation                       |
| 121. | Internet relay              | 122. | XML               | 123. | N(n-1)2   | 124.  | Electronic commerce              |
|      | chat (IRC)                  |      |                   |      |   |       |                                  |
|      |                             |      |                   |      |   |       |                                  |



| 125. | Active server page (ASP) | 126. | Workstation   | 127. | Internet service provider (ISP) | 128. | Encryption      |
|------|--------------------------|------|---------------|------|---------------------------------|------|-----------------|
| 129. | Network<br>architecture  | 130. | Multimedia    | 131. | E-commerce                      | 132. | Transport layer |
| 133. | Firewall                 | 134. | Simplex       | 135. | PPP                             | 136. | IMAP            |
| 137. | IP Protocol              | 138. | Star          | 139. | ATM                             | 140. | ISDN            |
| 141. | Http                     | 142. | Html          | 143. | IMAP-4                          | 144. | IRC             |
| 145. | PPP                      | 146. | ARPANET       | 147. | FDDI                            | 148. | DNS             |
| 149. | ISDN                     | 150. | File Transfer |      |                                 |      |                 |
|      |                          |      | Protocol      |      |                                 |      |                 |

### ✓ Fill in The Blanks Answer Sheet

| 1.   | Decryption              | 2.   | Active                     | 3.   | E-mail  | 4.   | IMAP4             |
|------|-------------------------|------|----------------------------|------|---|------|-------------------|
| 5.   | Client/Server           | 6.   | Telnet                     | 7.   | Internet Protocol   | 8.   | Common Gate       |
| 9.   | Browser                 | 10.  | Net iD                     | 11.  | Client  | 12.  | Server            |
| 13.  | Html                    | 14.  | EDI                        | 15.  | Media   | 16.  | Content           |
| 17.  | Protect                 | 18.  | Compiler and               | 19.  | Search engine   | 20.  | Web authoring     |
|      |                         |      | interpreter both           |      |   |      | 5                 |
| 21.  | Cookie                  | 22.  | Bandwidth                  | 23.  | Byte  | 24.  | Chat              |
| 25.  | Archive                 | 26.  | Baudrate                   | 27.  | FTP   | 28.  | Star              |
| 29.  | Html                    | 30.  | Hyperlink                  | 31.  | Address book  | 32.  | CERN              |
| 33.  | Geocities               | 34.  | WAIS                       | 35.  | Webmaster   | 36.  | POP               |
| 37.  | Client-server computing | 38.  | Authentication             | 39.  | Flame   | 40.  | Hacker            |
| 41.  | PPM                     | 42.  | Oracle                     | 43.  | <no frame=""></no>  | 44.  | Shareware         |
| 45.  | DNS                     | 46.  | SPAM                       | 47.  | Circuit Switched  | 48.  | Packet switched   |
| 49.  | Trojan House            | 50.  | POP3                       | 51.  | Router  | 52.  | Client program    |
| 53.  | FDDI                    | 54.  | Search Engine              | 55.  | POP3  | 56.  | Java Script       |
| 57.  | Web server              | 58.  | VRML                       | 59.  | Gateway   | 60.  | CGI               |
| 61.  | SLIP                    | 62.  | Java script                | 63.  | Router  | 64.  | WWW               |
| 65.  | Gatherer                | 66.  | IMAP                       | 67.  | DHCP  | 68.  | Network           |
| 69.  | History                 | 70.  | Modem                      | 71.  | Hash functions  | 72.  | Active            |
| 73.  | Http                    | 74.  | Browser                    | 75.  | Telnet  | 76.  | Digital Signature |
| 77.  | Data transfer           | 78.  | IPv4                       | 79.  | Ping  | 80.  | Oracle            |
| 81.  | TCP                     | 82.  | XML                        | 83.  | IRC   | 84.  | .htm/.html        |
| 85.  | Facebook                | 86.  | MIME                       | 87.  | Yahoo   | 88.  | Frontpage`        |
| 89.  | <b></b>                 | 90.  | EDI                        | 91.  | Win zip   | 92.  | Mac               |
| 93.  | DMA                     | 94.  | SLIP                       | 95.  | Hub   | 96.  | Cache memory      |
| 97.  | RAM                     | 98.  | Boot strap                 | 99.  | Modem   | 100. | TCP/IP            |
| 101. | Botnet                  | 102. | APRANET                    | 103. | Encryption  | 104. | List              |
| 105. | IP                      | 106. | PPP                        | 107. | Bing  | 108. | Skype             |
| 109. | IRC                     | 110. | <br>                       | 111. | Mac   | 112. | FTP               |
| 113. | Ring network            | 114. | Tree network               | 115. | POP3  | 116. | CRC               |
| 117. | 127.0.0.1               | 118. | Default getway             | 119. | Bridge  | 120. | 192.0.0.x to      |
|      |                         |      |                            |      |   |      | 225.255.255.x     |
| 121. | Bus                     | 122. | Signature file             | 123. | POP3  | 124. | Search engines    |
| 125. | Client side             | 126. | FTP                        | 127. | ARPANET   | 128. | Hacking           |
| 129. | LAN                     | 130. | Asymmetric<br>Cryptography | 131. | Broadcast   | 132. | MIME              |
| 133. | Data link layer         | 134. | IMAP                       | 135. | Tree  | 136. | Frame             |
| 137. | Half duplex             | 138. | POP                        | 139. | Telnet  | 140. | Integrity         |
| 141. | E-commerce              | 142. | <head></head>              | 143. | IRC   | 144. | Mac address       |
| 145. | Router                  | 146. | ATM                        | 147. | <script></td><td>148.</td><td>IP address</td></tr></tbody></table></script> |      |                   |



149. SLIP 150. <DOCTYPE>

## IT, OVER

So Most Important in Computer Education for your life.

### Best Teacher's in ICESD HANDIA.



Mobile No - 9956555439 Gmail - ashishyadav6204@gmail.com