

## Generated by Talend Cloud Data Management Platform

Project Name	Data-cleaning	GENERATION DATE	22 de mar de 2022 15:33:16
AUTHOR	Lima, Sérgio	Talend Cloud VERSION	8.0.1.20220218_1542-patch

### **Summary**

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

## **Project Description**


Properties	Values
Name	Data-cleaning
Language	java

Description	Data cleaning and enrichment	

## **Description**

Properties	Values	
Name	Copy_of_Registros_sem_dados_v2_a	
Author	Lima, Sérgio	
Version	0.1	
Purpose	Enviar registros sem dados para tratamento	
Status		
Description	Envio dos registros sem nome e sem documento sem possibilidades de enriquecimento.	
Creation	22 de mar de 2022 15:32:43	
Modification	22 de mar de 2022 15:32:55	

## **Preview Picture**



## **Settings**

#### **Extra settings**

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

### Status & Logs

Name	Value
Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	false

On Files	false
On Databases	false
Catch components statistics	false
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

## **Context List**

#### ContextDefault

## **Component List**

Component Name	Component Type
tDBClose_1	tMSSqlClose
tDBCommit_1	tMSSqlCommit
tDBConnection_1	tMSSqlConnection
tDBInput_1	tMSSqlInput

tDBRow_1	tMSSqlRow
tDataStewardshipTaskOutput_1	tDataStewardshipTaskOutput
tMap_1	tMap
tPostjob_1	tPostjob
tPrejob_1	tPrejob

## **Components Description**

### Component tMSSqlClose

*	UNIQUE NAME	tDBClose_1	INPUT(S)	tPostjob_1
	LABEL	Fecha Conexão BD	OUTPUT(S)	none

Properties	Values	
Database	tMSSqlClose	
Unique Name	tDBClose_1	
Component Name	tMSSqlClose	
Version	0.102 (ALPHA)	
Family	Databases/DB Specifics/MS_SQL_Server	
Start	false	
Startable	true	
SUBTREE_START	true	

Activate true  DUMMY false  StarCatcher Statistics false  Help org.talend.help.tMSSqlClose  Update components true  REPORT_PATH  JAVA_LIBRARY_PATH C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java  Subjob color  Title color  Enable parallel execution false  Number of parallel executions 2  PARALLELIZE_KEEP_EMPTY false  Component List UBConnection_1  Label format Fecha Conexão BD  Hint format cb>_UNIQUE_NAME_ -b>_COMMENT_  Connection format  row  Show Information false  Comment  Use an existing validation rule false		
DUMMY false  IStatCatcher Statistics false  Help org.talend.help.tMSSqlClose  Update components true  Update components  IREPORT_PATH  UAVA_LIBRARY_PATH C::Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\tilb\java  Subjob color  Title color  Enable parallel execution false  Number of parallel executions 2  PARALLELIZE_KEEP_EMPTY false  Component List UBBConnection_1  Label format Fecha Conexão BD  Hint format  connection format row  Show Information false  Comment  Use an existing validation rule false	END_OF_FLOW	true
ISIatCatcher Statistics  false  org.talend.help.tMSSqlClose  true  Update components  true  IREPORT_PATH  JAVA_LIBRARY_PATH  C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java  Subjob color  Title color  Enable parallel execution  false  Number of parallel executions  2  PARALLELIZE_KEEP_EMPTY  false  Component List  tDBConnection_1  Label format  Fecha Conexão BD  Hint format  connection format  row  Show Information  false  Comment  Use an existing validation rule  false	Activate	true
Help org.talend.help.tMSSqlClose  Update components true  Update components true  UPdate components true  USEPORT_PATH  C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java  C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java  C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java  C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java  Dulta color  Enable parallel execution  false  Component List  UBConnection_1  Fecha Conexão BD  Hint format  Fecha Conexão BD  Connection format  row  Show Information  false  Comment  Use an existing validation rule  false	DUMMY	false
Update components  true  IREPORT_PATH  JAVA_LIBRARY_PATH  C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java  Subjob color  Title color  Enable parallel execution  false  Number of parallel executions  2  PARALLELIZE_KEEP_EMPTY  false  Component List  tDBConnection_1  Label format  Fecha Conexão BD  Hint format <a 10.2006="" bis="" bis<="" doi.org="" href="https://doi.org/10.1001/java-10.1001/ja&lt;/td&gt;&lt;td&gt;tStatCatcher Statistics&lt;/td&gt;&lt;td&gt;false&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;IREPORT_PATH  JAVA_LIBRARY_PATH  C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java  Subjob color  Title color  Enable parallel execution  false  Number of parallel executions  2  PARALLELIZE_KEEP_EMPTY false  Component List tDBConnection_1  Label format Fecha Conexão BD  Hint format &lt;br/&gt;&lt;/td&gt;&lt;td&gt;Help&lt;/td&gt;&lt;td&gt;org.talend.help.tMSSqlClose&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;DAVA_LIBRARY_PATH  C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java  Subjob color  Title color  Enable parallel execution  false  Number of parallel executions  2  PARALLELIZE_KEEP_EMPTY  false  Component List  tDBConnection_1  Label format  Fecha Conexão BD  Hint format  cb&gt;UNIQUE_NAME&lt;/b&gt;&lt;br/&gt; br&gt;COMMENT  Connection format  row  Show Information  false  Comment  Use an existing validation rule  false&lt;/td&gt;&lt;td&gt;Update components&lt;/td&gt;&lt;td&gt;true&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Subjob color  Title color  Enable parallel execution false  Number of parallel executions 2  PARALLELIZE_KEEP_EMPTY false  Component List tDBConnection_1  Label format Fecha Conexão BD  Hint format &lt;br/&gt;&lt;/td&gt;&lt;td&gt;IREPORT_PATH&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Title color  Enable parallel execution  false  Number of parallel executions  2  PARALLELIZE_KEEP_EMPTY  false  Component List  Label format  Fecha Conexão BD  Hint format  &lt;a href=" https:="" td=""><td>JAVA_LIBRARY_PATH</td><td>C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java</td></a>	JAVA_LIBRARY_PATH	C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java
Enable parallel execution  false  Number of parallel executions  2  PARALLELIZE_KEEP_EMPTY  false  Component List  tDBConnection_1  Label format  Fecha Conexão BD  Hint format <a href="mailto:box-unique-name-name-name-name-name-name-name-nam&lt;/td&gt;&lt;td&gt;Subjob color&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Number of parallel executions  2  PARALLELIZE_KEEP_EMPTY false  Component List tDBConnection_1  Label format Fecha Conexão BD  Hint format &lt;br/&gt;&lt;/td&gt;&lt;td&gt;Title color&lt;/td&gt;&lt;td&gt;&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;PARALLELIZE_KEEP_EMPTY false  Component List tDBConnection_1  Label format Fecha Conexão BD  Hint format &lt;br/&gt;&lt;/td&gt;&lt;td&gt;Enable parallel execution&lt;/td&gt;&lt;td&gt;false&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Component List  tDBConnection_1  Fecha Conexão BD  Hint format  &lt;a href=" https:="" td="" www.ncm.ncm.ncm.ncm.ncm.ncm.ncm.ncm.ncm.ncm<=""><td>Number of parallel executions</td><td>2</td></a>	Number of parallel executions	2
Label format  Fecha Conexão BD  Hint format 	PARALLELIZE_KEEP_EMPTY	false
Hint format	Component List	tDBConnection_1
Connection format row  Show Information false  Comment  Use an existing validation rule false	Label format	Fecha Conexão BD
Show Information false  Comment  Use an existing validation rule false	Hint format	<b>_UNIQUE_NAME</b> _COMMENT
Comment  Use an existing validation rule false	Connection format	row
Use an existing validation rule false	Show Information	false
	Comment	
Validation Rule Type	Use an existing validation rule	false
T. Control of the Con	Validation Rule Type	

# Original Function Parameters: Component tMSSqlCommit

5	UNIQUE NAME	tDBCommit_1	INPUT(S)	tDBRow_1
	LABEL	Commit	OUTPUT(S)	none

Database tMSSqlCommit  Unique Name tDBCommit_1  Component Name tMSSqlCommit  Version 0.102 (ALPHA)  Databases/DB Specifics/MS_SQL_Server  Start false  Startable true  SUBTREE_START false  END_OF_FLOW true  Activate true  DUMMY false  StatCatcher Statistics false  delp org.talend.help.tMSSqlCommit  true  REPORT_PATH  IAVA_LIBRARY_PATH  C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java	<b>Component Parameters:</b>	
Unique Name  tDBCommit_1  tMSSqlCommit  /ersion  0.102 (ALPHA)  Databases/DB Specifics/MS_SQL_Server  Start  false  Startable  true  SUBTREE_START  false  END_OF_FLOW  true  DUMMY  false  StatCatcher Statistics  false  delp  org.talend.help.tMSSqlCommit  true  REPORT_PATH  IAVA_LIBRARY_PATH  C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java	Properties	Values
Component Name  IMSSqlCommit  Jersion  0.102 (ALPHA)  Databases/DB Specifics/MS_SQL_Server  Start  false  Startable  true  SUBTREE_START  false  END_OF_FLOW  true  Activate  true  StatCatcher Statistics  false  Juminy  Juping and the public statistics  true  C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java	Database	tMSSqlCommit
Version 0.102 (ALPHA)  Databases/DB Specifics/MS_SQL_Server  Start false  Startable true  SUBTREE_START false  END_OF_FLOW true  Activate true  DUMMY false  StatCatcher Statistics false  delp org.talend.help.tMSSqlCommit  true  Ipdate components true  REPORT_PATH  IAVA_LIBRARY_PATH  C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java	Unique Name	tDBCommit_1
Databases/DB Specifics/MS_SQL_Server  Start false  Startable true  SUBTREE_START false  END_OF_FLOW true  Activate true  DUMMY false  StatCatcher Statistics false Help org.talend.help.tMSSqlCommit  true  REPORT_PATH  IAVA_LIBRARY_PATH  C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java	Component Name	tMSSqlCommit
Start false  Startable true  SUBTREE_START false  END_OF_FLOW true  Activate true  DUMMY false  StatCatcher Statistics false  Help org.talend.help.tMSSqlCommit  Jpdate components true  REPORT_PATH  IAVA_LIBRARY_PATH C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java	Version	0.102 (ALPHA)
SUBTREE_START  false  END_OF_FLOW  true  Activate  true  DUMMY  false  StatCatcher Statistics  false  Help  org.talend.help.tMSSqlCommit  true  REPORT_PATH  C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java	Family	Databases/DB Specifics/MS_SQL_Server
SUBTREE_START  false  END_OF_FLOW  true  Activate  true  DUMMY  false  StatCatcher Statistics  false  Help  org.talend.help.ttMSSqlCommit  Jpdate components  true  REPORT_PATH  JAVA_LIBRARY_PATH  C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java	Start	false
true  Activate true  DUMMY false  StatCatcher Statistics false  Help org.talend.help.tMSSqlCommit  Jpdate components true  REPORT_PATH  JAVA_LIBRARY_PATH  C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java	Startable	true
Activate true  DUMMY false  StatCatcher Statistics false  Help org.talend.help.tMSSqlCommit  Jpdate components true  REPORT_PATH  JAVA_LIBRARY_PATH  C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java	SUBTREE_START	false
StatCatcher Statistics false  Help org.talend.help.tMSSqlCommit  Update components true  REPORT_PATH  UAVA_LIBRARY_PATH C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java	END_OF_FLOW	true
StatCatcher Statistics false  Help org.talend.help.tMSSqlCommit  Update components true  REPORT_PATH  UAVA_LIBRARY_PATH C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java	Activate	true
Help org.talend.help.tMSSqlCommit  Update components true  REPORT_PATH  UAVA_LIBRARY_PATH C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java	DUMMY	false
Jpdate components true  REPORT_PATH  JAVA_LIBRARY_PATH C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java	tStatCatcher Statistics	false
REPORT_PATH  JAVA_LIBRARY_PATH C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java	Help	org.talend.help.tMSSqlCommit
JAVA_LIBRARY_PATH C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java	Update components	true
	IREPORT_PATH	
Subjob color	JAVA_LIBRARY_PATH	C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java
	Subjob color	

Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Component List	tDBConnection_1
Close Connection	true
Schema	Built-In
Label format	Commit
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

#### Schema for metadata:

Column	Key	Туре	Length	Precision	Nullable	Comment
Envio_data_stewardship	false	java.util.Date			true	

# Original Function Parameters: Component tMSSqlConnection

UNIQUE NAME	tDBConnection_1	INPUT(S)	tPrejob_1
IABEL	Abre Conexão BD	OUTPUT(S)	none

Component Parameters	
Properties	Values
Database	tMSSqlConnection
Unique Name	tDBConnection_1
Component Name	tMSSqlConnection
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/MS_SQL_Server ELT/Connections
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlConnection
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false

Property Type	repository: DB (MSSQL):Cadastro
JDBC Provider	JTDS
Host	"172.18.242.124"
Database Driver	MSSQL
Port	"1433"
Schema	"dbo"
Database	"cadastro"
Username	"CadSQL"
Password	*******
Encoding	"ISO-8859-15"
Additional JDBC Parameters	nn
Use or register a shared DB Connection	false
Shared DB Connection Name	
Specify a data source alias	false
Data source alias	
Authenticate using Azure Active Directory	false
Auto Commit	false
Share identity insert in multi table	false
Label format	Abre Conexão BD
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false

Comment	
Use an existing validation rule	false
Validation Rule Type	

# Original Function Parameters: Component tMSSqlInput

UNIQUE NAME	tDBInput_1	INPUT(S)	none
LABEL	Seleciona registros Carga ou Genericos	OUTPUT(S)	tMap_1 , tDBRow_1

Component Farameters.			
Properties	Values		
Database	tMSSqlInput		
Unique Name	tDBInput_1		
Component Name	tMSSqlInput		
Version	0.102 (ALPHA)		
Family	Databases/DB Specifics/MS_SQL_Server		
Start	true		
Startable	true		
SUBTREE_START	true		
END_OF_FLOW	false		
Activate	true		
DUMMY	false		

tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Use an existing connection	true
Component List	tDBConnection_1
Property Type	repository: DB (MSSQL):Cadastro
Host	"172.18.242.124"
JDBC Provider	JTDS
Database Driver	MSSQL
Port	"1433"
Schema	"dbo"
Database	"cadastro"
Username	"CadSQL"
Password	******
REPOSITORY_ALLOW_AUTO_SV	ALICH

Schema	Built-In
Table Name	"metadata"
Query Type	Built-In
Guess Schema	
Query	"SELECT [NUMBER], NAME, NOMINHO, CONTEXT_SEARCH, OBS, STATUS, CREATEBY, CREATEDATE, TIPO, ESTADO, ID_OBJ, NUMBER_UCC, BirthData, Industry, NumberOfEmployees, CustomerCategory, MainContactInformation, PaymentTerms, ReasonStatusChange, TP_DETAIL_ID, CodCertComercial, ValueDocs, DomainValueDocs, NameDocs, CustomerManagerID, TYPE_ID, DomainValueTelefone, ValueTelefone, DomainValueEmail, ValueEmail, DomainValueSite, ValueSite, ImageUploadLink, ponctiation, NIB, Entidade, NameGestor, ILHA, Remarks, CUSTUMER_CATEGORY, IntegrationOrigin, NameUserUpdate, DATE_UPDATE, classification, USER_UPDATE_ID, Gender, Nationality, MaritalStatus, Job_title, Academic_degree, Tipo_Docs, AdressID, Legal_form, JobDesciption, GenderDesciption, EstadoCivil, Segmentation, LocalNascimento, DataDoc_Emissao, LocalEmissao, Assinatura, NomeRepresentanteFamilia, Relacao_Agregado, DataFile, GETDATE() Envio_data_stewardship, Retorno_data_stewardship SYS_ID FROM Cadastro.dbo.SYS_DET_CLIENTES where (valuedocs is null or Itrim(rtrim(valuedocs)) = ' ') and tipo = 'Particular' and estado = 'Activo' and (name is null or Itrim(rtrim(name)) = ' ' or name like '%mass%' or name like '%viva%' or name like '%fixo%' or name like '%nao tem%' or name like '%mas mas%' or name like '%sem nome%' or name like '%nao tem%' or name like '%mas mas%' or name like '%sem nome%' or name like '%test%' or name like '%mas mas%' or name like '%semigrante%' or name like '%test%' or name like '%mas mas%' or name like '%obilid%') and name not in ('Massane Biaye', 'Massimo Bove', 'Massimo Olivero', 'Massimo Spinola','Massira Ivone Carvalho Monteiro', 'El Massoudi') "
Specify a data source alias	false
Data source alias	
Mapping	id_MSSQL
Additional JDBC Parameters	""
Authenticate using Azure Active Directory	false
Encoding	"ISO-8859-15"
Trim all the String/Char columns	false

Trim column	[SCHEMA_COLUMN=NUMBER, TRIM=false), (SCHEMA_COLUMN=NAME, TRIM=false), (SCHEMA_COLUMN=CONTEXT_SEARCH, TRIM=false), (SCHEMA_COLUMN=CONTEXT_SEARCH, TRIM=false), (SCHEMA_COLUMN=CONTEXT_SEARCH, TRIM=false), (SCHEMA_COLUMN=CREATEBY, TRIM=false), (SCHEMA_COLUMN=CREATEBY, TRIM=false), (SCHEMA_COLUMN=CREATEBY, TRIM=false), (SCHEMA_COLUMN=CREATEDATE, TRIM=false), (SCHEMA_COLUMN=DOBJ, TRI
Set Query Timeout	false
Timeout (seconds)	30
Label format	Seleciona registros Carga ou Genericos

Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

#### Schema for metadata:

ochema for metadata.						
Column	Key	Туре	Length	Precision	Nullable	Comment
NUMBER	false	Long			true	
NAME	false	String	2000		true	
NOMINHO	false	String	100		true	
CONTEXT_SEARCH	false	String	2000		true	
OBS	false	String	4000		true	
STATUS	false	String	100		true	
CREATEBY	false	String	100		true	
CREATEDATE	false	java.util.Date			true	
TIPO	false	String	200		true	
ESTADO	false	String	10		true	
ID_OBJ	false	Integer			true	

NUMBER_UCC	false	Long		true
BirthData	false	String	500	true
Industry	false	String	500	true
NumberOfEmployees	false	String	500	true
CustomerCategory	false	String	500	true
MainContactInformation	false	String	500	true
PaymentTerms	false	String	500	true
ReasonStatusChange	false	String	500	true
TP_DETAIL_ID	false	Integer		true
CodCertComercial	false	String	500	true
ValueDocs	false	String	250	true
DomaianValueDocs	false	String	250	true
NameDocs	false	String	250	true
CustomerManagerID	false	String	500	true
TYPE_ID	false	Integer		true
DomainValueTelefone	false	String	250	true
ValueTelefone	false	String	250	true

DomainValueEmail	false	String	250	true
ValueEmail	false	String	100	true
DomainValueSite	false	String	250	true
ValueSite	false	String	250	true
ImageUploadLink	false	String	500	true
ponctiation	false	String	500	true
NIB	false	String	500	true
Entidade	false	String	500	true
NameGestor	false	String	200	true
ILHA	false	String	100	true
Remarks	false	String	100	true
CUSTUMER_CATEGORY	false	String	240	true
IntegrationOrigin	false	String	500	true
NameUserUpdate	false	String	200	true
DATE_UPDATE	false	String	50	true
classification	false	String	500	true
USER_UPDATE_ID	false	Integer		true

	I	I		
Gender	false	String	500	true
Nationality	false	String	500	true
MaritalStatus	false	String	500	true
Job_title	false	String	500	true
Academic_degree	false	String	500	true
Tipo_Docs	false	String	240	true
AdressID	false	String	500	true
Legal_form	false	String	500	true
JobDesciption	false	String	240	true
GenderDesciption	false	String	240	true
EstadoCivil	false	String	240	true
Segmentation	false	String	50	true
LocalNascimento	false	String	50	true
DataDoc_Emissao	false	String	50	true
LocalEmissao	false	String	50	true
Assinatura	false	String	50	true
NomeRepresentanteFamilia	false	String	50	true

Relacao_Agregado	false	String	50	true	
DataFile	false	String	50	true	
Envio_data_stewardship	false	java.util.Date		true	
SYS_ID	false	Integer		true	

# Original Function Parameters: Component tMSSqlRow

UNIQUE NAME	tDBRow_1	INPUT(S)	tDBInput_1
LABEL	update campo Envio_data_stewardship	OUTPUT(S)	tDBCommit_1

Component i diameters.			
Properties	Values		
Database	tMSSqlRow		
Unique Name	tDBRow_1		
Component Name	tMSSqlRow		
Version	0.102 (ALPHA)		
Family	Databases/DB Specifics/MS_SQL_Server		
Start	false		
Startable	true		
SUBTREE_START	true		
END_OF_FLOW	false		
Activate	true		

DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tMSSqlRow
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java
Subjob color	
Title color	
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Use an existing connection	true
Component List	tDBConnection_1
Property Type	Built-In
JDBC Provider	MSSQL_PROP
Host	""
Port	"1433"
Schema	""
Database	111
Database Driver	MSSQL
Username	111
Password	**

г

REPOSITORY_ALLOW_AUTO_S	Wthti€H
Schema	Built-In
Reject Schema	Built-In
Table Name	"Cadastro.dbo.SYS_DET_CLIENTES"
Turn on identity insert	false
Query Type	Built-In
Query	" update Cadastro.dbo.SYS_DET_CLIENTES set Envio_data_stewardship = GETDATE() where SYS_ID in ( SELECT SYS_ID FROM Cadastro.dbo.SYS_DET_CLIENTES where (valuedocs is null or ltrim(rtrim(valuedocs)) = ' ') and tipo = 'Particular' and estado = 'Activo' and (name is null or ltrim(rtrim(name)) = ' ' or name like '%mass%' or name like '%viva%' or name like '%default%' or name like '%mass%' or name like '%turista%' or name like '%fixo%' or name like '%nao tem%' or name like '%port in%' or name like '%sem nome%' or name like '%xxxx%' or name like '%mas mas%' or name like '%emigrante%' or name like '%test%' or name like '%corporate%' or name like '%obilid%') and name not in ('Massane Biaye', 'Massimo Bove', 'Massimo Olivero', 'Massimo Spinola','Massira Ivone Carvalho Monteiro', 'El Massoudi') AND id_obj = '34928') "
Specify a data source alias	false
Data source alias	пп
Die on error	false
Additional JDBC Parameters	""
Authenticate using Azure Active Directory	false
Propagate QUERY's recordset	false
use column	Envio_data_stewardship
Use PreparedStatement	false
Set PreparedStatement Parameters	0
Encoding	"ISO-8859-15"
Commit every	10000

Set Query Timeout	false
Timeout (seconds)	30
Label format	update campo Envio_data_stewardship
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

#### Schema for metadata:

Column	Key	Туре	Length	Precision	Nullable	Comment
Envio_data_stewardship	false	java.util.Date			true	

# Original Function Parameters: Component tDataStewardshipTaskOutput

•	UNIQUE NAME	tDataStewardshipTaskOutput_1	INPUT(S)	tMap_1
	LABEL	Load dados Cloud Data StewardShip	OUTPUT(S)	none

Properties	Values
Unique Name	tDataStewardshipTaskOutput_1
Component Name	tDataStewardshipTaskOutput
Family	Talend Data Stewardship

Startable	false	
SUBTREE_START	false	•
END_OF_FLOW	true	
Activate	true	
Help	HELP	
Update components	true	
IREPORT_PATH		
Property Type	Built-In	
Query Type	Built-In	
tStatCatcher Statistics	false	
Enable parallel execution	false	
Number of parallel executions	2	
PARALLELIZE_KEEP_EMPTY	false	
Schema	{"type":"record","name":"Loadtask","fields":[{"name":"Envio_data_stewardship","type	e":[{"type":"long
URL	"https://tds.us-west.cloud.talend.com/data-stewardship/"	
Username	"sergio.lima@sysvision.com.br"	
Password	"cw])s}77M[TE@6&2022"	
Campaign	"Pessoas sem identificação (migração carga) v2"	
Туре	RESOLUTION	
Override enforcement of data model	true	
State	New	
customState	R11	

Assignee	No Assignee
customAssignee	HH
Priority	NO_PRIORITY
customPriority	чи
Choice	NO_CHOICE
Tags	411
Comments	[fieldName=SYS_ID, fieldComment=], {fieldName=NUMBER, fieldComment=], {fieldName=NAME, fieldComment=], {fieldName=CONTEXT_SEARCH, fieldComment=], {fieldName=CREATEBY, fieldComment=], {fieldName=CREATEBY, fieldComment=], {fieldName=CREATEBY, fieldComment=], {fieldName=CREATEBY, fieldComment=], {fieldName=CREATEBY, fieldComment=], {fieldName=CREATEBY, fieldComment=], {fieldName=BitDABER_UCC, fieldComment=], {fieldName=ID_OBJ, fieldComment=], {fieldName=BitDABER_UCC, fieldComment=}, {fieldName=DoBJ, fieldName=NumberOfEmployees, fieldComment=], {fieldName=PaymentTerms, fieldName=CustomerCategory, fieldComment=], {fieldName=PaymentTerms, fieldComment=}, {fieldName=PaymentTerms, fieldComment=}, {fieldName=PaymentTerms, fieldComment=}, {fieldName=ValueDocs, fieldComment=}, {fieldName=DomainValueDocs, fieldComment=}, {fieldName=NameDocs, fieldComment=}, {fieldName=ValueDocs, fieldComment=}, {fieldName=NameDocs, fieldComment=}, {fieldName=ValueDocs, fieldComment=}, {fieldName=DomainValueTelefone, fieldComment=}, {fieldName=DomainValueEmail, fieldComment=}, {fieldName=DomainValueEmail, fieldComment=}, {fieldName=NameDomainValueEmail, fieldComment=}, {fieldName=NameGestor, fieldComment=}, {fieldName=NameGestor, fieldComment=}, {fieldName=NameGestor, fieldComment=}, {fieldName=Entidade, fieldComment=}, {fieldName=NameGestor, fieldComment=}, {fieldName=Entidade, fieldComment=}, {fieldName=NameGestor, fieldComment=}, {fieldName=CustUMER_CATEGORY, fieldComment=}, {fieldName=NameGestor, fieldComment=}, {fieldName=Asasinatura, fieldComment=}, {fieldName=LocalEmissao, f
Campaign ID	"c2371f30f8eee722a05e3fe6a09b57bc1"
Http client configuration	

Max tasks per commit	50
REPOSITORY_ALLOW_AUTO_SV	MHTEH
Label format	Load dados Cloud Data StewardShip
Hint format	<b>UNIQUE_NAME</b> <brcomment< td=""></brcomment<>
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

### Schema for Loadtask :

Column	Key	Туре	Length	Precision	Nullable	Comment
Envio_data_stewardship	false	java.util.Date			true	
NUMBER	false	String			true	integer
NAME	false	String			true	text
NOMINHO	false	String			true	text
CONTEXT_SEARCH	false	String			true	text
OBS	false	String			true	text
STATUS	false	String			true	text
CREATEBY	false	String			true	text
CREATEDATE	false	String			true	text

TIPO	false	String	true	text
ESTADO	false	String	true	text
ID_OBJ	false	String	true	integer
NUMBER_UCC	false	String	true	integer
BirthData	false	String	true	text
Industry	false	String	true	text
NumberOfEmployees	false	String	true	text
CustomerCategory	false	String	true	text
MainContactInformation	false	String	true	text
PaymentTerms	false	String	true	text
ReasonStatusChange	false	String	true	text
TP_DETAIL_ID	false	String	true	integer
CodCertComercial	false	String	true	text
ValueDocs	false	String	true	text
DomaianValueDocs	false	String	true	text
NameDocs	false	String	true	text
CustomerManagerID	false	String	true	text

TYPE_ID	false	String	true	integer
DomainValueTelefone	false	String	true	text
ValueTelefone	false	String	true	text
DomainValueEmail	false	String	true	text
ValueEmail	false	String	true	text
DomainValueSite	false	String	true	text
ValueSite	false	String	true	text
ImageUploadLink	false	String	true	text
ponctiation	false	String	true	text
NIB	false	String	true	text
Entidade	false	String	true	text
NameGestor	false	String	true	text
ILHA	false	String	true	text
Remarks	false	String	true	text
CUSTUMER_CATEGORY	false	String	true	text
IntegrationOrigin	false	String	true	text
NameUserUpdate	false	String	true	text

DATE_UPDATE	false	String	true	text
classification	false	String	true	text
USER_UPDATE_ID	false	String	true	integer
Gender	false	String	true	text
Nationality	false	String	true	text
MaritalStatus	false	String	true	text
Job_title	false	String	true	text
Academic_degree	false	String	true	text
Tipo_Docs	false	String	true	text
AdressID	false	String	true	text
Legal_form	false	String	true	text
JobDesciption	false	String	true	text
GenderDesciption	false	String	true	text
EstadoCivil	false	String	true	text
Segmentation	false	String	true	text
LocalNascimento	false	String	true	text
DataDoc_Emissao	false	String	true	text

LocalEmissao	false	String		true	text
Assinatura	false	String		true	text
NomeRepresentanteFamilia	false	String		true	text
Relacao_Agregado	false	String		true	text
DataFile	false	String		true	text
SYS_ID	false	String		false	integer
TDS_DUE_DATE	false	Long		true	
TDS_EXTERNAL_ID	false	String		true	

# Original Function Parameters: Component tPostjob

	UNIQUE NAME	tPostjob_1	INPUT(S)	none
	LABEL	Fim	OUTPUT(S)	tDBClose_1

Component Parameters:				
Properties	Values			
Unique Name	tPostjob_1			
Component Name	tPostjob			
Version	0.102 (ALPHA)			
Family	Orchestration			
Start	true			

Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	!!!HELP!!!
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java
Subjob color	255;220;180
Title color	230;100;0
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Label format	Fim
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

# Original Function Parameters: Component tPrejob

	UNIQUE NAME	tPrejob_1	INPUT(S)	none
	LABEL	Inicio	OUTPUT(S)	tDBConnection_1

Component Parameters:				
Properties	Values			
Unique Name	tPrejob_1			
Component Name	tPrejob			
Version	0.102 (ALPHA)			
Family	Orchestration			
Start	true			
Startable	true			
SUBTREE_START	true			
END_OF_FLOW	true			
Activate	true			
DUMMY	false			
tStatCatcher Statistics	false			
Help	org.talend.help.tPrejob			
Update components	true			
IREPORT_PATH				
JAVA_LIBRARY_PATH	C:\Program Files (x86)\TALEND_8.0_UNITEL\studio\configuration\lib\java			
Subjob color	255;220;180			

Title color	230;100;0
Enable parallel execution	false
Number of parallel executions	2
PARALLELIZE_KEEP_EMPTY	false
Label format	Inicio
Hint format	<b>UNIQUE_NAME</b> COMMENT
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

# Original Function Parameters: Component tMap

UNIQUE NAME	tMap_1	INPUT(S)	tDBInput_1	
LABEL	Mapeamento dos campos	OUTPUT(S)	tDataStewardshipTaskOutput_1	

Properties	Values
tStatCatcher Statistics	false
Mapping links display as:	AUTO

Temp data directory path:	
Max buffer size (nb of rows):	200000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap\_1 (input):
Mapper table Properties(row1):

Properties	Values
Name	row1
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

#### **Metadata Table Entries( row1 ):**

Name	Туре	Expression	isNullable
NUMBER	Long		true
NAME	String		true
NOMINHO	String		true
CONTEXT_SEARCH	String		true
OBS	String		true
STATUS	String		true
CREATEBY	String		true
CREATEDATE	java.util.Date		true
TIPO	String		true
ESTADO	String		true
ID_OBJ	Integer		true
NUMBER_UCC	Long		true
BirthData	String		true
Industry	String		true
NumberOfEmployees	String		true
CustomerCategory	String		true

MainContactInformation	String	t	rue
PaymentTerms	String	t	rue
ReasonStatusChange	String	t	rue
TP_DETAIL_ID	Integer	t	rue
CodCertComercial	String	t	rue
ValueDocs	String	t	rue
DomaianValueDocs	String	t	rue
NameDocs	String	t	rue
CustomerManagerID	String	t	rue
TYPE_ID	Integer	t	rue
DomainValueTelefone	String	t	rue
ValueTelefone	String	t	rue
DomainValueEmail	String	t	rue
ValueEmail	String	t	rue
DomainValueSite	String	t	rue
ValueSite	String	t	rue
ImageUploadLink	String	t	rue

ponctiation	String	true	
NIB	String	true	
Entidade	String	true	
NameGestor	String	true	
ILHA	String	true	
Remarks	String	true	
CUSTUMER_CATEGORY	String	true	
IntegrationOrigin	String	true	
NameUserUpdate	String	true	
DATE_UPDATE	String	true	
classification	String	true	
USER_UPDATE_ID	Integer	true	
Gender	String	true	
Nationality	String	true	
MaritalStatus	String	true	
Job_title	String	true	
Academic_degree	String	true	

Tipo_Docs	String	true
AdressID	String	true
Legal_form	String	true
JobDesciption	String	true
GenderDesciption	String	true
EstadoCivil	String	true
Segmentation	String	true
LocalNascimento	String	true
DataDoc_Emissao	String	true
LocalEmissao	String	true
Assinatura	String	true
NomeRepresentanteFamilia	String	true
Relacao_Agregado	String	true
DataFile	String	true
Envio_data_stewardship	java.util.Date	true
SYS_ID	Integer	true

### Constraint Table Entries( row1 ):

Name Type	Expression	isNullable	
-----------	------------	------------	--

Mapper table for tMap\_1 ( output ):
Mapper table Properties( load\_registro\_migracao ):

mapper table i roperties	s toau_registro_inigracao ).
Properties	Values
Name	load_registro_migracao
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries( load\_registro\_migracao ):

Name	Туре	Expression	isNullable
TDS_DUE_DATE	Long		true
TDS_EXTERNAL_ID	String		true
NUMBER	Long	row1.NUMBER	true
NAME	String	row1.NAME	true
NOMINHO	String	row1.NOMINHO	true
CONTEXT_SEARCH	String	row1.CONTEXT_SEARCH	true

String	row1.OBS	true
String	row1.STATUS	true
String	row1.CREATEBY	true
java.util.Date	row1.CREATEDATE	true
String	row1.TIPO	true
String	row1.ESTADO	true
Integer	row1.ID_OBJ	true
Long	row1.NUMBER_UCC	true
String	row1.BirthData	true
String	row1.Industry	true
String	row1.NumberOfEmployees	true
String	row1.CustomerCategory	true
String	row1.MainContactInformation	true
String	row1.PaymentTerms	true
String	row1.ReasonStatusChange	true
Integer	row1.TP_DETAIL_ID	true
String	row1.CodCertComercial	true
	String String java.util.Date String String Integer Long String String String String String String String Integer Integer	String row1.STATUS  String row1.CREATEBY  java.util.Daterow1.CREATEDATE  String row1.TIPO  String row1.ESTADO  Integer row1.ID_OBJ  Long row1.NUMBER_UCC  String row1.BirthData  String row1.Industry  String row1.NumberOfEmployees  String row1.CustomerCategory  String row1.MainContactInformation  String row1.PaymentTerms  String row1.ReasonStatusChange  Integer row1.TP_DETAIL_ID

ValueDocs	String	row1.ValueDocs	true
DomaianValueDocs	String	row1.DomaianValueDocs	true
NameDocs	String	row1.NameDocs	true
CustomerManagerID	String	row1.CustomerManagerID	true
TYPE_ID	Integer	row1.TYPE_ID	true
DomainValueTelefone	String	row1.DomainValueTelefone	true
ValueTelefone	String	row1.ValueTelefone	true
DomainValueEmail	String	row1.DomainValueEmail	true
ValueEmail	String	row1.ValueEmail	true
DomainValueSite	String	row1.DomainValueSite	true
ValueSite	String	row1.ValueSite	true
lmageUploadLink	String	row1.ImageUploadLink	true
ponctiation	String	row1.ponctiation	true
NIB	String	row1.NIB	true
Entidade	String	row1.Entidade	true
NameGestor	String	row1.NameGestor	true
ILHA	String	row1.ILHA	true

Remarks	String	row1.Remarks	true
CUSTUMER_CATEGORY	String	row1.CUSTUMER_CATEGORY	true
IntegrationOrigin	String	row1.IntegrationOrigin	true
NameUserUpdate	String	row1.NameUserUpdate	true
DATE_UPDATE	String	row1.DATE_UPDATE	true
classification	String	row1.classification	true
USER_UPDATE_ID	Integer	row1.USER_UPDATE_ID	true
Gender	String	row1.Gender	true
Nationality	String	row1.Nationality	true
MaritalStatus	String	row1.MaritalStatus	true
Job_title	String	row1.Job_title	true
Academic_degree	String	row1.Academic_degree	true
Tipo_Docs	String	row1.Tipo_Docs	true
AdressID	String	row1.AdressID	true
Legal_form	String	row1.Legal_form	true
JobDesciption	String	row1.JobDesciption	true
GenderDesciption	String	row1.GenderDesciption	true

EstadoCivil	String	row1.EstadoCivil	true
Segmentation	String	row1.Segmentation	true
LocalNascimento	String	row1.LocalNascimento	true
DataDoc_Emissao	String	row1.DataDoc_Emissao	true
LocalEmissao	String	row1.LocalEmissao	true
Assinatura	String	row1.Assinatura	true
NomeRepresentanteFamilia	String	row1.NomeRepresentanteFamilia	true
Relacao_Agregado	String	row1.Relacao_Agregado	true
DataFile	String	row1.DataFile	true
Envio_data_stewardship	java.util.Date	row1.Envio_data_stewardship	true
SYS_ID	Integer	row1.SYS_ID	true

Constraint Table Entries( load\_registro\_migracao ):

Name	Туре	Expression	isNullable	

### Mapper table for tMap\_1 ( var ):

**Mapper table Properties (Var):** 

nappor table reported raily.			
Properties	Values		
Name	Var		
Matching-mode			
isMinimized	true		
isReject	false		
isRejectInnerJoin	false		
isInnerJoin	false		
expressionFilter	null		

Metadata Table Entries( Var ):

me	Туре	Expression	isNullable	
----	------	------------	------------	--

**Constraint Table Entries(Var):** 

Name	Туре	Expression	isNullable