

Exercises: Artificial Intelligence


Simplified Memory-bounded A*

Simplified Memory-bounded A*

SMA* ALGORITHM

SMA* Algorithm


- Optimizes A* to work within reduced memory
- **Key Idea:**
 - IF memory full for extra node (C)
 - Remove highest f-value leaf (A)
 - Remember best-forgotten child in each parent node (15 in S)



E.g. Memory of 3 nodes only

SMA* Algorithm

- **Generate Children 1 by 1**
 - **Expanding:** add 1 child at the time to QUEUE
 - Avoids **memory overflow**
 - **Allows monitoring** if nodes need deletion




First add A later B

SMA* Algorithm


- **Too long paths: Give up**
 - **Extending path cannot fit in memory**
 - give up (C)
 - Set **f-value** node (C) to ∞
 - **Remembers:**
path cannot be found here

E.g. Memory of 3 nodes only



SMA* Algorithm

- **Adjust f-values**
 - **IF** all children M_i of node N have been explored
 - **AND** $\forall i: f(S...M_i) > f(S...N)$
 - **THEN reset** (through $N \implies$ through children)
 - $f(S...N) = \min\{f(S...M_i) \mid M_i \text{ child of } N\}$




Better estimate for $f(S)$

Simplified Memory-bounded A*

SMA* BY EXAMPLE


SMA* by Example

- Perform SMA* (memory: 3 nodes) on the following figure.





	S	A	B	C	G
heuristic	3	0	2	1	0

SMA* by Example





SMA* by Example





**Generate children
(One by one)**

SMA* by Example



Generate children
(One by one)



SMA* by Example



Generate children
(One by one)

Memory full



SMA* by Example



All children are explored

Adjust f-values



SMA* by Example



Generate children
(One by one)

Memory full



SMA* by Example



All children are explored

Adjust f-values



SMA* by Example



All children are
explored (update)

Adjust f-values



SMA* by Example



Generate children
(One by one)

Memory full



SMA* by Example



**Generate children
(One by one)**

Memory full

SMA* by Example



Generate children
(One by one)


Memory full

Simplified Memory-bounded A*

PROBLEM


Problem

- Perform SMA* (memory: 4 nodes) on the following figure.





	S	A	B	C	D	E	F	H	G
heuristic	12	5	5	5	2	2	1	1	0



Problem





Problem





Problem





Problem





Problem





Problem





Problem





Problem





Problem





Problem





Problem





Problem





Problem





Problem





Problem





Problem





Problem





Problem





Problem





Problem





Problem





Problem





Problem





Problem





Problem





Problem





Problem



Problem



Problem



Problem

