

ASSIGNMENT-2

CREATE DEVOPS PIPELINE


BY

ADITYA AGARWAL

R171218007

500069294

1) First create maven project



```

1 <project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
2 <modelVersion>4.0.0</modelVersion>
3 <groupId>com.codebind</groupId>
4 <artifactId>maven-demo</artifactId>
5 <version>0.0.1-SNAPSHOT</version>
6
7 <dependencies>
8 <dependency>
9 <groupId>junit</groupId>
10 <artifactId>junit</artifactId>
11 <version>4.12</version>
12 </dependency>
13 </dependencies>
14 </project>

```

2)push into git repo:

Go to github create new empty repository

1. Copy the https URL from github
2. Go to Eclipse --> Right click on project --> Team--> share project-->
3. Create new Git Repo.
4. Go to Git Staging--> Stage all changes --> "Commit" (do not "Commit and Push")
5. Right click on your Git Repository, select "Push Branch Master"
6. Paste your https URL of github which you copy in step 2

Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere?
[Import a repository.](#)

Owner *

Repository name *

baditya166

/ assignment-jenkins

Great repository names are **assignment-jenkins**. **super-duper-spoon?**

Description (optional)

☒ **Public**
Anyone on the internet can see this repository. You choose who can commit.

☐ **Private**
You choose who can see and commit to this repository.


Initialize this repository with:
Skip this step if you're importing an existing repository.

☐ **Add a README file**
This is where you can write a long description for your project. [Learn more.](#)


☐ **Add .gitignore**
Choose which files not to track from a list of templates. [Learn more.](#)

☐ **Choose a license**
A license tells others what they can and can't do with your code. [Learn more.](#)

Create repository



Create a Jenkins file in github repository




3)First run the Jenkins command to run Jenkins server
java -jar Jenkins.war

5) Create Jenkins pipeline


Enter an item name

CI-CD Pipeline


» Required field

 **Freestyle project**


This is the central feature of Jenkins. Jenkins will build your project, combining any SCM with any build system, and this can be even used for something other than software build.

 **Maven project**


Build a maven project. Jenkins takes advantage of your POM files and drastically reduces the configuration.

 **Pipeline**


Orchestrates long-running activities that can span multiple build agents. Suitable for building pipelines (formerly known as workflows) and/or organizing complex activities that do not easily fit in free-style job type.

 **External Job**


This type of job allows you to record the execution of a process run outside Jenkins, even on a remote machine. This is designed so that you can use Jenkins as a dashboard of your existing automation system.

 **Multi-configuration project**

Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.

 **Bitbucket Team/Project**

Scans a Bitbucket Cloud Team (or Bitbucket Server Project) for all repositories matching some defined markers.

 **Folder**

Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.


```
0.0.1-SNAPSHOT.pom
[INFO]
[INFO] --- maven-deploy-plugin:2.7:deploy (default-deploy) @ JavaCalculator ---
Downloading from CICD_Assignment2: http://localhost:8081/repository/CICD_Assignment2/Calculator/JavaCalculator/0.0.1-SNAPSHOT/maven-metadata.xml
Uploading to CICD_Assignment2: http://localhost:8081/repository/CICD_Assignment2/Calculator/JavaCalculator/0.0.1-SNAPSHOT/JavaCalculator-0.0.1-20201119.102605-1.jar
Progress (1): 2.0 kB

Uploaded to CICD_Assignment2: http://localhost:8081/repository/CICD_Assignment2/Calculator/JavaCalculator/0.0.1-SNAPSHOT/JavaCalculator-0.0.1-20201119.102605-1.jar (2.0 kB at 60 B/s)
Uploading to CICD_Assignment2: http://localhost:8081/repository/CICD_Assignment2/Calculator/JavaCalculator/0.0.1-SNAPSHOT/JavaCalculator-0.0.1-20201119.102605-1.pom
Progress (1): 757 B

Uploaded to CICD_Assignment2: http://localhost:8081/repository/CICD_Assignment2/Calculator/JavaCalculator/0.0.1-SNAPSHOT/JavaCalculator-0.0.1-20201119.102605-1.pom (757 B at 87 B/s)
Downloading from CICD_Assignment2: http://localhost:8081/repository/CICD_Assignment2/Calculator/JavaCalculator/maven-metadata.xml
Uploading to CICD_Assignment2: http://localhost:8081/repository/CICD_Assignment2/Calculator/JavaCalculator/0.0.1-SNAPSHOT/maven-metadata.xml
Progress (1): 774 B

Uploaded to CICD_Assignment2: http://localhost:8081/repository/CICD_Assignment2/Calculator/JavaCalculator/0.0.1-SNAPSHOT/maven-metadata.xml (774 B at 179 B/s)
Uploading to CICD_Assignment2: http://localhost:8081/repository/CICD_Assignment2/Calculator/JavaCalculator/maven-metadata.xml
Progress (1): 204 B

Uploaded to CICD_Assignment2: http://localhost:8081/repository/CICD_Assignment2/Calculator/JavaCalculator/maven-metadata.xml (204 B at 110 B/s)
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 01:10 min
[INFO] Finished at: 2020-11-19T23:56:53+05:30
[INFO] -----
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```



7) open nexus first

```
C:\WINDOWS\system32\cmd D:\nexus\nexus-3.18.1-01\bin
C:\WINDOWS\system32\cmd:
D:\nexus\nexus-3.18.1-01\bin>nexus.exe /run
2020-11-21 03:57:55.186+0530 INFO [FelixStartLevel] *SYSTEM org.sonatype.nexus.pax.logging.NexusLogActivator - start
2020-11-21 03:57:55.462+0530 WARN [FelixStartLevel] *SYSTEM uk.org.lidalia.sysoutslf4j.context.SysOutOverSLF4JInitialiser - Your logging framework class org.ops4j.pax.logging.slf4j.Slf4jLogger is not known - if
it needs access to the standard println methods on the console you will need to register it by calling registerLoggingSystemPackage
2020-11-21 03:57:55.462+0530 INFO [FelixStartLevel] *SYSTEM uk.org.lidalia.sysoutslf4j.context.SysOutOverSLF4J - Package org.ops4j.pax.logging.slf4j registered; all classes within it or subpackages of it will b
e allowed to print to System.out and System.err
2020-11-21 03:57:55.462+0530 INFO [FelixStartLevel] *SYSTEM uk.org.lidalia.sysoutslf4j.context.SysOutOverSLF4J - Replaced standard System.out and System.err PrintStreams with SLF4JPrintStreams
2020-11-21 03:57:55.462+0530 INFO [FelixStartLevel] *SYSTEM uk.org.lidalia.sysoutslf4j.context.SysOutOverSLF4J - Redirected System.out and System.err to SLF4J for this context
2020-11-21 03:57:55.462+0530 INFO [FelixStartLevel] *SYSTEM org.sonatype.nexus.bootstrap.ConfigurationBuilder - Properties:
2020-11-21 03:57:55.462+0530 INFO [FelixStartLevel] *SYSTEM org.sonatype.nexus.bootstrap.ConfigurationBuilder - application-host='0.0.0.0'
2020-11-21 03:57:55.462+0530 INFO [FelixStartLevel] *SYSTEM org.sonatype.nexus.bootstrap.ConfigurationBuilder - application-port='8081'
2020-11-21 03:57:55.462+0530 INFO [FelixStartLevel] *SYSTEM org.sonatype.nexus.bootstrap.ConfigurationBuilder - fabric.etc='D:\nexus\nexus-3.18.1-01/etc/fabric'
2020-11-21 03:57:55.462+0530 INFO [FelixStartLevel] *SYSTEM org.sonatype.nexus.bootstrap.ConfigurationBuilder - jetty.etc='D:\nexus\nexus-3.18.1-01/etc/jetty'
2020-11-21 03:57:55.477+0530 INFO [FelixStartLevel] *SYSTEM org.sonatype.nexus.bootstrap.ConfigurationBuilder - karaf-base='D:\nexus\nexus-3.18.1-01'
2020-11-21 03:57:55.477+0530 INFO [FelixStartLevel] *SYSTEM org.sonatype.nexus.bootstrap.ConfigurationBuilder - karaf.data='D:\nexus\sonatype-work\nexus3'
2020-11-21 03:57:55.477+0530 INFO [FelixStartLevel] *SYSTEM org.sonatype.nexus.bootstrap.ConfigurationBuilder - karaf.etc='D:\nexus\nexus-3.18.1-01/etc/karaf'
2020-11-21 03:57:55.477+0530 INFO [FelixStartLevel] *SYSTEM org.sonatype.nexus.bootstrap.ConfigurationBuilder - karaf.homes='D:\nexus\nexus-3.18.1-01'
2020-11-21 03:57:55.477+0530 INFO [FelixStartLevel] *SYSTEM org.sonatype.nexus.bootstrap.ConfigurationBuilder - karaf.instances='D:\nexus\sonatype-work\nexus3\instances'
2020-11-21 03:57:55.477+0530 INFO [FelixStartLevel] *SYSTEM org.sonatype.nexus.bootstrap.ConfigurationBuilder - logback.etc='D:\nexus\nexus-3.18.1-01/etc/logback'
2020-11-21 03:57:55.477+0530 INFO [FelixStartLevel] *SYSTEM org.sonatype.nexus.bootstrap.ConfigurationBuilder - nexus-args='D:\nexus\nexus-3.18.1-01/etc/jetty/jetty.xml,D:\nexus\nexus-3.18.1-01/etc/jetty/jett
nexus-context-path'/'
nexus-edition='nexus-pro-edition'
nexus-features='nexus-pro-feature'
nexus-hazelcast.discovery.isEnabled='true'
ssl.etc='D:\nexus\nexus-3.18.1-01/etc/ssl'
2020-11-21 03:57:55.477+0530 INFO [FelixStartLevel] *SYSTEM org.sonatype.nexus.bootstrap.Launcher - Java: 1.8.0_192, OpenJDK 64-Bit Server VM, Azul Systems, Inc., 25.192-b01
2020-11-21 03:57:55.477+0530 INFO [FelixStartLevel] *SYSTEM org.sonatype.nexus.bootstrap.Launcher - OS: Windows 10, 10.0, amd64
2020-11-21 03:57:55.477+0530 INFO [FelixStartLevel] *SYSTEM org.sonatype.nexus.bootstrap.Launcher - User: Dell, en, C:\Users\Dell
2020-11-21 03:57:55.477+0530 INFO [FelixStartLevel] *SYSTEM org.sonatype.nexus.bootstrap.Launcher - CWD: D:\nexus\nexus-3.18.1-01
2020-11-21 03:57:55.524+0530 INFO [FelixStartLevel] *SYSTEM org.sonatype.nexus.bootstrap.Launcher - TMP: D:\nexus\sonatype-work\nexus3\tmp
2020-11-21 03:57:55.540+0530 INFO [FelixStartLevel] *SYSTEM org.sonatype.nexus.bootstrap.jetty.JettyServer - Starting
2020-11-21 03:57:55.618+0530 INFO [FelixStartLevel] *SYSTEM org.eclipse.jetty.util.log - Logging initialized @40020ms to org.eclipse.jetty.util.log.Slf4jLog
2020-11-21 03:57:55.712+0530 INFO [FelixStartLevel] *SYSTEM org.sonatype.nexus.bootstrap.jetty.JettyServer - Applying configuration: file:D:\nexus\nexus-3.18.1-01/etc/jetty/jetty.xml
2020-11-21 03:58:00.180+0530 INFO [FelixStartLevel] *SYSTEM org.sonatype.nexus.bootstrap.jetty.JettyServer - Applying configuration: file:D:\nexus\nexus-3.18.1-01/etc/jetty/jetty-http.xml
2020-11-21 03:58:00.337+0530 INFO [FelixStartLevel] *SYSTEM org.sonatype.nexus.bootstrap.jetty.JettyServer - Ignoring deprecated socket close linger time
2020-11-21 03:58:00.337+0530 INFO [FelixStartLevel] *SYSTEM org.sonatype.nexus.bootstrap.jetty.JettyServer - Applying configuration: file:D:\nexus\nexus-3.18.1-01/etc/jetty/jetty-requestlog.xml
2020-11-21 03:58:00.399+0530 INFO [FelixStartLevel] *SYSTEM org.sonatype.nexus.bootstrap.jetty.JettyServer - Starting: Server@601370ea(SID0P0D)[9.4.18.v20190420]
2020-11-21 03:58:00.399+0530 INFO [jetty-main-1] *SYSTEM org.eclipse.jetty.server.Server - jetty-9.4.18.v20190420; built: 2019-04-29T20:42:08-0800; git: e1bc35120a6617ee34f052294e433fa25ce7097; jvm 1.8.0_192-b01
2020-11-21 03:58:00.727+0530 INFO [jetty-main-1] *SYSTEM org.eclipse.jetty.server.session - DefaultSessionIdManager workerName=node0
2020-11-21 03:58:00.727+0530 INFO [jetty-main-1] *SYSTEM org.eclipse.jetty.server.session - No SessionScavenger set, using defaults
```



```

2020-11-21 04:01:42,788+0530 INFO [jetty-main-1] *SYSTEM org.sonatype.nexus.rapture.internal.RaptureWebResourceBundle - nexus-repository-npm
2020-11-21 04:01:42,789+0530 INFO [jetty-main-1] *SYSTEM org.sonatype.nexus.rapture.internal.RaptureWebResourceBundle - nexus-onboarding-plugin
2020-11-21 04:01:42,789+0530 INFO [jetty-main-1] *SYSTEM org.sonatype.nexus.rapture.internal.RaptureWebResourceBundle - nexus-repository-nuget
2020-11-21 04:01:42,790+0530 INFO [jetty-main-1] *SYSTEM org.sonatype.nexus.rapture.internal.RaptureWebResourceBundle - nexus-repository-rubygems
2020-11-21 04:01:42,791+0530 INFO [jetty-main-1] *SYSTEM org.sonatype.nexus.rapture.internal.RaptureWebResourceBundle - nexus-repository-docker
2020-11-21 04:01:42,797+0530 INFO [jetty-main-1] *SYSTEM org.sonatype.nexus.internal.webresources.WebResourceServlet - Max-age: 30 days (2592000 seconds)
2020-11-21 04:01:42,804+0530 INFO [quartz-3-thread-1] *SYSTEM org.sonatype.nexus.quartz.internal.task.QuartzTaskInfo - Task 'Storage facet cleanup' [repository.storage-facet-cleanup] state change WAITING
2020-11-21 04:01:43,858+0530 INFO [jetty-main-1] *SYSTEM com.softwarementors.extjs.djn.servlet.DirectJNgineServlet - Servlet GLOBAL configuration: debug=false, providersUrl=service/extdirect, minify=false, batchRequestsMultithreadingEnabled=true, batchRequestsMinThreadsPoolSize=16, batchRequestsMaxThreadsPoolSize=80, batchRequestsMaxThreadsPerRequest=8, batchRequestsMaxThreadKeepAliveSeconds=60, gsonBuilderClass=org.sonatype.nexus.extdirect.internal.ExtDirectGsonBuilderConfigurator, dispatcherClass=com.softwarementors.extjs.djn.servlet.ssm.SsmDispatcher, jsonRequestProcessorThreadClass=org.sonatype.nexus.extdirect.internal.ExtDirectJsonRequestProcessorThread, contextPath=-not specified: calculated via Javascript--, createSourceFiles=true
2020-11-21 04:01:43,860+0530 INFO [jetty-main-1] *SYSTEM com.softwarementors.extjs.djn.servlet.DirectJNgineServlet - Servlet GLOBAL configuration: registryConfiguratorClass=
2020-11-21 04:01:44,038+0530 INFO [jetty-main-1] *SYSTEM com.softwarementors.extjs.djn.jscodegen.CodeFileGenerator - Creating source files for APIs...
2020-11-21 04:01:44,198+0530 INFO [quartz-3-thread-1] *SYSTEM org.sonatype.nexus.quartz.internal.task.QuartzTaskInfo - Task 'Storage facet cleanup' [repository.storage-facet-cleanup] state change RUNNING (OK)
2020-11-21 04:01:47,691+0530 INFO [jetty-main-1] *SYSTEM org.sonatype.nexus.siesta.SiestaServlet - JAX-RS RuntimeDelegate: org.sonatype.nexus.siesta.internal.resteasy.SisuResteasyProviderFactory@206e5e
2020-11-21 04:01:47,992+0530 INFO [jetty-main-1] *SYSTEM org.jboss.resteasy.plugins.validation.i18n - RESTEASY008550: Unable to find CDI supporting ValidatorFactory. Using default ValidatorFactory
2020-11-21 04:01:51,303+0530 INFO [jetty-main-1] *SYSTEM org.sonatype.nexus.siesta.SiestaServlet - Initialized
2020-11-21 04:01:51,306+0530 INFO [jetty-main-1] *SYSTEM org.sonatype.nexus.repository.httpbridge.internal.ViewServlet - Initialized
2020-11-21 04:01:52,621+0530 INFO [jetty-main-1] *SYSTEM org.eclipse.jetty.server.handler.ContextHandler - Started o.e.j.w.WebAppContext@71129d2e[Sonatype Nexus/,file:///D:/nexus/nexus-3.18.1-01/public]
2020-11-21 04:01:55,220+0530 INFO [jetty-main-1] *SYSTEM org.eclipse.jetty.server.AbstractConnector - Started ServerConnector@4bdbc0d2[HTTP/1.1,[http/1.1]]{0.0.0.0:8081}
2020-11-21 04:01:55,221+0530 INFO [jetty-main-1] *SYSTEM org.eclipse.jetty.server.Server - Started @275803ms
2020-11-21 04:01:55,222+0530 INFO [jetty-main-1] *SYSTEM org.sonatype.nexus.bootstrap.jetty.JettyServer -
-----
Started Sonatype Nexus OSS 3.18.1-01
-----
2020-11-21 04:09:34,549+0530 INFO [qtp1541538051-65] *UNKNOWN org.apache.shiro.session.mgt.AbstractValidatingSessionManager - Enabling session validation scheduler...
2020-11-21 04:09:35,584+0530 INFO [qtp1541538051-65] *UNKNOWN org.sonatype.nexus.internal.security.anonymous.AnonymousManagerImpl - Using default configuration: AnonymousConfiguration(enabled=true, use
ymous', realmName='NexusAuthorizingRealm')
2020-11-21 04:10:00,213+0530 INFO [quartz-3-thread-2] *SYSTEM org.sonatype.nexus.quartz.internal.task.QuartzTaskInfo - Task 'Storage facet cleanup' [repository.storage-facet-cleanup] state change WAITING
2020-11-21 04:10:01,213+0530 INFO [quartz-3-thread-2] *SYSTEM org.sonatype.nexus.quartz.internal.task.QuartzTaskInfo - Task 'Storage facet cleanup' [repository.storage-facet-cleanup] state change RUNNING (OK)
2020-11-21 04:11:22,472+0530 INFO [qtp1541538051-179] *UNKNOWN org.ehcache.jsr107.ConfigurationMerger - Configuration of cache shiro-activeSessionCache will be supplemented by template nexus-default
2020-11-21 04:11:23,981+0530 INFO [qtp1541538051-179] *UNKNOWN org.ehcache.core.EhcacheManager - Cache 'shiro-activeSessionCache' created in EhcacheManager.
2020-11-21 04:11:24,059+0530 INFO [qtp1541538051-179] *UNKNOWN org.ehcache.jsr107.Eh107CacheManager - Registering Ehcache MBean javax.cache:type=CacheConfiguration,CacheManager=file:///D:/nexus/nexus-3.18.1-01/fabric/ehcache.xml,Cache=shiro-activeSessionCache

```

create new repository in nexus

Repositories / Select Recipe / Create Repository: maven2 (hosted)

Snapshot

Layout policy:

Validate that all paths are maven artifact or metadata paths

Strict

Storage

Blob store:

Blob store used to store asset contents

default

Strict Content Type Validation:

☒ Validate that all content uploaded to this repository is of a MIME type appropriate for the repository format

Hosted

Deployment policy:

Controls if deployments of and updates to artifacts are allowed

Allow redeploy

Cleanup Policy

Available cleanup policies:

Select a cleanup policy

None

Create repository

Cancel

After successful build artifact pushed into nexus repo

