1 Compiling

Press \ll to start (or stop) compiling the document. This turns on automatic compiling if supported by your compiler, meaning your document will be compiled each time you save. kurde moze jednak, xD

Press \lk to stop the compilation process

Press \lc to clear auxiliary files.

2 Forward and Backward Search

Press \lv to forward search. This will open the compiled PDF.

Some PDF viewers support the ability to jump to the current location in the PDF.

Some also support backward search (jumping from PDF to source).

3 Errors, Warnings and the QuickFix window

VimTeX will populate the QuickFix menu with any errors and warnings it finds in the log file.

This is done after (attempting to) compile or pressing \le .

\le also closes the QuickFix menu when it is open.

Example. Let's put some undefined commands here and compile:

Moving to the QuickFix window and pressing enter on the error entry moves the cursor to the line containing the error. We can fix the error and continue.

4 Document Overview

Press \lt to show a window with a table of contents for your document.

Also shows labels, references and TODOs.

Can be used to jump to sections, labels, references and TODOs.

5 Motions and Text Objects

VimTeX adds various LaTeX specific motions and text objects.

Example motion. move between section boundaries with [[, [],][and]].

Example text object. ic refers to a LaTeX command excluding the backslash. ac includes the backslash.

cic: α

dac:

6 Other Cool Stuff

cse changes the surrounding environment:

$$v \cdot \nabla_x f_1 = -\sigma_a f_1, \quad f_1|_{\Gamma_-} = \phi(x, v). \tag{1}$$

tsd toggles between () and ():

$$\frac{d}{ds} \left[e^{\int_k^s \sigma_a(x+tv) \, dt} F_1(s) \right] = 0$$

tse toggles the * in environments:

$$f_1(x,v) = e^{-\int_0^{\tau_-(x,v)} \sigma_a(x-sv) dt} \phi(x_-,v), \tag{2}$$

This is only a tiny sliver of what VimTeX offers. Read the README for an overview, and read :h vimtex for a full description of all things VimTeX.