




MaxCoverage2100




MaxCoverage2101



MaxCoverage2102




MaxCoverage2103




The max coverage problems show that the RLS algorithm has a fast convergence with respect to the number of evaluations., although both EA and GA show a slower convergence, they both result in a larger maximisation of the cost function once they have converged, with GA resulting in a slightly better convergence than EA.


MaxInfluence2200




MaxInfluence2201



MaxInfluence2202




MaxInfluence2203




The Max Influence problems show that GA starts out with the highest rate of convergence, however it quickly drops off showing a strong linear improvement over the following evaluations. On the other hand, both RLS and EA show a consistent polynomial improvement with RLS having a higher rate of convergence over EA.


PackWhileTravel2300



PackWhileTravel2301



PackWhileTravel2302



The Pack While Travel problems 2300 and 2301 shows that RLS converges first followed by GA then EA, where GA and EA achieve the greatest convergence relatively quickly after RLS stops making any improvements.

The Pack While Travel Problem 2302 is like the Max Influence problems showing GA having a high initial rate of convergence to then drop off to a strong linear rate of convergence, while RLS and EA both have a consistent polynomial rate of convergence with RLS having a higher rate. However, in this problem RLS reaches a drop off point in its convergence at around 5000 evaluations causing EA to result with the greatest convergence by 10000 evaluations.