# WindowsFormsApplication 2010

Package in package 'Model'

WindowsFormsApplication 2010 Version 1.0 Phase 1.0 Proposed smeagher created on 01.06.2017. Last modified 01.06.2017

## WindowsFormsApplication diagram

Class diagram in package 'WindowsFormsApplication 2010'

WindowsFormsApplication
Version 1.0
smeagher created on 01.06.2017. Last modified 04.06.2017




Figure 1: WindowsFormsApplication

## **CashflowsForm**

Class in package 'WindowsFormsApplication'

CashflowsForm
Version 1.0 Phase 1.0 Proposed
User created on 04.06.2017. Last modified 04.06.2017
Extends Form

CONNECTORS

## CONNECTORS



**Dependency** «call» Source -> Destination

MainForm: Class, Public To: CashflowsForm : Class, Public

#### **OPERATIONS**



CashflowsForm (): Public

[ Is static False. Is abstract False. Is return array False. Is guery False. Is synchronized False. ]

## **MainForm**

Class in package 'WindowsFormsApplication'

MainForm Version 1.0 Phase 1.0 Proposed User created on 04.06.2017. Last modified 04.06.2017 Extends Form

### CONNECTORS



**Dependency** «call» Source -> Destination

MainForm : Class, Public To: CashflowsForm: Class, Public



**Dependency** «use» Source -> Destination

From: MainForm: Class, Public To: Model: Package, Public



Dependency «call» Source -> Destination

Program: Class, Public From: MainForm: Class, Public To:

## **ATTRIBUTES**



db : CashflowsContext Private

[ Is static False. Containment is Not Specified. ]

## ASSOCIATIONS



Association (direction: Source -> Destination)

Source: Public (Class) MainForm Target: Private db (Class) CashflowsContext

## **OPERATIONS**



MainForm (): Public

[ Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]

## **OPERATIONS**

mmDelete\_Click (sender : object , e : EventArgs ) : void Private

[ Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]

mmEdit\_Click (sender : object , e : EventArgs ) : void Private

[ Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]

mmNew\_Click (sender : object , e : EventArgs ) : void Private

[ Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]

## **Program**

Class in package 'WindowsFormsApplication'

Program
Version 1.0 Phase 1.0 Proposed
User created on 04.06.2017. Last modified 04.06.2017

### CONNECTORS

**Dependency** «call» Source -> Destination

From: Program : Class, Public To: MainForm : Class, Public

### **OPERATIONS**

Main (): void Private

The main entry point for the application.

Properties:

Attribute = [STAThread]

[ Is static True. Is abstract False. Is return array False. Is query False. Is synchronized False. ]

## Model

Package in package 'WindowsFormsApplication'

Model
Version 1.0 Phase 1.0 Proposed
User created on 04.06.2017. Last modified 04.06.2017

## CONNECTORS

**Dependency** «use» Source -> Destination

From: MainForm : Class, Public To: Model : Package, Public

## WindowsFormsApplication

Package in package 'WindowsFormsApplication 2010'

WindowsFormsApplication Version 1.0 Phase 1.0 Proposed User created on 04.06.2017. Last modified 04.06.2017

## Model

Package in package 'WindowsFormsApplication'

Model Version 1.0 Phase 1.0 Proposed User created on 04.06.2017. Last modified 04.06.2017

Ι	LINKS TO OTHER PACKAGES			
	☐ Dependency from 'MainForm' Class to 'Model' Package	Direction:	Source -> Destination	

## **Model diagram**

Class diagram in package 'Model'

Model
Version 1.0
User created on 04.06.2017. Last modified 04.06.2017




Figure 2: Model

## Cashflow

Class in package 'Model'

Cashflow Version 1.0 Phase 1.0 Proposed User created on 04.06.2017. Last modified 04.06.2017

## CONNECTORS

Dependency From:

Source -> Destination CashflowsContext: Class, Public

Cashflow: Class, Public

### **OPERATIONS**

Description (): string Public

Properties:

Attribute = [Required];[StringLength(25)]

[ Stereotype is «property». Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]

Direction (): Direction Public

Properties:

virtual = true

[ Stereotype is «property». Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]

DirectionId (): long Public

[ Stereotype is «property». Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]

Id (): int Public

[ Stereotype is «property». Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]

Summa () : double Public

[ Stereotype is «property». Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]

## **CashflowsContext**

Class in package 'Model'

CashflowsContext Version 1.0 Phase 1.0 Proposed User created on 04.06.2017. Last modified 04.06.2017 Extends DbContext

## CONNECTORS

Dependency

Source -> Destination

CashflowsContext: Class, Public From: Cashflow: Class, Public To:

## CONNECTORS

Dependency Source -> Destination CashflowsContext: Class, Public

To: Direction: Class, Public

#### ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class) MainForm

Target: Private db (Class) CashflowsContext

#### **OPERATIONS**

Cashflows (): DbSet<Cashflow> Public

Properties:

virtual = true

[ Stereotype is «property». Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]

CashflowsContext(): Public

Properties:

initializer = base("name=CashflowsContext")

[ Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]

Directions (): DbSet<Direction> Public

Properties:

virtual = true

[ Stereotype is «property». Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]

OnModelCreating (modelBuilder : DbModelBuilder ) : void Protected

Properties:

override = true

[ Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]

## **Direction**

Class in package 'Model'

Direction Version 1.0 Phase 1.0 Proposed User created on 04.06.2017. Last modified 04.06.2017

### CONNECTORS

Dependency Source -> Destination From: CashflowsContext: Class, Public

To: Direction: Class, Public

### **OPERATIONS**

Cashflows (): ICollection<Cashflow> Public

Properties:

Attribute = [System. Diagnostics. Code Analysis. Suppress Message ("Microsoft. Usage", and the property of t

"CA2227:CollectionPropertiesShouldBeReadOnly")]

virtual = true

[ Stereotype is «property». Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]

Direction (): Public

Properties:

Attribute = [System.Diagnostics.CodeAnalysis.SuppressMessage("Microsoft.Usage",

"CA2214:DoNotCallOverridableMethodsInConstructors")]

[ Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]

Id (): long Public

[ Stereotype is «property». Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]

Name (): string Public

Properties:

Attribute = [Required];[StringLength(10)]

[ Stereotype is «property». Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]

ToString (): string Public

Properties:

override = true

[ Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]

## CashflowsForm

Class in package 'WindowsFormsApplication'

CashflowsForm Version 1.0 Phase 1.0 Proposed User created on 04.06.2017. Last modified 04.06.2017 Extends Form

## **CONNECTORS**

Dependency «call» Source -> Destination

From: MainForm: Class, Public To: CashflowsForm: Class, Public

## **OPERATIONS**



CashflowsForm (): Public

[ Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]

## **MainForm**

Class in package 'WindowsFormsApplication'

MainForm
Version 1.0 Phase 1.0 Proposed
User created on 04.06.2017. Last modified 04.06.2017
Extends Form

## CONNECTORS

**Dependency** «call» Source -> Destination

From: MainForm : Class, Public
To: CashflowsForm : Class, Public

**Dependency** «use» Source -> Destination

From: MainForm : Class, Public To: Model : Package, Public

Dependency «call» Source -> Destination

From: Program : Class, Public To: MainForm : Class, Public

### ATTRIBUTES

db : CashflowsContext Private

[ Is static False. Containment is Not Specified. ]

## ASSOCIATIONS

Association (direction: Source -> Destination)

Source: Public (Class) MainForm Target: Private db (Class) CashflowsContext

## **OPERATIONS**

MainForm (): Public

[ Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]

mmDelete\_Click (sender : object , e : EventArgs ) : void Private

[ Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]

mmEdit Click (sender : object , e : EventArgs ) : void Private

[ Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]

mmNew Click (sender : object , e : EventArgs ) : void Private

[ Is static False. Is abstract False. Is return array False. Is query False. Is synchronized False. ]

## **Program**

Class in package 'WindowsFormsApplication'

Program Version 1.0 Phase 1.0 Proposed User created on 04.06.2017. Last modified 04.06.2017

## **CONNECTORS**

**Dependency** «call» Source -> Destination

Program : Class, Public MainForm: Class, Public To:

## **OPERATIONS**



Main (): void Private

The main entry point for the application.

Properties:

Attribute = [STAThread]

[ Is static True. Is abstract False. Is return array False. Is query False. Is synchronized False. ]