



**FEU INSTITUTE OF TECHNOLOGY**

COLLEGE OF COMPUTER STUDIES AND MULTIMEDIA ARTS

# **CS0065 (INTELLIGENT SYSTEMS)**

## **TECHNICAL ASSESSMENT**

# **3**

### **CASE-BASED REASONING (CBR) SYSTEM DEVELOPMENT**

|                     |                       |
|---------------------|-----------------------|
| <b>Student Name</b> | Andrews, Kurt Kent C. |
| <b>Section:</b>     | AN41                  |
| <b>Professor:</b>   | Ms. Crisola Tan       |
| <b>Date:</b>        | October 4, 2026       |

## I. BACKGROUND INFORMATION

**Case-Based Reasoning (CBR)** is an intelligent problem-solving approach used in **Knowledge Representation and Reasoning (KRR)**. Instead of relying solely on predefined rules, CBR systems solve new problems by referring to past experiences, also known as cases. These cases contain previous problems and their successful solutions. When a new situation arises, the system identifies the most similar past case, adapts the old solution to fit the new context, and applies it. Afterward, the new case is saved, allowing the system to learn and continuously improve.

CBR is widely used in various fields, such as disaster response, legal assistance, and intelligent tutoring, because it mimics how humans naturally make decisions. For example, emergency responders rely on past typhoon data to plan evacuations; lawyers examine previous legal cases to build arguments; and tutoring systems look at prior student mistakes to provide customized guidance. In all these examples, past knowledge becomes the foundation for solving future problems more effectively.

This activity allows students to experience how CBR works by developing a simple, functional CBR program based on real-world scenarios. Through pair programming, students will learn how to represent cases, implement similarity assessment, adapt solutions, and store new learning experiences—reflecting the complete CBR cycle. This hands-on approach strengthens understanding of how intelligent systems use experiential knowledge to support reasoning, decision-making, and learning.

## II. TECHNICAL ASSESSMENT

### CASE-BASED REASONING (CBR) SYSTEM DEVELOPMENT

#### *Objective*

At the end of this laboratory activity, students are expected to:

1. **Understand and apply the Case-Based Reasoning (CBR) cycle**, including retrieval, reuse, revision, and retention.
2. **Represent cases effectively** using appropriate data structures such as dictionaries, arrays, JSON objects, or classes.
3. **Implement a similarity assessment method** to identify relevant past cases based on defined attributes.
4. **Adapt retrieved solutions** to meet the needs of a new problem scenario based on the chosen case study.
5. **Demonstrate learning in CBR** by saving the newly solved case into the system's case base.
6. **Develop collaboration skills** through pair programming and joint problem analysis.
7. **Apply knowledge representation and reasoning concepts** to real-world problems in disaster response, legal reasoning, or intelligent tutoring.

## Materials Needed

### 1. Hardware

- A laptop or desktop computer
- Stable internet connection (for research, documentation, submission)

### 2. Software

A programming environment:

- Python (recommended: IDLE, VS Code, Jupyter Notebook, PyCharm)
- Any text editor (Notepad++, Sublime, VS Code) if needed

### 3. File Formats & Tools

Word processor for documentation:

- MS Word, Google Docs, or LibreOffice
- Screenshot tool (e.g., Snipping Tool, Lightshot, Print Screen)

### 4. Reference Materials

Lecture notes on:

- Knowledge Representation & Reasoning
- Case-Based Reasoning cycle
- Similarity measures

Provided case studies (Disaster DSS, Legal DSS, Intelligent Tutoring System)

### 5. Pair Collaboration Tools (optional but useful)

- Google Drive for shared documentation
- GitHub/GitLab for code collaboration

## General Instructions

1. This **Technical Assessment (TA3)** must be completed by Pair.
2. Please ensure that you are grouped as pairs in the People tab.
3. Select only one case study from the list below.
4. Include clear comments in your code to describe its logic.
5. Each program should display the correct input, process, and output.
6. Ensure that your script displays clear and readable outputs.
7. Compile all Python codes and corresponding outputs into one PDF file.
8. Save it as **TA3\_lastname1\_lastname2.pdf**  
(Example: TA2\_Patilano\_Loverez.pdf)
9. Submit the **python file** and **PDF** file.



### Step-by-Step Instructions

#### 1. Form a pair

Choose a partner. Each pair will work collaboratively on research, coding, debugging, and presenting your results.

#### 2. Choose ONE (1) case study

Select only one case study from the list below. Your program must be based on the scenario and logic of the chosen system:

**Case Study Options:**

1. *Disaster Response Decision Support System (DSS)*
2. *AI-Based Legal Decision Support System*
3. *Intelligent Tutoring System (ITS)*

**3. Define your case base**

Create at least **3–5 past cases** stored as dictionaries, JSON objects, arrays, or any structure.

**Example structure:**

```
{
  "problem": {...},
  "solution": {...}
}
```

**4. Implement similarity assessment**

Your program must include a way to measure similarity between the new case and past cases.

Examples:

- Attribute matching
- Weighted scoring
- Simple rule-based comparison

**Output should show: (sample)**

- ✓ Similarity score or ranking
- ✓ The most relevant past case retrieved

**5. Adapt the solution**

Modify the retrieved solution so it fits the new problem scenario.

This part should reflect the logic of your chosen case study:

**Examples:**

- **DSS:** Adjust evacuation plans based on population size
- **Legal DSS:** Modify arguments due to new digital evidence
- **ITS:** Give personalized feedback based on student errors

**6. Demonstrate learning (retain stage)**

After generating a final solution, store the new case into your case base.

**Your program must show:**

- ✓ "New case saved" or similar confirmation
- ✓ Updated case list

**7. Display clear program outputs**

Your output must include:

- New problem description
- Retrieved similar case
- Adapted final solution
- Updated case base

## 8. Submission Requirements

Submit the following:

### A. Program File

- Python

### B. Short Documentation (1–2 pages)

Include:

- Title of chosen case study
- Description of your case base
- Explanation of similarity method
- Adaptation logic
- Screenshots of program execution

### C. Pair Reflection (5–7 sentences)

Discuss:

- What each partner contributed
- What challenges you encountered
- What you learned about CBR

## Case Studies:

### Case Study 1: Disaster Response Decision Support System

A CBR-based DSS helps local government units respond to natural disasters.

- Past cases include typhoons, floods, and earthquakes.
- New event: *Typhoon with expected flooding in urban areas.*
- System retrieves similar events: *Typhoon Ursula (2019)* and *Typhoon Odette (2021)*.
- It adapts recommended responses such as evacuation strategy, resource allocation, and shelter capacity.
- After execution, the system stores new outcomes for improved future reasoning.

### Learning Outcome:

CBR helps governments respond faster by using *experiential knowledge* rather than rebuilding decisions from scratch.

### Case Study 2: AI-Based Legal Decision Support System

A legal CBR tool assists lawyers by retrieving previous court cases similar to the current legal issue.

### Scenario:

Client is charged with “theft involving electronic transfer.” System retrieves past cases involving:

- online theft
- digital fraud
- unauthorized bank transfers

---

Adaptation:

The reasoning engine adjusts argument patterns to match the new technical context.

**Learning:**

After final verdict, the case is stored—enhancing the system’s knowledge for future cybercrime-related offenses.

---

**Case Study 3: Intelligent Tutoring System**

A CBR system identifies the learning struggles of students.

Student submits a math solution with repeated errors.

System retrieves past students with similar error patterns (e.g., misusing formulas).

It adapts feedback and personalized lessons based on successful interventions.

**Learning:**

System improves by retaining new student profiles and outcomes.

---

## Your Code - Laboratory Tasks

```
# =====
# CS0065 - INTELLIGENT SYSTEMS: TECHNICAL ASSESSMENT 3 (CBR SYSTEM)
# CASE STUDY 2: AI-BASED LEGAL DECISION SUPPORT SYSTEM
# =====

import math

# -----
# STEP 0: INITIALIZE CASE BASE (KNOWLEDGE REPRESENTATION)
# -----
# Storing 4 past legal cases with structured 'problem' and 'solution' attributes.
past_cases = [
    {
        "case_id": "LEGAL_2021_01",
        "problem": {
            "charge": "unauthorized_bank_transfer",
            "amount_stolen": 50000,
            "evidence_type": "IP_address_logs",
            "is_repeat_offender": False
        },
        "solution": {
            "primary_defense": "Challenge IP attribution and argue lack of physical connection to device.",
            "bail_recommendation": 30000,
            "applicable_statute": "Cybercrime Prevention Act - Sec 4(a)(1) Illegal Access"
        }
    },
    {
        "case_id": "LEGAL_2022_05",
        "problem": {
            "charge": "online_identity_theft",
            "amount_stolen": 200000,
            "evidence_type": "phishing_site_logs",
            "is_repeat_offender": True
    }
```

```

    },
    "solution": {
      "primary_defense": "File motion to suppress digital evidence due to chain-of-custody gaps.",
      "bail_recommendation": 120000,
      "applicable_statute": "Cybercrime Prevention Act - Sec 4(b)(2) Computer-related Identity Theft"
    }
  },
  {
    "case_id": "LEGAL_2023_12",
    "problem": {
      "charge": "digital_fraud",
      "amount_stolen": 300000,
      "evidence_type": "wire_transfer_records",
      "is_repeat_offender": True
    },
    "solution": {
      "primary_defense": "Argue absence of intent to defraud and misidentification by financial
institution.",
      "bail_recommendation": 180000,
      "applicable_statute": "Revised Penal Code - Art. 315 (Estafa via Cybercrime)"
    }
  },
  {
    "case_id": "LEGAL_2024_03",
    "problem": {
      "charge": "unauthorized_bank_transfer",
      "amount_stolen": 80000,
      "evidence_type": "session_cookie_hijack",
      "is_repeat_offender": False
    },
    "solution": {
      "primary_defense": "Assert third-party malware infection without client awareness or intent.",
      "bail_recommendation": 45000,
      "applicable_statute": "Cybercrime Prevention Act - Sec 4(a)(1) Illegal Access"
    }
  }
]

# -----
# NEW UNRESOLVED PROBLEM (NEW CLIENT CASE)
# -----
new_problem = {
  "charge": "unauthorized_bank_transfer",
  "amount_stolen": 150000,
  "evidence_type": "2FA_bypass_logs",
  "is_repeat_offender": False
}

# -----

```

```

# STEP 1: RETRIEVAL PHASE (SIMILARITY ASSESSMENT)
# -----
def calculate_legal_similarity(new_p, past_p):
    """
    Calculates weighted similarity score between a new problem and a past case.
    Weights: Charge (0.50), Amount Stolen (0.30), Offender History (0.20)
    """
    # 1. Charge Similarity (Exact Categorical Match)
    charge_sim = 1.0 if new_p["charge"] == past_p["charge"] else 0.0

    # 2. Financial Amount Difference (Normalized linear metric, max range PHP 300,000)
    max_range = 300000.0
    amount_diff = abs(new_p["amount_stolen"] - past_p["amount_stolen"]) / max_range
    amount_sim = max(0.0, 1.0 - amount_diff)

    # 3. Offender History Match (Exact Boolean Match)
    offender_sim = 1.0 if new_p["is_repeat_offender"] == past_p["is_repeat_offender"] else 0.0

    # Weighted composite score calculation
    total_score = (0.50 * charge_sim) + (0.30 * amount_sim) + (0.20 * offender_sim)
    return total_score

def retrieve_best_case(new_p, cases):
    """Iterates over the case base and returns the highest scoring case."""
    best_case = None
    highest_score = -1.0

    print("\n" + "=" * 70)
    print(" 1. RETRIEVAL PHASE: EVALUATING PRECEDENT SIMILARITY")
    print("=" * 70)

    for case in cases:
        score = calculate_legal_similarity(new_p, case["problem"])
        print(f" -> Comparing with {case['case_id']}: Similarity Score = {score * 100:.2f}%")
        if score > highest_score:
            highest_score = score
            best_case = case

    print("-" * 70)
    print(f" RETRIEVED PRECEDENT : {best_case['case_id']} ({highest_score * 100:.2f}% Match)")
    return best_case, highest_score

# -----
# STEPS 2 & 3: REUSE & REVISE PHASES (ADAPTATION LOGIC)
# -----
def adapt_legal_solution(new_p, retrieved_c):
    retrieved_sol = retrieved_c["solution"]
    past_p = retrieved_c["problem"]

```

```

# 1. Base Bail Proportional Scaling (by stolen amount)
amount_ratio = new_p["amount_stolen"] / past_p["amount_stolen"]
adapted_bail = round(retrieved_sol["bail_recommendation"] * amount_ratio)

# 2. DIRECT ADAPTATION RULE: Offender History Penalty
# If the new client is a repeat offender, increase bail by 50%
if new_p["is_repeat_offender"]:
    adapted_bail = round(adapted_bail * 1.5)

# 3. Contextual Evidence Adaptation
base_defense = retrieved_sol["primary_defense"]
if new_p["evidence_type"] != past_p["evidence_type"]:
    adapted_defense = (
        f"{base_defense} [ADAPTED: Specifically contest validity of "
        f"{new_p['evidence_type']}' via forensic integrity audit]."
    )
else:
    adapted_defense = base_defense

# 4. DIRECT ADAPTATION RULE: Legal Strategy Note for Recidivism
if new_p["is_repeat_offender"] and not past_p["is_repeat_offender"]:
    adapted_defense += " [NOTE: Prepare counter-arguments for prosecution's motion to deny bail based on prior record.]"

return {
    "primary_defense": adapted_defense,
    "bail_recommendation": adapted_bail,
    "applicable_statute": retrieved_sol["applicable_statute"]
}

# -----
# STEP 4: RETAIN PHASE (LEARNING & STORAGE)
# -----
def retain_new_case(new_p, final_sol, cases):
    """Saves the new case into the existing case base for future reasoning[cite: 2]."""
    new_case_id = f"LEGAL_2026_{len(cases) + 1:02d}"
    new_case = {
        "case_id": new_case_id,
        "problem": new_p,
        "solution": final_sol
    }
    cases.append(new_case)
    return new_case_id

# =====
# MAIN EXECUTION WORKFLOW
# =====

```

```

if __name__ == "__main__":
    # Display Input
    print("=" * 70)
    print(" NEW CLIENT CASE INPUT (PROBLEM)")
    print("=" * 70)
    print(f" Charge           : {new_problem['charge']}")
    print(f" Amount Stolen       : PHP {new_problem['amount_stolen']:,}")
    print(f" Evidence Type        : {new_problem['evidence_type']}")
    print(f" Repeat Offender      : {new_problem['is_repeat_offender']}")

    # 1. Retrieve
    matched_case, similarity = retrieve_best_case(new_problem, past_cases)

    # 2 & 3. Reuse & Revise
    adapted_sol = adapt_legal_solution(new_problem, matched_case)

    print("\n" + "=" * 70)
    print(" 2 & 3. REUSE & REVISE PHASES: ADAPTED LEGAL STRATEGY")
    print("=" * 70)
    print(f" Primary Defense      : {adapted_sol['primary_defense']}")
    print(f" Recommended Bail     : PHP {adapted_sol['bail_recommendation']:,}")
    print(f" Applicable Statute   : {adapted_sol['applicable_statute']}")

    # 4. Retain
    new_id = retain_new_case(new_problem, adapted_sol, past_cases)

    print("\n" + "=" * 70)
    print(" 4. RETAIN PHASE: KNOWLEDGE BASE UPDATE")
    print("=" * 70)
    print(f" Status               : New case successfully retained into Case Base[cite: 2].")
    print(f" Assigned Case ID     : {new_id}")
    print(f" Total Case Base      : {len(past_cases)} cases stored.")
    print("=" * 70)

```