Practical 6 LAMP Technology

2CSDE69

Mistry Unnat

20BCE515

Date

April 16, 2022



Department of Computer Science and Engineering
Institute of Technology
Nirma University
Ahmedabad

AIM:

A. Create a customer registration form for bank. Validate the form using PHP validators and display error messages.

B. Create a form for student semester grade report. Validate the form using PHP validators and display error messages.

6-A

Bank.php:

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=Ba, initial-scale=1.0">
    <title>Registration Form</title>
    <link rel="stylesheet" href="style.css">
</head>
<body>
    <?php
include "validate.php";
    <h1>Account Registration Form</h1>
</center>
    <div id="form">
        <form action="<?php echo htmlspecialchars($_SERVER['PHP_SELF']) ?>"
method="post">
            <span class= "error">
                <?php echo $requiredErr ?>
            </span>
            <h2>Account Information</h2>
            <!-- Account type -->
            <label for="accountType">Account type : </label>
            <select name="accountType" id="accountType" value="currentAccount"</pre>
                <option selected disabled hidden style='display: none'</pre>
value=''></option>
                 <option value="currentAccount" <?php echo</pre>
$ SESSION['currentAccount'] ?>>Current Account</option>
```

```
<option value="savingAccount" <?php echo</pre>
$_SESSION['savingAccount'] ?>>Saving Account</option>
                <option value="nreAccount" <?php echo $_SESSION['nreAccount']</pre>
?>>NRE Account
            </select>
            <span class="error">
                <?php echo $accountTypeErr ?>
            </span>
            <h2>Personal Information</h2>
            The information given in this section is considered as the
information of the primary account owner
                information.
            <!-- Photoghraph -->
            <label for="photograph">Attach photograph : </label>
            <!-- <input type="file" name="img" id="img" accept="image/*"
onchange="loadFile(event)" src="<?php echo $_SESSION['img']; ?>"> -->
            <input type="file" name="img" id="img" accept="image/*"</pre>
onchange="loadFile(event)"
                src="WIN_20220222_16_53_12_Pro">
            <span class="error">
                <?php echo $imgErr ?>
            </span><br>
            <img id="output" width="200" />
            <br><br><br>
            <label for="name">Name</label><br>
            <input type="text" name="surname" id="name" placeholder="Surname"</pre>
value="<?php echo $_SESSION['surname'] ?>">
            <span class="error">
                <?php echo $surnameErr ?>
            </span>
            <input type="text" name="firstName" id="name" placeholder="First</pre>
      value="<?php echo $_SESSION['firstName'] ?>">
            <span class="error">
                <?php echo $firstNameErr ?>
            </span>
            <input type="text" name="lastName" id="name" placeholder="Last</pre>
Name" value="<?php echo $_SESSION['lastName'] ?>">
            <span class="error">
                <?php echo $lastNameErr ?>
            </span>
            <br><br><br>
```

```
<!-- Phone Number -->
            <label for="phone">Phone Number</label><br>
            <input type="text" name="phoneAreaCode" id="phone" value="+91"</pre>
placeholder="Area code" size="5">
            <input type="text" name="phone" id="phone" placeholder="Phone</pre>
Number" value="<?php echo $_SESSION['phone'] ?>">
            <span class="error">
                <?php echo $phoneErr ?>
            </span>
            <!-- Email Address -->
            <label for="email">Email</label><br>
            <input type="email" name="email" id="email" value="<?php echo</pre>
$_SESSION['email'] ?>">
            <span class="error">
                <?php echo $emailErr ?>
            </span>
            <br><br><br>
            <!-- Date of Birth -->
            <label for="DOB">Date of Birth</label><br>
            <input type="date" name="DOB" id="DOB" value="$_SESSION['DOB'])">
            <span class="error">
                <?php echo $DOBErr ?>
            </span>
            <br><br><br>>
            <!-- Aadhar Number -->
            <label for="aadhar">Aadhar Number</label><br>
            <input type="text" name="aadhar" id="aadhar" value="<?php echo</pre>
$_SESSION['aadhar']; ?>">
            <span class="error">
                <?php echo $aadharErr ?>
            </span>
            <!-- Marital Status -->
            <label>Marital Status</label><br>
            Married<input type="radio" name="maritalStatus" id="married"</pre>
value="married" <?php echo $_SESSION['married'] ?>>
               
            Not-married<input type="radio" name="maritalStatus" id="married"
value="notMarried" <?php echo $_SESSION['notMarried'] ?>>
```

```
<span class="error">
                 <?php echo $maritalStatusErr ?>
            </span>
            <br><br><br>></pr>
            <!-- Permanent Address -->
            <label for="permanentAddress">Permanent Address</label><bre><bre>
            <input type="text" name="street1" id="permanentAddress"</pre>
placeholder="Street Address 1" value="<?php echo $_SESSION['street1'] ?>">
            <span class="error">
                 <?php echo $street1Err ?>
            </span>
            <input type="text" name="street2" id="permanentAddress"</pre>
placeholder="Street Address 2" value="<?php echo $_SESSION['street2'] ?>">
            <br>
            <input type="text" name="city" placeholder="City" value="<?php</pre>
echo $_SESSION['city'] ?>">
            <span class="error">
                 <?php echo $cityErr ?>
            </span>
            <input type="text" name="state" placeholder="State" value="<?php</pre>
echo $_SESSION['state'] ?>">
            <span class="error">
                 <?php echo $stateErr ?>
            </span>
            <input type="text" name="pincode" placeholder="Pincode"</pre>
value="<?php echo $_SESSION['pincode'] ?>">
            <span class="error">
                 <?php echo $pincodeErr ?>
            </span>
            <br>
            <span class="error">
                 <?php echo $addressErr ?>
            </span>
            <br><br><br>
            <!-- Signature -->
            <label for="signature">Attach signature : </label>
            <input type="file" name="signature" id="signature"</pre>
accept="image/*" onchange="loadFile2(event)">
            <span class="error">
                 <?php echo $signatureErr ?>
            </span>
```

```
<br>
            <img id="signatureImg" width="200" />
            <br><br><br>
            By signing this form, I acknowledge that the information I've
given in this form is accurate and I agree
                all the terms and conditions.
            <input type="checkbox" name="agreeTermsAndConditions"</pre>
id="agreeTermsAndConditions" <?php echo $_SESSION['agreeTermsAndConditions']</pre>
?>> <label</pre>
                for="agreeTermsAndConditions" style="font-weight: normal;">I
agree to terms and conditions </label>
            <span class="error">
                <?php echo $agreeTermsAndConditionsErr ?>
            <br><br><br>
            <center>
                <input type="submit" value="Submit">
        </form>
    </div>
</body>
<script>
    var loadFile = function (event) {
        var image = document.getElementById('output');
        image.src = URL.createObjectURL(event.target.files[0]);
    };
    var loadFile2 = function (event) {
        var image = document.getElementById('signatureImg');
        image.src = URL.createObjectURL(event.target.files[0]);
    };
</script>
</html>
```

validate.php:

```
<?php
session_start();

$inputArr = array('img', 'surname', 'firstName', 'lastName', 'phoneAreaCode',
'phone', 'email', 'DOB', 'aadhar', 'street1', 'street2', 'city', 'state',
'pincode', 'signature');</pre>
```

```
$listArr = array('accountType', 'address', 'currentAccount', 'savingAccount',
'nreAccount', 'maritalStatus', 'married', 'notMarried',
'agreeTermsAndConditions');
$requiredErr = "";
foreach ($inputArr as $arr) {
   $temp = $arr . "Err";
   $$temp = "";
   // session variable
   $_SESSION[$arr] = "";
foreach ($listArr as $arr) {
    // variables to display error
    $temp = $arr . "Err";
    $$temp = "";
   // session variable
   $_SESSION[$arr] = "";
function test_input($data)
   $data = trim($data);
   $data = stripslashes($data);
   $data = htmlspecialchars($data);
   return $data;
if ($_SERVER["REQUEST_METHOD"] == "POST") {
   foreach ($inputArr as $arr) {
       $_SESSION[$arr] = test_input($_POST[$arr]);
   // Check if the input is empty
   foreach ($inputArr as $arr) {
        if (empty($_SESSION[$arr])) {
            $temp = $arr . "Err";
            $$temp = "*";}
    // Validate Account Type
    if (empty($_POST['accountType'])) {
        $accountTypeErr = "*";
        $_SESSION['accountType'] = $_POST['accountType'];
       $ SESSION[$ SESSION['accountType']] = "selected";
```

```
Validate Name
    function validateName($name)
        if (empty($_SESSION[$name])) {
            return "*";
        if (preg_match_all('/[^A-Za-z]/', $_SESSION[$name])) {
            $_SESSION[$name] = "";
            return "Only letters are allowed";
    $surnameErr = validateName("surname");
    $firstNameErr = validateName("firstName");
    $lastNameErr = validateName("lastName");
    if (!empty($_SESSION['phone']) && (!preg_match_all('/[0-9]/',
$_SESSION['phone']) || strlen($_SESSION['phone']) != 10)) {
        $_SESSION['phone'] = "";
        $phoneErr = "Invalid Phone Number";
    // Validate email
    if (!empty($_SESSION['email']) && !filter_var($_SESSION['email'],
FILTER_VALIDATE_EMAIL)) {
        $_SESSION['email'] = "";
        $emailErr = "Invalid email";
    // Validate age
    if (!empty($_SESSION['DOB'])) {
        $date1 = new DateTime("now");
        $date2 = new DateTime($_SESSION['DOB']);
        $interval = $date1->diff($date2);
        // echo "difference " . . " years, " . $interval->m." months,
        if ($interval->y < 18) {</pre>
            $_SESSION['DOB'] = "";
            $DOBErr = "You must be 18 years old";
        } else if ($interval->y > 120) {
            $_SESSION['DOB'] = "";
            $DOBErr = "Invalid DOB";
```

```
// Validate aadhar no
    if (!empty($_SESSION['aadhar']) && (!preg_match_all('/[0-9]/',
$_SESSION['aadhar']) || strlen($_SESSION['aadhar']) != 12)) {
        $aadharErr = "Invalid Aadhar Number";
    if (empty($_POST['maritalStatus'])) {
        $maritalStatusErr = "*";
    } else {
        $ SESSION[$_POST['maritalStatus']] = "checked";
    // Validate Address
    if (!empty($_SESSION['street1'])) {
        if (preg_match_all('/[^0-9a-zA-Z ,\/]/', $_SESSION['street1'])) {
            $addressErr = $addressErr . "<br>Only letters, numbers , ',' and
'/' are allowed in street address";
            $_SESSION['street1'] = "";
    if (!empty($_SESSION['city'])) {
        if (preg_match_all('/[^a-zA-Z]/', $_SESSION['city'])) {
            $addressErr = $addressErr . "<br>Only letters are allowed in city
address";
            $_SESSION['city'] = "";
        }
    if (!empty($_SESSION['state'])) {
        if (preg_match_all('/[^a-zA-Z]/', $_SESSION['state'])) {
            $addressErr = $addressErr . "<br>Only letters are allowed in state
address";
            $_SESSION['state'] = "";
    if (!empty($_SESSION['pincode'])) {
        if (preg_match_all('/[^0-9]/', $_SESSION['pincode']) ||
strlen($_SESSION['pincode']) < 2 || strlen($_SESSION['pincode']) > 7) {
           $addressErr = $addressErr . "<br>Invalid pincode";
```


```
$_SESSION['pincode'] = "";
    if (isset($ POST['agreeTermsAndConditions'])) {
        $_SESSION['agreeTermsAndConditions'] = "checked";
   } else {
       $agreeTermsAndConditionsErr = "*";
    echo empty($_POST['agreeTermsAndConditions']) . "<br>";
    if (!(empty($_SESSION['accountType']) || empty($_SESSION['surname']) ||
empty($_SESSION['firstName']) || empty($_SESSION['lastName']) ||
empty($_SESSION['phone']) || empty($_SESSION['email']) ||
empty($_SESSION['aadhar']) || empty($_SESSION['street1']) &&
empty($_SESSION['city']) || empty($_SESSION['state']) ||
empty($_SESSION['pincode']) || empty($_SESSION['agreeTermsAndConditions']))) {
        echo "<script>alert('Form Submitted Successfully...'); window.location
= './bank.php';</script>;";
   } else {
        $requiredErr = "* is required";
```

style.css:


```
body {
    background-color: #ebe6f9;
    font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
    font-size: 15px;
#form {
    background-color: rgb(255, 255, 255);
    width: 50%;
    margin: 0px auto;
    padding: 20px 50px;
    border-radius: 0px 0px 15px 15px;
h1 {
    background-color: #6040b2;
    color: white;
    width: 50%;
    border-radius: 15px 15px 0px 0px;
    font-weight: lighter;
    padding: 5px 50px;
    margin-bottom: 0px;
label {
```

```
font-weight: bold
}
h2 {
    color: rgb(15, 104, 192);
    font-size: 20px;
    text-decoration: underline;
}
input[type=submit] {
    background-color: #6040b2;
    color: white;
    border-radius: 5px;
    margin-top: 15px;
    padding: 6px;
}
.error {
    color: red;
}
```


Screenshots:




Adding some information:




On submitting:



Adding all informations:



Submitting form:



6-B

gradeReport.php:

```
<!DOCTYPE html>
<html lang="en">
   <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Grade Report</title>
    <style>
        .error {
            color: red;
        }
        body {
            background-color: #efecf8;
            font-family: 'Segoe UI', Tahoma, Geneva, Verdana, sans-serif;
        form {
            background-color: rgb(255, 255, 255);
            width: 50%;
            margin: auto auto;
            border-radius: 15px;
        #form {
            padding: 50px;
            padding-right: 0%;
            padding-left: 14%;
            padding-top: 0px;
            /* border-radius: 50px; */
        h1 {
            background-color: #6040b2;
            color: white;
            border-radius: 15px 15px 0px 0px;
            font-weight: lighter;
            padding: 5px;
            padding-left: 0px;
        input[type=submit] {
```

```
margin-left: 35%;
            background-color: #6040b2;
            color: white;
            border-radius: 5px;
            margin-top: 15px;
        }
        #gradeReport {
            background-color: rgb(255, 255, 255);
            width: 15%;
            padding: 0% 10%;
            margin: auto auto;
            border-radius: 0px 0px 15px 15px;
        }
        #grade_report_h2 {
            margin-top: 20px;
            background-color: #6040b2;
            color: white;
            border-radius: 15px 15px 0px 0px;
            font-weight: lighter;
            padding-left: 0px;
            width: 15%;
            padding: 5px 10%;
            margin: 15px auto;
        #gradeReport table {
            margin: 10px;
    </style>
</head>
<body>
    <?php
// Session start
session_start();
// Set error variables and session variable
if (isset($_SESSION)) {
    $courseArr = array('THOC', 'FIVP', 'CC', 'GT', 'LAMP', 'Optional',
'Optional');
    $_SESSION['enr'] = "";
    $_SESSION['name'] = "";
    $enrErr = "";
    $nameErr = "";
    $requiredErr = "";
    for ($i = 1; $i <= 7; $i++) {
        $marks = "marks " . $i;
```


```
$credit = "credit_" . $i;
        $error = "error_" . $i;
        $course = "course_" . $i;
        $_SESSION[$marks] = "";
        if ($i <= 5) {
            $_SESSION[$credit] = 4;
        } else {
            $_SESSION[$credit] = "";
        $$error = "";
        $_SESSION[$course] = $courseArr[$i - 1];
$noError = true;
// After submitting the form
if ($_SERVER['REQUEST_METHOD'] == "POST" && isset($_POST['submit'])) {
    $noErrorAll = true;
    if (empty($_POST['enr'])) {
        $enrErr = "*";
        $noErrorAll = false;
    } else {
        $_SESSION['enr'] = $_POST['enr'];
    if (empty($_POST['name'])) {
        $nameErr = "*";
        $noErrorAll = false;
    } else {
        $_SESSION['name'] = $_POST['name'];
    for ($i = 1; $i <= 7; $i++) {
        $marks = "marks_" . $i;
        $credit = "credit_" . $i;
        $error = "error_" . $i;
        $course = "course_" . $i;
        $noError = true;
        if (empty($_POST[$course]) || empty($_POST[$credit]) ||
empty($_POST[$marks])) {
            if ($i <= 5) {
                $$error = "*";
                $noError = false;
                $noErrorAll = false;
        } elseif ($_POST[$credit] < 1 || $_POST[$credit] > 6) {
            $$error = "Invalid credits";
            $noError = false;
            $noErrorAll = false;
```

```
if (!empty($ POST[$marks]) && ($ POST[$marks] < 0 || $ POST[$marks] >
100)) {
            if (empty($$error)) {
               $$error = "Invalid marks";
            } else {
                $$error = "Invalid credit and marks";
            $noError = false;
            $noErrorAll = false;
        }
        if ($noError) {
            $_SESSION[$course] = $_POST[$course];
            $_SESSION[$credit] = $_POST[$credit];
            $_SESSION[$marks] = $_POST[$marks];
        } else {
            $requiredErr = "* is required";
    }
    <form action="<?php echo $_SERVER['PHP_SELF'] ?>" method="POST">
            <h1>Student Grade Report</h1>
        </center>
        <div id="form">
            <span class="error">
                <?php echo $requiredErr ?>
            </span>
            <h2>Student Details</h2>
            <label for="enr">Enr no. : </label>
            <input type="text" name="enr" id="enr" value="<?php echo</pre>
$_SESSION['enr'] ?>"><span class="error">
                <?php echo $enrErr ?>
            </span>
            <label for="name">Name : </label>
            <input type="text" name="name" id="name" value="<?php echo</pre>
$_SESSION['name'] ?>"><span class="error">
                <?php echo $nameErr ?>
            </span>
            <h2>Student Marks</h2>
            <thead>
                    Course
                    Credit
                    Marks
                </thead>
```


```
<?php
$course = array('THOC', 'FIVP', 'CC', 'GT', 'LAMP');
$index = 0;
for ($i = 1; $i <= 7; $i++) {
   $marks = "marks " . $i;
   $credit = "credit_" . $i;
   $error = "error_" . $i;
   $course = "course_" . $i;
   if ($i == 6) {
      courseBlank if no extra course"}
echo '<input type="text" value= ' . $_SESSION[$course] . ' name="'.
$course . '" placeholder="marks"><input type="number" name="credit_'</pre>
. $i . '" value= ' . $_SESSION[$credit] . '>
<input type="text" name="marks_' . $i . '" placeholder="marks" value=' .
$ SESSION[$marks] . '>
<?php echo $$error ?>
<?php
echo '';
             <input type="submit" name="submit" value="Submit">
   </form>
   </div>
   <?php
if (isset($_POST['submit']) && $noErrorAll) {
<center><h2 id="grade_report_h2">Grade Report</h2></center> <div</pre>
id="gradeReport">
<b>Name : </b>' . $_SESSION['name'] . '<br><b>Enr : </b>' . $_SESSION['enr'] .
<thead>
Sr.
Course
Credit
Grade
</thead>
';
   $totalCredit = 0;
   $spi = 0;
   for ($i = 1; $i <= 7; $i++) {
```

```
$marks = "marks_" . $i;
       $credit = "credit_" . $i;
       $error = "error_" . $i;
       $course = "course_" . $i;
       if (\$i > 5 \&\& empty(\$ SESSION[\$marks])) {
           break;
       if ($_SESSION[$marks] < 40) {</pre>
           $grade = "IF";
       } elseif ($_SESSION[$marks] >= 90) {
           $grade = "A+";
           $gradePoint = 10;
       } elseif ($_SESSION[$marks] >= 80) {
           $grade = "A";
           $gradePoint = 9;
       } elseif ($_SESSION[$marks] >= 70) {
           $grade = "B+";
           $gradePoint = 8;
       } elseif ($_SESSION[$marks] >= 60) {
           $grade = "B";
           $gradePoint = 7;
       } elseif ($_SESSION[$marks] >= 50) {
           $grade = "C+";
           $gradePoint = 6;
       } elseif ($_SESSION[$marks] >= 40) {
           $grade = "C";
           $gradePoint = 5;
       if ($grade == "IF") {
           $spi = "IF";
       if ($spi != "IF") {
           $totalCredit += $_SESSION[$credit];
           $spi += ($gradePoint * $_SESSION[$credit]);
       echo "" . $i . "" . $_SESSION[$course] . ""
$_SESSION[$credit] . "" . $grade . "";}
   echo "";
   $spi = $spi == "IF" ? "IF" : $spi / $totalCredit;
   echo "<center><b>Spi : </b>" . round($spi,2) .
"</center>";
   echo '</div>';
</body>
</html>
```


Screenshots:




Entering invalid marks:




On submitting:



Adding one more course and entering credit and marks:



On submitting:



END