



UHF 920-925MHz
RFID Long range reader

UHF Reader TW-UHF5

TW-UHF5 is an out door IP66-rated long-range 920-925MHzproximity card reader designed specifically for S4A-access proximity cards and stickers.

With its 40 feet read-range, TW-UHF5 provides users convenient RFID authentication for many applications including door access, vehicular gate access and any application in which the user no longer needs to have their RFID credential held in close range to the RFID reader.

TW-UHF5 a built-in Wiegand-Out port which can be connected to most any access control panel (including s4a-access ACB series control board as ACB-001, ACB-002, ACB-004).








Specification

Working Frequency	National standard (920~925MHz), American standard (902~928MHz), or customize other frequency
Support Protocol	ISO18000-6B, ISO18000-6C(EPC GEN2)
Frequency Hopping	FHSS or fixed frequency set by software
Working Way	Automatically reading card at regular time, can set reading card way
Frequency Power	0~30dBm, be adjusted by software
Reading Sensitivity	1~5M
Reading Speed	Dual polarization reading
Reading Distance	One label 64 bit ID number < 6ms
Antenna	Build-in circular polarization antenna, gain 8dB /build-in linear polarization antenna, gain 12dBi
Working Voltage	DC +12V
Working Status Indication	Buzzer
Power	1W
Working Temperature	-20°C ~ 80°C
Storage Temperature	-40°C ~ 125°C
Working Humidity	20%~95%(no condensing)

Dimensions

TW-UHF5 227 x 227 x 60mm











Wiring Diagram

Standard Version



Lan Version



- Head Office: D-162, Okhla Industrial Area Phase I, New Delhi, 110020.
- Regional Office: Mumbai, Bengaluru, Ahmedabad, Chennai, Kolkata.
- Phone: +91-95999-53923
- Sales: sales@timewatchindia.com
- **Support**: helpdesk@timewatchindia.com

International Office: Dubai

Disclaimer: All pictures shown are for illustration purposes only. The actual product and color may vary due to product enhancement. The brief specification is mentioned and may change without prior notice. Please consult us before placing any order.