

# **SAFETY DATA SHEET**

Creation Date 11-Jun-2009 Revision Date 17-Jan-2018 Revision Number 4

1. Identification

Product Name Tetrahydrofuran

Cat No.: T427-1; T427-4; T427POP-200; T427RS-28; T427RS-115; T427RS-200;

T427SK-4; T427SS-28; T427SS-50; T427SS-115; T427SS-200

CAS-No 109-99-9 Synonyms THF

Recommended Use Laboratory chemicals.

Uses advised against Not for food, drug, pesticide or biocidal product use

Details of the supplier of the safety data sheet

#### Company

Fisher Scientific One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

#### **Emergency Telephone Number**

CHEMTREC®, Inside the USA: 800-424-9300 CHEMTREC®, Outside the USA: 001-703-527-3887

# 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids

Acute oral toxicity

Serious Eye Damage/Eye Irritation

Category 2

Carcinogenicity

Category 2

Carcinogenicity

Category 2

Specific target organ toxicity (single exposure)

Category 3

Target Organs - Respiratory system, Central nervous system (CNS).

#### Label Elements

### **Signal Word**

Danger

### **Hazard Statements**

Highly flammable liquid and vapor Harmful if swallowed Causes serious eye irritation May cause respiratory irritation May cause drowsiness or dizziness Suspected of causing cancer



### **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear eye/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

#### Response

IF exposed or concerned: Get medical attention/advice

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

#### Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell

Rinse mouth

#### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

#### Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### **Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

May form explosive peroxides

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Tetrahydrofuran	109-99-9	>95

### 4. First-aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Inhalation** Move to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and

effects

Notes to Physician

. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting:

Causes central nervous system depression

Treat symptomatically

## 5. Fire-fighting measures

Suitable Extinguishing Media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Cool closed

containers exposed to fire with water spray.

Unsuitable Extinguishing Media Water may be ineffective

**Flash Point** -21 °C / -5.8 °F

**Method -** No information available

Autoignition Temperature 215 °C / 419 °F

**Explosion Limits** 

**Upper** 11.8% **Lower** 2.0%

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### **Specific Hazards Arising from the Chemical**

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. May form explosive peroxides.

#### **Hazardous Combustion Products**

Carbon monoxide (CO) Carbon dioxide (CO<sub>2</sub>) peroxides

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<u>NFPA</u>

HealthFlammabilityInstabilityPhysical hazards231N/A

## 6. Accidental release measures

Personal Precautions Use personal protective equipment. Ensure adequate ventilation. Remove all sources of

ignition. Take precautionary measures against static discharges.

**Environmental Precautions** Should not be released into the environment.

**Methods for Containment and Clean** Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. **Up**Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

#### 7. Handling and storage

Handling

Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Avoid ingestion and inhalation. If peroxide formation is suspected, do not open or move container. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity

discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

Storage

Shelf life 6 months. May form explosive peroxides on prolonged storage. Containers should be dated when opened and tested periodically for the presence of peroxides. Should crystals form in a peroxidizable liquid, peroxidation may have occurred and the product should be considered extremely dangerous. In this instance, the container should only be opened remotely by professionals. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat and sources of ignition. Flammables area. Store under an inert atmosphere.

# 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Tetrahydrofuran	TWA: 50 ppm	(Vacated) TWA: 200 ppm	IDLH: 2000 ppm	TWA: 200 ppm
	STEL: 100 ppm	(Vacated) TWA: 590 mg/m <sup>3</sup>	TWA: 200 ppm	TWA: 590 mg/m <sup>3</sup>
	Skin	(Vacated) STEL: 250 ppm	TWA: 590 mg/m <sup>3</sup>	STEL: 250 ppm
		(Vacated) STEL: 735 mg/m <sup>3</sup>	STEL: 250 ppm	STEL: 735 mg/m <sup>3</sup>
		TWA: 200 ppm	STEL: 735 mg/m <sup>3</sup>	_
		TWA: 590 mg/m <sup>3</sup>		

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: The National Institute for Occupational Safety and Health Immediately Dangerous to Life or Health

Engineering Measures Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations

and safety showers are close to the workstation location. Ensure adequate ventilation,

especially in confined areas.

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection** Long sleeved clothing.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

### 9. Physical and chemical properties

Physical State Liquid
Appearance Colorless

Odor Petroleum distillates
Odor Threshold No information available

 pH
 7-8 20% aq. solution

 Melting Point/Range
 -108.4 °C / -163.1 °F

 Boiling Point/Range
 66 °C / 150.8 °F

 Flash Point
 -21 °C / -5.8 °F

 Evaporation Rate
 > 1 (Ether = 1.0)

Flammability (solid,gas)
Flammability or explosive limits

**Upper** 11.8%

Not applicable

Revision Date 17-Jan-2018 **Tetrahydrofuran** 

Lower 2.0%

**Vapor Pressure** 200 mbar @ 20 °C **Vapor Density** 2.5 (Ether = 1.0)

**Specific Gravity** 0.880 Solubility miscible

Partition coefficient; n-octanol/water No data available 215 °C / 419 °F **Autoignition Temperature Decomposition Temperature** No information available

**Viscosity** 0.55 cP @ 20 °C C4 H8 O Molecular Formula **Molecular Weight** 72.11

# 10. Stability and reactivity

**Reactive Hazard** Yes.

May form explosive peroxides. Hygroscopic. Stability

**Conditions to Avoid** Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition. Exposure to moist air or water.

**Incompatible Materials** Strong oxidizing agents, Acids

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), peroxides

**Hazardous Polymerization** Hazardous polymerization may occur.

**Hazardous Reactions** None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Tetrahydrofuran	1650 mg/kg ( Rat )	> 2000 mg/kg (Rabbit)	180 mg/L (Rat) 1 h
· ·	, ,		53.9 mg/L ( Rat ) 4 h

No information available **Toxicologically Synergistic** 

**Products** 

Hygienists)

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes May cause irritation of respiratory tract

No information available Sensitization

Carcinogenicity Limited evidence of a carcinogenic effect.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Tetrahvdrofuran	109-99-9	Group 2B	Not listed	A3	X	Not listed

ACGIH: (American Conference of Governmental Industrial

A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH: (American Conference of Governmental Industrial Hygienists)

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

Revision Date 17-Jan-2018 **Tetrahydrofuran** 

STOT - single exposure

Respiratory system Central nervous system (CNS)

STOT - repeated exposure

None known

**Aspiration hazard** 

No information available

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting:

delayed

Causes central nervous system depression

#### **Endocrine Disruptor Information**

Component	EU - Endocrine Disrupters	EU - Endocrine Disruptors -	Japan - Endocrine Disruptor
	Candidate List	Evaluated Substances	Information
Tetrahydrofuran	Group III Chemical	Not applicable	Not applicable

Other Adverse Effects

Tumorigenic effects have been reported in experimental animals.

### 12. Ecological information

#### **Ecotoxicity**

Do not empty into drains. .

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Tetrahydrofuran	Not listed	2160 mg/l LC50 = 96 h	Not listed	EC50 48 h 3485 mg/l
		Pimephales promelas		EC50: >10000 mg/L/24h
		Leuciscus idus: LC50: 2820		
		mg/L/48h		

Persistence and Degradability

Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** 

No information available.

Mobility

Will likely be mobile in the environment due to its volatility.

Component	log Pow
Tetrahydrofuran	0.45

### 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes
Tetrahydrofuran - 109-99-9	U213	-

## 14. Transport information

DOT

**UN-No** UN2056

**Proper Shipping Name TETRAHYDROFURAN** 

**Hazard Class** 3 **Packing Group** Ш

**TDG** 

UN-No UN2056

**Proper Shipping Name TETRAHYDROFURAN** 

**Hazard Class Packing Group** Ш

<u>IATA</u>

UN2056

**Proper Shipping Name TETRAHYDROFURAN** 

**Hazard Class Packing Group** Ш

IMDG/IMO

UN-No UN2056

Proper Shipping Name TETRAHYDROFURAN

Hazard Class 3
Packing Group ||

### 15. Regulatory information

All of the components in the product are on the following Inventory lists: X = listed

#### International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	IECSC	KECL
Tetrahydrofuran	Χ	Χ	-	203-726-8	-		Χ	Χ	Χ	Х	Χ

#### Legend:

X - Listed

- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

#### U.S. Federal Regulations

### **TSCA 12(b)**

Component	TSCA 12(b)
Tetrahydrofuran	Section 4, 1 % de minimus concentration

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** Occupational Safety and Health Administration

Not applicable

CERCLA This material, as supplied, contains one or more substances regulated as a hazardous

substance under the Comprehensive Environmental Response Compensation and Liability

Act (CERCLA) (40 CFR 302)

Component	Hazardous Substances RQs	CERCLA EHS RQs
Tetrahydrofuran	1000 lb	-

**California Proposition 65** 

This product does not contain any Proposition 65 chemicals

#### U.S. State Right-to-Know

Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Tetrahydrofuran	X	X	X	-	X

### **U.S. Department of Transportation**

Reportable Quantity (RQ): Y

DOT Marine Pollutant N
DOT Severe Marine Pollutant N

### **U.S. Department of Homeland Security**

This product does not contain any DHS chemicals.

#### Other International Regulations

Mexico - Grade Serious risk, Grade 3

16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 11-Jun-2009

 Revision Date
 17-Jan-2018

 Print Date
 17-Jan-2018

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**