Ashland always solving	Page: 1
SAFETY DATA SHEET	Revision Date: 01.08.2023
	Print Date:05.09.2023
	SDS Number: 000000291219
Aquaflow™ NHS 300MF LIQUID SYNTHETIC RHEOLOGY MODIFIER  ™ Trademark, Ashland or its subsidiaries, registered in various countries 945731	Version: 6.3

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019 No. 758) as amended - SDSGHS GB

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Aquaflow™ NHS 300MF LIQUID SYNTHETIC RHEOLOGY

MÖDIFIER

™ Trademark, Ashland or its subsidiaries, registered in

various countries

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Coatings

1.3 Details of the supplier of the safety data sheet Ashland Specialties UK Ltd 30 Old Bailey London EC4M 7AU United Kingdom 001-614-790-3333 (customer service USA)	1.4 Emergency telephone 1-800-ASHLAND (1-800-274-5263), or contact your local emergency telephone number at 111 - ENG, SCO, CYM.  Regulatory information 1-614-790-3333 (customer service)
Company:  ISP Microcaps (UK) Ltd 8 – 9 Stepnell Reach, 541 Blandford Rd Poole, Dorset, BH16 5BW, England 01202 627352	Product Information 001-614-790-3333 (customer service USA)
Techwax Ltd 4B Whinbank Park, Whinbank Road Newton Aycliffe Industrial Park, Newton Aycliffe Co Durham, DL5 6AY, United Kingdom 01325 303084  EHSProductSafety@ashland.com	

**Ashland** always solving	Page: 2
SAFETY DATA SHEET	Revision Date: 01.08.2023
	Print Date:05.09.2023
	SDS Number: 000000291219
Aquaflow™ NHS 300MF LIQUID SYNTHETIC RHEOLOGY MODIFIER  ™ Trademark, Ashland or its subsidiaries, registered in various countries 945731	Version: 6.3

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Not a hazardous substance or mixture.

## 2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Not a hazardous substance or mixture.

## **Additional Labeling**

EUH208 Contains 1,2-benzisothiazol-3(2H)-one.

May produce an allergic reaction.

EUH210 Safety data sheet available on request.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

## Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox. 4; H302	>= 0,0025 - <
	220-120-9	Acute Tox. 2; H330	0,025
	613-088-00-6	Skin Irrit. 2; H315	
		Eye Dam. 1; H318	
		Skin Sens. 1A;	
		H317	

**Ashland** always solving	Page: 3
SAFETY DATA SHEET	Revision Date: 01.08.2023
	Print Date:05.09.2023
	SDS Number: 000000291219
Aquaflow™ NHS 300MF LIQUID SYNTHETIC RHEOLOGY MODIFIER  ™ Trademark, Ashland or its subsidiaries, registered in various countries 945731	Version: 6.3

Aquatic Acute 1; H400 Aquatic Chronic 1 H410	;
M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
specific concentration limits Skin Sens. 1A >= 0,036 %	t

For explanation of abbreviations see section 16.

# **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

General advice : Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : Wash off with soap and plenty of water.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

None known.

**Ashland** always solving	Page: 4
SAFETY DATA SHEET	Revision Date: 01.08.2023
	Print Date:05.09.2023
	SDS Number: 000000291219
Aquaflow™ NHS 300MF LIQUID SYNTHETIC RHEOLOGY MODIFIER  ™ Trademark, Ashland or its subsidiaries, registered in various countries 945731	Version: 6.3

## 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

## 5.2 Special hazards arising from the substance or mixture

Hazardous combustion

products

: No hazardous combustion products are known

#### 5.3 Advice for firefighters

for fire-fighters

Special protective equipment : Wear self-contained breathing apparatus for firefighting if

necessary.

Specific extinguishing

methods

Standard procedure for chemical fires.

Further information Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

## 6.2 Environmental precautions

**Environmental precautions** Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Ashland always solving	Page: 5
SAFETY DATA SHEET	Revision Date: 01.08.2023
	Print Date:05.09.2023
	SDS Number: 000000291219
Aquaflow™ NHS 300MF LIQUID SYNTHETIC RHEOLOGY MODIFIER  ™ Trademark, Ashland or its subsidiaries, registered in various countries 945731	Version: 6.3

## 6.3 Methods and material for containment and cleaning up

Wipe up with absorbent material (e.g. cloth, fleece). Methods for cleaning up

Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

Advice on protection against

fire and explosion

Normal measures for preventive fire protection.

Hygiene measures General industrial hygiene practice.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

Containers which are opened must be carefully resealed and kept upright to prevent leakage. Electrical installations / working materials must comply with the technological safety

standards.

Advice on common storage No materials to be especially mentioned.

Further information on

storage stability

: No decomposition if stored and applied as directed.

## 7.3 Specific end use(s)

: No data available Specific use(s)

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Contains no substances with occupational exposure limit values.

Ashland always solving ™	Page: 6
SAFETY DATA SHEET	Revision Date: 01.08.2023
	Print Date:05.09.2023
	SDS Number: 000000291219
Aquaflow™ NHS 300MF LIQUID SYNTHETIC RHEOLOGY MODIFIER  ™ Trademark, Ashland or its subsidiaries, registered in various countries 945731	Version: 6.3

## 8.2 Exposure controls

## **Engineering measures**

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

#### Personal protective equipment

Eye/face protection : Safety glasses

Hand protection

Material : butyl-rubber
Break through time : 480 min
Glove thickness : > 0,5 mm

Remarks : The exact break through time can be obtained from the

protective glove producer and this has to be observed. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin and body protection : Work uniform or laboratory coat.

Respiratory protection : In the case of vapour formation use a respirator with an

approved filter within the capabilities of the respirator/filter

combination.

Where concentrations are above recommended limits or are unknown, or a cartridge type respirator is not adequate, wear

a positive-pressure supplied-air respirator.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance : Aqueous solution

Color : clear, off-white

Odor : odorless

Odor Threshold : Not applicable

pH : 7,5 - 9,0

Ashland always solving	Page: 7
SAFETY DATA SHEET	Revision Date: 01.08.2023
	Print Date:05.09.2023
	SDS Number: 000000291219
Aquaflow™ NHS 300MF LIQUID SYNTHETIC RHEOLOGY MODIFIER  ™ Trademark, Ashland or its subsidiaries, registered in various countries 945731	Version: 6.3

Melting point/freezing point : not determined

Boiling point/boiling range : not determined

Flash point :  $> 100 \, ^{\circ}\text{C}$ 

Evaporation rate : not determined

Flammability (solid, gas) :

not determined

Upper explosion limit / Upper

flammability limit

not determined

Lower explosion limit / Lower :

flammability limit

not determined

Vapor pressure : not determined

Relative vapor density : not determined

Relative density : No data available

Density : not determined

Solubility(ies)

Water solubility : not determined

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

not determined

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 4.500 - 8.000 cps (25 °C)

Method: Brookfield

Viscosity, kinematic : not determined

Oxidizing properties : Not applicable

Ashland always solving	Page: 8
SAFETY DATA SHEET	Revision Date: 01.08.2023
	Print Date:05.09.2023
	SDS Number: 000000291219
Aquaflow™ NHS 300MF LIQUID SYNTHETIC RHEOLOGY MODIFIER  ™ Trademark, Ashland or its subsidiaries, registered	Version: 6.3
in various countries 945731	

## 9.2 Other information

Flammability (liquids) : not determined

Molecular weight : No data available

Self-ignition : not determined

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

# 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

# 10.6 Hazardous decomposition products

Hazardous decomposition : Carbon dioxide (CO2) products : Carbon monoxide

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Information on likely routes of :

exposure Inhalation

Eye contact Skin contact Ingestion

**Ashland** always solving	Page: 9
SAFETY DATA SHEET	Revision Date: 01.08.2023
	Print Date:05.09.2023
	SDS Number: 000000291219
Aquaflow™ NHS 300MF LIQUID SYNTHETIC RHEOLOGY MODIFIER  ™ Trademark, Ashland or its subsidiaries, registered in various countries 945731	Version: 6.3

## **Acute toxicity**

Not classified based on available information.

## Components:

# 1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity : LD50 (Rat, male): 450 mg/kg

Acute toxicity estimate: 450 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): 0,21 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute toxicity estimate: 0,21 mg/l

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

#### Skin corrosion/irritation

Not classified based on available information.

## **Components:**

## 1,2-benzisothiazol-3(2H)-one:

Result : Irritating to skin.

# Serious eye damage/eye irritation

Not classified based on available information.

**Product:** 

Remarks : Unlikely to cause eye irritation or injury.

## **Components:**

# 1,2-benzisothiazol-3(2H)-one:

Result : Corrosive

## Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

Ashland always solving	Page: 10
SAFETY DATA SHEET	Revision Date: 01.08.2023
	Print Date:05.09.2023
	SDS Number: 000000291219
Aquaflow™ NHS 300MF LIQUID SYNTHETIC RHEOLOGY MODIFIER  ™ Trademark, Ashland or its subsidiaries, registered in various countries 945731	Version: 6.3

## Respiratory sensitization

Not classified based on available information.

#### **Components:**

## 1,2-benzisothiazol-3(2H)-one:

Assessment : The product is a skin sensitizer, sub-category 1A.

## Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### Reproductive toxicity

Not classified based on available information.

#### **STOT-single exposure**

Not classified based on available information.

# STOT-repeated exposure

Not classified based on available information.

## **Aspiration toxicity**

Not classified based on available information.

#### **Further information**

#### **Product:**

Remarks : No data available

# **SECTION 12: Ecological information**

## 12.1 Toxicity

#### **Components:**

# 1,2-benzisothiazol-3(2H)-one:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 3,4 mg/l

Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): 1,3 - 1,6 mg/l

Exposure time: 96 h

Toxicity to daphnia and other : LC50 (Daphnia magna (Water flea)): 1,5 - 3,3 mg/l

Ashland always solving	Page: 11
SAFETY DATA SHEET	Revision Date: 01.08.2023
	Print Date:05.09.2023
	SDS Number: 000000291219
Aquaflow™ NHS 300MF LIQUID SYNTHETIC RHEOLOGY MODIFIER  ™ Trademark, Ashland or its subsidiaries, registered in various countries 945731	Version: 6.3

aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic

plants

: EC50 (algae): 0,15 mg/l Exposure time: 72 h

ErC50 (Pseudokirchneriella subcapitata (green algae)):

0,1087 mg/l

Exposure time: 24 h

EC10 (Pseudokirchneriella subcapitata (green algae)): 0,0268

mg/l

Exposure time: 24 h

M-Factor (Acute aquatic

toxicity)

1

M-Factor (Chronic aquatic

toxicity)

: 1

# 12.2 Persistence and degradability

# **Components:**

# 1,2-benzisothiazol-3(2H)-one:

Biodegradability : Result: Not readily biodegradable.

# 12.3 Bioaccumulative potential

#### **Components:**

# 1,2-benzisothiazol-3(2H)-one:

Partition coefficient: n-

octanol/water

: log Pow: 0,4

# 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

# **Product:**

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

SAShland always solving ™	Page: 12
SAFETY DATA SHEET	Revision Date: 01.08.2023
	Print Date:05.09.2023
	SDS Number: 000000291219
Aquaflow™ NHS 300MF LIQUID SYNTHETIC RHEOLOGY MODIFIER  ™ Trademark, Ashland or its subsidiaries, registered in various countries 945731	Version: 6.3

#### 12.6 Other adverse effects

**Product:** 

Endocrine disrupting

potential

: The substance/mixture does not contain components considered to have endocrine disrupting properties according

to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Additional ecological

information

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Toxic to aquatic life.

Harmful to aquatic life with long lasting effects.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water

courses or the soil.

# **SECTION 14: Transport information**

#### 14.1 UN number

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

## 14.3 Transport hazard class(es)

Ashland always solving	Page: 13
SAFETY DATA SHEET	Revision Date: 01.08.2023
	Print Date:05.09.2023
	SDS Number: 000000291219
Aquaflow™ NHS 300MF LIQUID SYNTHETIC RHEOLOGY MODIFIER  ™ Trademark, Ashland or its subsidiaries, registered in various countries 945731	Version: 6.3

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.4 Packing group

ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

# 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not applicable

# 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

# **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Not applicable

UK REACH Candidate list of substances of very high

concern (SVHC) for Authorisation

Not applicable

The Persistent Organic Pollutants Regulations (retained

Regulation (EU) 2019/1021 as amended for Great

Britain)

Not applicable

Regulation (EC) No 1005/2009 on substances that

deplete the ozone layer

: Not applicable

UK REACH List of substances subject to authorisation

(Annex XIV)

: Not applicable

Ashland always solving	Page: 14
SAFETY DATA SHEET	Revision Date: 01.08.2023
	Print Date:05.09.2023
	SDS Number: 000000291219
Aquaflow™ NHS 300MF LIQUID SYNTHETIC RHEOLOGY MODIFIER  ™ Trademark, Ashland or its subsidiaries, registered in various countries 945731	Version: 6.3

GB Export and import of hazardous chemicals - Prior : Not applicable

Informed Consent (PIC) Regulation

Control of Major Accident Hazards Regulations Not applicable

2015 (COMAH)

# The ingredients of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

AIIC : Not in compliance with the inventory

DSL : This product contains components listed on the Canadian

NDSL. All other components are on the Canadian DSL.

dipotassium dihydrogen (1-hydroxyethylidene)bisphosphonate

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

#### 15.2 Chemical Safety Assessment

No data available

## **SECTION 16: Other information**

# **Full text of H-Statements**

H302 : Harmful if swallowed. H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction. H318 : Causes serious eye damage.

H330 : Fatal if inhaled.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

**Ashland** always solving	Page: 15
SAFETY DATA SHEET	Revision Date: 01.08.2023
	Print Date:05.09.2023
	SDS Number: 000000291219
Aquaflow™ NHS 300MF LIQUID SYNTHETIC RHEOLOGY MODIFIER  ™ Trademark, Ashland or its subsidiaries, registered in various countries 945731	Version: 6.3

Acute Tox. : Acute toxicity

Aquatic Acute : Short-term (acute) aquatic hazard Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Dam. : Serious eye damage

Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitization

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level: NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship: REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Other information : This sds has been prepared by Ashland.

(http://www.ashland.com)

Ashland always solving	Page: 16
SAFETY DATA SHEET	Revision Date: 01.08.2023
	Print Date:05.09.2023
	SDS Number: 000000291219
Aquaflow™ NHS 300MF LIQUID SYNTHETIC RHEOLOGY MODIFIER  ™ Trademark, Ashland or its subsidiaries, registered in various countries 945731	Version: 6.3

Sources of key data used to compile the Material Safety Data Sheet

Ashland internal data including own and sponsored test

European Union Law with content from the Official Journal of

the European Union.

European Chemicals Agency; the EU authority implementing

the EU's chemicals legislation for companies.

The German Water Hazard Classes.

ReachCentrum; a series of support services to help comply

with REACH regulations.

The European Commission; proposing legislation,

administering and implementing EU policies, and enforcing

EU law.

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

Cefic, the European Chemical Industry Council.

ESIS European Chemical Substances Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN

SDS\_2110\_EU\_EXT\_MAIN\_ASH version 05, GB / EN