Ashland always solving	Page: 1
SAFETY DATA SHEET	Revision Date: 11.01.2023
	Print Date: 11.07.2023
	SDS Number: R0704182
Strodex™ FT-50K	Version: 2.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
420604	

Conforms to EU Regulation 1907/2006/EC as amended. - SDSGHS_IE

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Strodex™ FT-50K

™ Trademark, Ashland or its subsidiaries, registered in

various countries

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Surfactant for the paint and coatings industry

1.3 Details of the supplier of the safety data sheet Ashland P.O. Box 8619 NL3009 AP, Rotterdam Netherlands	1.4 Emergency telephone +1-800-274-5263/001-859-357-3564, or contact your local emergency telephone number at 01 809 2566	
+31 10 497 5000 (in the Netherlands), or contact your local CSR contact person	Product Information +31 10 497 5000 (in the Netherlands), or contact your local CSR contact person	
EHSProductSafety@ashland.com		

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation.

Serious eye damage, Category 1 H318: Causes serious eye damage.

2.2 Label elements

Labeling (REGULATION (EC) No 1272/2008)

Ashland always solving ™	Page: 2
SAFETY DATA SHEET	Revision Date: 11.01.2023
	Print Date: 11.07.2023
	SDS Number: R0704182
Strodex™ FT-50K	Version: 2.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
420604	

Hazard pictograms :

Signal Word : Danger

Hazard Statements : H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary Statements : Prevention:

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER/ doctor.

P332 + P313 If skin irritation occurs: Get medical advice/

attention.

P362 + P364 Take off contaminated clothing and wash it

before reuse.

Hazardous ingredients which must be listed on the label:

GLYCEROL ETHOXYLATED PHOSPHATE POTASSIUM SALT

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Ashland always solving	Page: 3
SAFETY DATA SHEET	Revision Date: 11.01.2023
	Print Date: 11.07.2023
	SDS Number: R0704182
Strodex™ FT-50K	Version: 2.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
420604	

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
GLYCEROL ETHOXYLATED PHOSPHATE POTASSIUM SALT	619297-60-8	Skin Irrit. 2; H315 Eye Dam. 1; H318	>= 40 - < 50

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice : Move out of dangerous area.

Consult a physician.

Show this material safety data sheet to the doctor in

attendance.

Do not leave the victim unattended.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If skin irritation persists, call a physician.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Small amounts splashed into eyes can cause irreversible

tissue damage and blindness.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Clean mouth with water and drink afterwards plenty of water.

Keep respiratory tract clear.

Ashland always solving	Page: 4
SAFETY DATA SHEET	Revision Date: 11.01.2023
	Print Date: 11.07.2023
	SDS Number: R0704182
Strodex™ FT-50K	Version: 2.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries 420604	

Do NOT induce vomiting.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician. Take victim immediately to hospital.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Extremely corrosive and destructive to tissue.

tearing Blurred vision Irritation Redness

Risks : Causes skin irritation.

Causes serious eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire

..a=a..ae aa....g ...e

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

fighting

Carbon dioxide (CO2)
Carbon monoxide

5.3 Advice for firefighters

Special protective equipment :

for fire-fighters

Wear self-contained breathing apparatus for firefighting if

necessary.

Specific extinguishing : Standard procedure for chemical fires.

Ashland always solving	Page: 5
SAFETY DATA SHEET	Revision Date: 11.01.2023
	Print Date: 11.07.2023
	SDS Number: R0704182
Strodex™ FT-50K ™ Trademark, Ashland or its subsidiaries, registered	Version: 2.1
in various countries 420604	

methods

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For further information see Section 8 and Section 13 of the safety data sheet.

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapors/dust.

Avoid contact with skin and eyes. For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the

application area.

To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national

regulations.

**Ashland always solving	Page: 6
SAFETY DATA SHEET	Revision Date: 11.01.2023
	Print Date: 11.07.2023
	SDS Number: R0704182
Strodex™ FT-50K	Version: 2.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
420604	

fire and explosion

Advice on protection against : Normal measures for preventive fire protection.

Hygiene measures When using do not eat or drink. When using do not smoke.

Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep container tightly closed in a dry and well-ventilated place. Electrical installations / working materials must comply

with the technological safety standards.

Further information on

storage stability

No decomposition if stored and applied as directed.

7.3 Specific end use(s)

No data available Specific use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Engineering measures

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

: Tightly fitting safety goggles Eye/face protection

Eye wash bottle with pure water

Hand protection

Material : butyl-rubber Break through time : 480 min Glove thickness : > 0.5 mm

Remarks The exact break through time can be obtained from the

Ashland always solving	Page: 7
SAFETY DATA SHEET	Revision Date: 11.01.2023
	Print Date: 11.07.2023
	SDS Number: R0704182
Strodex™ FT-50K	Version: 2.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
420604	

protective glove producer and this has to be observed. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. The selected protective gloves have to satisfy the

specifications of Regulation (EU) 2016/425 and the standard

EN 374 derived from it.

The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Skin and body protection : Work uniform or laboratory coat.

Respiratory protection : In the case of vapour formation use a respirator with an

approved filter within the capabilities of the respirator/filter

combination.

Where concentrations are above recommended limits or are unknown, or a cartridge type respirator is not adequate, wear

a positive-pressure supplied-air respirator.

Respiratory protection complying with EN 136. Respiratory protection complying with EN 140. Respiratory protection complying with EN 14387.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Color : clear

Odor : mild

Odor Threshold : No data available

Melting point/freezing point : not determined

Boiling point/boiling range : 100 °C

Flammability :

not determined

Upper explosion limit / Upper

flammability limit

not determined

Ashland always solving	Page: 8
SAFETY DATA SHEET	Revision Date: 11.01.2023
	Print Date: 11.07.2023
	SDS Number: R0704182
Strodex™ FT-50K	Version: 2.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
420604	

Lower explosion limit / Lower : not determined

flammability limit

Flash point : > 121 °C

Method: Tag closed cup

Decomposition temperature : No data available

7,5 - 8,5 pН

> Concentration: 10 % (as aqueous solution)

Viscosity

Viscosity, dynamic : < 100 mPa.s (25 °C)

Viscosity, kinematic : not determined

Solubility(ies)

Water solubility soluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

not determined

Vapor pressure : not determined

Relative density 1,15 - 1,19

Relative vapor density : <1

(Air = 1.0)

9.2 Other information

: Not applicable Oxidizing properties

Flammability (liquids) not determined

Self-ignition not determined

Evaporation rate

n-Butyl Acetate = 1

**Ashland always solving	Page: 9
SAFETY DATA SHEET	Revision Date: 11.01.2023
	Print Date: 11.07.2023
	SDS Number: R0704182
Strodex™ FT-50K	Version: 2.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
420604	

Molecular weight : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Vapors may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

Hazardous decomposition : Carbon dioxide (CO2) products : Carbon monoxide

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of :

exposure Inhalation

Eye contact Skin contact Ingestion

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 401

Ashland always solving	Page: 10
SAFETY DATA SHEET	Revision Date: 11.01.2023
	Print Date: 11.07.2023
	SDS Number: R0704182
Strodex™ FT-50K	Version: 2.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
420604	

Skin corrosion/irritation

Causes skin irritation.

Product:

Remarks : May cause skin irritation and/or dermatitis.

Remarks : Extremely corrosive and destructive to tissue.

Components:

GLYCEROL ETHOXYLATED PHOSPHATE POTASSIUM SALT:

Result : Irritating to skin.

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks : May cause irreversible eye damage.

Components:

GLYCEROL ETHOXYLATED PHOSPHATE POTASSIUM SALT:

Result : Corrosive

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

Ashland always solving	Page: 11
SAFETY DATA SHEET	Revision Date: 11.01.2023
	Print Date: 11.07.2023
	SDS Number: R0704182
Strodex™ FT-50K	Version: 2.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
420604	

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

Product:

Biodegradability : Biodegradation: 54 %

Exposure time: 28 d

Remarks: Not readily biodegradable.

Biochemical Oxygen

Biochemical oxygen demand within 5 days

Demand (BOD) 125.000 mg/l

Chemical Oxygen Demand

695.000 mg/l

(COD)

BOD/COD : BOD/COD: 17,986 %

Ashland always solving	Page: 12
SAFETY DATA SHEET	Revision Date: 11.01.2023
	Print Date: 11.07.2023
	SDS Number: R0704182
Strodex™ FT-50K	Version: 2.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
420604	

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological

information

: No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product. Do not re-use empty containers.

Ashland always solving	Page: 13
SAFETY DATA SHEET	Revision Date: 11.01.2023
	Print Date: 11.07.2023
	SDS Number: R0704182
Strodex™ FT-50K ™ Trademark, Ashland or its subsidiaries, registered in various countries 420604	Version: 2.1

SECTION 14: Transport information

SECTION 14: Transport information

14.1 UN number

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER: Not dangerous goods INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO: Not dangerous goods

ADR: Not dangerous goods ADN: Not dangerous goods RID: Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS: Not dangerous goods

14.2 UN proper shipping name

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER: Not dangerous goods INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO: Not dangerous goods

ADR: Not dangerous goods ADN: Not dangerous goods RID: Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS: Not dangerous goods

14.3 Transport hazard class(es)

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER: Not dangerous goods INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO: Not dangerous goods

ADR: Not dangerous goods ADN: Not dangerous goods RID: Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS: Not dangerous goods

14.4 Packing group

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER: Not dangerous goods INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO: Not dangerous goods

ADR: Not dangerous goods ADN: Not dangerous goods RID: Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS: Not dangerous goods

14.5 Environmental hazards

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER: Not applicable INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO: Not applicable

Ashland always solving	Page: 14
SAFETY DATA SHEET	Revision Date: 11.01.2023
	Print Date: 11.07.2023
	SDS Number: R0704182
Strodex™ FT-50K	Version: 2.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
420604	

ADR: Not applicable ADN: Not applicable RID: Not applicable

INTERNATIONAL MARITIME DANGEROUS GOODS: Not applicable

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Ship Type: Not applicable Hazard code(s): Not applicable Pollutant Category: Not applicable

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:

Number on list 3

GLYCEROL ETHOXYLATED PHOSPHATE POTASSIUM SALT

(Number on list 3)

1,4-dioxane (Number on list 40, 3,

28)

REACH - Candidate List of Substances of Very High

Concern for Authorization (Article 59).

: Not applicable

Regulation (EC) No 1005/2009 on substances that

deplete the ozone layer

: Not applicable

Regulation (EU) 2019/1021 on persistent organic

pollutants (recast)

: Not applicable

Regulation (EC) No 649/2012 of the European

Parliament and the Council concerning the export and

import of dangerous chemicals

: Not applicable

Ashland always solving	Page: 15
SAFETY DATA SHEET	Revision Date: 11.01.2023
	Print Date: 11.07.2023
	SDS Number: R0704182
Strodex™ FT-50K	Version: 2.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
420604	

REACH - List of substances subject to authorisation : Not applicable

(Annex XIV)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

The ingredients of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : On TSCA Inventory

DSL : This product contains the following components that are not

on the Canadian DSL nor NDSL.

AIIC : Not in compliance with the inventory

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

15.2 Chemical Safety Assessment

No data available

SECTION 16: Other information

Full text of H-Statements

H315 : Causes skin irritation.

H318 : Causes serious eye damage.

Full text of other abbreviations

Eye Dam. : Serious eye damage

Skin Irrit. : Skin irritation

Ashland always solving	Page: 16
SAFETY DATA SHEET	Revision Date: 11.01.2023
	Print Date: 11.07.2023
	SDS Number: R0704182
Strodex™ FT-50K ™ Trademark, Ashland or its subsidiaries, registered in various countries 420604	Version: 2.1

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Cooperation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances: TSCA - Toxic Substances Control Act (United States): UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : This sds has been prepared by Ashland.

(http://www.ashland.com)

Sources of key data used to compile the Material Safety

Data Sheet

Ashland internal data including own and sponsored test

reports

European Union Law with content from the Official Journal of

the European Union.

European Chemicals Agency; the EU authority implementing

the EU's chemicals legislation for companies.

The German Water Hazard Classes.

ReachCentrum; a series of support services to help comply

**Ashland always solving	Page: 17
SAFETY DATA SHEET	Revision Date: 11.01.2023
	Print Date: 11.07.2023
	SDS Number: R0704182
Strodex™ FT-50K	Version: 2.1
™ Trademark, Ashland or its subsidiaries, registered	
in various countries	
420604	

with REACH regulations.

The European Commission; proposing legislation, administering and implementing EU policies, and enforcing EU law.

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport. Cefic, the European Chemical Industry Council. ESIS European Chemical Substances Information System

Classification of the mixture: Classification procedure:

Skin Irrit. 2 H315 Calculation method Eye Dam. 1 H318 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

IE / EN