	Page: 1
SAFETY DATA SHEET	Revision Date: 27.06.2023
	Print Date: 05.09.2023
	SDS Number: 000000272423
Natrosol™ 250 HBR Hydroxyethylcellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 413524	Version: 7.0

The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 (SI 2019 No. 758) as amended - SDSGHS_GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Natrosol™ 250 HBR Hydroxyethylcellulose
 ™ Trademark, Ashland or its subsidiaries, registered in various countries

1.2 Relevant identified uses of the substance or mixture and uses advised against

Recommended use : Rheology modifier

<p>1.3 Details of the supplier of the safety data sheet Ashland Specialties UK Ltd 30 Old Bailey London EC4M 7AU United Kingdom 001-614-790-3333 (customer service USA)</p> <p>Company:</p> <p>ISP Microcaps (UK) Ltd 8 – 9 Stepnell Reach, 541 Blandford Rd Poole, Dorset, BH16 5BW, England 01202 627352</p> <p>Techwax Ltd 4B Whinbank Park, Whinbank Road Newton Aycliffe Industrial Park, Newton Aycliffe Co Durham, DL5 6AY, United Kingdom 01325 303084</p> <p>EHSPProductSafety@ashland.com</p>	<p>1.4 Emergency telephone 1-800-ASHLAND (1-800-274-5263), or contact your local emergency telephone number at 111 - ENG, SCO, CYM.</p> <p>Regulatory information 1-614-790-3333 (customer service)</p> <p>Product Information 001-614-790-3333 (customer service USA)</p>
--	--

SAFETY DATA SHEET

Revision Date: 27.06.2023

Print Date: 05.09.2023

SDS Number: 000000272423

Version: 7.0

 Natrosol™ 250 HBR Hydroxyethylcellulose
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 413524

SECTION 2: Hazards identification
2.1 Classification of the substance or mixture
Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Not a hazardous substance or mixture.

2.2 Label elements
Labeling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Not a hazardous substance or mixture.

Additional Labeling

EUH210 Safety data sheet available on request.

2.3 Other hazards

 This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
 May form explosible dust-air mixture if dispersed.

SECTION 3: Composition/information on ingredients
3.2 Mixtures
Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Inorganic salts	Not Assigned	Eye Irrit. 2; H319	>= 5 - < 10
Substances with a workplace exposure limit :			
SILICA COLLOIDAL	112926-00-8 01-2119379499-16-0161, 01-2119379499-16-xxxx		>= 1 - < 2,5

SAFETY DATA SHEET

Revision Date: 27.06.2023

Print Date: 05.09.2023

SDS Number: 000000272423

Version: 7.0

Natrosol™ 250 HBR Hydroxyethylcellulose
™ Trademark, Ashland or its subsidiaries, registered
in various countries
413524

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

- General advice : Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : Wash off with soap and plenty of water.
- In case of eye contact : Remove contact lenses.
Protect unharmed eye.
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire fighting : No information available.
- Hazardous combustion : Carbon dioxide (CO₂)

SAFETY DATA SHEET

Revision Date: 27.06.2023

Print Date: 05.09.2023

SDS Number: 000000272423

Version: 7.0

Natrosol™ 250 HBR Hydroxyethylcellulose
™ Trademark, Ashland or its subsidiaries, registered
in various countries
413524

products

Carbon monoxide
Nitrogen oxides (NOx)
Oxides of phosphorus
Sodium oxides

5.3 Advice for firefighters

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

Specific extinguishing methods : Standard procedure for chemical fires.

Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Standard procedure for chemical fires.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Avoid dust formation.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Pick up and arrange disposal without creating dust.
Sweep up and shovel.
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SAFETY DATA SHEET

Revision Date: 27.06.2023

Print Date: 05.09.2023

SDS Number: 000000272423

Version: 7.0

 Natrosol™ 250 HBR Hydroxyethylcellulose
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 413524

SECTION 7: Handling and storage
7.1 Precautions for safe handling

- Advice on safe handling : For personal protection see section 8.
 Smoking, eating and drinking should be prohibited in the application area.
- Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.
- Hygiene measures : General industrial hygiene practice.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Electrical installations / working materials must comply with the technological safety standards.
- Advice on common storage : No materials to be especially mentioned.
- Further information on storage stability : Keep in a dry place.
 No decomposition if stored and applied as directed.

7.3 Specific end use(s)

- Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection
8.1 Control parameters
Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
SILICA COLLOIDAL	112926-00-8	TWA (inhalable dust)	6 mg/m ³ (Silica)	GB EH40
	Further information: For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/4 General methods for sampling and gravimetric analysis or respirable, thoracic and inhalable aerosols., The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m ⁻³ 8-hour TWA of			

SAFETY DATA SHEET

Revision Date: 27.06.2023

Print Date: 05.09.2023

SDS Number: 000000272423

Version: 7.0

Natrosol™ 250 HBR Hydroxyethylcellulose
™ Trademark, Ashland or its subsidiaries, registered
in various countries
413524


inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed to dust above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limits., Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system, and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'. Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/4., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with., Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit should be used.

TWA (Respirable
dust)

2,4 mg/m3
(Silica)

GB EH40

Further information: For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/4 General methods for sampling and gravimetric analysis or respirable, thoracic and inhalable aerosols., The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed to dust above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limits., Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system, and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'. Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/4., Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with., Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit should be used.

		Page: 7
SAFETY DATA SHEET		Revision Date: 27.06.2023
		Print Date: 05.09.2023
		SDS Number: 000000272423
Natrosol™ 250 HBR Hydroxyethylcellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 413524		Version: 7.0

8.2 Exposure controls

Engineering measures

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Eye/face protection : Safety glasses

Hand protection

Material : butyl-rubber
 Break through time : 480 min
 Glove thickness : > 0,5 mm

Remarks : The exact break through time can be obtained from the protective glove producer and this has to be observed. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Skin and body protection : Work uniform or laboratory coat.

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter within the capabilities of the respirator/filter combination. Where concentrations are above recommended limits or are unknown, or a cartridge type respirator is not adequate, wear a positive-pressure supplied-air respirator.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : granules, powder

Color : off-white

Odor : odorless

Odor Threshold : Not applicable

pH : 6,0 - 8,5
 Concentration: 1 %
 (as aqueous solution)

SAFETY DATA SHEET

Revision Date: 27.06.2023

Print Date: 05.09.2023

SDS Number: 000000272423

Version: 7.0

 Natrosol™ 250 HBR Hydroxyethylcellulose
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 413524

Melting point/freezing point : not determined
 Boiling point/boiling range : not determined
 Flash point : not determined
 Evaporation rate : Not applicable
 Flammability (solid, gas) : Combustible Solids
 Upper explosion limit / Upper flammability limit : not determined
 Lower explosion limit / Lower flammability limit : not determined
 Vapor pressure : Not applicable
 Relative vapor density : Not applicable
 Relative density : No data available
 Density : 1,38 g/cm³
 Solubility(ies)
 Water solubility : soluble, Limited by viscosity
 Solubility in other solvents : No data available
 Partition coefficient: n-octanol/water : not determined
 Decomposition temperature : No data available
 Viscosity
 Viscosity, dynamic : Not applicable
 Viscosity, kinematic : Not applicable
 Oxidizing properties : Not applicable

9.2 Other information

Flammability (liquids) : not determined

SAFETY DATA SHEET

Revision Date: 27.06.2023

Print Date: 05.09.2023

SDS Number: 000000272423

Version: 7.0

 Natrosol™ 250 HBR Hydroxyethylcellulose
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 413524

Molecular weight : No data available

Self-ignition : not determined

SECTION 10: Stability and reactivity
10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Dust may form explosive mixture in air.

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

 Hazardous decomposition products : Carbon monoxide
 Carbon dioxide (CO₂)
 Nitrogen oxides (NO_x)
 Oxides of phosphorus
 Sodium oxides

SECTION 11: Toxicological information
11.1 Information on toxicological effects

 Information on likely routes of exposure :
 Inhalation
 Eye contact
 Skin contact
 Ingestion

SAFETY DATA SHEET

Revision Date: 27.06.2023

Print Date: 05.09.2023

SDS Number: 000000272423

Version: 7.0

 Natrosol™ 250 HBR Hydroxyethylcellulose
 ™ Trademark, Ashland or its subsidiaries, registered
 in various countries
 413524

Acute toxicity

Not classified based on available information.

Components:
SILICA COLLOIDAL:

Acute oral toxicity : LD50 (Rat): > 10.000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:
Inorganic salts:

Result : No skin irritation

SILICA COLLOIDAL:

Result : Slight, transient irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:
Inorganic salts:

Result : Irritating to eyes.

SILICA COLLOIDAL:

Result : Slight, transient irritation

Respiratory or skin sensitization
Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

SAFETY DATA SHEET

Revision Date: 27.06.2023

Print Date: 05.09.2023

SDS Number: 000000272423

Version: 7.0

Natrosol™ 250 HBR Hydroxyethylcellulose
™ Trademark, Ashland or its subsidiaries, registered
in various countries
413524

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

SILICA COLLOIDAL:

Toxicity to fish : NOEC (Fish): 10.000 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 10.000 mg/l
aquatic invertebrates Exposure time: 24 h

Toxicity to algae/aquatic : NOEC (Desmodesmus subspicatus (green algae)): 10.000
plants mg/l
Exposure time: 72 h


12.2 Persistence and degradability

Product:

Biodegradability : Result: Not readily biodegradable.

12.3 Bioaccumulative potential

No data available

		Page: 12
SAFETY DATA SHEET		Revision Date: 27.06.2023
		Print Date: 05.09.2023
		SDS Number: 000000272423
Natrosol™ 250 HBR Hydroxyethylcellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 413524		Version: 7.0

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Additional ecological information : No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number

ADR : Not regulated as a dangerous good
 RID : Not regulated as a dangerous good
 IMDG : Not regulated as a dangerous good
 IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

SAFETY DATA SHEET

Revision Date: 27.06.2023

Print Date: 05.09.2023

SDS Number: 000000272423

Version: 7.0

Natrosol™ 250 HBR Hydroxyethylcellulose
™ Trademark, Ashland or its subsidiaries, registered
in various countries
413524

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

14.4 Packing group

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA (Cargo) : Not regulated as a dangerous good

IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information


15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17) : Not applicable

UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation : Not applicable

The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great : Not applicable

		Page: 14
SAFETY DATA SHEET		Revision Date: 27.06.2023
		Print Date: 05.09.2023
		SDS Number: 000000272423
Natrosol™ 250 HBR Hydroxyethylcellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 413524		Version: 7.0

Britain)

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

UK REACH List of substances subject to authorisation (Annex XIV) : Not applicable

GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation : Not applicable

Control of Major Accident Hazards Regulations 2015 (COMAH) : Not applicable

Other regulations:

The ingredients of this product are reported in the following inventories:

- TCSI : On the inventory, or in compliance with the inventory
- TSCA : All substances listed as active on the TSCA inventory
- AIIC : On the inventory, or in compliance with the inventory, or has been registered as new substance
- DSL : All components of this product are on the Canadian DSL
- ENCS : On the inventory, or in compliance with the inventory
- ISHL : On the inventory, or in compliance with the inventory
- KECI : On the inventory, or in compliance with the inventory
- PICCS : On the inventory, or in compliance with the inventory
- IECSC : On the inventory, or in compliance with the inventory


15.2 Chemical Safety Assessment

No data available

SECTION 16: Other information

Full text of H-Statements

H319 : Causes serious eye irritation.

	Page: 15
SAFETY DATA SHEET	Revision Date: 27.06.2023
	Print Date: 05.09.2023
	SDS Number: 000000272423
Natrosol™ 250 HBR Hydroxyethylcellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 413524	Version: 7.0

Full text of other abbreviations


Eye Irrit. : Eye irritation
 GB EH40 : UK. EH40 WEL - Workplace Exposure Limits
 GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : This sds has been prepared by Ashland.
 (<http://www.ashland.com>)

Sources of key data used to compile the Material Safety Data Sheet : Ashland internal data including own and sponsored test reports
 European Union Law with content from the Official Journal of

		Page: 16
SAFETY DATA SHEET		Revision Date: 27.06.2023
		Print Date: 05.09.2023
		SDS Number: 000000272423
Natrosol™ 250 HBR Hydroxyethylcellulose ™ Trademark, Ashland or its subsidiaries, registered in various countries 413524		Version: 7.0

the European Union.
 European Chemicals Agency; the EU authority implementing
 the EU's chemicals legislation for companies.
 The German Water Hazard Classes.
 ReachCentrum; a series of support services to help comply
 with REACH regulations.
 The European Commission; proposing legislation,
 administering and implementing EU policies, and enforcing
 EU law.
 The UNECE administers regional agreements implementing
 harmonised classification for labelling (GHS) and transport.
 Cefic, the European Chemical Industry Council.
 ESIS European Chemical Substances Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge,
 information and belief at the date of its publication. The information given is designed only as a
 guidance for safe handling, use, processing, storage, transportation, disposal and release and is not
 to be considered a warranty or quality specification. The information relates only to the specific
 material designated and may not be valid for such material used in combination with any other
 materials or in any process, unless specified in the text.

GB / EN

SDS_2110_EU_EXT_MAIN_ASH version 05, GB / EN