

Print date: 01.05.2024 Date of issue: 09.05.2023

ate of issue: 09.05.2023 Issue: 2

893205

TWILIGHT VANILLA & EBONY ORCHID

This datasheet is prepared in accordance with EU regulations 1907/2006 as amended by 2015/830 and 2020/87 8

Section 1 Identification of the substance/mixture and of the company

1.1 Product Identifier

Name of material: Twilight Vanilla and Ebony Orchid Fragrance

Fragrance compound

1.2 Relevant identified uses of the mixture and uses advised against

Fragrances, not to be used for flavours

1.3 Details of the supplier of the safety data sheet

Augustus Oils Ltd Augustus House Mill Lane Alton, Hants, GU34 2QG UK

Tel: +44 (0)1420 590 555 essentials@augustus-oils.ltd.uk

1.4 Emergency telephone number

+44 (0)1420 590 555 (office hours only)

Section 2 Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Irritation 2 Eye Irritation 2 Skin Sensitization 1 Aquatic Chronic 2

Augustus Oils Ltd Issue: 2 Date of issue: 09.05.2023 pp 1 of 9

2.2 Label elements

Symbols:





Signal word : Warning

Hazard statements : H315 Causes skin irritation

H317 May cause an allergic skin reaction H319 Causes serious eye irritation

H411 Toxic to aquatic life with long lasting effects

Precaution statements: P264 Wash thoroughly after handling

P280 Wear protective gloves/protective clothing/eye protection/face protection

P261 Avoid breathing dust/fume/gas/mist/vapours/spray

P272 Contaminated work clothing should not be allowed out of the workplace

P273 Avoid release to the environment

P302+352 IF ON SKIN: Wash with soap and water

P332+313 If skin irritation occurs: Get medical advice/attention P362 Take off contaminated clothing and wash before reuse

P363 Wash contaminated clothing before reuse

P333+313 If skin irritation or a rash occurs: Get medical advice/attention

P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove

contact lenses if present and easy to do - continue rinsing

2.3 Other hazards

None known

Section 3 Composition/Information on Ingredients

3.1 Substance - not applicable

3.2 Mixture

Identifiers:

Name of material: Twilight Vanilla and Ebony Orchid Fragrance

Characterisation: Mixture of odouriferous substances

CAS number: EC number:

Information on constituents present contributing to the hazard classification

Name	Percent	CAS	EC no	H phrases	Hazard abbreviations
2,6-dimethyloct-7-en-2- ol	10-20%	18479-58-8	242-362-4	H315, 319	Eye2, Ski2
1-(2,3,8,8-tetramethyl- 1,3,4,5,6,7- hexahydronaphthalen- 2-yl)ethanone	10-20%	54464-57-2	259-174-3	H315, 317, 410	Ski2, Sen1B, ACh1

Augustus Oils Ltd Issue: 2 Date of issue: 09.05.2023 pp 2 of 9

Name	Percent	CAS	EC no	H phrases	Hazard abbreviations
(2-tert-butylcyclohexyl) acetate	5-10%	88-41-5	201-828-7	H411	ACh2
1-(2,6,6-trimethyl-1- cyclohex-2-enyl)pent-1- en-3-one N-	1-5%	1335-46-2	215-635-0	H315, 319, 411	Ski2, Eye2, ACh2
1-methyl-4-prop-1-en-2- ylcyclohexene	1-5%	5989-27-5	227-813-5	H226, 315, 317, 411	Fla3, Ski2, Sen1B, ACh2
2-(4-methyl-1-cyclohex- 3-enyl)propan-2-yl acetate	1-5%	80-26-2	201-265-7	H411	ACh2
(4-tert-butylcyclohexyl) acetate	1-5%	32210-23-4	250-954-9	H317	Sen1B
(2E)-3,7-dimethylocta- 2,6-dien-1-ol	1-5%	106-24-1	203-377-1	H315, 317, 318	Ski2, Sen1B, EDa1
2-phenylethanol	1-5%	60-12-8	200-456-2	H302, 319	AcT4, Eye2
1-methyl-4-propan-2- ylidenecyclohexene	1-5%	586-62-9	209-578-0	H304, 317, 410	Asp1, Sen1B, ACh1
3,7-dimethylocta-1,6- dien-3-ol	1-5%	78-70-6	201-134-4	H317	Sen1B
2- (phenylmethylidene)oct anal	1-5%	101-86-0	202-983-3	H317, 411	Sen1B, ACh2
2-(4-methyl-1-cyclohex- 3-enyl)propan-2-ol	1-5%	98-55-5	202-680-6	H315, 319	Ski2, Eye2
Hexyl 2- hydroxybenzoate	0.1-1%	6259-76-3	228-408-6	H317, 410	Sen1B, ACh1
Chromen-2-one	0.1-1%	91-64-5	202-086-7	H302, 317, 412	AcT4, Sen1B, ACh3
2-methylundecanal	0.1-1%	110-41-8	203-765-0	H315, 317, 410	Ski2, Sen1B, ACh1
(2Z)-3,7-dimethylocta- 2,6-dien-1-ol	0.1-1%	106-25-2	203-378-7	H315, 317, 319	Ski2, Sen1B, Eye2
Benzyl 2- hydroxybenzoate	0.1-1%	118-58-1	204-262-9	H317, 319, 412	Sen1B, Eye2, ACh2
3-(4-propan-2- ylphenyl)butanal	0.1-1%	103-95-7	203-161-7	H315, 317, 412	Ski2, Sen1B, ACh3
2,4-dimethylcyclohex-3- ene-1-carbaldehyde	0.1-1%	68039-49-€	268-264-1	H315, 317, 411	Ski2, Sen1B, ACh2

For full text of H phrases and hazard abbreviations see section 16

Augustus Oils Ltd Issue: 2 Date of issue: 09.05.2023 pp 3 of 9

Section 4 First Aid Measures

4.1 Description of first aid measures

4.1.1 General information

In case of accident or if you feel unwell, seek medical advice immediately (show label or SDS if possible).

In the case of excessive inhalation move the exposed person to fresh air and keep at rest in a

comfortable position. If symptoms persist get prompt medical attention.

Skin contact: Avoid prolonged contact with skin. Remove/take off and wash all contaminated clothing. Wash

off skin immediately with plenty of water, using soap if available. If there is any sign of tissue

damage or persistent irritation, get medical advice.

Eye contact: Rinse the eyes immediately with plenty of water. Remove any contact lenses. Rinse eyes

holding eye lids open. Get medical attention.

Ingestion: Rinse mouth with water. If they are conscious, have exposed person drink 200 ml of water. Do

not induce vomiting. Obtain medical advice.

4.1.2 Extra information

Refer to section 4.1.1 to determine if any immediate medical attention is required; whether remove of the person to fresh air; or removal of shoes and clothing is recommended.

Delayed effects after exposure – Unknown

First aid responders should refer to section 2.2 for details of recommended personal protective equipment

4.2 Most important symptoms and effects, both acute and delayed

The most important symptoms and effects are described in section 2.2 (and on the label). Toxicological effects are described in section 11 of this data sheet.

4.3 Indication of immediate medical attention and special treatment needed

Treat symptomatically

Section 5 Firefighting measures

5.1 Extinguishing media

Extinguish with carbon dioxide, dry powder or foam Do not use direct water jet

5.2 Special hazards arising from the substance or mixture

As a result of combustion or thermal decomposition dangerous products (CO, CO2, NOx) and toxic gases can be formed.

Augustus Oils Ltd Issue: 2 Date of issue: 09.05.2023 pp 4 of 9

5.3 Advice for fire fighters

Wear self-contained breathing apparatus and full body protection

Cool containers exposed to fire with water spray

Collect contaminated fire extinguishing water separately, do not discharge into drains.

Section 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Follow precautions for the safe handling of this material as described by this safety data sheet. Provide adequate ventilation. Avoid flames or other sources of ignition. Avoid inhalation of vapours. Avoid contact with skin and eyes.

6.2 Environmental precautions

Contain the spillage as far as possible. Do not allow any spillage to enter drains or local water courses. Notify the relevant authority if material contaminates either of these.

6.3 Methods and material for containment and cleaning up

Remove all sources of ignition, provide effective ventilation. Absorb material with inert, non-combustible material (sand, earth, vermiculite). Transfer to a suitable container for disposal. Dispose according to local/national regulation (see section 13).

Clean spill site after material disposal is complete.

6.4 Reference to other sections

See sections 8 and 13

Section 7 Handling and storage

7.1 Precautions for safe handling

Ensure that the working area is well ventilated. Maintain order and cleanliness. Fully control sources of ignition. Avoid contact with eyes and skin. Wear protective clothing and glasses. Do not breathe vapours. Clean all spillages immediately (see section 6).

Observe good hygiene practices. Do not eat, drink or smoke in work areas. Wash hands after use and before breaks. Remove any contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including an incompatibilities

Store in full, dry, airtight containers between 5 - 25°C, away from sources of heat and light, in original packaging if possible

7.3 Specific end uses

Data not available.

Section 8 Exposure controls/personal protection

8.1 Control parameters

Augustus Oils Ltd Issue: 2 Date of issue: 09.05.2023 pp 5 of 9

8.2 Exposure controls

General work place measures

Wear protective work clothing and footwear. Do not eat, drink or smoke whilst working. Ensure the working area is well ventilated. Provide access to emergency showers and eye wash stations.

Eye/face protection

Wear tightly fitting goggles.

Skin protection

Wear protective gloves of butyl-rubber composition >= 0.5 mm thickness.

Respiratory protection

If the working area is well ventilated, no specific respiratory protective equipment is required.

Environmental exposure controls

Do not allow material to enter drains or local water courses. Avoid subsoil penetration. If materials contaminate the local environment, contact the relevant authorities.

Section 9 Physical/chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Colourless to pale yellow liquid

Odour: Soft, floral

Odour threshold: Data not available pH: Data not available Melting point: Data not available Boiling point: Data not available

Flash point: >80°C

Evapouration rate: Data not available Flammability: Data not available Upper flammability limit: Data not available Data not available Lower flammability limit: Upper explosive limit: Data not available Data not available Lower explosive limit: Vapour pressure: Data not available Vapour density: Data not available 0.958 @ 20°C Relative density: Solubility: Data not available Partition coefficient n-o: Data not available Data not available Auto ignition temperature: Decomposition temperature: Data not available Data not available Viscosity: Data not available Explosive properties: Oxidising properties: Data not available

9.2 Other information

Augustus Oils Ltd Issue: 2 Date of issue: 09.05.2023 pp 6 of 9

No relevent information available

Section 10 Stability and reactivity

10.1 Reactivity

This material is non-reactive under normal conditions of use and storage, see section 7

10.2 Chemical stability

This material is stable under normal conditions of use and storage, see section 7.

10.3 Possibility of hazardous reactions

When handled and stored under the conditions set out in section 7 it is not expected that will be any hazardous reactions leading to excessive temperatures or pressures.

10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature. Direct sunlight

10.5 Incompatible materials

Oxidising agents, reducing agents, acids, bases, Nitric acid

10.6 Hazardous decomposition products

No specific products known. In the event of fire refer to section 5 for products of combustion.

Section 11 Toxicological information

11.1 Information on toxicological effects

Acute toxicity: Data not available Irritation: Data not available Corrosivity: Data not available Sensitisation: Data not available Repeated dose toxicity: Data not available Carcinogenicity: Data not available Mutagenicity: Data not available Toxicity for reproduction: Data not available

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties:

Data not available

11.2.2 Information on other hazards:

Data not available

Augustus Oils Ltd Issue: 2 Date of issue: 09.05.2023 pp 7 of 9

Section 12 Ecological information

12.1 Toxicity

Data not available

12.2 Persistance and degradability

Data not available

12.3 Bioaccumulative potential:

Data not available

12.4 Mobility in soil

Data not available

12.5 Results of PTB and vPvB assessment:

Data not available

12.6 Endocrine disrupting properties:

Data not available

12.7 Other adverse effects:

Data not available

Section 13 Disposal conditions

13.1 Waste treatment methods

Product - Treat any unused product as hazardous waste. Do not let product enter drains. Contact waste disposal services and dispose of material in accordance with local regulations.

Contaminated packaging - Treat packaging in the same manner as the product.

Section 14 Transport information

14.1 UN number: 3082

14.2 Proper shipping name: Environmentally hazardous substance, liquid, n.o.s.

14.3 Transport hazard class(es): 9

14.4 Packing group:

14.5 Environmental hazard: Yes

14.6 Special precautions for user: Tunnel Code (ADR) : E

14.7 Transport in bulk according to IMO instruments: Not applicable

Augustus Oils Ltd Issue: 2 Date of issue: 09.05.2023 pp 8 of 9

Section 15 Regulatory information

This datasheet has been compiled in accordance with 'COMMISSION REGULATION (EU) No 453/2010, Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)'

Section 16 Other information

Changes since the last update:

List of abbreviations used in section 2 to 15:

H226 : Flammable liquid and vapour

H302 : Harmful if swallowed

H304 : May be fatal if swallowed and enters airways

H315 : Causes skin irritation

H317 : May cause an allergic skin reaction

H318 : Causes serious eye damageH319 : Causes serious eye irritation

H410 : Very toxic to aquatic life with long lasting effects

H411 : Toxic to aquatic life with long lasting effects

H412 : Harmful to aquatic life with long lasting effects

ACh1 : Aquatic chronic 1
ACh2 : Aquatic chronic 2
ACh3 : Aquatic chronic 3
AcT4 : Acute toxicity 4
Asp1 : Aspiration toxicity 1

EDa1 : Eye damage 1
Eye2 : Eye irritation 2

Fla3 : Flammable liquid 3 Sen1B : Skin sensitization 1B

Ski2 : Skin irritation 2

The information in this Safety Data Sheet is, to the best of our knowledge, information and belief, correct and consistent with the state of technical information available at the date of its publication. However, data is supplied without warranty and Augustus Oils Ltd.does not accept liability for any loss, injury and/or damage that results from use or misuse of the information herein. This document does not constitute a contract to supply to or for any specification or application.

This document is valid for 12 months from the print date above. After this time period has elapsed please contact Augustus Oils Ltd to ensure technical information is correct. If there are material changes to the content of the document within this 12 month period Augustus Oils Ltd will provide a new issue.

Augustus Oils Ltd Issue: 2 Date of issue: 09.05.2023 pp 9 of 9