

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 and SI 2020/1577

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name Biosoft Tissue Softening Agent

Product code RRDC7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Industrial/professional: PROC15 Use as laboratory reagent

Uses Advised Against Not known. 1.3 Details of the supplier of the safety data sheet

Manufacturer

Company Identification Atom Scientific Ltd

Address of Manufacturer Unit 2A East Tame Business Park

Rexcine Way Hyde Cheshire

Postal code SK14 4GX Telephone: 0161 3665123 01704 337167 Fax

technical@atomscientific.com E-mail

08:00 - 17:00 Office hours

Supplier

Office hours

Company Identification Atom Scientific Ltd

Unit 2A East Tame Business Park Address of Supplier

Rexcine Way

Hyde Cheshire SK14 4GX

08:00 - 17:00

Postal code Telephone: 0161 3665123 01704 337167 Fax

E-mail technical@atomscientific.com

1.4 Emergency telephone number

Emergency Phone No.

07833453806 Peter Keenan Contact

National response centre

NHS Direct Address Emergency Phone No. +44 111

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

GB CLP Regulation, UK SI 2019/720 and Flam. Liq. 2: Highly flammable liquid and vapour.

UK SI 2020/1567 Skin Corr. 1B: Causes severe skin burns and eye damage.

Eye Dam. 1: Causes serious eye damage. Muta. 2: Suspected of causing genetic defects.

2.2 Label elements

According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567

Biosoft Tissue Softening Agent **Product Name**

Hazard Pictogram(s)







Signal Word(s) Danger

H225: Highly flammable liquid and vapour. Hazard Statement(s)

H314: Causes severe skin burns and eye damage. H341: Suspected of causing genetic defects.

> Page: 1 - 9 Revision: 1



Precautionary Statement(s) P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P305+P351+P338+P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTRE/doctor.

P403+P235: Store in a well-ventilated place. Keep cool.

2.3 Other hazards

None known.

2.4 Additional Information

For full text of H/P Statements see section 16.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / Registration number(s)	%W/M	/Hazard Statement(s)	Hazard Pictogram(s)
Ethanol	64-17-5	200-578-6	<70	Flam. Liq. 2 H225	GHS02
glycerol	56-81-5	200-289-5	<25	Not classified	None
Propanone	67-64-1	200-662-2	<10	Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336	GHS02 GHS07
phenol	108-95-2	203-632-7	<5	Acute Tox. 3 H301 Acute Tox. 3 H311 Skin Corr. 1B H314 Acute Tox. 3 H331 Muta. 2 H341 STOT RE 2 H373	GHS06 GHS05 GHS08
Water	7732-18-5	231-791-2	<5	Not classified	None
Methanol	67-56-1	200-659-6	<1	Flam. Liq. 2 H225 Acute Tox. 3 H301 Acute Tox. 3 H311 Acute Tox. 3 H331 STOT SE 1 H370	GHS02 GHS06 GHS08

For full text of H/P Statements see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Eye Contact

Inhalation Immediately call a POISON CENTRE/doctor.

Skin Contact Take off immediately all contaminated clothing. Rinse skin with water. Wash

contaminated clothing before reuse. Immediately call a POISON CENTRE/doctor. Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor.

Ingestion Rinse mouth. Do NOT induce vomiting. Immediately call a POISON

CENTRE/doctor.

4.2 Most important symptoms and effects, both acute and delayed

Causes burns.

Page: 2 - 9 Revision: 1



4.3 Indication of any immediate medical attention and special treatment needed

IF exposed or concerned: Get medical advice/attention. Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Unsuitable extinguishing media Water jet spray
5.2 Special hazards arising from the substance or mixture

Highly flammable liquid and vapour. May decompose in a fire, giving off toxic and

irritant vapours.

5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire

area because they are likely to rupture under fire conditions.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Ensure full personal protection (including respiratory protection) during removal of spillages.

6.2 Environmental precautions

Spillages or uncontrolled discharges into watercourses must be alerted to the

appropriate regulatory body.

6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. Containers must not be punctured or destroyed by burning,

even when empty.

6.4 Reference to other sections

See Also Section 8, 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Use explosion-proof electrical/ventilating/lighting/equipment. Use non-sparking tools. Take action to prevent static discharges. Wash hands and exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face

protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep cool. Store locked up.

Storage temperature Ambient.

Storage life Stable under normal conditions.

Incompatible materials None known.

7.3 Specific end use(s)

Industrial/professional: PROC15 Use as laboratory reagent

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

Occupational Exposure Limits										
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note				
Glycerol, mist	56-81-5		10							
Ethanol	64-17-5	1000	1920							
Methanol	67-56-1	200	266	250	333	Sk				
Acetone	67-64-1	500	1210	1500	3620					
Phenol	108-95-2	2	7.8	4	16	Sk				

Region Source

Page: 3 - 9 Revision: 1



United Kingdom UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark Notes

Sk Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic

toxicity.

8.2 Exposure controls

8.2.1. Appropriate engineering controls Use non-sparking ventilation systems, approved explosion-proof equipment, and

intrinsically safe electrical systems. Use with ventilation, local exhaust ventilation or breathing protection. A washing facility/water for eye and skin cleaning purposes

should be present.

8.2.2. Personal protection equipment

Eye Protection Wear eye protection with side protection (EN166).

Skin protection Wear protective clothing and gloves: Impervious gloves (EN 374).

Respiratory protection

Normally no personal respiratory protection is necessary.

Thermal hazards None known.

3.2.3. Environmental Exposure Controls Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Liquid.

Colour : Almost colourless.
Odour Perceptible odour. Phenolic.

Odour threshold Perceptible odour. Pheno Not known.

PH Not known.

Melting point/freezing point Not known.

Initial boiling point and boiling range
Flash Point Not known.

Evaporation rate Not known.

Flammability (solid, gas) Not known.

Upper/lower flammability or explosive Not known.

limits

Vapour pressure
Vapour density
Density (g/ml)
Relative density
Not known.
Not known.

Solubility(ies) Solubility (Water) : Miscible. Solubility (Other) : Not known.

Partition coefficient: n-octanol/water
Auto-ignition temperature
Decomposition Temperature (°C)
Viscosity
Not known.
Explosive properties
Not known.
Oxidising properties
Not known.
Not known.

9.2 Other information

None.

Page: 4 - 9 Revision: 1



SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

None anticipated.

10.2 Chemical Stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

Avoid friction, sparks, or other means of ignition.

10.5 Incompatible materials

Not known.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity - Ingestion Calculation method: Not classified.

Calculation method: Calculated acute toxicity estimate (ATE) Calc ATE - 3060.91

Acute toxicity - Skin Contact Calculation method: Not classified.

Calculation method: Calculated acute toxicity estimate (ATE) Calc ATE - 9182.74

Acute toxicity - Inhalation Calculation method: Not classified.

Calculation method: Calculated acute toxicity estimate (ATE) Calc ATE - 91.83

Calculation method: Causes severe skin burns and eye damage. Skin corrosion/irritation

Serious eye damage/irritation Calculation method: Causes serious eye damage.

Calculation method: Not classified. Skin sensitization data Respiratory sensitization data Calculation method: Not classified.

Germ cell mutagenicity Calculation method: Suspected of causing genetic defects.

Carcinogenicity Calculation method : Not classified. Reproductive toxicity Calculation method: Not classified. Calculation method: Not classified. Lactation STOT - single exposure Calculation method: Not classified. Calculation method: Not classified. STOT - repeated exposure Aspiration hazard Calculation method: Not classified.

11.2 Other information

Not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity - Aquatic invertebrates Low toxicity to invertebrates.

Low toxicity to fish. Toxicity - Fish Low toxicity to algae. Toxicity - Algae Toxicity - Sediment Compartment Not classified.

Toxicity - Terrestrial Compartment Not classified.

12.2 Persistence and degradability

Not known.

12.3 Bioaccumulative potential

Not known.

12.4 Mobility in soil

Not known.

12.5 Results of PBT and vPvB assessment

Not known.

12.6 Other adverse effects

None known.

Page: 5 - 9 Revision: 1



SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Dispose of contents in accordance with local, state or national legislation. Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Do not allow to enter drains, sewers or watercourses. Do NOT landfill. Normal disposal is via incineration operated by an accredited disposal contractor. Send to a licensed recycler, reclaimer or incinerator.

Dispose of this material and its container to hazardous or special waste collection

point. Dispose at suitable refuse site.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

SECTION 14: TRANSPORT INFORMATION

14.1 UN number

UN No. 1993

14.2 UN proper shipping name

UN proper shipping name FLAMMABLE LIQUID, N.O.S.

14.3 Transport hazard class(es)

ADR/RID

ADR/RID Class 3
ADR Classification Code F1
Special Provisions 274 601
Limited Quantities 5 L
Excepted Quantities E1
Emergency Action Code •3Y

Mixed Packing Instructions for Packages P001 IBC03 LP01 R001

Special Packing Provisions for Packages

Mixed Packing Instructions for Packages Packing Instructions for Portable Tanks Special Provisions for Portable Tanks Tank Code for Tanks LGBF

Tank Code for Tanks Special Provisions for Tanks

Vehicle for Tank Carriage FL
ADR Transport Category 3
Tunnel Restriction Code D/E
Special Provisions for Carriage - V12

Packages

Special Provisions for Carriage - Bulk Special Provisions for Carriage - Loading,

Unloading and Handling

Special Provisions for Carriage - S2

Operation

ADR HIN 30 IMDG

IMDG Class3Special Provisions274 601Limited Quantities5 LExcepted QuantitiesE1

Mixed Packing Instructions for Packages P001 IBC03 LP01 R001

Special Packing Provisions for Packages
Packing Instructions for Portable Tanks
Special Provisions for Portable Tanks
IMDG EMS
Stowage and Handling

T4
TP1 TP29
F-E, S-E
Category A

Segregation
Marine Pollutant
ICAO/IATA

IATA Proper Shipping Name FLAMMABLE LIQUID, N.O.S.

Excepted Quantities E1
Passenger and Cargo Aircraft Limited Y344

Quantities Packing Instructions

Passenger and Cargo Aircraft Limited 10L

Quantities Max net Qty

Page: 6 - 9 Revision: 1



Passenger and Cargo Aircraft Packing 355

Instructions

Passenger and Cargo Aircraft Max net 60L

Qty

Cargo Aircraft Packing Instructions Cargo Aircraft Max net Qty 220L Special Provisions Α3 Emergency Response Guidebook (ERG) 3L

Code Labels

Labels 3



14.4 Packing group Packing group

14.5 Environmental hazards

Environmental hazards

14.6 Special precautions for user

Special precautions for user Not known.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Ш

No information available

Not classified as a Marine Pollutant.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

United Kingdom Regulations - Authorisations and/or Restrictions On Use

UK REACH Candidate List of Substances Not listed

of Very High Concern for Authorisation

UK RÉACH Authorisation List (Annex Not listed

XIV) list of substances subject to

authorisation

UK REACH Restrictions List (Annex XVII) Methanol (67-56-1), Ethanol (64-17-5), Propanone (67-64-1), phenol (108-95-2)

Restrictions on the manufacture, placing

on the market and use of certain

dangerous substances, mixtures and

articles

UK REACH Rolling Action Plan (RAP) Not listed The Persistent Organic Pollutants Not listed

Regulations 2007 (SI 2007/3106) as

amended

The Ozone-Depleting Substances and Not listed

Fluorinated Greenhouse Gases

(Amendment etc.) (EU Exit) Regulations

2019 (SI 2019/583)

The Prior Informed Consent (PIC) Not listed

Regulations concerning the export and

import of hazardous chemicals

SI2008/2108 as amended

European Regulations - Authorisations and/or Restrictions On Use

Community Rolling Action Plan (CoRAP) Methanol (67-56-1), phenol (108-95-2)

15.2 Chemical Safety Assessment

United Kingdom A REACH chemical safety assessment has not been carried out.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

LEGEND

Hazard Pictogram(s)









GHS02 GHS05 GHS08

GHS06: GHS: Skull and crossbones GHS07: GHS: Exclamation mark

Hazard classification Flam. Liq. 2 : Flammable liquid, Category 2

Acute Tox. 3 : Acute toxicity, Category 3 Acute Tox. 3 : Acute toxicity, Category 3

Skin Corr. 1B: Skin corrosion/irritation, Category 1B Eye Dam. 1: Serious eye damage/irritation, Category 1 Eye Irrit. 2: Serious eye damage/irritation, Category 2

Acute Tox. 3: Acute toxicity, Category 3

STOT SE 3: Specific target organ toxicity — single exposure, Category 3

Muta. 2: Germ cell mutagenicity, Category 2

STOT SE 1 : Specific target organ toxicity — single exposure, Category 1 STOT RE 2 : Specific target organ toxicity — repeated exposure, Category 2

Hazard Statement(s)

H225: Highly flammable liquid and vapour.

H301: Toxic if swallowed.

H311: Toxic in contact with skin.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage. H319: Causes serious eye irritation.

H331: Toxic if inhaled.

H336: May cause drowsiness or dizziness.

H341: Suspected of causing genetic defects.

H370: Causes damage to organs.

H373: May cause damage to organs through prolonged or repeated exposure.

Precautionary Statement(s)

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233: Keep container tightly closed.

P240: Ground and bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting/equipment.

P242: Use non-sparking tools.

P243: Take action to prevent static discharges.

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P264: Wash hands and exposed skin thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331+P310: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTRE/doctor.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P303+P361+P353+P310: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTRE/doctor.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338+P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P321: Specific treatment (see Medical Advice on this label).

P363: Wash contaminated clothing before reuse.

P370+P378: In case of fire: Use water spray, dry powder or carbon dioxide to extinguish.

P403+P235: Store in a well-ventilated place. Keep cool.

Page: 8 - 9 Revision: 1



Acronyms

Disclaimers

Biosoft Tissue Softening Agent (RRDC7)

P405: Store locked up.

P501: Dispose of contents in accordance with local, state or national legislation.

ADN: European Agreement concerning the International Carriage of Dangerous

Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous

Goods by Road

ATE : Acute Toxicity Estimate CAS : Chemical Abstracts Service DNEL : Derived No Effect Level EC : European Community

EINECS: European Inventory of Existing Commercial Chemical Substances

IATA: International Air Transport Association

IBC: Intermediate Bulk Container

ICAO: International Civil Aviation Organization IMDG: International Maritime Dangerous Goods

LTEL: Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals RID : Regulations concerning the International Carriage of Dangerous Goods by Rail

STEL: Short term exposure limit STOT: Specific Target Organ Toxicity

UN: United Nations

vPvB: very Persistent and very Bioaccumulative

Key literature references and sources for GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567 data used to compile the SDS

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Atom Scientific Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Atom Scientific Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under

Patents, Copyright and Designs cannot be assumed.

Page: 9 - 9 Revision: 1