

Launch Sites Locations Analysis with Folium

Estimated time needed: 40 minutes

The launch success rate may depend on many factors such as payload mass, orbit type, and so on. It may also depend on the location and proximities of a launch site, i.e., the initial position of rocket trajectories. Finding an optimal location for building a launch site certainly involves many factors and hopefully we could discover some of the factors by analyzing the existing launch site locations.

In the previous exploratory data analysis labs, you have visualized the SpaceX launch dataset using matplotlib and seaborn and discovered some preliminary correlations between the launch site and success rates. In this lab, you will be performing more interactive visual analytics using Folium.

Objectives

This lab contains the following tasks:

- TASK 1: Mark all launch sites on a map
- TASK 2: Mark the success/failed launches for each site on the map
- TASK 3: Calculate the distances between a launch site to its proximities

After completed the above tasks, you should be able to find some geographical patterns about launch sites.

Let's first import required Python packages for this lab:

```
Collecting folium
          Downloading folium-0.14.0-py2.py3-none-any.whl (102 kB)
             ----- 102.3/102.3 kB 1.5 MB/s eta 0:00:00
        Requirement already satisfied: numpy in c:\users\nicol\anaconda3\lib\site-packages (f
        rom folium) (1.21.5)
        Requirement already satisfied: requests in c:\users\nicol\anaconda3\lib\site-packages
        (from folium) (2.28.1)
        Collecting branca>=0.6.0
          Downloading branca-0.6.0-py3-none-any.whl (24 kB)
        Requirement already satisfied: jinja2>=2.9 in c:\users\nicol\anaconda3\lib\site-packa
        ges (from folium) (2.11.3)
        Requirement already satisfied: MarkupSafe>=0.23 in c:\users\nicol\anaconda3\lib\site-
        packages (from jinja2>=2.9->folium) (2.0.1)
        Requirement already satisfied: idna<4,>=2.5 in c:\users\nicol\anaconda3\lib\site-pack
        ages (from requests->folium) (3.3)
        Requirement already satisfied: urllib3<1.27,>=1.21.1 in c:\users\nicol\anaconda3\lib
        \site-packages (from requests->folium) (1.26.11)
        Requirement already satisfied: certifi>=2017.4.17 in c:\users\nicol\anaconda3\lib\sit
        e-packages (from requests->folium) (2022.9.14)
        Requirement already satisfied: charset-normalizer<3,>=2 in c:\users\nicol\anaconda3\l
        ib\site-packages (from requests->folium) (2.0.4)
        Installing collected packages: branca, folium
        Successfully installed branca-0.6.0 folium-0.14.0
        Note: you may need to restart the kernel to use updated packages.
        Requirement already satisfied: wget in c:\users\nicol\anaconda3\lib\site-packages (3.
        2)
        Note: you may need to restart the kernel to use updated packages.
        import folium
In [ ]:
        import wget
        import pandas as pd
        from folium.plugins import MarkerCluster
        # Import folium MousePosition plugin
```

```
In []: # Import folium MarkerCluster plugin
    from folium.plugins import MarkerCluster
    # Import folium MousePosition plugin
    from folium.plugins import MousePosition
    # Import folium DivIcon plugin
    from folium.features import DivIcon
```

If you need to refresh your memory about folium, you may download and refer to this previous folium lab:

Generating Maps with Python

Task 1: Mark all launch sites on a map

First, let's try to add each site's location on a map using site's latitude and longitude coordinates

The following dataset with the name spacex_launch_geo.csv is an augmented dataset with latitude and longitude added for each site.

```
In [ ]: # Download and read the `spacex_launch_geo.csv`
    spacex_csv_file = wget.download('https://cf-courses-data.s3.us.cloud-object-storage.ag
    spacex_df=pd.read_csv(spacex_csv_file)
```

Now, you can take a look at what are the coordinates for each site.

```
In []: # Select relevant sub-columns: `Launch Site`, `Lat(Latitude)`, `Long(Longitude)`, `classapacex_df = spacex_df[['Launch Site', 'Lat', 'Long', 'class']]
launch_sites_df = spacex_df.groupby(['Launch Site'], as_index=False).first()
launch_sites_df = launch_sites_df[['Launch Site', 'Lat', 'Long']]
launch_sites_df
```


Out[]:		Launch Site	Lat	Long
	0	CCAFS LC-40	28.562302	-80.577356
	1	CCAFS SLC-40	28.563197	-80.576820
	2	KSC LC-39A	28.573255	-80.646895
	3	VAFB SLC-4E	34.632834	-120.610746

Above coordinates are just plain numbers that can not give you any intuitive insights about where are those launch sites. If you are very good at geography, you can interpret those numbers directly in your mind. If not, that's fine too. Let's visualize those locations by pinning them on a map.

We first need to create a folium Map object, with an initial center location to be NASA Johnson Space Center at Houston, Texas.

```
In [ ]: # Start Location is NASA Johnson Space Center
  nasa_coordinate = [29.559684888503615, -95.0830971930759]
  site_map = folium.Map(location=nasa_coordinate, zoom_start=10)
```

We could use folium.Circle to add a highlighted circle area with a text label on a specific coordinate. For example,



and you should find a small yellow circle near the city of Houston and you can zoom-in to see a larger circle.

Now, let's add a circle for each launch site in data frame launch sites

TODO: Create and add folium.Circle and folium.Marker for each launch site on the site map

An example of folium. Circle:

```
folium.Circle(coordinate, radius=1000, color='#000000',
fill=True).add_child(folium.Popup(...))
```

An example of folium.Marker:


```
folium.map.Marker(coordinate, icon=DivIcon(icon_size=(20,20),icon_anchor=
(0,0), html='<div style="font-size: 12; color:#d35400;"><b>%s</b></div>' %
'label', ))
```

```
In []: # Initial the map
    site_map = folium.Map(location=nasa_coordinate, zoom_start=5)
    # For each launch site, add a Circle object based on its coordinate (Lat, Long) values
    for index, row in launch_sites_df.iterrows():
        circle = folium.Circle([row['Lat'], row['Long']], radius=1000, color='#d35400', fi
        site_map.add_child(circle)
    site_map
```

Out[]:



The generated map with marked launch sites should look similar to the following:



Now, you can explore the map by zoom-in/out the marked areas , and try to answer the following questions:

- Are all launch sites in proximity to the Equator line?
- Are all launch sites in very close proximity to the coast?

Also please try to explain your findings.

All the launch sites are basically on the ocean or very close. They are not close to the equator, really, but they are closer to the equator than they could be, as in if they were in northern US costal states. However, all of the launch sites are where shuttles and other craft have launched

from in the past, so it makes sense. The weather in these locations is the best in the US, where if they were lanched in a different location it may cause more weather delays etc.

Task 2: Mark the success/failed launches for each site on the map

Next, let's try to enhance the map by adding the launch outcomes for each site, and see which sites have high success rates. Recall that data frame spacex_df has detailed launch records, and the class column indicates if this launch was successful or not

In []:	<pre>spacex_df.tail(10)</pre>				
Out[]:		Launch Site	Lat	Long	class
	46	KSC LC-39A	28.573255	-80.646895	1
	47	KSC LC-39A	28.573255	-80.646895	1
	48	KSC LC-39A	28.573255	-80.646895	1
	49	CCAFS SLC-40	28.563197	-80.576820	1
	50	CCAFS SLC-40	28.563197	-80.576820	1
	51	CCAFS SLC-40	28.563197	-80.576820	0
	52	CCAFS SLC-40	28.563197	-80.576820	0
	53	CCAFS SLC-40	28.563197	-80.576820	0
	54	CCAFS SLC-40	28.563197	-80.576820	1
	55	CCAFS SLC-40	28.563197	-80.576820	0

Next, let's create markers for all launch records. If a launch was successful (class=1), then we use a green marker and if a launch was failed, we use a red marker (class=0)

Note that a launch only happens in one of the four launch sites, which means many launch records will have the exact same coordinate. Marker clusters can be a good way to simplify a map containing many markers having the same coordinate.

Let's first create a MarkerCluster object

```
In [ ]: marker_cluster = MarkerCluster()
```

TODO: Create a new column in launch_sites dataframe called marker_color to store the marker colors based on the class value

```
In [ ]: # Apply a function to check the value of `class` column
# If class=1, marker_color value will be green
# If class=0, marker_color value will be red
```

```
In [ ]: # Function to assign color to launch outcome
def assign_marker_color(launch_outcome):
    if launch_outcome == 1:
        return 'green'
    else:
        return 'red'

spacex_df['marker_color'] = spacex_df['class'].apply(assign_marker_color)
spacex_df.tail(10)
```

Out[]:		Launch Site	Lat	Long	class	marker_color
	46	KSC LC-39A	28.573255	-80.646895	1	green
	47	KSC LC-39A	28.573255	-80.646895	1	green
	48	KSC LC-39A	28.573255	-80.646895	1	green
	49	CCAFS SLC-40	28.563197	-80.576820	1	green
	50	CCAFS SLC-40	28.563197	-80.576820	1	green
	51	CCAFS SLC-40	28.563197	-80.576820	0	red
	52	CCAFS SLC-40	28.563197	-80.576820	0	red
	53	CCAFS SLC-40	28.563197	-80.576820	0	red
	54	CCAFS SLC-40	28.563197	-80.576820	1	green
	55	CCAFS SLC-40	28.563197	-80.576820	0	red

```
In []: spacex_df.marker_color.value_counts()
Out[]: red    32
    green    24
    Name: marker color, dtype: int64
```

TODO: For each launch result in spacex_df data frame, add a folium.Marker to marker_cluster

```
In []: # Add marker_cluster to current site_map
    site_map.add_child(marker_cluster)

# for each row in spacex_df data frame
    # create a Marker object with its coordinate
# and customize the Marker's icon property to indicate if this launch was successed or
#icon=folium.Icon(color='white', icon_color=row['marker_color'])
for index, record in spacex_df.iterrows():
    # TODO: Create and add a Marker cluster to the site map
    marker = folium.Marker(location=[record['Lat'], record['Long']] , icon=folium.Icor
    marker_cluster.add_child(marker)

site_map
```

Out[]: Oregon Boise Wyoming Salt Lake City Denver Utah Colorado Sacramento California San Jose Fresno Las Vegas Albuquerque Arizona New Mexico Leaflet (https://leafletjs.com) | Data by OpenStreetMap (http://openstreetmap.org), under ODbL

Your updated map may look like the following screenshots:

(http://www.openstreetmap.org/copyright).



Phoenix



From the color-labeled markers in marker clusters, you should be able to easily identify which launch sites have relatively high success rates.

TASK 3: Calculate the distances between a launch site to its proximities

Next, we need to explore and analyze the proximities of launch sites.

Let's first add a MousePosition on the map to get coordinate for a mouse over a point on the map. As such, while you are exploring the map, you can easily find the coordinates of any points of interests (such as railway)

```
In []: # Add Mouse Position to get the coordinate (Lat, Long) for a mouse over on the map
formatter = "function(num) {return L.Util.formatNum(num, 5);};"
mouse_position = MousePosition(
    position='topright',
    separator=' Long: ',
    empty_string='NaN',
    lng_first=False,
    num_digits=20,
    prefix='Lat:',
    lat_formatter=formatter,
    lng_formatter=formatter,
)

site_map.add_child(mouse_position)
site_map
```



Now zoom in to a launch site and explore its proximity to see if you can easily find any railway, highway, coastline, etc. Move your mouse to these points and mark down their coordinates (shown on the top-left) in order to the distance to the launch site.

You can calculate the distance between two points on the map based on their Lat and Long values using the following method:

```
In [ ]: from math import sin, cos, sqrt, atan2, radians

def calculate_distance(lat1, lon1, lat2, lon2):
    # approximate radius of earth in km
    R = 6373.0

lat1 = radians(lat1)
    lon1 = radians(lon1)
    lat2 = radians(lat2)
    lon2 = radians(lon2)

dlon = lon2 - lon1
    dlat = lat2 - lat1

a = sin(dlat / 2)**2 + cos(lat1) * cos(lat2) * sin(dlon / 2)**2
    c = 2 * atan2(sqrt(a), sqrt(1 - a))


distance = R * c
    return distance
```

TODO: Mark down a point on the closest coastline using MousePosition and calculate the distance between the coastline point and the launch site.

```
In [ ]: # find coordinate of the closet coastline
         # e.g.,: Lat: 28.56367 Lon: -80.57163
         # distance coastline = calculate distance(launch site lat, launch site lon, coastline
In [ ]: #coordinates of the closest largest city to the launch site
         close city Lat = 28.53834 ; close city Lon = -81.37924
         launch site lat = 28.563197 ; launch site lon = -80.576820
         distance to city = calculate distance(launch site lat, launch site lon, close city Lat
         print('Distance to the closest city: ', distance to city, 'km')
        Distance to the closest city: 78.44792442103036 km
        TODO: After obtained its coordinate, create a folium. Marker to show the distance
In [ ]: # Create and add a folium.Marker on your selected closest coastline point on the map
         # Display the distance between coastline point and launch site using the icon property
         # for example
         distance marker = folium.Marker(
                 location=[close city Lat, close city Lon],
                 icon=DivIcon(
                 icon size=(20,20),
                 icon anchor=(0,0),
                 html='<div style="font-size: 12; color:#d35400;"><b>%s</b></div>' % "{:10.2f}
            )
        distance marker
In [ ]:
         <folium.map.Marker at 0x2d14b452490>
Out[ ]:
        TODO: Draw a PolyLine between a launch site to the selected coastline point
         Locations = [[close_city_Lat, close_city_Lon],[launch_site_lat, launch_site_lon]]
In [ ]:
         type(Locations)
        list
Out[ ]:
In [ ]: m = folium.Map(location=[37.4601908, 126.4406957],
                        zoom start=15)
         place lat = [37.4601928, 37.4593108, 37.4641108, 37.4611508]
         place lng = [126.4406957, 126.4432957, 126.4476917, 126.4423957]
         points = []
         for i in range(len(place lat)):
             points.append([place_lat[i], place_lng[i]])
         for index,lat in enumerate(place_lat):
             folium.Marker([lat,
                            place lng[index]],
                           popup=('patient{} \n 74contacts'.format(index)),
                          icon = folium.Icon(color='green',icon='plus')).add to(m)
         folium.PolyLine(points, color='red').add to(m)
         m
```

```
points
In [ ]:
          [[37.4601928, 126.4406957],
Out[ ]:
           [37.4593108, 126.4432957],
           [37.4641108, 126.4476917],
           [37.4611508, 126.4423957]]
          type(points)
In [ ]:
          list
Out[]:
          # Create a `folium.PolyLine` object using the coastline coordinates and launch site co
In [ ]:
          lines=folium.PolyLine(Locations, weight=1)
          site_map.add_child(lines)
                                                                                                       NaN
Out[]:
                                 Oregon
                                                  Boise
                                                                                  Wyoming
                                                                 Salt Lake
                                                                   City
                                                                                            Denver
                                                                    Utah
                                                                                          Colorado
                            Sacramento
                                  California
                       San Jose
                                    Fresno
                                                     Las Vegas
                                                                                   Albuquerque
                                                                   Arizona
                                                                                     New Mexico
           Leaflet (https://leafletjs.com) | Data by @ OpenStreetMap (http://openstreetmap.org), under ODbL
                                                                 Phoenix
          (http://www.openstreetmap.org/copyright).
```

Your updated map with distance line should look like the following screenshot:



TODO: Similarly, you can draw a line betwee a launch site to its closest city, railway, highway, etc. You need to use MousePosition to find the their coordinates on the map first

A railway map symbol may look like this:




A highway map symbol may look like this:



A city map symbol may look like this:



```
In []: # Create a marker with distance to a closest city, railway, highway, etc.
# Draw a line between the marker to the launch site
site_map.add_child(distance_marker)
site_map
```



```
In [ ]:

In [ ]:
```

After you plot distance lines to the proximities, you can answer the following questions easily:

- Are launch sites in close proximity to railways?
- Are launch sites in close proximity to highways?
- Are launch sites in close proximity to coastline?
- Do launch sites keep certain distance away from cities?

Also please try to explain your findings.

Next Steps:

Now you have discovered many interesting insights related to the launch sites' location using folium, in a very interactive way. Next, you will need to build a dashboard using Ploty Dash on detailed launch records.

Authors

Yan Luo

Other Contributors

Joseph Santarcangelo

Change Log

Date (YYYY-MM-DD)	Version Changed By		Change Description		
2021-05-26	1.0	Yan	Created the initial version		

Copyright $\ensuremath{\mathbb{C}}$ 2021 IBM Corporation. All rights reserved.