# IntegrityError at /importer/messages/4/

UNIQUE constraint failed: sku\_manage\_ingredient.number

Request Method: GET

Request URL: http://127.0.0.1:8000/importer/messages/4/

Django Version: 2.1.5
Exception Type: IntegrityError

Exception Value: UNIQUE constraint failed: sku\_manage\_ingredient.number

Exception Location: /Users/marcusoertle/anaconda3/lib/python3.6/site-packages/django/db/backends/sqlite3/base.py in execute, line 298

Python Executable: /Users/marcusoertle/anaconda3/bin/python

Python Version: 3.6.5

Python Path: ['/Users/marcusoertle/Docs/ece458/FoodManage/food\_site', '/Users/marcusoertle/anaconda3/lib/python36.zip',

'/Users/marcusoertle/anaconda3/lib/python36.zip',
'/Users/marcusoertle/anaconda3/lib/python3.6',
'/Users/marcusoertle/anaconda3/lib/python3.6/lib-dynload',

'/Users/marcusoertle/anaconda3/lib/python3.6/site-packages',
'/Users/marcusoertle/anaconda3/lib/python3.6/site-packages/aeosa']

Server time: Sun, 17 Feb 2019 16:49:25 -0500

## Traceback Switch to copy-and-paste view

 $/ {\tt Users/marcusoertle/anaconda3/lib/python3.6/site-packages/django/db/backends/utils.py} \\ {\tt In\_execute} \\$ 

85. return self.cursor.execute(sql, params)

Local vars

/Users/marcusoertle/anaconda3/lib/python3.6/site-packages/django/db/backends/sqlite3/base.py in execute

298. return Database.Cursor.execute(self, query, params)

► Local vars

## The above exception (UNIQUE constraint failed: sku\_manage\_ingredient.number) was the direct cause of the following exception:

/Users/marcusoertle/anaconda3/lib/python3.6/site-packages/django/core/handlers/exception.py in inner

34. response = get\_response(request)

► Local vars

 $/{\tt Users/marcusoertle/anaconda3/lib/python3.6/site-packages/django/core/handlers/base.py\ in\ \_{\tt get\_response}.$ 

126. response = self.process\_exception\_by\_middleware(e, request)

Local vars

 $/{\tt Users/marcusoertle/anaconda3/lib/python3.6/site-packages/django/core/handlers/base.py}\ in\ \_{\tt get\_response}.$ 

124. response = wrapped\_callback(request, \*callback\_args, \*\*callback\_kwargs)

► Local vars

/Users/marcusoertle/Docs/ece458/FoodManage/food\_site/importer/views.py in commit\_to\_database

103. conflict\_database\_model.save()

► Local vars

 $/{\tt Users/marcusoertle/Docs/ece458/FoodManage/food\_site/sku\_manage/models.py} \ in \ {\tt save} \\$ 

49. super(Ingredient, self).save()

► Local vars

/Users/marcusoertle/anaconda3/lib/python3.6/site-packages/django/db/models/base.py in save

718. force\_update=force\_update, update\_fields=update\_fields)

► Local vars

/Users/marcusoertle/anaconda3/lib/python3.6/site-packages/django/db/models/base.py in save\_base

748. updated = self.\_save\_table(raw, cls, force\_insert, force\_update, using, update\_fields)

Local vars

 $/{\tt Users/marcusoertle/anaconda3/lib/python3.6/site-packages/django/db/models/base.py\ in\ \_save\_table}$ 

812. forced\_update)

Local vars

/Users/marcusoertle/anaconda3/lib/python3.6/site-packages/django/db/models/base.py in \_do\_update

861. return filtered.\_update(values) > 0

► Local vars

 $/ Users/marcusoertle/anaconda 3/lib/python 3.6/site-packages/django/db/models/query.py in \_update and the state of the s$ 

712. return query.get\_compiler(self.db).execute\_sql(CURSOR)

► Local vars

```
1383.
                                                                                                                                                        cursor = super().execute_sql(result_type)
                                          ► Local vars
/ {\tt Users/marcusoertle/anaconda3/lib/python3.6/site-packages/django/db/models/sql/compiler.py} \\ {\tt in execute\_sql/compiler.py} \\
                                             1065.
                                                                                                                                                                                       cursor.execute(sql, params)
                                          ► Local vars
/ {\tt Users/marcusoertle/anaconda3/lib/python3.6/site-packages/django/db/backends/utils.py} \ {\tt in} \ {\tt execute} \ {\tt execute}
                                                                                                                                                                                 return super().execute(sql, params)
                                          ► Local vars
/Users/marcusoertle/anaconda3/lib/python3.6/site-packages/django/db/backends/utils.py in execute
                                                                                                                                         return self._execute_with_wrappers(sql, params, many=False, executor=self._execute)
                                          Local vars
/{\tt Users/marcusoertle/anaconda3/lib/python3.6/site-packages/django/db/backends/utils.py\ in \_{\tt execute\_with\_wrappers} in a constant of the constant of the
                                                                                                                                         return executor(sql, params, many, context)
                                          ► Local vars
 /Users/marcusoertle/anaconda3/lib/python3.6/site-packages/django/db/backends/utils.py in _execute
                                                                                                                                                                                                         return self.cursor.execute(sql, params)
                                          ► Local vars
 /Users/marcusoertle/anaconda3/lib/python3.6/site-packages/django/db/utils.py in __exit_
                                                                                                                                                                                                         raise dj_exc_value.with_traceback(traceback) from exc_value
                                          ► Local vars
/{\tt Users/marcusoertle/anaconda3/lib/python3.6/site-packages/django/db/backends/utils.py\ in\ \_execute}
                                                                                                                                                                                                         return self.cursor.execute(sql, params)
                                          ► Local vars
/{\tt Users/marcusoertle/anaconda3/lib/python3.6/site-packages/django/db/backends/sqlite3/base.py\ in {\tt execute} in {\tt users/marcusoertle/anaconda3/lib/python3.6/site-packages/django/db/backends/sqlite3/base.py} in {\tt users/marcusoertle/anaconda3/lib/python3.6/site-packages/django/db/backends/sqlite3/base.python3/lib/python3/lib/python3/lib/python3/lib/python3/lib/python3/lib/python3/lib/python3/lib/python3/lib/python3/lib/python3/lib/python3/lib/python3/lib/python3/lib/python3/lib/python3/lib/python3/lib/python3/lib/python3/lib/python3/lib/python3/lib/python3/lib/python3/lib/python3/lib/python3/lib/python3/lib/python3/lib/python3/lib/python3/lib/pyth
                                                                                                                                                  return Database.Cursor.execute(self, query, params)
                                          ► Local vars
```

## **Request information**

USER admin

**GET** No GET data

POST No POST data

FILES No FILES data

COOKIES

Variable Value
csrftoken '7jhQEF5BziTfg8CwIF3N20quSfPuuLzgKxGiu6gEOpUAmK7VdIEqBYhliD79f8ok'
sessionid 'h53sif2tiesj6cy6q4tnxm48d9ouxg10'

**META** 

Variable	Value
Apple_PubSub_Socket_Render	'/private/tmp/com.apple.launchd.bdhyqsuO2k/Render'
CONTENT_LENGTH	··
CONTENT_TYPE	'text/plain'
CSRF_COOKIE	'7jhQEF5BziTfg8CwIF3N20quSfPuuLzgKxGiu6gE0pUAmK7VdIEqBYhliD79f8ok'
DISPLAY	'/private/tmp/com.apple.launchd.hdjtltbtcD/org.macosforge.xquartz:0'
DJANGO_SETTINGS_MODULE	'food_site.settings'
GATEWAY_INTERFACE	'CGI/1.1'
HOME	'/Users/marcusoertle'
HTTP_ACCEPT	'text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng,*/*;q=0.8
HTTP_ACCEPT_ENCODING	'gzip, deflate, br'
HTTP_ACCEPT_LANGUAGE	'en-US,en;q=0.9'
HTTP_CONNECTION	'keep-alive'
HTTP_COOKIE	<pre>('csrftoken=7jhQEF5BziTfg8CwIF3N20quSfPuuLzgKxGiu6gEOpUAmK7VdIEqBYhliD79f8ok; ' 'sessionid=h53sif2tiesj6cy6q4tnxm48d9ouxg10')</pre>
HTTP_HOST	'127.0.0.1:8000'
HTTP_REFERER	'http://127.0.0.1:8000/importer/messages/'
HTTP_UPGRADE_INSECURE_REQUESTS	'1'
HTTP_USER_AGENT	('Mozilla/5.0 (Macintosh; Intel Mac OS X 10_14_3) AppleWebKit/537.36 (KHTML, 'like Gecko) Chrome/72.0.3626.109 Safari/537.36')
JAVA_HOME	'/Library/Java/JavaVirtualMachines/jdk1.8.0_102.jdk/Contents/Home'
LANG	'en_US.UTF-8'
LOGNAME	'marcusoertle'
OLDPWD	'/Users/marcusoertle/docs/ece458/FoodManage'
PATH	$'/Library/Frameworks/Python.framework/Versions/3.7/bin:/Users/marcusoertle/anaconda3/bin:/Applications/apaconda3.5.3/bin:/Library/Java/Java/JavaVirtualMachines/jdk1.8.0_102.jdk/Contents/Home/bin:/Users/marcusoertle/bin:/Library/Java/JavaVirtualMachines/jdk1.8.0_102.jdk/Contents/Home/bin:/Users/marcusoertle/bin:/Library/Java/JavaVirtualMachines/jdk1.8.0_102.jdk/Contents/Home/bin:/Users/marcusoertle/bin:/Library/Java/JavaVirtualMachines/jdk1.8.0_102.jdk/Contents/Home/bin:/Users/marcusoertle/bin:/Library/JavaVirtualMachines/jdk1.8.0_102.jdk/Contents/Home/bin:/Users/marcusoertle/bin:/Library/JavaVirtualMachines/jdk1.8.0_102.jdk/Contents/Home/bin:/Users/marcusoertle/bin:/Library/JavaVirtualMachines/jdk1.8.0_102.jdk/Contents/Home/bin:/Users/marcusoertle/bin:/Library/JavaVirtualMachines/jdk1.8.0_102.jdk/Contents/Home/bin:/Users/marcusoertle/bin:/Library/JavaVirtualMachines/jdk1.8.0_102.jdk/Contents/Home/bin:/Users/marcusoertle/bin:/Library/JavaVirtualMachines/Jdk1.8.0_102.jdk/Contents/Home/bin:/Users/marcusoertle/bin:/Library/JavaVirtualMachines/Jdk1.8.0_102.jdk/Contents/Home/bin:/Users/marcusoertle/bin:/Library/JavaVirtualMachines/Jdk1.8.0_102.jdk/Contents/Home/bin:/Users/marcusoertle/bin:/Library/JavaVirtualMachines/Jdk1.8.0_102.jdk/Contents/Home/bin:/Users/marcusoertle/bin:/Library/JavaVirtualMachines/Jdk1.8.0_102.jdk/Contents/Home/bin:/Users/marcusoertle/bin:/Library/JavaVirtualMachines/Jdk1.8.0_102.jdk/Contents/Home/bin:/Library/JavaVirtualMachines/Home/bin:/Library/JavaVirtualMachines/Home/bin:/Library/JavaVirtualMachines/Home/bin:/Library/JavaVirtualMachines/Home/bin:/Library/JavaVirtualMachines/Home/bin:/Library/JavaVirtualMachines/Home/bin:/Library/JavaVirtualMachines/Home/bin:/Library/JavaVirtualMachines/Home/bin:/Library/JavaVirtualMachines/Home/bin:/Library/JavaVirtualMachines/Home/bin:/Library/JavaVirtualMachines/Home/bin:/Library/JavaVirtualMachines/Home/bin:/Library/JavaVirtualMachines/Home/bin:/Library/JavaVirtualMachines/Home/bin:/Library/JavaVirtualMachines/Home/bin:/Library/JavaVirtualMachines/Hom$

```
Variable
                                Value
                                '/importer/messages/4/'
PATH INFO
PWD
                                '/Users/marcusoertle/docs/ece458/FoodManage/food_site'
QUERY_STRING
                                '127.0.0.1'
REMOTE_ADDR
REMOTE_HOST
REQUEST METHOD
                                'GET'
RUN_MAIN
                                'true
SCRIPT NAME
SECURITYSESSIONID
                                '186a8'
SERVER_NAME
                                '1.0.0.127.in-addr.arpa'
SERVER PORT
                                '8000'
SERVER_PROTOCOL
                                'HTTP/1.1'
SERVER_SOFTWARE
                                'WSGIServer/0.2'
SHELL
                                '/bin/bash'
SHLVL
SSH_AUTH_SOCK
                                '/private/tmp/com.apple.launchd.qYLNt2SwRm/Listeners'
TERM
TERM PROGRAM
                                'Apple_Terminal'
TERM_PROGRAM_VERSION
                                '421.1'
TERM SESSION ID
                                'EFA07DD7-969F-4BB2-AB15-5397CB8ED658'
TMPDIR
                                '/var/folders/m2/h27n1skj7jb2kdfn8vw3jc1h0000gn/T/'
                                'EST'
TZ
USER
                                'marcusoertle
XPC_FLAGS
                                '0x0'
XPC SERVICE NAME
                                '0'
                                '/Users/marcusoertle/anaconda3/bin/python'
wsgi.errors
                                <_io.TextIOWrapper name='<stderr>' mode='w' encoding='UTF-8'>
wsgi.file_wrapper
wsgi.input
                                <django.core.handlers.wsgi.LimitedStream object at 0x1098c40b8>
wsgi.multiprocess
                                False
wsgi.multithread
                               True
wsgi.run_once
                                False
wsgi.url scheme
                                'http'
wsgi.version
                                (1, 0)
```

#### Settings

## Using settings module ${\tt food\_site.settings}$

```
Setting
                                  Value
ABSOLUTE_URL_OVERRIDES
                                   {}
ADMINS
                                   []
ALLOWED HOSTS
                                  ['152.3.53.33',
                                    '127.0.0.1',
'152.3.53.32'
                                    192.168.0.21
                                    '174.109.66.157'
                                    10.0.2.15
                                    'hypomeals.com']
APPEND SLASH
                                  True
AUTHENTICATION BACKENDS
                                   ['django.contrib.auth.backends.ModelBackend']
AUTH_PASSWORD_VALIDATORS
AUTH_USER_MODEL
                                   'auth . Hser'
BASE_DIR
                                   '/Users/marcusoertle/Docs/ece458/FoodManage/food_site'
CACHES
                                   {'default': {'BACKEND': 'django.core.cache.backends.locmem.LocMemCache'}}
CACHE_MIDDLEWARE_ALIAS
                                   'default'
                                   '******
CACHE_MIDDLEWARE_KEY_PREFIX
CACHE_MIDDLEWARE_SECONDS
                                  600
CSRF_COOKIE_AGE
                                  31449600
CSRF_COOKIE_DOMAIN
                                  None
CSRF_COOKIE_HTTPONLY
                                  False
CSRF COOKIE NAME
                                   'csrftoken'
CSRF_COOKIE_PATH
                                   '/'
CSRF_COOKIE_SAMESITE
                                   'Lax'
CSRF_COOKIE_SECURE
                                  False
                                   'django.views.csrf.csrf_failure'
CSRF_FAILURE_VIEW
                                   'HTTP_X_CSRFTOKEN'
CSRF_HEADER_NAME
CSRF_TRUSTED_ORIGINS
                                  []
CSRF_USE_SESSIONS
                                  False
DATABASES
                                  'CONN_MAX_AGE': 0,
                                                'ENGINE': 'django.db.backends.sqlite3',
                                                'HOST': '',

'NAME': '/Users/marcusoertle/Docs/ece458/FoodManage/food_site/db.sqlite3',
                                                'OPTIONS': {},
'PASSWORD': '*******************
                                                'PORT': '
                                                'TEST': { 'CHARSET': None,
                                                          COLLATION': None,
                                                         'MIRROR': None,
                                                         'NAME': None},
                                                'TIME_ZONE': None,
                                                'USER': ''}}
DATABASE_ROUTERS
                                   []
DATA_UPLOAD_MAX_MEMORY_SIZE
                                  2621440
DATA_UPLOAD_MAX_NUMBER_FIELDS
                                   1000
DATETIME FORMAT
                                   'N j, Y, P'
```

```
Setting
                                          Value
                                         ['%Y-%m-%d %H:%M:%S',
'%Y-%m-%d %H:%M:%S.%f',
DATETIME_INPUT_FORMATS
                                           '%Y-%m-%d %H:%M',
                                            '%Y-%m-%d',
'%m/%d/%Y %H:%M:%S'
                                           '%m/%d/%Y %H:%M:%S.%f',
                                           '%m/%d/%Y %H:%M',
'%m/%d/%Y',
                                           *m/*d/*Y %H: %M: %S',
'%m/%d/%y %H: %M: %S. %f',
'%m/%d/%y %H: %M',
'%m/%d/%y %H: %M',
'%m/%d/%y']
DATE_FORMAT
                                          'N j, Y'
                                          ['%Y-%m-%d',
DATE_INPUT_FORMATS
                                            %m/%d/%Y',
                                            '%m/%d/%y',
                                            '%b %d %Y'
                                            '%b %d, %Y',
                                           *B *G, *Y',

'*d *B *Y',

'*B *G *Y',

'*B *G, *Y',

'*B *G, *Y',
                                           '%d %B, %Y']
DEBUG
                                         True
DEBUG_PROPAGATE_EXCEPTIONS
                                         False
DECIMAL_SEPARATOR
DEFAULT_CHARSET
                                          'utf-8'
                                          'text/html'
DEFAULT_CONTENT_TYPE
{\tt DEFAULT\_EXCEPTION\_REPORTER\_FILTER~'django.views.debug.SafeExceptionReporterFilter'}
DEFAULT_FILE_STORAGE
                                          'django.core.files.storage.FileSystemStorage'
DEFAULT_FROM_EMAIL
                                          'webmaster@localhost'
DEFAULT_INDEX_TABLESPACE
                                         . .
DEFAULT_TABLESPACE
DISALLOWED_USER_AGENTS
                                         []
EMAIL_BACKEND
                                          'django.core.mail.backends.smtp.EmailBackend'
                                          'localhost'
EMAIL_HOST
EMAIL_HOST_PASSWORD
                                          '*******
EMAIL_HOST_USER
EMAIL_PORT
                                         25
EMAIL_SSL_CERTFILE
                                         None
EMAIL_SSL_KEYFILE
EMAIL_SUBJECT_PREFIX
                                         '[Django] '
EMAIL_TIMEOUT
                                         None
EMAIL_USE_LOCALTIME
                                         False
EMAIL USE SSL
                                         False
EMAIL_USE_TLS
                                         False
FILE_CHARSET
FILE UPLOAD DIRECTORY PERMISSIONS None
                                         \hbox{['django.core.files.uploadhandler.MemoryFileUploadHandler',}\\
FILE_UPLOAD_HANDLERS
                                           'django.core.files.uploadhandler.TemporaryFileUploadHandler']
FILE_UPLOAD_MAX_MEMORY_SIZE
                                         2621440
FILE UPLOAD PERMISSIONS
                                         None
FILE_UPLOAD_TEMP_DIR
                                         None
FIRST_DAY_OF_WEEK
FIXTURE DIRS
                                         ٢1
FORCE_SCRIPT_NAME
                                         None
FORMAT MODULE PATH
                                         None
FORM_RENDERER
                                          'django.forms.renderers.DjangoTemplates'
IGNORABLE_404_URLS
                                         []
                                         ['sku_manage.apps.SkuManageConfig',
  'manufacturing_goals.apps.ManufacturingGoalsConfig',
  'importer.apps.ImportConfig',
INSTALLED_APPS
                                            'dep_report.apps.DepReportConfig',
'home.apps.HomeConfig',
                                            'django.contrib.admin'
                                           'django.contrib.auth',
'django.contrib.contenttypes',
                                            'django.contrib.sessions',
                                            'django.contrib.messages',
'django.contrib.staticfiles',
                                            'django_tables2',
                                            'django_filters',
'bootstrap3']
INTERNAL IPS
                                         []
```

```
Setting
                                                                     Value
                                                                    [('af',
LANGUAGES
                                                                                     'Afrikaans'),
                                                                      ('ai , ('ar', 'Arabic'), ('ast', 'Asturian'), ('az', 'Azerbaijani'),
                                                                      ('bg',
('be',
                                                                                    'Belarusian'),
                                                                      ('bn',
('br',
                                                                                     'Bengali'),
'Breton'),
                                                                        ('bs',
                                                                                     'Bosnian')
                                                                       ('ca',
                                                                                     'Catalan'),
                                                                                     'Czech'),
                                                                       ('cs',
                                                                         'cy',
                                                                                     'Welsh'
                                                                                     'Danish').
                                                                       ('da',
                                                                       ('de', 'German'),
                                                                       ('dsb', 'Lower Sorbian'),
('el', 'Greek'),
('en', 'English'),
                                                                     ('en', 'English'),
('en-au', 'Australian English'),
('en-gb', 'British English'),
('eo', 'Esperanto'),
('es', 'Spanish'),
('es-ar', 'Argentinian Spanish'),
('es-co', 'Colombian Spanish'),
('es-mx', 'Mexican Spanish'),
('es-mi', 'Nicaraguan Spanish'),
('es-ve', 'Venezuelan Spanish'),
('et', 'Estonian'),
('et', 'Estonian'),
('fa', 'Persian'),
('fi', 'Finnish'),
                                                                       ('fi',
('fr',
('fy',
                                                                                    'Finnish'),
'French'),
                                                                                    'Frisian'),
                                                                       ('ga', 'Irish'),
('gd', 'Scottish Gaelic'),
('gd', 'Galician'),
                                                                     ('gl',
('he', 'Hebrew
('hi', 'Hindi'),
('hr', 'Croatian'),
('hsb', 'Upper Sorbian'),
'hu', 'Hungarian'),
'Interlingua'),
'Sian'),
                                                                                    'Indonesian'),
'Ido'),
'Icelandic'),
                                                                       ('id',
('io',
('is',
                                                                    ('is',
('it', 'Italıa...
('ja', 'Japanese'),
('ka', 'Georgian'),
('kab', 'Kabyle'),
''kk', 'Kazakh'),
'Khmer'),

"a'),
                                                                      ('kn',
('ko',
('lb',
                                                                                     'Kannada'),
                                                                                     'Korean'),
                                                                                     'Luxembourgish'),
                                                                      ('lt',
('lv',
('mk',
                                                                                     'Lithuanian'),
                                                                                    'Latvian'),
'Macedonian'),
                                                                      ('ml',
('mn',
('mr',
                                                                                     'Malayalam'),
                                                                                     'Mongolian'),
                                                                                     'Marathi'),
                                                                                     'Burmese'),
                                                                       ('my',
                                                                        ('nb',
                                                                                     'Norwegian Bokmål'),
                                                                      ('ne',
('nl',
('nn',
                                                                                     'Nepali'),
                                                                                     'Dutch'),
                                                                                     'Norwegian Nynorsk'),
                                                                                    'Ossetic'),
'Punjabi'),
                                                                        ('os',
                                                                       ('pa',
                                                                       ('pl', 'Polish'),
('pt', 'Portuguese'),
                                                                      ('pt', 'Portuguese'),
('pt-br', 'Brazilian Portuguese'),
('ro', 'Romanian'),
('ru', 'Russian'),
('sk', 'Slovak'),
('sl', 'Slovenian'),
                                                                       ('sq', 'Albanian'),
('sr', 'Serbian'),
                                                                       ('sr-latn', 'Serbian Latin'),
('sv', 'Swedish'),
('sw', 'Swahili'),
                                                                          'ta',
                                                                                    'Tamil'),
                                                                                    'Telugu'),
                                                                       ('te',
('th',
                                                                                    'Thai'),
                                                                                     'Turkish'),
                                                                        ('tr',
                                                                      ('tt', 'Tutkish'),
('tt', 'Tatar'),
('udm', 'Udmurt'),
('uk', 'Ukrainian'),
('ur', 'Urdu'),
('vi', 'Vietnamese'),
                                                                      ('zh-hans', 'Simplified Chinese'),
('zh-hant', 'Traditional Chinese')]
                                                                     ['he', 'ar', 'fa', 'ur']
LANGUAGES_BIDI
LANGUAGE_CODE
                                                                     'en-us'
LANGUAGE_COOKIE_AGE
                                                                    None
LANGUAGE_COOKIE_DOMAIN
                                                                    None
LANGUAGE_COOKIE_NAME
                                                                     'django_language'
LANGUAGE_COOKIE_PATH
                                                                     '/'
LOCALE_PATHS
                                                                    []
LOGGING
                                                                    {}
LOGGING_CONFIG
                                                                     'logging.config.dictConfig'
LOGIN_REDIRECT_URL
                                                                     '/accounts/profile/'
LOGIN_URL
                                                                     '/accounts/login/
```

```
Value
Setting
LOGOUT REDIRECT URL
                                  None
MANAGERS
                                  []
MEDIA ROOT
MEDIA_URL
MESSAGE_STORAGE
                                  'django.contrib.messages.storage.fallback.FallbackStorage'
MIDDLEWARE
                                  ['django.middleware.security.SecurityMiddleware', 'django.contrib.sessions.middleware.SessionMiddleware',
                                    'django.middleware.common.CommonMiddleware',
                                    'django.middleware.csrf.CsrfViewMiddleware'
                                    'django.contrib.auth.middleware.AuthenticationMiddleware',
                                    'django.contrib.messages.middleware.MessageMiddleware'
                                   'django.middleware.clickjacking.XFrameOptionsMiddleware']
MIGRATION_MODULES
                                  {}
                                  'F j'
MONTH_DAY_FORMAT
NUMBER_GROUPING
                                  0
                                  '*********
PASSWORD_HASHERS
                                  '*******
PASSWORD_RESET_TIMEOUT_DAYS
PREPEND WWW
ROOT URLCONF
                                  'food_site.urls'
SECRET_KEY
                                  '*******
SECURE_BROWSER_XSS_FILTER
                                  False
SECURE_CONTENT_TYPE_NOSNIFF
                                  False
SECURE_HSTS_INCLUDE_SUBDOMAINS
                                  False
SECURE_HSTS_PRELOAD
                                  False
SECURE_HSTS_SECONDS
                                  0
SECURE_PROXY_SSL_HEADER
                                  None
SECURE_REDIRECT_EXEMPT
                                  []
SECURE_SSL_HOST
                                  None
SECURE_SSL_REDIRECT
                                  False
SERVER_EMAIL
                                  'root@localhost'
SESSION CACHE ALIAS
                                  'default
SESSION_COOKIE_AGE
                                  1209600
SESSION_COOKIE_DOMAIN
                                  None
SESSION_COOKIE_HTTPONLY
                                  True
SESSION_COOKIE_NAME
                                  'sessionid'
SESSION_COOKIE_PATH
                                  '/'
SESSION_COOKIE_SAMESITE
                                  'Lax'
SESSION_COOKIE_SECURE
                                  False
SESSION_ENGINE
                                  'django.contrib.sessions.backends.db'
SESSION_EXPIRE_AT_BROWSER_CLOSE
                                  False
SESSION FILE PATH
                                  None
SESSION_SAVE_EVERY_REQUEST
SESSION SERIALIZER
                                  'diango.contrib.sessions.serializers.JSONSerializer'
SETTINGS_MODULE
                                  'food_site.settings'
SHORT_DATETIME_FORMAT
                                  'm/d/Y P'
SHORT DATE FORMAT
                                  'm/d/V'
SIGNING BACKEND
                                  'django.core.signing.TimestampSigner'
SILENCED SYSTEM CHECKS
STATICFILES_DIRS
                                  []
                                  ['django.contrib.staticfiles.finders.FileSystemFinder',
STATICFILES FINDERS
                                    'django.contrib.staticfiles.finders.AppDirectoriesFinder']
STATICFILES STORAGE
                                  'django.contrib.staticfiles.storage.StaticFilesStorage'
STATIC_ROOT
                                  '/Users/marcusoertle/Docs/ece458/FoodManage/food_site/static/'
STATIC URL
                                  '/static/'
                                  TEMPLATES
                                    'OPTIONS': {'context_processors': ['django.template.context_processors.debug',
                                                                        django.template.context processors.request'
                                                                        'django.contrib.auth.context_processors.auth',
                                                                        'django.contrib.messages.context_processors.messages']}}]
TEST_NON_SERIALIZED_APPS
                                  []
TEST RUNNER
                                  'django.test.runner.DiscoverRunner
THOUSAND_SEPARATOR
                                  ','
TIME_FORMAT
                                  ['%H:%M:%S', '%H:%M:%S.%f', '%H:%M']
TIME_INPUT_FORMATS
TIME_ZONE
                                  'EST
USE I18N
                                  True
USE_L10N
                                  True
USE_THOUSAND_SEPARATOR
                                  False
USE_TZ
                                  True
USE_X_FORWARDED_HOST
                                  False
USE X FORWARDED PORT
                                  False
WSGI_APPLICATION
                                  'food_site.wsgi.application'
X_FRAME_OPTIONS
                                  'SAMEORIGIN'
YEAR_MONTH_FORMAT
```

You're seeing this error because you have DEBUG = True in your Django settings file. Change that to False, and Django will display a standard page generated by the handler for this status code.