

#20 – Version 1 cleanup

Reported by @UnquietCode

Milestone: Version 1

- ☒ milestone handling when missing
 - ☒ make inline code block less dark
 - ☒ there is an extra space around the text in inline code
 - ☒ text isn't selectable in inline code? due to underlines?
-

- ☒ @user
 - ☒ hrule spacing around
 - ☒ image folder needs to end up with .tex outputs
 - ☒ title should be #685 - Title
 - ☒ # isn't being escaped in title
 - ☒ try to put vspace on their own line in the .tex
 - ☒ extra vspace being added at at top of document
 - ☒ change headings to use font size rather than section? Or otherwise investigate spacing issues
 - avoid changing the fonts, just use default
 - —
-

- ☒ try to use textt instead of codeFont
- ☒ remove /headerType
- ☒ try to use sections without changes to font size (at least for the first levels, try to support 4 for now)
- ☒ sections usually give their own line break, don't need to add one

- ☒ line endings are coming out as single slash, not double
- ☒ make sure "___", "-", "***" works with inline code
- ☒ space around - in title
- ☒ newline after milestone version
- ☒ paragraphs breaks aren't good (see latex #13)
- ☒ links get underline treatment
- ☒ confirm images and links works (Ben can clean up render pipeline?)
- ☒ make code wrap around so it doesn't go outside box (see 8)
- ☒ unicode characters can render
- ☒ code doesn't break on unicode character it doesn't recognize
- ☒ test on rasputin repo
- ☒ scale images to page (see rasputin #76)
- ☒ get rasputin #73 image to render
- ☒ list items are too far apart
- ☒ move .tex files out of images
- ☒ add new line after milestone
- ☒ eliminate dead code
- ☒ make code indentation consistent
- ☒ milestone isn't indented
- ☒ recent inline link break is fixed => links just don't work in `preview` mode.
Auto links haven't been implemented yet (Ben will do this)

- list
- list
- list
- indent
- indent
- list

- list

I'm an inline-style link
issue_20.pdf



Some text

three consecutive underscores

three consecutive dashes

three consecutive asterisks

And here is some code:

```
code
code
codeBÿ▲
ÿ
```

```
__inline**code**__-- () *#^!&#^%& () ^$# (*&%) (*^!#&%^!) $ (*^&__ ) @#\\\\\\\\\\\\\\
```



@iceplant wrote on Monday 11 January 2021

I am able to select inline code. Can you confirm this is still an issue?

@iceplant wrote on Tuesday 12 January 2021

Resolved issues don't get rendered. Is this the desired behavior?

@iceplant wrote on Tuesday 12 January 2021

.Tex files have very long text lines. Is this an issue if the user only gets the .pdf?

@iceplant wrote on Tuesday 12 January 2021

I don't see any line endings coming out as single slash. Did you resolve this?

@iceplant wrote on Tuesday 12 January 2021

How to handle different types of thematic breaks?

@iceplant wrote on Tuesday 12 January 2021

hi

ho

=====

huu

@iceplant wrote on Tuesday 12 January 2021

Used 3 levels of headers (section, subsection, and subsubsection). Would probably need to use non-section headers to get more.

@iceplant wrote on Thursday 14 January 2021

1. —