

Case summary

Incident ID: 23-06468
Patient ID: 2023030505012400-LP1547542357
Patient Name: Dickerson

Patient ID:	<u>2023030505012400-LP1547542357</u>	Birth Date:	
Incident ID:	<u>23-06468</u>	Device ID:	<u>LP152357</u>
Age at Incident:	<u>62 Years</u>	Case Start Date:	<u>3/5/2023</u>
Sex:	<u>Female</u>	Case Start Time:	<u>5:01:24 AM</u>
Race:	<u>Unspecified</u>	Time Adjustment:	<u>System Adjusted Time</u>

Notes:

Long pauses
Possible VF with no defib
CO2 line purging and blocked a lot.
Updated at 3/6/2023 11:34:24 PM by zphillips (Zach Phillips).

Comments:

Table of Contents

CPR reports (by CPR period)	3
CPR report (by CPR period)	3


CPR report



Device Type: LIFEPAK® 15
 Power On: 3/5/2023 5:01:24 AM
 CPR Annotations Edited: Yes
 Device Configuration: 2L355RRB0200UR
 *Non-paddles lead intervals are included in the reported CPR Ratio
 *Times have been adjusted by the system.


Duration: 00:41:19
 Incident ID: 23-06468
 Statistical Parameters: 1000-0300-3000-05

Compression ratio
(/total time)




21:12 / 24:11 = 88 %

Compression rate





124/minute

Ventilations/minute



4/minute



CPR report



Device Type: LIFEPAK® 15
 Power On: 3/5/2023 5:01:24 AM
 CPR Annotations Edited: Yes
 Device Configuration: 2L355RRB0200UR
 *Non-paddles lead intervals are included in the reported CPR Ratio
 *Times have been adjusted by the system.

Duration: 00:41:19
 Incident ID: 23-06468
 Statistical Parameters: 1000-0300-3000-05

Summary

CPR needed	= 24:11	CPR done	= 21:31
CPR not done	= 2:40	Compression count	= 2595
Longest compression pause	= 0:59	Pauses over 10 sec	= 6

Comment

Interval Statistics

CPR period	Responsible for CPR	CPR started	CPR stopped	CPR duration	Pause duration	Reason CPR stopped	Comments	Compr. ratio, %	Compr. rate	Vent. /min
1		00:00:00	00:01:03	00:01:03	00:00:10			77	133	--
2		00:01:14	00:01:19	00:00:06	00:00:16			25	118	--
3		00:01:36	00:05:36	00:04:01	00:00:29			87	122	--
4		00:06:06	00:07:22	00:01:16	00:00:59			56	111	--
5		00:08:20	00:10:53	00:02:32	00:00:12			88	117	1
6		00:11:05	00:14:17	00:03:12	00:00:09			95	128	3
7		00:14:26	00:17:14	00:02:48	00:00:09			95	117	3
8		00:17:23	00:20:09	00:02:45	00:00:14			92	129	5
9		00:20:23	00:24:11	00:03:48	00:00:00			100	127	2



Ventilation



Chest compression

— AED-prompted CPR period



AED Analysis



Shock



ROSC (user annotated)

CPR report



Device Type: LIFEPAK® 15
 Power On: 3/5/2023 5:01:24 AM
 CPR Annotations Edited: Yes
 Device Configuration: 2L355RRB0200UR
 *Non-paddles lead intervals are included in the reported CPR Ratio
 *Times have been adjusted by the system.

Duration: 00:41:19
 Incident ID: 23-06468
 Statistical Parameters: 1000-0300-3000-05

CPR QUIK-VIEW

