

## Case summary

Incident ID: 23-01994  
Patient ID: 2023012020332400-LP1547545108  
Patient Name: Johnson

Patient ID:	<u>2023012020332400-LP1547545108</u>	Birth Date:	
Incident ID:	<u>23-01994</u>	Device ID:	<u>DCMH 3</u>
Age at Incident:	<u>38 Years</u>	Case Start Date:	<u>1/20/2023</u>
Sex:	<u>Female</u>	Case Start Time:	<u>8:33:23 PM</u>
Race:	<u>Unspecified</u>	Time Adjustment:	<u>System Adjusted Time</u>

### Notes:

\*\*\*

LUCAS

Pulse check times range from 1 minute to 6 minutes.

Updated at 1/27/2023 11:14:27 PM by zphillips (Zach Phillips).

Updated demos

Updated at 1/27/2023 11:22:12 PM by zphillips (Zach Phillips).

Updated at 1/29/2023 9:05:26 PM by zphillips (Zach Phillips).

### Comments:

# Table of Contents

CPR reports (by CPR period) .....	3
CPR report (by CPR period) .....	3

## CPR report




Device Type: LIFEPAK® 15  
Power On: 1/20/2023 8:33:23 PM  
CPR Annotations Edited: Yes  
Device Configuration: 2D355RO40200OR

Duration: 00:22:49  
Incident ID: 23-01994  
Statistical Parameters: 1000-0300-3000-05


\*Times have been adjusted by the system.

Compression ratio  
(/total time)




19:51 / 20:57 = 95 %

Compression rate




102/minute

Ventilations/minute




--

Initial Rhythm



CO2 (mmHg)



## CPR report



Device Type: LIFEPAK® 15  
Power On: 1/20/2023 8:33:23 PM  
CPR Annotations Edited: Yes  
Device Configuration: 2D355RO40200OR

Duration: 00:22:49  
Incident ID: 23-01994  
Statistical Parameters: 1000-0300-3000-05

\*Times have been adjusted by the system.

## Summary

CPR needed	= 20:57	CPR done	= 20:24
CPR not done	= 0:33	Compression count	= 2013
Longest compression pause	= 0:18	Pauses over 10 sec	= 1

Comment

## Interval Statistics

CPR period	Responsible for CPR	CPR started	CPR stopped	CPR duration	Pause duration	Reason CPR stopped	Comments	Compr. ratio, %	Compr. rate	Vent. /min
1		00:00:05	00:11:59	00:11:54	00:00:09			94	102	--
2		00:12:09	00:18:34	00:06:25	00:00:18			96	102	--
3		00:18:52	00:20:56	00:02:04	00:00:00			100	102	--



Ventilation

AED-prompted CPR period



Shock



Chest compression




AED Analysis



ROSC (user annotated)

## CPR QUIK-VIEW



# CPR report




Device Type: LIFEPAK® 15  
 Power On: 1/20/2023 8:33:23 PM  
 CPR Annotations Edited: Yes  
 Device Configuration: 2D355R0402000R

Duration: 00:22:49  
 Incident ID: 23-01994  
 Statistical Parameters: 1000-0300-3000-05

\*Times have been adjusted by the system.

## CPR QUIK-VIEW



[1] Generic