

Subject: Urgent: Immediate Authorization Required for Bowie House Stay
Date: Thursday, September 11, 2025 at 1:03:45 PM Central Daylight Time
From: Copeland, Katie
To: Michelle Sortor, Glynis Zavarelli
BCC: cpayne@cappc.com, Allie Payne
Priority: High
Attachments: 2025.09.10 - ER After Visit Summary.pdf, 6.23.25 Fw: Your RealTime Laboratories order is now complete.pdf, 6.19.25 Fw: Receipt from Central Animal Hospital.pdf, 7.15.25 Statement from Johnson Medical Associates.pdf, img-213b6863-dc08-4f77-ac95-7487af3529d7, img-6a548d9d-b14c-4401-951c-95bbcc4c95ab, 2025.09.10 Email from Bowie House regarding room being cancelled.pdf

Dear Ms. Sortor and Ms. Zavarelli,

On September 10, 2025, I was violently assaulted and transported by ambulance to Texas Health Fort Worth ER. My discharge records confirm scalp hematoma, cervical sprain, and thoracic strain, and I was taken off work/school until at least September 13, 2025. I am currently on narcotic pain medication and muscle relaxers, which limit my ability to function or relocate safely. In the assault, my purse, wallet, and prescription glasses were stolen, leaving me without funds or critical items I rely on. This incident has been formally reported to the Fort Worth Police Department (Report No. 250067642).

Given these circumstances, it is unsafe and unreasonable to force another relocation. I have negotiated with Bowie House to reduce my nightly rate to \$450, which is extremely reasonable in this market and ensures continuity of care near my doctors, pharmacy, and therapy. I am open to other safe and medically appropriate options, but I need time and stability to evaluate them—not abrupt displacement.

I am also reiterating my request for per diem support (laundry, meals, basic living expenses). These costs exist only because Weinstein failed to provide habitable housing, and at this point providing per diem is the least burdensome way to mitigate further damages.

I also want clarity regarding reimbursements. You have stated I can request reimbursement, but I have already submitted requests for costs including the mold assessment report, related testing, doctor visits for myself and my dogs, and my prescription glasses (over \$1,700) without receiving any response. Please explain the reimbursement process and confirm whether Weinstein intends to honor these requests. I have attached some receipts for reimbursement.

Finally, I must point out that the escalating pressure and unilateral deadlines in your recent correspondence left me in such a desperate state — experiencing panic attacks from September 5 through September 10 — that I accepted an offer of housing from a stranger. That decision led directly to my assault and theft. While I am not asking you to litigate that point here, it underscores why forcing me into further instability now only compounds the harm already done.

I am requesting that Weinstein immediately — no later than 1:30 PM today — authorize several additional nights at Bowie House. Please call Bowie House Reservations before that time to provide updated payment authorization so that my accommodations continue without interruption.

Please see attached medical records and photographs confirming my ER treatment and diagnoses.

Respectfully,

Katie Copeland

817-789-8498



From: Michelle Sortor <msortor@wandzlaw.com>

Date: Tuesday, September 9, 2025 at 11:49 AM

To: Copeland, Katie <K.M.COPELAND@tcu.edu>

Cc: Glynis Zavarelli <gzavarelli@wandzlaw.com>

Subject: RE: Response to Proposed Hotel Accommodations

[EXTERNAL EMAIL WARNING] DO NOT CLICK LINKS or open attachments unless you recognize the sender and know the content is safe.

Good morning Ms. Copeland.

We have secured a reservation with Holiday Inn Express Fort Worth – Fossil Creek on your behalf, and provided you with that information. A different Holiday Inn property – Holiday Inn Express & Suites Fort Worth Downtown - also has availability. Please let us know immediately if the Holiday Inn Express & Suites Fort Worth Downtown is preferable, and we will switch your reservation to the Holiday Inn Express & Suites Fort Worth Downtown (provided same is still

available when you confirm whether you want to stay there). If you decide not to utilize the reservation made on your behalf by failing to check-in on September 10 to the reserved hotel, we will cancel the reservation made on your behalf.

We need to know whether you will be taking your dogs with you to one of the above-mentioned “pet friendly” hotels, or if you intend to keep the dogs boarded separately from you.

Please note: Should you decide to forgo the reservation made on your behalf, and instead book stays with any other hotels – including those suggested by you in the previous email – the hotel(s) will need to be secured and paid for by you, directly. Once you have paid for lodging and completed your stay (and provided a receipt showing not just a reservation, but actual payment), you can submit those receipts for reimbursement. Weinstein will consider reimbursing you up to the amount that Weinstein would have paid for the Holiday Inn reservation made on your behalf.

Please let us know by 4 p.m. today whether you will be using the reservation currently made on your behalf to Holiday Inn Express Fort Worth – Fossil Creek, to avoid Weinstein incurring unnecessary cancellation fees. If you would prefer to stay at the Holiday Inn Express & Suites Fort Worth Downtown, please let us know immediately so that we can secure that reservation (but no later than 4 p.m.). If you will be securing your own lodging and submitting your receipts for reimbursement, please confirm same.

Thank you for your attention to this matter.

Regards,

Michelle Sortor

Michelle S. Sortor
Wentz & Zavarelli, L.L.P.
3120 Sabre Drive, Suite 170
Southlake, Texas 76092

(469) 665 – 9100 – Telephone
(469) 262 – 2078 – Direct Line
(469) 665 – 9106 – Facsimile

From: Copeland, Katie <K.M.COPELAND@tcu.edu>
Sent: Monday, September 8, 2025 6:43 PM
To: Michelle Sortor <msortor@wandzlaw.com>; Glynis Zavarelli <gzavarelli@wandzlaw.com>
Subject: Response to Proposed Hotel Accommodations

Ms. Sortor & Ms. Zavarelli,

Weinstein continues to dictate unsuitable accommodations under unilateral deadlines, which does not satisfy its legal obligations. One of my primary treating physicians, Dr. Johnson, recommended urgent relocation on July 7, 2025. Over two months later,

Weinstein has still not provided safe, stable accommodations consistent with that medical advice—in fact, I was forced to remain an additional 17 days after reporting that the unit was uninhabitable. The ongoing delay has already resulted in thousands of dollars in direct damages and continues to cause harm. Further, I have still not been able to begin the treatments Dr. Johnson prescribed.

I have provided alternative accommodations that are both reasonable and medically necessary. These accommodations are also cost-effective compared to the disruption and expenses caused by repeated relocations. Please confirm whether Weinstein will approve them.

Negotiated Rate History

My current rate at Bowie House has been \$377/night. When the rate was set to increase by several hundred dollars per night, I worked with the hotel's revenue team and secured a capped rate of \$399/night going forward. This required considerable effort and represents a significant concession, demonstrating my good faith efforts to minimize costs.

Accommodation Schedule

I have secured continuity through October 26, 2025, with brief transitions to ADA rooms at the nearby Omni and Crescent hotels during blackout dates. Importantly, Bowie House has agreed to store my belongings during those periods so that I need only take a weekend bag, eliminating repeated moves and transportation burdens.

- **9/10 – 9/14:** Omni ADA room (4 nights – total \$2,003.06)
- **9/14 – 9/28:** Bowie House (\$377/night)
- **9/28 – 10/1:** Crescent (3 nights – total \$1,392.17)
- **10/1 – 10/8:** Bowie House (\$399/night)
- **10/8 – 10/10:** Crescent (2 nights – total \$849.68)
- **10/10 – 10/14:** Bowie House (\$399/night)
- **10/14 – 10/16:** Crescent (2 nights – total \$868.40)
- **10/16 – 10/27:** Bowie House (\$399/night)

To secure the rooms with Bowie House, they need to know by end of the day tomorrow, 9/9/25. You can communicate directly with Mariah Tompkins at mariah.tompkins@aubergeresorts.com on behalf of Bowie House Reservations <bow.reservations@aubergeresorts.com>.

Laundry, Food, and Per Diem

Because my washer and dryer are walled off by ServPro and my kitchen is unsafe due to mold exposure, I have no access to laundry or cooking facilities. Weinstein has refused to provide per diem support, yet I am incurring daily costs for laundry and meals that would not exist but for its failure to provide habitable housing. These are necessary living expenses Weinstein has a duty to reimburse under the Texas Property Code, ADA, and Fair Housing Act.

ADA/FHA requires that reasonable accommodations address functional barriers to disability. Denial of per diem where access to laundry and food facilities has been removed is discriminatory under these laws. Further, in insurance contexts, Additional Living Expenses (ALE) almost always include food and laundry when a tenant is displaced. Weinstein's obligations mirror what any reasonable insurer or landlord would do. In that sense, what I am requesting is not merely "per diem," but necessary reimbursements for basic living expenses caused by loss of access to habitable housing.

Permanent Relocation

While this schedule provides temporary stability, it does not resolve the broader issue. Weinstein's obligations do not end on October 26 simply because my lease was not renewed. The focus should be on arranging a permanent relocation that meets my medical needs and ends the cycle of displacement.

The appropriate resolution remains a permanent relocation that meets my medical needs, reimbursement of the approximately \$50,000 in rent I paid for an uninhabitable unit, and coverage of medical and relocation-related expenses. I have consistently urged Weinstein to take the correct course—file a claim with its insurer, provide proper accommodations, and mitigate damages. Instead, Weinstein has chosen otherwise, compounding both harm and liability.

I first reported the mold conditions in September and October 2024, and on March 5, 2025, I explicitly described my health issues and emphasized the importance of proper remediation. Weinstein's failure to act at that time resulted in months of avoidable exposure, including a rapid decline in my vision, that could and should have been prevented.

My goal has always been to secure stable housing and access to treatment so I can begin to recover some of what I have lost. Please confirm whether Weinstein will approve the accommodations outlined above and take steps toward a permanent solution.

Respectfully,

Katie Copeland

817-789-8498

From: Michelle Sortor <msortor@wandzlaw.com>

Date: Monday, September 8, 2025 at 1:47 PM

To: Copeland, Katie <K.M.COPELAND@tcu.edu>

Cc: Glynis Zavarelli <gzavarelli@wandzlaw.com>

Subject: Copeland/Weinstein

[EXTERNAL EMAIL WARNING] DO NOT CLICK LINKS or open attachments unless you recognize the sender and know the content is safe.

Ms. Copeland:

Good afternoon.

As of the writing of this email, it remains our understanding that The Bowie is unable to continue to provide accommodations to you past check-out time on September 10 (due to being fully booked in anticipation of TCU Parent's weekend).

Attached, please find the reservation made on your behalf for Holiday Inn Express Fort Worth – Fossil Creek. Please note this hotel reservation is currently made for September 10, 2025, through September 30, 2025. Should your apartment unit not be ready for occupancy by September 30, Weinstein will extend this reservation on your behalf, at the Holiday Inn Express Fort Worth – Fossil Creek. Please further note that Weinstein will not be providing payment for transportation and/or incidentals/room charges during your stay.

The Holiday Inn Express Fort Worth – Fossil Creek is a “pet-friendly” hotel – please indicate whether your pets will be staying with you at this hotel, or if you will continue to require separate boarding for your animals.

If you are able to secure other paid accommodations at a comparable or lower rate, please provide same to us for consideration prior to Tuesday, September 9, at 4 p.m. (to provide Weinstein time to consider such request, and, if appropriate, to secure an additional/alternative accommodation on your behalf, as well as to cancel the reservations already made for you without incurring additional charges). Please note: failure to provide timely notice of any alternative accommodations may result in such accommodations not being paid by Weinstein – this is not an “arbitrary” deadline, but rather, one to ensure that Weinstein has sufficient time to avoid unnecessary expense.

We appreciate your cooperation in this matter.

Regards,

Michelle Sortor

Michelle S. Sortor
Wentz & Zavarelli, L.L.P.
3120 Sabre Drive, Suite 170
Southlake, Texas 76092

(469) 665 – 9100 – Telephone
(469) 262 – 2078 – Direct Line
(469) 665 – 9106 – Facsimile

Subject: Fw: Receipt from Central Animal Hospital

Date: Sunday, June 29, 2025 at 9:47:48 PM Central Daylight Time

To: Copeland, Katie

[EXTERNAL EMAIL WARNING] DO NOT CLICK LINKS or open attachments unless you recognize the sender and know the content is safe.

Paid invoice for pet testing/meds

----- Forwarded Message -----

From: Central Animal Hospital <messenger@messaging.squareup.com>

Sent: Thursday, June 19, 2025 at 01:33:17 PM CDT

Subject: Receipt from Central Animal Hospital

Square automatically sends receipts to the email address you used at any Square seller. [Learn more](#)



Central Animal Hospital




Let Central Animal Hospital know how
your experience was

\$2,950.00

Custom Amount	\$2,950.00
---------------	------------

Total	\$2,950.00
--------------	-------------------



Central Animal Hospital
300 N University Dr
Fort Worth, TX 76107-1326
[\(929\) 271-9767](tel:(929)271-9767)

AMEX 4006 (Keyed)

Jun 19 2025 at 1:33 PM



#leO4

Auth code: 200504

Run your own business?

Start using Square and process \$1,000 in
sales for free.

Get Started with Square



Receipt Settings

[Not your receipt?](#) [Turn off automatic receipts](#)
[Manage preferences](#)

© 2025 Square [Privacy Policy](#)
1955 Broadway, Suite 600
Oakland, CA 94612

Subject: Fw: Your RealTime Laboratories order is now complete
Date: Sunday, June 29, 2025 at 9:43:09 PM Central Daylight Time
To: Copeland, Katie

[EXTERNAL EMAIL WARNING] DO NOT CLICK LINKS or open attachments unless you recognize the sender and know the content is safe.

Paid Invoice for your testing kit

----- Forwarded Message -----

From: Realtime Laboratories, Inc. <do-not-reply@realtimelab.com>

Sent: Monday, June 23, 2025 at 08:35:55 AM CDT

Subject: Your RealTime Laboratories order is now complete

Thanks for shopping with us

Hi Steve,

We have finished processing your order.

[Order #396476] (06/20/2025)

Product	Quantity	Price
Veterinary Mycotoxin Panel	2	\$798.00
Subtotal:		\$798.00
Shipping:		Free Ground Shipping

Payment method:	card
Total:	\$798.00

Billing address

Shipping address

*Katie Copeland
405 Crawford St
#2145
Fort Worth, TX 76104
United States (US)*

Thanks for shopping with us.

Johnson Medical Assoc., P.A.
997 Hampshire LN
Richardson, TX 75080-8105
(972) 479-0400

Kathryn M. Copeland
405 Crawford St #2145
Fort Worth, TX 76104

Amount(s) Enclosed:
91408794 - Kathryn M. Copeland - Office Visit _____

Statement ID	Statement Date	Statement Message
21795959	07/15/2025	We appreciate you as a patient here at Johnson Medical Associates. Please tell your friends about us!

Patients Included on Statement:
91408794 - Kathryn M. Copeland - 405 Crawford St #2145, Fort Worth, TX 76104

Date	Provider	Procedure Code	Description	Charge	Credit	Estimated Insurance	Patient Balance
			Kathryn M. Copeland (91408794) - Office Visit Last Patient Payment: 7/7/25 - 248.00				
7/7/25	1 - Johnson	96136	Psych/Neuropsych test administration	70.00			70.00
7/7/25	1 - Johnson	95816	EEG, awake or drowsy	430.00			430.00
7/7/25	1 - Johnson	95018	Allergy testing	96.00			96.00
			<u>Amount Due for Kathryn M. Copeland (91408794) - Office Visit</u>				<u>596.00</u>

Combined Patient Responsibility				
Current	Over 30	Over 60	Over 90	Total
596.00	0.00	0.00	0.00	596.00

Total Amount Due	596.00
------------------	--------

AFTER VISIT SUMMARY

Katie M. Copeland MRN: 2000274891

9/10/2025 Texas Health Fort Worth Emergency Department 817-250-3333

Legal Name: Kathryn M. Copeland
EMERGENCY DEPARTMENT

Instructions



Your medications have changed today

See your updated medication list for details.



Read the attached information

1. Muscle Strain (English)
2. Thoracic Strain (English)
3. Cervical Sprain Easy-to-Read (English)



Pick up these medications at CVS/pharmacy #11323 - Fort Worth, TX - 1115 8th Ave

- HYDROcodone-acetaminophen
Your estimated payment per fill: \$0
- methocarbamol
Your estimated payment per fill: \$0
- ondansetron ODT
Your estimated payment per fill: \$0

Address: 1115 8th Ave, Fort Worth TX 76104
Phone: 817-806-1094



Call John Duc Bui in 2 days (around 9/13/2025)

Why: To schedule follow up
Specialty: Family Practice.
Contact: 6420 ALTAMESA BLVD STE 100
Fort Worth TX 76132
817-912-9000



Go to Texas Health Fort Worth Emergency Department

Why: If symptoms worsen
Specialty: Emergency Room
Contact: 910 5th Avenue
Fort Worth Texas 76104
817-250-3333

Today's Visit

You were seen by Blaine Michael Bachim

Reason for Visit
Reported Assault

Today's Visit (continued)

Diagnoses

- Scalp hematoma, initial encounter
- Cervical sprain, initial encounter
- Strain of thoracic region, initial encounter
- Assault

Lab Tests Completed

AUTOMATED DIFFERENTIAL
BASIC METABOLIC PANEL
CBC WITH DIFFERENTIAL
PREGNANCY TEST, SERUM

Imaging Tests

CT Head, WO IV Contrast (CT HEAD WO CON)
CT Spine Cervical, WO IV Contrast (CT SPINE CERVICAL WO CON)
Spine Thoracic With Swimmers (SPINE THORACIC W SWIMMERS)

Medications Given

morphine Last given 9/11/2025 12:40 AM
ondansetron (Zofran) Last given 9/11/2025 12:40 AM

 Blood Pressure
116/81

 Temperature
97.6 °F

 Pulse
96

 Respiration
18

 Oxygen Saturation
100%

What's Next

You currently have no upcoming appointments scheduled.

Changes to Your Medication List

START taking these medications



START

HYDROcodone-acetaminophen 5-325 mg tablet
Commonly known as: Norco

Take 1 Tablet by mouth every six(6) hours as needed for pain



START

methocarbamol 500 mg tablet
Commonly known as: Robaxin

Take 2 Tablets (1,000 mg total) by mouth four(4) times daily



START

ondansetron ODT 4 mg disintegrating tablet
Commonly known as: Zofran ODT

Take 1 Tablet (4 mg total) by mouth every six(6) hours as needed for nausea or vomiting Place tablet on tongue to dissolve, then swallow with saliva.



Texas Health
Resources®

MyChart

Texas Health is pleased to offer MyChart, a secure, online patient portal for viewing your health information anytime, anywhere.

Your account has already been activated. If you want to give someone else access to your MyChart account, log into your MyChart account and go to "Sharing Hub"→ "Proxy Access for family"→ "Proxy Access"→ "Invite someone." Another option is to complete and submit the electronic proxy access form by going to Request Proxy Access to A Minor or Another Adult and click Request Access. The instructions can be found at <https://mychart.texashealth.org> by clicking on "What is MyChart? FAQ"→ "Can I view a family member's health record in MyChart?".

Did you know that having a MyChart account lets you see your results immediately when they are completed, even if it is outside of normal office hours? If you are active on MyChart, you will get an email when the results are ready. We believe in information transparency and we believe you deserve to see your results as soon as they are available whether the tests were performed in the clinic, the lab, the hospital or the Emergency Department. MyChart is the fastest way to get your results. Please know that you may see your results before your care team and we ask that you give them time to review the results. They will contact you when they have had the opportunity to review all of your results.

Thank you for using MyChart!

You can recover your login information using the 'Forgot Username' or 'Forgot Password' links at <https://mychart.texashealth.org>.

Muscle Strain

A muscle strain is an injury that occurs when a muscle is stretched beyond its normal length. Usually, a small number of muscle fibers are torn when this happens. There are three types of muscle strains. First-degree strains have the least amount of muscle fiber tearing and the least amount of pain. Second-degree and third-degree strains have more tearing and pain.

Usually, recovery from muscle strain takes 1–2 weeks. Complete healing normally takes 5–6 weeks.

What are the causes?

This condition is caused when a sudden, violent force is placed on a muscle and stretches it too far. This may occur with a fall, while lifting, or during sports.

What increases the risk?

This condition is more likely to develop in athletes and people who are physically active.

What are the signs or symptoms?

Symptoms of this condition include:

- Pain.
- Tenderness.
- Bruising.
- Swelling.
- Trouble using the muscle.

How is this diagnosed?

This condition is diagnosed based on a physical exam and your medical history. Tests may also be done, including an X-ray, ultrasound, or MRI.

How is this treated?

This condition is initially treated with PRICE therapy. This therapy involves:

- Protecting the muscle from being injured again.

- Resting the injured muscle.
- Icing the injured muscle.
- Applying pressure (*compression*) to the injured muscle. This may be done with a splint or elastic bandage.
- Raising (*elevating*) the injured muscle.

Your health care provider may also recommend medicine for pain.

Follow these instructions at home:

If you have a removable splint:

- Wear the splint as told by your health care provider. Remove it only as told by your health care provider.
- Check the skin around the splint every day. Tell your health care provider about any concerns.
- Loosen the splint if your fingers or toes tingle, become numb, or turn cold and blue.
- Keep the splint clean.
- If the splint is not waterproof:
 - **Do not** let it get wet.
 - Cover it with a watertight covering when you take a bath or a shower.

Managing pain, stiffness, and swelling

- If directed, put ice on the injured area. To do this:
 - If you have a removable splint, remove it as told by your health care provider.
 - Put ice in a plastic bag.
 - Place a towel between your skin and the bag.
 - Leave the ice on for 20 minutes, 2–3 times a day.
 - Remove the ice if your skin turns bright red. This is very important. If you cannot feel pain, heat, or cold, you have a greater risk of damage to the area.
- Move your fingers or toes often to reduce stiffness and swelling.
- Raise (*elevate*) the injured area above the level of your heart while you are sitting or lying down.
- Wear an elastic bandage as told by your health care provider. Make sure that it is not too tight.

General instructions

- Take over-the-counter and prescription medicines only as told by your health care provider. Treatment may include muscle relaxants or medicines for pain and inflammation that are taken by mouth or applied to the skin.
- Restrict your activity and rest the injured muscle as told by your health care provider. Gentle movements may be allowed.
- If physical therapy was prescribed, do exercises as told by your health care provider.
- **Do not** put pressure on any part of the splint until it is fully hardened. This may take several hours.
- **Do not** use any products that contain nicotine or tobacco. These products include cigarettes, chewing tobacco, and vaping devices, such as e-cigarettes. If you need help quitting, ask your health care provider.
- Ask your health care provider when it is safe to drive if you have a splint.
- Keep all follow-up visits. This is important.

How is this prevented?

Warm up before exercising. This helps to prevent future muscle strains.

Contact a health care provider if:

- You have more pain or swelling in the injured area.

Get help right away if:

- You have numbness or tingling in the injured area.
- You lose a lot of strength in the injured area.

Summary

- A muscle strain is an injury that occurs when a muscle is stretched beyond its normal length.
- This condition is caused when a sudden, violent force is placed on a muscle and stretches it too far.
- This condition is initially treated with PRICE therapy, which involves protecting, resting, icing, compressing, and elevating.
- Gentle movements may be allowed. If physical therapy was prescribed, do exercises as told by your health care provider.

This information is not intended to replace advice given to you by your health care provider. Make sure you discuss any questions you have with your health care provider.

Document Revised: 04/22/2024 Document Reviewed: 03/07/2022
Elsevier Patient Education © 2025 Elsevier Inc.

Thoracic Strain

A thoracic strain is an injury to the muscles or tendons that attach to the upper part of your back behind your chest. Tendons are tissues that connect muscle to bone. This injury is sometimes called a mid-back strain. It happens when a muscle is stretched too far or overloaded.

Thoracic strains can range from mild to severe. Mild strains may involve stretching a muscle or tendon without tearing it. These injuries may heal in 1–2 weeks. More severe strains involve tearing of muscle fibers or tendons. These will cause more pain and may take 6–8 weeks to heal.

What are the causes?

This condition may be caused by:

- Trauma, such as a fall or a hit to the body.
- Twisting or overstretching the back. This may result from doing activities that take a lot of energy, such as lifting heavy objects.

In some cases, the cause may not be known.

What increases the risk?

This injury is more common in:

- Athletes.
- People with obesity.

What are the signs or symptoms?

The main symptom of this condition is pain in the middle back, especially with movement. Other symptoms include:

- Stiffness or limited range of motion.
- Sudden muscle tightening (*spasms*).

How is this diagnosed?

This condition may be diagnosed based on:

- Your symptoms.
- Your medical history.
- A physical exam.
- Imaging tests, such as X-rays, a CT scan, or an MRI.

How is this treated?

This condition may be treated with:

- Resting the injured area.
- Applying heat and cold to the injured area.
- Over-the-counter medicines for pain and inflammation, such as NSAIDs.
- Prescription pain medicine or muscle relaxants. These may be needed for a short time.
- Doing exercises to improve movement and strength in your back (*physical therapy*).
- Treatments applied to the painful area, such as:
 - Electrical stimulation.
 - Stimulating the muscle with small needles (*dry needling*).
 - Injections of medicine (*trigger point injections*).

Follow these instructions at home:

Managing pain, stiffness, and swelling

- If told, put ice on the injured area.
 - Put ice in a plastic bag.
 - Place a towel between your skin and the bag.
 - Leave the ice on for 20 minutes, 2–3 times a day.
- If told, apply heat to the affected area as often as told by your health care provider. Use the heat source that your provider recommends, such as a moist heat pack or a heating pad.
 - Place a towel between your skin and the heat source.
 - Leave the heat on for 20–30 minutes.
- If your skin turns bright red, remove the ice or heat right away to prevent skin damage. The risk of damage is higher if you cannot feel pain, heat, or cold.

Activity

- Rest and return to your normal activities as told by your provider. Ask your provider what activities are safe for you.
- Do exercises as told by your provider.

Medicines

- Take over-the-counter and prescription medicines only as told by your provider.
- Ask your provider if the medicine prescribed to you:
 - Requires you to avoid driving or using machinery.
 - Can cause constipation. You may need to take these actions to prevent or treat constipation:
 - Drink enough fluid to keep your pee (*urine*) pale yellow.
 - Take over-the-counter or prescription medicines.
 - Eat foods that are high in fiber, such as beans, whole grains, and fresh fruits and vegetables.
 - Limit foods that are high in fat and processed sugars, such as fried or sweet foods.

General instructions

- **Do not** use any products that contain nicotine or tobacco. These products include cigarettes, chewing tobacco, and vaping devices, such as e-cigarettes. If you need help quitting, ask your provider.
- Keep all follow-up visits. Your provider will monitor your injury and activity.

How is this prevented?

To prevent a future mid-back injury:

- Always warm up before physical activity or sports.
- Cool down and stretch after being active.
- Use correct form when playing sports and lifting heavy objects. Bend your knees before you lift heavy objects.
- Use good posture when sitting and standing.

- Stay physically fit and maintain a healthy weight.
 - Do at least 150 minutes of moderate-intensity exercise each week, such as brisk walking or water aerobics.
 - Do strength exercises at least 2 times each week.

Contact a health care provider if:

- Your pain is not helped by medicine.
- Your pain or stiffness is getting worse.
- You develop pain or stiffness in your neck or lower back.

Get help right away if:

- You have shortness of breath.
- You have chest pain.
- You have numbness, tingling, or weakness in your legs.
- You are not able to control when you pee (*urinary incontinence*).

These symptoms may be an emergency. Get help right away. Call 911.

- **Do not wait to see if the symptoms will go away.**
- **Do not drive yourself to the hospital.**

This information is not intended to replace advice given to you by your health care provider. Make sure you discuss any questions you have with your health care provider.

Document Revised: 04/22/2024 Document Reviewed: 08/07/2023
Elsevier Patient Education © 2025 Elsevier Inc.

Cervical Sprain

A cervical sprain is also called a neck sprain. It is a stretch or tear in one or more ligaments in the neck. Ligaments are tissues that connect bones to each other.

Neck sprains can be mild, bad, or very bad. A very bad sprain can cause problems with bones and other structures.

Most neck sprains heal in 4–6 weeks, but this depends on how bad the injury is.

What are the causes?

Neck sprains may be caused by trauma, such as:

- An injury from a motor vehicle accident.
- A fall.
- The head and neck being moved front to back or side to side all of a sudden (*whiplash injury*).

Mild neck sprains may be caused by wear and tear over time.

What increases the risk?

- Some activities put you at risk of hurting your neck. These include:
 - Contact sports.
 - Gymnastics.
 - Diving.
- Arthritis caused by wear and tear of the joints in the spine.
- The neck not being very strong or flexible.
- Having had a neck injury in the past.
- Poor posture.
- Spending a lot of time in positions that put stress on the neck. This may be from sitting at a computer for a long time.

What are the signs or symptoms?

- Signs or symptoms include any of these problems in your neck, shoulders, or upper back:
 - Pain or tenderness.
 - Stiffness.
 - Swelling.
 - A burning feeling.
- Sudden tightening of neck muscles (*spasms*).
- Not being able to move the neck very much.
- Headache.
- Feeling dizzy.
- Feeling like you may vomit, or vomiting.
- Having a hand or arm that:
 - Feels weak.
 - Loses feeling (feels *numb*).
 - Tingles.

How is this treated?

This condition is treated by:

- Resting and putting ice or heat on your neck.
- Doing exercises to improve movement and strength in the injured area (*physical therapy*).

In some cases, treatment may also include:

- Keeping your neck in place for a length of time. This may be done using:
 - A neck collar. This supports your chin and the back of your head.
 - A cervical traction device. This is a sling that holds up your head. It removes weight and pressure from your neck.
- Medicines for pain or other symptoms.
- Surgery. This is rare.

Follow these instructions at home:

Medicines

- Take over-the-counter and prescription medicines only as told by your doctor.
- Ask your doctor if you should avoid driving or using machines while you are taking your medicine.
- If told, take steps to prevent problems with pooping (*constipation*). You may need to:
 - Drink enough fluid to keep your pee (*urine*) pale yellow.
 - Take medicines. You will be told what medicines to take.
 - Eat foods that are high in fiber. These include beans, whole grains, and fresh fruits and vegetables.
 - Limit foods that are high in fat and sugar. These include fried or sweet foods.

If you have a neck collar:

- Wear it as told by your doctor. **Do not** take it off unless told.
- Ask your doctor before adjusting your collar.
- If you have long hair, keep it outside of the collar.
- If you are allowed to take off the collar for cleaning and bathing:
 - Follow instructions about how to take it off safely.
 - Clean it by hand with mild soap and water. Let it air-dry fully.
 - If your collar has pads that you can take out:
 - Take the pads out every 1–2 days.
 - Wash them by hand with soap and water.
 - Let the pads air-dry fully before you put them back in the collar.
 - Tell your doctor if your skin under the collar has irritation or sores.

Managing pain, stiffness, and swelling

- Use a cervical traction device, if told by your doctor.
- If told, put ice on the affected area.
 - Put ice in a plastic bag.
 - Place a towel between your skin and the bag.
 - Leave the ice on for 20 minutes, 2–3 times a day.

- If told, put heat on the affected area. Do this before exercise or as often as told by your doctor. Use the heat source that your doctor recommends, such as a moist heat pack or a heating pad.
 - Place a towel between your skin and the heat source.
 - Leave the heat on for 20–30 minutes.
- If your skin turns bright red, take off the ice or heat right away to prevent skin damage. The risk of damage is higher if you cannot feel pain, heat, or cold.

Activity

- **Do not** drive while wearing a neck collar. If you do not have a neck collar, ask if it is safe to drive while your neck heals.
- **Do not** lift anything that is heavier than 10 lb (4.5 kg).
- Rest as told by your doctor.
- Avoid positions and activities that make you feel worse.
- Do exercises as told by your doctor or physical therapist.
- Return to your normal activities when your doctor says that it is safe.

General instructions

- **Do not** smoke or use any products that contain nicotine or tobacco. These can delay healing. If you need help quitting, ask your doctor.
- Keep all follow-up visits. Your doctor will check your injury and activity level.

How is this prevented?

- Use good posture. Adjust your workstation to help with this.
- Exercise often as told by your doctor or physical therapist.
- Avoid activities that are risky or may cause a neck sprain.

Contact a doctor if:

- Your symptoms get worse or do not get better after 2 weeks.
- Your pain gets worse.
- Medicine does not help your pain.
- You have new symptoms.
- Your neck collar gives you sores on your skin or bothers your skin.

Get help right away if:

- You have very bad pain.
- You get any of the following in any part of your body:
 - Loss of feeling.
 - Tingling.
 - Weakness.
- You cannot move a part of your body.
- You have neck pain and either of these:
 - Very bad dizziness.
 - A very bad headache.

This information is not intended to replace advice given to you by your health care provider. Make sure you discuss any questions you have with your health care provider.

Document Revised: 07/21/2023 Document Reviewed: 07/21/2023
Elsevier Patient Education © 2025 Elsevier Inc.

How to Safely Use, Store, and Dispose Opioid Medicines

Your doctor has given you a prescription for an opioid medicine for when you leave the hospital. This sheet will tell you how best to use, store, and dispose (if needed) of the medicine.

Safe **USE** of Opioid Medicines

- Talk to your doctor about all of the medicines you are taking. This includes those prescribed by other doctors and any over-the-counter medicines, herbs, or supplements.
- Take your medicines how your doctor tells you to.
- Do not share your medicines or use someone else's medicines.
- Do not drink alcohol while taking your medicines. This can cause harmful reactions.
- Do not drive or operate heavy machinery while you are taking your medicines.
- Talk to your doctor and pharmacist if you have questions.

Safe **STORAGE** of Opioid Medicines

- Store your medicines away from heat and/or wet areas. A dry, cool place is the best place to store your medicines.
- Keep your medicines away from others. Especially children and pets.
 - Keep your medicines out of reach. A locked cabinet is safest.
 - Keep your medicines in the original bottle with the child-resistant cap.

Safe **DISPOSAL** of Opioid Medicines

- The best way to dispose expired/unused medicine is through a "Take Back" program. The program lists places where you can take your unused or expired medicines. To find a place to dispose your medicines, visit [disposemy meds.org](https://www.fda.gov/drugs/resourcesforconsumers/buyingusingmedicinesafely/ensuringsafeuseofmedicine/safedisposalofmedicines/ucm186187.htm). Enter your ZIP code to find a location near you.
- If there is not a "Take Back" place near you, you can:
 - Flush liquids and pills down the toilet. Flush until clear.
 - Take a dark marker and cover the information on the medicine label. Throw the empty medicine bottle in the trash.
 - Or you can follow the instructions on the right to dispose in household trash.

Source: U.S. Department of Health and Human Services, Federal Drug Administration. Disposal of Unused Medicines: What You Should Know. Retrieved November, 2017. <https://www.fda.gov/drugs/resourcesforconsumers/buyingusingmedicinesafely/ensuringsafeuseofmedicine/safedisposalofmedicines/ucm186187.htm>

Doctors on the medical staffs practice independently and are not employees or agents of Texas Health hospitals or Texas Health Resources. © 2024 Texas Health Resources MB 4037 1/24 EXTHR213

Follow these simple steps to dispose of medicines in the household trash.

MIX



Mix medicines in a sealed plastic bag with dirt, unused cat litter or used coffee grounds. Do not crush tablets or capsules.

THROW



Throw the plastic bag containing the mixture in your household trash.

SCRATCH OUT



Scratch out all personal information on the prescription label of your empty pill bottle or empty medicine packaging to make it unreadable. Then dispose the empty container.



1-877-THR-WELL (1-877-847-9355)

Pain Medication After Care Information

Pain/Sedating Medicine After Care Instructions

Pain Medication After Care Information (continued)

You have been given pain/sedating medicine during your Emergency Department visit today. This medicine might change the way you think and you might not be able to do some things safely.

FOR THE NEXT 8 HOURS:

- **DO NOT** drive.
- **DO NOT** use machines.
- **DO NOT** use power tools.
- **DO NOT** sign legal papers.
- **DO NOT** take care of children by yourself.
- **DO NOT** climb or go to high places.
- **DO NOT** swim without an adult nearby to help you.
- **DO NOT** drink alcohol.
- **DO NOT** take sleeping pills.
- **DO NOT** take other medicines unless your doctor says it is OK.

GET HELP RIGHT AWAY IF:

- You feel dizzy or pass out (*faint*).
- You feel there are other problems that might be caused by your medicine.
- Your medicine is not helping the pain go away.
- You throw up (*vomit*) or have watery poop (*diarrhea*).
- You have pain in an area that did not hurt before.

MAKE SURE YOU:

- Understand these instructions.
- Will watch your condition.
- Will get help right away if you are not doing well or get worse.

This information is not intended to replace advice given to you by your health care provider. Make sure you discuss any questions you have with your health care provider.

Document Released: 06/05/2009 Document Revised: 03/11/2013 Document Reviewed: 12/02/2011
ExitCare® Patient Information ©2016 ExitCare, LLC.

PLEASE NOTE: A Summary of Care document will be provided to your Primary Care Physician to facilitate your transition of care.

Physician Referral Service

THR Well Call Number:

1-877-THR-WELL (1-877-847-9355)

Allergies as of 9/11/2025

Gluten

Prescriptions Written Transmission Method

CVS/pharmacy #11323 - Fort Worth, TX - 1115 8th Ave

1115 8th Ave, Fort Worth TX 76104

Telephone: 817-806-1094

Fax: 817-717-6272

Hours: Not open 24 hours

E-Prescribed (3 of 3)

HYDROcodone-acetaminophen (Norco) 5-325 mg tablet

Sig: Take 1 Tablet by mouth every six(6) hours as needed for pain

Start: 9/11/25

Quantity: 20 Tablet Refills: 0

methocarbamol (Robaxin) 500 mg tablet

Sig: Take 2 Tablets (1,000 mg total) by mouth four(4) times daily

Start: 9/11/25

Quantity: 40 Tablet Refills: 0

ondansetron ODT (Zofran ODT) 4 mg disintegrating tablet

Sig: Take 1 Tablet (4 mg total) by mouth every six(6) hours as needed for nausea or vomiting Place tablet on tongue to dissolve, then swallow with saliva.

Start: 9/11/25

Quantity: 12 Tablet Refills: 0

Medications:

Medication changes done in the Emergency Department are not necessarily long term changes. Follow up with your physician for ongoing medications.

Note: You should keep an updated list of your home medications, including vitamins and herbal products, and take this list with you to every visit to your physician, to the Emergency Department and to the hospital.

Radiology Procedures:

If you had an X-Ray, Cat Scan, Sonogram, Ultrasound, or an MRI during your stay, you can review these results with your primary care physician. Other findings, that were not necessarily related to your treatment, may be present.

If you had a test that included IV dye (contrast containing iodine), you will need to drink plenty of water to help your body flush out the dye. Some medications should be stopped for 48 hours after your test. These medications are listed below:

For instructions on restarting any of these medications after your test, call or visit your doctor:

- Glucophage XR
- Glucophage
- Glucovance
- Glumetza
- Metaglip
- Riomet
- Actoplus Met
- Avandamet
- Fortamet
- Or _____

- Metformin

QUITTING SMOKING IS ONE OF THE MOST IMPORTANT THINGS YOU WILL EVER DO:

- Quitting will lower your chance of having a heart attack, stroke, or cancer.
- If you are pregnant, quitting smoking will improve your chances of having a healthy baby.
- By quitting, you protect your children and adolescents from illnesses caused by second-hand smoke.

Resources

You may want to contact these organizations for further information on smoking and how to quit.

American Heart Association
7272 Greenville Avenue
Dallas, TX 75231
(800) AHA-USA1 (242-8721)

American Lung Association
1740 Broadway, 14th Floor
New York, NY 10019
(212) 315-8700

American Cancer Society
1599 Clifton Road, NE
Atlanta, GA 30329
(404) 320-3333

National Cancer Institute
Bethesda, MD 20892
(800) 4-CANCER (422-6237)

Get Help for Abuse, Neglect, Exploitation, Domestic/Family Violence

National Domestic Violence Hotline (Nationwide)
English and Spanish (24-hour hotline)

800-799-SAFE (7233)
www.thehotline.org

National Human Trafficking Hotline (24-hour hotline)
English, Spanish, and 200 other languages

888-373-7888
Humantraffickinghotline.org

Texas Youth Hotline (24-hour hotline)

800-989-6884
www.dfps.state.tx.us/youth_hotline

Texas Dept of Family & Protective Services
(To report child, adult, disabled person
abuse/neglect)

800-252-5400

If you or someone you know is thinking about suicide, please call the National Suicide Prevention Lifeline at 1-800-273-8255 (TALK).

SUTURE REMOVAL REMINDER:

If you had sutures or staples placed today, you have several options for suture or staple removal:

- You can go to your primary care physician or other healthcare provider to have the sutures or staples removed.
- You can contact local clinics to see if they provide suture or staple removal services
- You can return to the Emergency Room to have the sutures or staples removed. **Please be aware you may incur an additional ED visit with additional costs.**

General guidelines to return for suture removal are:

- 5 days for the face.
- 7 days for the scalp.
- 10 days for the extremities and the trunk.

We value Your opinion. Please complete the satisfaction survey you may receive in the mail. Thank You.

HANDOUTS:



What are Emmi Patient Education Videos?

Learning about your health is an important part of your care. Your THR health care team would like you to watch video(s). The video(s) help explain your health condition in an easy-to-understand way.

How Do I Get My Video(s)?

- Log into your MyChart account
- Select Message Center tab
- Select Inbox
- Click on the Emmi link to watch your video(s)

Call 1-866-294-3664 or email support@emmisolutions.com if you have questions about your Emmi patient education video(s).

Remember, Emmi is NOT for urgent medical needs. Call 911 for medical emergencies.

Excuse Letter (720h ago, onward)

None

Subject: Bowie House

Date: Wednesday, September 10, 2025 at 3:24:02 PM Central Daylight Time

From: mariah.tompkins@aubergeresorts.com on behalf of Bowie House Reservations

To: Copeland, Katie

[EXTERNAL EMAIL WARNING] DO NOT CLICK LINKS or open attachments unless you recognize the sender and know the content is safe.

Good Afternoon Katie,

I was able to speak with Lile today and confirmed that they have arranged a long term stay for you elsewhere, so they only agreed to pay through September 10th for your reservation at Bowie House.

If you are going to stay September 10-14, you will be responsible for paying all charges and you can submit the folios for reimbursement. The payment for your full stay is due at this time.

The full amount of the stay for room and tax, is \$2,184.12. We have taken the first night's room and tax in the amount of \$546.03. The remaining amount to be paid at this time is \$1,638.09.

Please let me know if you have any questions or if there is anything else I can do to assist.

Thank you,

Mariah

--

BOWIE HOUSE RESERVATIONS | RESERVATIONS EMAIL
BOWIE HOUSE, AUBERGE RESORTS COLLECTION

3700 Camp Bowie Blvd
Ft Worth, TX 76107

P +1.855.683.4092

bow.reservations@aubergeresorts.com



Bowie House

AUBERGE RESORTS COLLECTION
FORT WORTH, TEXAS

❁❁ MICHELIN 2024

September 11, 2025



Patient: Kathryn Marie
Copeland
Date of Birth: 06/28/1985
Date of Visit: 9/10/2025

Department THFW
Information: TEXAS HEALTH FORT
WORTH EMERGENCY
DEPARTMENT
1301 PENNSYLVANIA
AVENUE
FORT WORTH TX 76104
817-250-2000

To Whom It May Concern:

Kathryn Copeland was seen and treated in our emergency department on 9/10/2025.
She may return to work on 09/13/2025.

Bachim, Blaine Michael, DO