

SORD M5

Main Board

Designation	Capacitance	Voltage	Temp	Size	Lead Spacing	Brand	Series	Notes
C1	22uF	16V	85	5X11	5MM	Nichicon	SE	
C2	22uF	16V	85	5X11	5MM	Nichicon	SE	
CC1	100uF	16V	85	8X11	5MM	Nichicon	SE	
CC2	22uF	16V	85	5X11	5MM	Nichicon	SE	
CC3	4.7uF	25V	85	5X11	5MM	Nichicon	SE	
CC4	4.7uF	25V	85	5X11	5MM	Nichicon	SE	
BOARD	SORD	M5C-01B	3B 22YK					
VC1								

SORD M5

RF Board

Designation	Capacitance	Voltage	Temp	Size	Lead Spacing	Brand	Series	Notes
C1	47uF	16V	85	6X7	2.5MM	PANASONIC		
C2	0.47uF	50V	85	4X7	2.5MM	PANASONIC		
C3	0.47uF	50V	85	4X7	2.5MM	PANASONIC		
C4	10uF	16V	85	4X7	2.5MM	PANASONIC		
BOARD	BTS	BPD36AV10YGZ						
VR1								
T1								
T2								
T3								

SORD M5

Power Supply

Designation	Capacitance	Voltage	Temp	Size	Lead Spacing	Brand	Series	Notes
	3300uF	35V	105	18X32	8MM	FDS		
	1000uF	35V	105	16X26	8MM	FDS		
	220uF	35V	105	12X15	5MM	FDS		
	10uF	35V	105	5X11	2.5MM	FDS		
	10uF	35V	105	5X11	2.5MM	FDS		
	10uF	16V	105	5X11	2.5MM	FDS		
	10uF	16V	105	5X11	2.5MM	FDS		
BOARD	SORD	AC-50	ES-139					
VR								