

Designation	Capacitance	Voltage	Temp	Size	Lead Spacing	Brand	Series	Notes
Moving from left to right based on left most lead.								
	22uF	25V	85	6x11	20mm	Nichicon	SE	Axial
	10uF	25V	85	5x11	24mm	Nichicon	SE	Axial
	22uF	25V	85	6x11	17mm	Nichicon	SE	Axial
	22uF	25V	85	6x11	20mm	Nichicon	SE	Axial
	100uF	25V	85	8x15	24mm	Nichicon	SE	Axial
	100uF	25V	85	8x15	24mm	Nichicon	SE	Axial
	100uF	25V	85	8x15	25mm	Nichicon	SE	Axial
	22uF	25V	85	6x11	19mm	Nichicon	SE	Axial
	22uF	25V	85	6x11	19mm	Nichicon	SE	Axial
Board								

Designation	Capacitance	Voltage	Temp	Size	Lead Spacing	Brand	Series	Notes
C7	47uF	25V	85	6x15	22mm	Nichicon	SE	Axial
C8	1000uF	25V	85	15x30	35mm	SIEMENS	---	Axial
C9	3300uF	35V	85	22x39	55mm	Nichicon	---	Axial
C10	47uF	25V	85	6x15	26mm	Nichicon	SE	Axial
C12	4.7uF	50V	85	5x11	18mm	ELNA	CE	Axial
C15	470uF	16V	85	10x20	5mm	Nichicon	SE	
Board	4A-PS	1049689-3C	PCP-86VO	27-83				

Texas Instruments 99/4A

Keyboard Board

Designation	Capacitance	Voltage	Temp	Size	Lead Spacing	Brand	Series
Board	KCCBA082	12KC190C	HP-3 94 HB	1039019-1	36S 55934	ALPS	

Texas Instruments 99/4A

Cartridge Slot Board

Designation	Capacitance	Voltage	Temp	Size	Lead Spacing	Brand	Series
Board	1037001-3						