

Toolbar and model tabs

1. Use the top toolbar for MDX conversion, DPI, Scroll, language, team colour and Smooth.
2. Click a model tab at the bottom to switch models.









Compact Set and geoset tabs


1. Click a numbered box to select a geoset. Click **New tab** (+) in **Geosets** to create a tab; use **Tab actions** for its actions.
2. Right-click a numbered box, then click **Hide Geoset** or **Show Always**. These choices change the editor view.
3. For the list style, click **Settings**, **Appearance**, then **Interface**. Choose **Compact Set** or **Classic Set**.







Workplane Constraints

1. Click **Move**, then turn on **Workplane Constraints** and choose XY, ZX or YZ.
2. Drag the selection and hold Shift. The orange padlock beside the pointer shows the locked axis. Release Shift to continue without that axis lock.
3. Turn off **Workplane Constraints** to use the handles. In quad view, Front, Top and Side use their own planes. Perspective uses the chosen plane.










FX - Global Animation Maker

1. With the part selected, click **Surface Effects** (FX), then choose a look.
2. Use the layer list to choose a layer. Click **Add emitter** to add a particle layer. Set **Loop length** for the repeating global animation.
3. Click **Apply effect** to keep the result. Use **Open in EMTR** to edit its emitter in EMTR.










EMTR - add a Library effect

1. With vertices selected, click **Emitter Editor**, then **Library**. Click an effect, then **Add to model**.
2. Drag the preview handle to place the effect, as with a ribbon. It starts at the selected vertices on their bone.
3. Click **Create** to keep the effect, or **Cancel** to leave it out.










Sphereomancer

1. Click **OptimizeXL**, then **Sphereomancer**. Start with the model's existing collision shapes or choose a preset.
2. Click **Add sphere** or **Add square**. Drag a numbered box to move that shape; use its handles to resize it.
3. Review the Before and After previews, then click **Approve** to keep the proposed shapes.









Textures - World Editor Style


1. Open the texture Library. Click **World Editor Style**.
2. Search for a unit, spell, item or doodad, then click its entry. Click a texture to preview it.
3. Click **Standard** to browse the texture folders instead. The same choice appears in texture pickers.






Nuclear Weld

1. With the vertices selected, click **Nuclear Weld** in the vertex sidebar.
2. It welds vertices at the same position across geosets that share a material. Geosets with different materials stay separate.
3. **Seperate by Loose parts** and **Nuclear** share the row above.





Fix model

1. If **Fix model** appears before saving or opening a preview/editor, read the listed values.
2. Click **Fix** to turn single values into Warcraft III keyframes and continue. When saving, click **Fix and save**.
3. The repair keeps the model's appearance. Undo reverses it; **Cancel** leaves the values unchanged.

