
Rotate along the ring

Every editor now uses the same rule: pull along the axis ring. X, Y and Z turn equally per pixel. The drag does not jam or speed up near the centre.

Open **Settings** → **Mouse** → **Rotation**. **Behavior** offers **Along the ring** (new default), **Straight drag** and **Circle the pivot**. **Apply to** sets the default for all editors or overrides one.

Speed = **Rotation sensitivity** × **DPI** (the Wisp wheel). Shift still snaps to 5°. Escape or right-click cancels; one Undo restores the whole drag. Existing profiles move to Along the ring once; per-editor overrides and speeds stay.



> **Ready to try:** Rotate one part on X, Y and Z. Change Behavior and compare the same drag.

New in MDLxL 0.37.0


One way to work


Smooth models, sharp editing lines

Smooth edges (antialiasing) now works in every 3D view. Model surfaces soften while bones, wire, dots and editor lines stay sharp.


First launch asks **How should your models look?**. Choose **Smooth** or **Classic MDLVis**; existing profiles keep their choice. Change it later in **Settings → Graphics**.

XL has a small switch beside language and team colour. VIS keeps its compact toolbar. Software/low-power modes still turn smoothing off, and Showcase cannot override a Classic choice.










Ready to try: Switch Smooth on with wire and dots visible, then open Bones and orbit with the mouse.

Escape and keys in every window

Tool windows close with **Escape**, and their buttons show the key badge. If an editing drag is active, Escape cancels it first; a second press closes the window.

Undo, **Redo** and **Play** inside AnimXL and Showcase follow **Settings** → **Keyboard Shortcuts**. Buttons show the assigned keys and **Learn mode** counts the commands.

Learn now teaches commands rather than incidental letters assigned inside a window. Normal mouse camera rotation remains available in previews.




Ready to try: Rebind Play, open AnimXL and use the new key. Start a Glow Up handle drag: Escape cancels it; Escape again closes.

One look for sliders and number boxes

Sliders share one look across the editor. The number boxes in **Settings**, Showcase and tool windows use the same editing rule.

Type a value, then press **Enter** or leave the field to apply it. Press **Escape** while editing to restore the old value.

Tool windows move by their title bar, keep **Tab** focus inside and close in the same way. The existing controls and sidebars keep their jobs.



> **Ready to try:** Type a new sensitivity without committing it. Escape restores the old value; Enter applies your next edit.


New in MDLxL 0.37.0

One way to work

Paint and Forge follow your mouse settings

The texture and cut-out views in **Citadel Paint** and the mask editor in Forge follow **Settings** → **Mouse** for wheel zoom, sensitivity, Peon/Wisp modes and pan buttons. Zoom stays under the pointer.

Citadel Paint keeps clean cut-out edges with smoothing on. Tall orthographic panels fit the whole model. Vertex picking follows **Grabthrough**.




> **Ready to try:** Change Wheel sensitivity, then zoom the same texture in Paint and UV. Open a tall orthographic Paint view and check the model fits.

Inspector: the NormalsXL result

Inspector's **Recalculate normals** now uses the NormalsXL SD-style result. Use the existing button on the selected geoset.

Add sequence fills each geoset's animation extents. Inspector checks sequence names and whole-frame intervals like the Animations list.

Help → **Sanity Check** checks the current model without changing it. Modern formats have partial coverage; it is not an in-game test.



Ready to try: Select a geoset in its manager, use Recalculate normals and compare the shading. Undo restores the original.

New in MDLxL 0.37.0


One way to work


Showcase: quality, shorter endings and fonts

Output offers **Low** (480 px / 2 MB), **Medium** (640 px / 5 MB, default), **High** (864 px / 20 MB) and **Best** (1280 px / 50 MB). Each sets colours, smoothing and FPS; long takes shrink to fit. **Main picture** works with any level.

Extra Time accepts negative values for a take or an animation. Death effect tails stop after 10 seconds by default, keeping longer motion and never padding short deaths. Add Extra Time to keep more.

The sidebar follows working order and RECORD stays visible. **Text** → **Font** → **Load font…** adds TTF, OTF, WOFF or WOFF2 for preview and export. Fonts stay available; right-click removes one.





> **Ready to try:** Choose **Medium**, trim an ending with negative Extra Time, then add a title in your own font.

New in MDLxL 0.37.0


One way to work

OptimizeXL: measure the whole model

In **Animation optimization**, open **Advanced** and set **Reduction method** to **World-space bound**. It checks how the whole model actually moves in every animation and allows less change in slow animations than in fast ones. First and last poses stay exact.

On over-keyed models it often saves two to three times more than **Local tracks**, which stays the default. Before and After play side by side, so judge the motion yourself before you approve. Large or mounted models can take several minutes.

Also fixed: Auto Corpse no longer turns a weapon on its own skeleton (such as a flail) into a second skull. **Delete** removes the part or blood you picked, even after dragging its handles, and **Ctrl+Z** brings it back. **Escape** during a handle drag cancels the drag.



> **Ready to try:** set Strength to 100%, switch to World-space bound and play Attack in Before and After.