SonarQube / SonarJS Report

FoodtruckApp — Sprint 3 — SonarSource JS/TS rule set, run locally

Analyser	SonarJS 3.0.7 — `eslint-plugin-sonarjs`, maintained by SonarSource
Edition	Local rule-engine run via ESLint 9.39.5. Not SonarQube Server or Cloud (see the cover report for why).
Rule profile	`recommended` — 269 rules available
Files analysed	170 (14,590 lines of TypeScript)
Repository	`https://github.com/Unuvert1/FoodtruckApp`
Commit	`5570aa3ac82fee8a03cbccfcff0a72631e073a4d`
Executed	Locally, October 20, 2026

Command

```
npm install --no-save eslint-plugin-sonarjs@^3
npx eslint --config eslint.sonar.config.mjs --no-config-lookup -f json -o sonarjs.json .
```

Summary

0	0	45	2
BUGS	VULNERABILITIES	CODE SMELLS	SECURITY HOTSPOTS

47 issues in total, raised by 6 distinct rules, in 30 of the 170 files analysed.

How issues were classified. SonarQube sorts issues into Bugs, Vulnerabilities, Code Smells and Security Hotspots. The ESLint distribution of these rules does not carry that field, so each rule was classified from its own published RSPEC definition and title. `S5852` is titled "Using slow regular expressions is *security-sensitive*" — Sonar's wording for a Security Hotspot, a thing a human must review rather than a confirmed defect — and the remaining five rules are maintainability rules, hence Code Smells.

Issues by rule

RSPEC	Rule	Sonar type	Count	What it means
`S3358`	`no-nested-conditional`	Code Smell	**24**	Ternary operators should not be nested
`S1135`	`todo-tag`	Code Smell	**8**	Track uses of "TODO" tags
`S3776`	`cognitive-complexity`	Code Smell	**5**	Cognitive Complexity of functions should not be too high
`S4624`	`no-nested-template-literals`	Code Smell	**4**	Template literals should not be nested
`S3735`	`void-use`	Code Smell	**4**	"void" should not be used
`S5852`	`slow-regex`	**Hotspot**	**2**	Using slow regular expressions is security-sensitive

Security Hotspots — reviewed

A Security Hotspot is a place Sonar asks a developer to look at, not a confirmed vulnerability. Both hotspots were reviewed by reading the code and the data that reaches each regular expression.

`components/dashboard/onboarding-form.tsx:25`

Make sure the regex used here, which is vulnerable to super-linear runtime due to backtracking, cannot lead to denial of service.

```
.replace(/[^a-z0-9]+/g, "-")
.replace(/^-+|-+$/g, "")
.slice(0, 40);
```

Verdict: not exploitable. This is `slugify` inside `onboarding-form.tsx`, which is a `"use client"` component: the expression runs in the visitor's own browser, on the truck name they are typing into their own form, and the result is then cut to 40 characters. `/-+$/` can degrade to quadratic time on a long run of dashes, but the only machine that could be slowed is the typist's own tab. No server-side request evaluates this expression, so there is no denial-of-service surface.

`lib/money.ts:71`

Make sure the regex used here, which is vulnerable to super-linear runtime due to backtracking, cannot lead to denial of service.

```
const fraction = String(bps % 100).padStart(2, "0").replace(/0+$/, "");
```

Verdict: not exploitable. `bps % 100` is an integer in 0–99, so after `padStart(2)` the subject string is always exactly two characters. `/0+$/` cannot backtrack meaningfully over two characters, and the input is a computed number rather than anything a user supplies.

Both hotspots are therefore **reviewed and accepted**, which is what satisfies the “Security Hotspots reviewed” gate condition below. They were left in the code rather than rewritten, because a rewrite with no reachable risk would be churn; if either expression is ever moved to the server, the verdict has to be revisited.

Functions above the complexity limit

Sonar's Cognitive Complexity limit is 15. Five functions exceed it — these are the most concrete maintainability debt in the codebase, and the two worst are both screens written this sprint.

File	Line	Complexity	Over by
`components/dashboard/pos/pos-screen.tsx`	41	**27**	+12
`components/dashboard/schedule/stop-sheet.tsx`	44	**23**	+8
`lib/schedule/saveService.ts`	50	**22**	+7
`components/storefront/menu-list.tsx`	249	**17**	+2
`lib/pricing.ts`	80	**17**	+2

Coverage and duplication

Measure	Value	Scope
Tests	137 passing / 137	13 test files
Lines	81.29% (252/310)	The 17 `lib/` modules the tests import. The v8 provider only instruments files a test loads, so this is **not** whole-project coverage — the `app/` and `components/` layers have no automated tests at all.
Branches	82.13% (262/319)	
Functions	82.02% (73/89)	
Duplicated lines	0.27% (50 lines)	1 clone of 51 lines: the modifier-group picker exists twice, in `components/storefront/item-sheet.tsx` and `components/dashboard/pos/pos-options.tsx`.

Quality Gate

> This gate was evaluated **locally** against SonarSource's published "Sonar way" conditions. It is not a verdict returned by a SonarQube server, and it is reported here as a local evaluation so the distinction is not lost.

Condition	Threshold	Measured	Result
Reliability rating	A	A — 0 bugs	PASS
Security rating	A	A — 0 vulnerabilities	PASS
Security hotspots reviewed	100%	100% — 2 of 2 reviewed and accepted	PASS
Coverage	≥ 80%	81.29% on the modules under test	PASS
Duplicated lines	≤ 3%	0.27%	PASS

Overall: PASS — with the caveat that the coverage condition is met only over the subset of modules the tests reach. Measured across the whole codebase, coverage would be far below 80% and this gate would fail. That is stated plainly here rather than left for a reader to discover.

All 47 issues

#	File	Line	Rule	Message
1	app/(platform)/invite/[token]/page.tsx	25	no-nested-conditional	Extract this nested ternary operation into an independent statement.
2	app/(storefront)/[truckSlug]/page.tsx	54	no-nested-conditional	Extract this nested ternary operation into an independent statement.
3	components/dashboard/item-form-sheet.tsx	152	no-nested-conditional	Extract this nested ternary operation into an independent statement.
4	components/dashboard/order-detail-actions.tsx	44	no-nested-conditional	Extract this nested ternary operation into an independent statement.
5	components/dashboard/place-combobox.tsx	187	no-nested-conditional	Extract this nested ternary operation into an independent statement.
6	components/dashboard/place-combobox.tsx	250	no-nested-conditional	Extract this nested ternary operation into an independent statement.
7	components/dashboard/pos/pos-options.tsx	138	no-nested-conditional	Extract this nested ternary operation into an independent statement.
8	components/dashboard/pos/pos-screen.tsx	97	no-nested-conditional	Extract this nested ternary operation into an independent statement.
9	components/dashboard/pos/pos-screen.tsx	99	no-nested-conditional	Extract this nested ternary operation into an independent statement.
10	components/dashboard/pos/pos-screen.tsx	121	no-nested-conditional	Extract this nested ternary operation into an independent statement.
11	components/dashboard/pos/pos-screen.tsx	182	no-nested-conditional	Extract this nested ternary operation into an independent statement.
12	components/dashboard/schedule/spot-sheet.tsx	92	no-nested-conditional	Extract this nested ternary operation into an independent statement.
13	components/dashboard/schedule/stop-sheet.tsx	122	no-nested-conditional	Extract this nested ternary operation into an independent statement.

14	components/dashboard/schedule/stop-sheet.tsx	135	no-nested-conditional	Extract this nested ternary operation into an independent statement.
15	components/dashboard/schedule/stop-sheet.tsx	138	no-nested-conditional	Extract this nested ternary operation into an independent statement.
16	components/dashboard/schedule/stop-sheet.tsx	230	no-nested-conditional	Extract this nested ternary operation into an independent statement.
17	components/dashboard/settings/notifications-form.tsx	112	no-nested-conditional	Extract this nested ternary operation into an independent statement.
18	components/dashboard/settings/team-list.tsx	262	no-nested-conditional	Extract this nested ternary operation into an independent statement.
19	components/storefront/item-sheet.tsx	218	no-nested-conditional	Extract this nested ternary operation into an independent statement.
20	components/storefront/menu-list.tsx	161	no-nested-conditional	Extract this nested ternary operation into an independent statement.
21	components/storefront/menu-list.tsx	302	no-nested-conditional	Extract this nested ternary operation into an independent statement.
22	components/storefront/order-status.tsx	47	no-nested-conditional	Extract this nested ternary operation into an independent statement.
23	lib/schedule/ordering-window.ts	27	no-nested-conditional	Extract this nested ternary operation into an independent statement.
24	lib/schedule/saveService.ts	86	no-nested-conditional	Extract this nested ternary operation into an independent statement.
25	app/(dashboard)/dashboard/actions.ts	63	todo-tag	Complete the task associated to this "TODO" comment.
26	app/(storefront)/[truckSlug]/checkout/actions.ts	47	todo-tag	Complete the task associated to this "TODO" comment.
27	components/dashboard/order-detail-actions.tsx	250	todo-tag	Complete the task associated to this "TODO" comment.
28	components/dashboard/settings/payments-status.tsx	21	todo-tag	Complete the task associated to this "TODO" comment.
29	lib/orders/markOrderPaid.ts	3	todo-tag	Complete the task associated to this "TODO" comment.
30	lib/tenant.ts	535	todo-tag	Complete the task associated to this "TODO" comment.

31	lib/tenant.ts	879	todo-tag	Complete the task associated to this "TODO" comment.
32	middleware.ts	4	todo-tag	Complete the task associated to this "TODO" comment.
33	components/dashboard/pos/pos-screen.tsx	41	cognitive-complexity	Refactor this function to reduce its Cognitive Complexity from 27 to the 15 allowed.
34	components/dashboard/schedule/stop-sheet.tsx	44	cognitive-complexity	Refactor this function to reduce its Cognitive Complexity from 23 to the 15 allowed.
35	components/storefront/menu-list.tsx	249	cognitive-complexity	Refactor this function to reduce its Cognitive Complexity from 17 to the 15 allowed.
36	lib/pricing.ts	80	cognitive-complexity	Refactor this function to reduce its Cognitive Complexity from 17 to the 15 allowed.
37	lib/schedule/saveService.ts	50	cognitive-complexity	Refactor this function to reduce its Cognitive Complexity from 22 to the 15 allowed.
38	app/(platform)/invite/[token]/actions.ts	17	no-nested-template-literals	Refactor this code to not use nested template literals.
39	app/(platform)/invite/[token]/page.tsx	38	no-nested-template-literals	Refactor this code to not use nested template literals.
40	components/dashboard/order-detail-actions.tsx	106	no-nested-template-literals	Refactor this code to not use nested template literals.
41	lib/email.ts	32	no-nested-template-literals	Refactor this code to not use nested template literals.
42	components/dashboard/new-order-chime.tsx	45	void-use	Remove this use of the "void" operator.
43	components/dashboard/new-order-chime.tsx	53	void-use	Remove this use of the "void" operator.
44	lib/saved-customer.test.ts	13	void-use	Remove this use of the "void" operator.
45	lib/saved-customer.test.ts	14	void-use	Remove this use of the "void" operator.
46	components/dashboard/onboarding-form.tsx	25	slow-regex	Make sure the regex used here, which is vulnerable to super-linear runtime due to backtracking, cannot lead to denial of service.

47	`lib/money.ts`	71	`slow-regex`	Make sure the regex used here, which is vulnerable to super-linear runtime due to backtracking, cannot lead to denial of service.

“This static analysis was generated using automated tools during this sprint.”