



This document describes the files in the skin directories changed from 8.1.2 to 8.2.0 as well as what has been changed within the skin files. It is meant to be used when planning for the best way to carry your skin-level customizations from a previous version of WebVoyage forward to version 8.2.0. If you have not altered a file, you can copy the new 8.2.0 version over the existing file in whatever skin you would like. If you have customized a file, we recommend that you review the changes below but recommit your customizations to the *new* file. Test your skin after each customization is reapplied to the new files.

If you are upgrading from a version of Voyager prior to 8.0.0, please note that there is not a Changed Skin Files document. Since the process for upgrading to Voyager 8.0.0 requires that you begin with the Voyager 8.0.0 version of all skin files, no list of changed files is necessary.

Please see the Voyager 8.2.0 Release Notes for specific bug fixes that affect skin files. The Release Notes can be found on the Documentation Center under Documentation Center under Home > Documentation Center > Ex Libris Documentation Center > Voyager > Upgrade Release Planning > 8.2.0.

Changed skin files from 8.1.2 to 8.2.0

The following skin files changed in 8.2.0.

The files below are all in the directory, /m1/voyager/xxxdb/tomcat/vwebv/context/vwebv/ui/exl_default/ (e.g. the first one is /m1/voyager/xxxdb/tomcat/vwebv/context/vwebv/ui/exl_default/css/displayCommonAuth.css):

New Files Added during release:

/css/displayCommonAuth.css
/htdocs/help/authorityInfo.html
/htdocs/help/eMailAuthDialog.html
/htdocs/help/exportAuthDialog.html
/htdocs/help/printAuthDialog.html
/images/linksAvail.png

Changed Files:

xxxdb/tomcat/vwebv/context/vwebv/error_500.html
xxxdb/tomcat/vwebv/context/vwebv/error_500.html.tml
xxxdb/tomcat/vwebv/context/vwebv/error_503.html
xxxdb/tomcat/vwebv/context/vwebv/error_503.html.tml
/css/alphacube.css
/css/calendar.css
/css/changePin.css
/css/commonForm.css
/css/confirmation.css
/css/courseReserve.css
/css/courseReserveAlpha.css
/css/courseReserveLocation.css
/css/displayCommon.css

/css/displayGoogleBooks.css
/css/frameWork.css
/css/getAvailRequests.css
/css/header.css
/css/help.css
/css/highlight.css
/css/ie7Fixes.css
/css/ie8Fixes.css
/css/ieFixes.css
/css/loginPage.css
/css/myAccount.css
/css/pageProperties.css
/css/personalInfo.css
/css/preferences.css
/css/print/printBriefRecord.css
/css/print/printFullRecord.css
/css/printRecordDialog.css
/css/quickSearchBar.css
/css/requestConfirmation.css
/css/requestForm.css
/css/reset.css
/css/resultsFacets.css
/css/resultsHeadings.css
/css/resultsTitles.css
/css/searchAdvanced.css
/css/searchAuthor.css
/css/searchBasic.css
/css/searchCommon.css
/css/searchCourseReserve.css
/css/searchDatabases.css
/css/searchGeospatial.css
/css/searchHistory.css
/css/searchLinkedCourses.css
/css/searchMySearches.css
/css/searchPages.css
/css/searchStatus.css
/css/searchSubject.css
/css/showXML.css
/css/window.css
/holdingsInfo.vbib.properties
/holdingsInfo.vbib.properties.tml
/holdingsInfo.vcit.properties
/holdingsInfo.vcit.properties.tml
/holdingsInfo.zbib.properties
/holdingsInfo.zbib.properties.tml
/holdingsInfo.zcit.properties
/holdingsInfo.zcit.properties.tml
/htdocs/help/accessibility.html
/htdocs/help/callslip.html
/htdocs/help/changePin.html
/htdocs/help/editPreferences.html
/htdocs/help/eMailDialog.html
/htdocs/help/exportDialog.html
/htdocs/help/hldrcl.html
/htdocs/help/holdingsInfo.html
/htdocs/help/index.html
/htdocs/help/login.html
/htdocs/help/myAccount.html
/htdocs/help/myList.html
/htdocs/help/mySearch.html
/htdocs/help/patronRequest.html

/htdocs/help/patronRequests.html
/htdocs/help/printDialog.html
/htdocs/help/purchase.html
/htdocs/help/searchAdvanced.html
/htdocs/help/searchAuthor.html
/htdocs/help/searchBasic.html
/htdocs/help/searchCourseReserve.html
/htdocs/help/searchCourseReserveAlpha.html
/htdocs/help/searchCourseReserveAlphaResults.html
/htdocs/help/searchGeospatial.html
/htdocs/help/searchHistory.html
/htdocs/help/searchResultsCallNumber.html
/htdocs/help/searchResultsHeadings.html
/htdocs/help/searchResultsTitles.html
/htdocs/help/searchStatus.html
/htdocs/help/searchSubject.html
/htdocs/help/selectDatabase.html
/htdocs/help/staffView.html
/htdocs/index.html
/internal.properties
/internal.properties.tml
/jscripts/ajaxUtils.js
/jscripts/autoPrint.js
/jscripts/calendar-en.js
/jscripts/calendar-setup.js
/jscripts/calendar.js
/jscripts/debug.js
/jscripts/effects.js
/jscripts/googleBooksAvail.js
/jscripts/highLight.js
/jscripts/imageUtils.js
/jscripts/mapUtils.js
/jscripts/pageInputFocus.js
/jscripts/prototype.js
/jscripts/requestGroups.js
/jscripts/window_ext.js
/jscripts/window.js
/linkresolver.properties
/linkresolver.properties.tml
/mapSearch.properties
/mapSearch.properties.tml
/webvoyage.properties
/webvoyage.properties.tml
/xsl/changePin.xsl
/xsl/common/constants.xsl
/xsl/common/constantStrings.xsl
/xsl/common/stdImports.xsl
/xsl/confirmation.xsl
/xsl/contentLayout/cl_changePin.xsl
/xsl/contentLayout/cl_commonDialog.xsl
/xsl/contentLayout/cl_confirmation.xsl
/xsl/contentLayout/cl_courseReserveLocation.xsl
/xsl/contentLayout/cl_displayRecord.xsl
/xsl/contentLayout/cl_displayStaff.xsl
/xsl/contentLayout/cl_eMailDialog.xsl
/xsl/contentLayout/cl_exportRecordDialog.xsl
/xsl/contentLayout/cl_getAvailRequests.xsl
/xsl/contentLayout/cl_login.xsl
/xsl/contentLayout/cl_myAccount.xsl
/xsl/contentLayout/cl_personalInfo.xsl
/xsl/contentLayout/cl_preferences.xsl

/xsl/contentLayout/cl_printRecordDialog.xsl
/xsl/contentLayout/cl_requestForms.xsl
/xsl/contentLayout/cl_resultsCallNumbers.xsl
/xsl/contentLayout/cl_resultsHeadings.xsl
/xsl/contentLayout/cl_resultsMyList.xsl
/xsl/contentLayout/cl_resultsTitles.xsl
/xsl/contentLayout/cl_searchAdvanced.xsl
/xsl/contentLayout/cl_searchAuthor.xsl
/xsl/contentLayout/cl_searchBasic.xsl
/xsl/contentLayout/cl_searchCourseReserveAlpha.xsl
/xsl/contentLayout/cl_searchCourseReserves.xsl
/xsl/contentLayout/cl_searchDatabases.xsl
/xsl/contentLayout/cl_searchGeoCorridor.xsl
/xsl/contentLayout/cl_searchGeoPolygon.xsl
/xsl/contentLayout/cl_searchGeoRadius.xsl
/xsl/contentLayout/cl_searchGeoRange.xsl
/xsl/contentLayout/cl_searchGeoRectangle.xsl
/xsl/contentLayout/cl_searchHistory.xsl
/xsl/contentLayout/cl_searchLinkedCourses.xsl
/xsl/contentLayout/cl_searchMySearches.xsl
/xsl/contentLayout/cl_searchStatus.xsl
/xsl/contentLayout/cl_searchSubject.xsl
/xsl/contentLayout/configs/102X_config.xml
/xsl/contentLayout/configs/102X_display.xsl
/xsl/contentLayout/configs/104X_chronValues.xml
/xsl/contentLayout/configs/104X_config.xml
/xsl/contentLayout/configs/104X_display.xsl
/xsl/contentLayout/configs/displaycfg.xml
/xsl/contentLayout/configs/displayHoldings.xml
/xsl/contentLayout/configs/emailcfg.xml
/xsl/contentLayout/configs/emailcfgHoldings.xml
/xsl/contentLayout/configs/export/endNoteCitationConfig.xml
/xsl/contentLayout/configs/export/endNoteCitationConfigHoldings.xml
/xsl/contentLayout/configs/export/exportDialogConfig.xml
/xsl/contentLayout/configs/print/briefRecordConfig.xml
/xsl/contentLayout/configs/print/fullRecordConfig.xml
/xsl/contentLayout/configs/print/printConfigHoldings.xml
/xsl/contentLayout/configs/print/printDialogConfig.xml
/xsl/contentLayout/display/dialog_display.xsl
/xsl/contentLayout/display/display_text.xsl
/xsl/contentLayout/display/display.xsl
/xsl/contentLayout/display/marc21slim_text.xsl
/xsl/contentLayout/display/marc21slim.xsl
/xsl/courseReserveLocation.xsl
/xsl/displayRecord_vbib.xsl
/xsl/displayRecord_vcit.xsl
/xsl/displayRecord_zbib.xsl
/xsl/displayRecord_zcit.xsl
/xsl/displayRecord.xsl
/xsl/displayStaff.xsl
/xsl/emailBody.xsl
/xsl/eMailDialog.xsl
/xsl/emailRecord.xsl
/xsl/exportFormats/endNoteCitation.xsl
/xsl/exportRecordDialog.xsl
/xsl/geoSearchCorridor.xsl
/xsl/geoSearchPolygon.xsl
/xsl/geoSearchRadius.xsl
/xsl/geoSearchRange.xsl
/xsl/geoSearchRectangle.xsl
/xsl/getAvailRequests.xsl

/xsl/local_googleBooksAvail.xsl
 /xsl/login.xsl
 /xsl/myAccount.xsl
 /xsl/pageFacets/displayFacets.xsl
 /xsl/pageFacets/footer.xsl
 /xsl/pageFacets/geosearchFacets.xsl
 /xsl/pageFacets/header.xsl
 /xsl/pageFacets/myAccountLinks.xsl
 /xsl/pageFacets/resultsFacets.xsl
 /xsl/pageFacets/searchFacets.xsl
 /xsl/pageFacets/showXML.xsl
 /xsl/pageTools/formInput.xsl
 /xsl/pageTools/frameWork.xsl
 /xsl/pageTools/tools.xsl
 /xsl/personalInfo.xsl
 /xsl/preferences.xsl
 /xsl/printFormats/briefRecord.xsl
 /xsl/printFormats/fullRecord.xsl
 /xsl/printFormats/printCommon.xsl
 /xsl/printRecordDialog.xsl
 /xsl/requestForms.xsl
 /xsl/resultsCallNumbers.xsl
 /xsl/resultsHeadings.xsl
 /xsl/resultsMyList.xsl
 /xsl/resultsTitles.xsl
 /xsl/searchAdvanced.xsl
 /xsl/searchAuthor.xsl
 /xsl/searchBasic.xsl
 /xsl/searchCourseReserveAlpha.xsl
 /xsl/searchCourseReserves.xsl
 /xsl/searchHistory.xsl
 /xsl/searchLinkedCourses.xsl
 /xsl/searchMySearches.xsl
 /xsl/searchStatus.xsl
 /xsl/searchSubject.xsl
 /xsl/selectDatabases.xsl
 /xsl/sendRequest.xsl
 /xsl/show-detail.xsl
 /xsl/timeout.xsl
 /xsl/userTextConfigs/limits.xml
 /xsl/userTextConfigs/pageProperties.xml
 xxxdb/tomcat/vwebv/context/vwebv/WEB-INF/classes/log4j.properties
 xxxdb/tomcat/vwebv/context/vwebv/WEB-INF/classes/log4j.properties.tml
 xxxdb/tomcat/vwebv/context/vwebv/WEB-INF/ini/messages.properties
 xxxdb/tomcat/vwebv/context/vwebv/WEB-INF/ini/myaccount.properties

 xxxdb/tomcat/vxws/context/vxws/ui/exl_default/vxws.properties
 xxxdb/tomcat/vxws/context/vxws/ui/exl_default/vxws.properties.tml
 xxxdb/tomcat/vxws/context/vxws/xsl/biblelevelrequest.xsl
 xxxdb/tomcat/vxws/context/vxws/xsl/configs/104X_chronValues.xml
 xxxdb/tomcat/vxws/context/vxws/xsl/configs/104X_config.xml
 xxxdb/tomcat/vxws/context/vxws/xsl/configs/104X_display.xsl
 xxxdb/tomcat/vxws/context/vxws/xsl/configs/emailcfg.xml
 xxxdb/tomcat/vxws/context/vxws/xsl/configs/emailholdingscfg.xml
 xxxdb/tomcat/vxws/context/vxws/xsl/configs/OPAC_in_primo_104X_display.xsl
 xxxdb/tomcat/vxws/context/vxws/xsl/configs/requestcfg.xml
 xxxdb/tomcat/vxws/context/vxws/xsl/configs/requestholdingscfg.xml
 xxxdb/tomcat/vxws/context/vxws/xsl/constants.xsl
 xxxdb/tomcat/vxws/context/vxws/xsl/constantstrings.xsl
 xxxdb/tomcat/vxws/context/vxws/xsl/emailbibrecord.xsl
 xxxdb/tomcat/vxws/context/vxws/xsl/marc21slim.xsl

xxxdb/tomcat/vxws/context/vxws/xsl/transformOPACInPrimoHoldings.xsl

The upgrade to 8.2.0 will overwrite your exl_default directory with all of the new files listed above, as well as the default versions of all other WebVoyage skin files.

Skin file content changes 8.1.2 to 8.2.0

Below contains exactly what has been changed in each exl_default changed skin file for 8.2.0.

[/m1/voyager/xxxdb/tomcat/vwebv/context/vwebv/error_500.html](#)

```
#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.5.2.1 $ $Date: 2012/06/12 17:24:30 $ -->
+++++++ Snippet End ++++++++
```

[/m1/voyager/xxxdb/tomcat/vwebv/context/vwebv/error_500.html.tml](#)

```
#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.5.2.1 $ $Date: 2012/06/12 17:24:30 $ -->
+++++++ Snippet End ++++++++
```

[/m1/voyager/xxxdb/tomcat/vwebv/context/vwebv/error_503.html](#)

```
#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.5.2.1 $ $Date: 2012/06/12 17:24:30 $ -->
+++++++ Snippet End ++++++++
```

[/m1/voyager/xxxdb/tomcat/vwebv/context/vwebv/error_503.html.tml](#)

```
#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.5.2.1 $ $Date: 2012/06/12 17:24:30 $ -->
+++++++ Snippet End ++++++++
```

[/m1/xxxdb/tomcat/vwebv/context/vwebv/htdocs/install.txt](#)

```
#### Action: Change lines 1 to 2 to the following snippet ####
+++++++ Snippet Start ++++++++
Version: -v8.2.0
October 22 2012 at 0919
+++++++ Snippet End ++++++++
```

[/css/alphacube.css](#)

```
#### Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start ++++++++
/* $Revision: 1.2 $ $Date: 2012/06/08 20:13:22 $ */
+++++++ Snippet End ++++++++
```

[/css/calendar.css](#)

```
#### Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start ++++++++
/* $Revision: 1.2 $ $Date: 2012/06/08 20:13:22 $ */
+++++++ Snippet End ++++++++
```

[/css/changePin.css](#)

```
#### Action: Add the following snippet at starting at line 0 ####
```

```
+++++++ Snippet Start +++++++  
/* $Revision: 1.4 $ $Date: 2012/06/08 20:13:22 $ */  
+++++++ Snippet End +++++++
```

[/css/commonForm.css](#)

```
#### Action: Add the following snippet at starting at line 0 ####  
+++++++ Snippet Start +++++++  
/* $Revision: 1.4 $ $Date: 2012/06/08 20:13:22 $ */  
+++++++ Snippet End +++++++
```

[/css/confirmation.css](#)

```
#### Action: Add the following snippet at starting at line 0 ####  
+++++++ Snippet Start +++++++  
/* $Revision: 1.4 $ $Date: 2012/06/08 20:13:22 $ */  
+++++++ Snippet End +++++++
```

[/css/courseReserve.css](#)

```
#### Action: Add the following snippet at starting at line 0 ####  
+++++++ Snippet Start +++++++  
/* $Revision: 1.4 $ $Date: 2012/06/08 20:13:22 $ */  
+++++++ Snippet End +++++++
```

[/css/courseReserveAlpha.css](#)

```
#### Action: Add the following snippet at starting at line 0 ####  
+++++++ Snippet Start +++++++  
/* $Revision: 1.4 $ $Date: 2012/06/08 20:13:22 $ */  
+++++++ Snippet End +++++++
```

[/css/courseReserveLocation.css](#)

```
#### Action: Add the following snippet at starting at line 0 ####  
+++++++ Snippet Start +++++++  
/* $Revision: 1.4 $ $Date: 2012/06/08 20:13:22 $ */  
+++++++ Snippet End +++++++
```

[/css/displayCommon.css](#)

```
#### Action: Add the following snippet at starting at line 0 ####  
+++++++ Snippet Start +++++++  
/* $Revision: 1.6 $ $Date: 2012/06/08 20:13:22 $ */  
+++++++ Snippet End +++++++
```

[/css/displayGoogleBooks.css](#)

```
#### Action: Add the following snippet at starting at line 0 ####  
+++++++ Snippet Start +++++++  
/* $Revision: 1.4 $ $Date: 2012/06/08 20:13:22 $ */  
+++++++ Snippet End +++++++
```

[/css/frameWork.css](#)

Action: Delete line 181

Action: Change line 84 to the following snippet

```
+++++++ Snippet Start +++++++
height: 79px;
+++++++ Snippet End +++++++
```

Action: Change line 48 to the following snippet

```
+++++++ Snippet Start +++++++
margin: 0 auto -80px;
+++++++ Snippet End +++++++
```

Action: Change line 19 to the following snippet

```
+++++++ Snippet Start +++++++
```

```
height: 100%;
```

```
+++++++ Snippet End +++++++
```

Action: Add the following snippet at starting at line 17

```
+++++++ Snippet Start +++++++
```

```
* {
    margin: 0;
}
```

```
+++++++ Snippet End +++++++
```

Action: Add the following snippet at starting at line 0

```
+++++++ Snippet Start +++++++
```

```
/* $Revision: 1.6 $ $Date: 2012/06/08 20:13:22 $ */
```

```
+++++++ Snippet End +++++++
```

[/css/getAvailRequests.css](#)

Action: Add the following snippet at starting at line 0

```
+++++++ Snippet Start +++++++
```

```
/* $Revision: 1.4 $ $Date: 2012/06/08 20:13:22 $ */
```

```
+++++++ Snippet End +++++++
```

[/css/header.css](#)

Action: Add the following snippet at starting at line 0

```
+++++++ Snippet Start +++++++
```

```
/* $Revision: 1.6 $ $Date: 2012/06/08 20:13:22 $ */
```

```
+++++++ Snippet End +++++++
```

[/css/help.css](#)

Action: Add the following snippet at starting at line 69

+++++++ Snippet Start +++++++

```
p {
  font-family: Arial,Helvetica,sans-serif;
  font-size: 10pt;
  margin: 7px;
```

```
}
```

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 68

+++++++ Snippet Start +++++++

```
h1{
  color: #990000;
  font-family: Georgia,"Times New Roman",Times,serif;
  font-size: 16pt;
  font-weight: bold;
```

```
}
```

+++++++ Snippet End +++++++

Action: Change lines 59 to 60 to the following snippet

+++++++ Snippet Start +++++++

```
top: 5px;
right: 5px;
```

+++++++ Snippet End +++++++

Action: Delete lines 45 - 46

Action: Change line 19 to the following snippet

+++++++ Snippet Start +++++++

```
font-family: "Arial Unicode MS","GNU Unifont",Arial,Verdana,Helvetica,sans-serif;
```

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 0

+++++++ Snippet Start +++++++

```
/* $Revision: 1.6 $ $Date: 2012/06/08 20:13:22 $ */
```

+++++++ Snippet End +++++++

[/css/highlight.css](#)

Action: Add the following snippet at starting at line 0

+++++++ Snippet Start +++++++

```
/* $Revision: 1.4 $ $Date: 2012/06/08 20:13:22 $ */
```

+++++++ Snippet End +++++++

[/css/ie7Fixes.css](#)

Action: Add the following snippet at starting at line 0

+++++++ Snippet Start +++++++

```
/* $Revision: 1.4 $ $Date: 2012/06/08 20:13:22 $ */
```

+++++++ Snippet End +++++++

[/css/ie8Fixes.css](#)

```
#### Action: Change line 42 to the following snippet ####
+++++++ Snippet Start +++++++
.oddRow .resultListCheckBox, .evenRow .resultListCheckBox
{
    margin: 0px 0px 0px 18px;
}
+++++++ Snippet End +++++++

#### Action: Add the following snippet at starting at line 22 ####
+++++++ Snippet Start +++++++
#databases
{
    margin-top: 30px;
}

+++++++ Snippet End +++++++

#### Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start +++++++
/* $Revision: 1.7 $ $Date: 2012/06/08 20:13:22 $ */
+++++++ Snippet End +++++++
```

[/css/ieFixes.css](#)

```
#### Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start +++++++
/* $Revision: 1.6 $ $Date: 2012/06/08 20:13:22 $ */
+++++++ Snippet End +++++++
```

[/css/loginPage.css](#)

```
#### Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start +++++++
/* $Revision: 1.4 $ $Date: 2012/06/08 20:13:22 $ */
+++++++ Snippet End +++++++
```

[/css/myAccount.css](#)

```
#### Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start +++++++
/* $Revision: 1.6 $ $Date: 2012/06/08 20:13:22 $ */
+++++++ Snippet End +++++++
```

[/css/pageProperties.css](#)

```
#### Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start +++++++
/* $Revision: 1.4 $ $Date: 2012/06/08 20:13:22 $ */
+++++++ Snippet End +++++++
```

</css/personalInfo.css>

Action: Change line 149 to the following snippet

```
+++++++ Snippet Start +++++++  
        width: 0px;  
+++++++ Snippet End  +++++++
```

Action: Change lines 146 to 147 to the following snippet

```
+++++++ Snippet Start +++++++  
        float:left;  
        position: relative;  
+++++++ Snippet End  +++++++
```

Action: Change line 140 to the following snippet

```
+++++++ Snippet Start +++++++  
        width: 200px;  
+++++++ Snippet End  +++++++
```

Action: Change line 137 to the following snippet

```
+++++++ Snippet Start +++++++  
        float:left;  
+++++++ Snippet End  +++++++
```

Action: Change line 135 to the following snippet

```
+++++++ Snippet Start +++++++  
.addressLabel  
+++++++ Snippet End  +++++++
```

Action: Change line 132 to the following snippet

```
+++++++ Snippet Start +++++++  
        width: 100%;  
+++++++ Snippet End  +++++++
```

Action: Change line 130 to the following snippet

```
+++++++ Snippet Start +++++++  
        float: left;  
+++++++ Snippet End  +++++++
```

Action: Change lines 114 to 115 to the following snippet

```
+++++++ Snippet Start +++++++  
        float:left;  
        padding: 6px 15px 5px;  
+++++++ Snippet End  +++++++
```

Action: Change line 104 to the following snippet

```
+++++++ Snippet Start +++++++  
        float:left;  
+++++++ Snippet End  +++++++
```

Action: Change line 92 to the following snippet

```
+++++++ Snippet Start +++++++  
        border-right: 0px none #013064;  
+++++++ Snippet End  +++++++
```

Action: Change line 90 to the following snippet

+++++++ Snippet Start +++++++

border-bottom: 1px none #013064;

+++++++ Snippet End +++++++

Action: Change lines 78 to 80 to the following snippet

+++++++ Snippet Start +++++++

float: left;

list-style: none;

margin: 0px 0px 0px -10px;

+++++++ Snippet End +++++++

Action: Change line 71 to the following snippet

+++++++ Snippet Start +++++++

#myAccountLinks

+++++++ Snippet End +++++++

Action: Change line 65 to the following snippet

+++++++ Snippet Start +++++++

width: 100%;

+++++++ Snippet End +++++++

Action: Change line 62 to the following snippet

+++++++ Snippet Start +++++++

border-right: 0px none;

+++++++ Snippet End +++++++

Action: Change line 60 to the following snippet

+++++++ Snippet Start +++++++

border-bottom: 1px solid #62b3ff;

+++++++ Snippet End +++++++

Action: Change line 58 to the following snippet

+++++++ Snippet Start +++++++

background-color: #c9e5ff;

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 0

+++++++ Snippet Start +++++++

/* \$Revision: 1.4.2.1 \$ \$Date: 2012/06/22 21:21:23 \$ */

+++++++ Snippet End +++++++

</css/preferences.css>

Action: Add the following snippet at starting at line 0

+++++++ Snippet Start +++++++

/* \$Revision: 1.4 \$ \$Date: 2012/06/08 20:13:22 \$ */

+++++++ Snippet End +++++++

[/css/print/printBriefRecord.css](#)

Action: Add the following snippet at starting at line 131

+++++++ Snippet Start +++++++
}

```
.marcRecord li .fieldtext{  
    display: block;
```

```
}
```

```
.marcRecord li .boldit {  
    font-weight: bold;  
}
```

```
.tagLabel {  
    font-weight: bold;  
}
```

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 130

+++++++ Snippet Start +++++++

```
.marcRecord li  
{  
    clear:both;  
    display: block;  
}  
.marcRecord li label{  
    float: left;  
    margin-right: 8px;  
}  
.marcRecord li.dataField{  
width: 100%;  
display: inline-block;  
+++++++ Snippet End +++++++
```

Action: Add the following snippet at starting at line 129

+++++++ Snippet Start +++++++

```
.marcRecord{  
    margin:0px;  
    padding:0px;  
}
```

+++++++ Snippet End +++++++

Action: Change line 104 to the following snippet

+++++++ Snippet Start +++++++

```
xxfloat:left;  
+++++++ Snippet End +++++++
```

Action: Add the following snippet at starting at line 0

+++++++ Snippet Start +++++++

```
/* $Revision: 1.6 $ $Date: 2012/06/08 20:13:23 $ */
```

+++++++ Snippet End ++++++

[/css/print/printFullRecord.css](#)

Action: Delete line 115

Action: Add the following snippet at starting at line 0

+++++++ Snippet Start ++++++

/* \$Revision: 1.6 \$ \$Date: 2012/06/08 20:13:23 \$ */

+++++++ Snippet End ++++++

[/css/printRecordDialog.css](#)

Action: Add the following snippet at starting at line 0

+++++++ Snippet Start ++++++

/* \$Revision: 1.4 \$ \$Date: 2012/06/08 20:13:22 \$ */

+++++++ Snippet End ++++++

[/css/quickSearchBar.css](#)

Action: Add the following snippet at starting at line 0

+++++++ Snippet Start ++++++

/* \$Revision: 1.4 \$ \$Date: 2012/06/08 20:13:22 \$ */

+++++++ Snippet End ++++++

[/css/requestConfirmation.css](#)

Action: Add the following snippet at starting at line 0

+++++++ Snippet Start ++++++

/* \$Revision: 1.4 \$ \$Date: 2012/06/08 20:13:22 \$ */

+++++++ Snippet End ++++++

[/css/requestForm.css](#)

Action: Add the following snippet at starting at line 0

+++++++ Snippet Start ++++++

/* \$Revision: 1.6 \$ \$Date: 2012/06/08 20:13:22 \$ */

+++++++ Snippet End ++++++

[/css/reset.css](#)

Action: Add the following snippet at starting at line 0

+++++++ Snippet Start ++++++

/* \$Revision: 1.4 \$ \$Date: 2012/06/08 20:13:22 \$ */

+++++++ Snippet End ++++++

[/css/resultsFacets.css](#)

Action: Add the following snippet at starting at line 655

+++++++ Snippet Start +++++++

```
#linkFloater    {float:left; height:50%; margin-top:15px;}
```

```
#linkContent    {clear:both; height:0px; position:relative;}
```

+++++++ Snippet End +++++++

Action: Delete line 654

Action: Change line 458 to the following snippet

+++++++ Snippet Start +++++++

```
#resultListAuth
```

```
{
```

```
  width:100%;
```

```
  float: left;
```

```
}
```

+++++++ Snippet End +++++++

Action: Change lines 446 to 447 to the following snippet

+++++++ Snippet Start +++++++

```
padding: 0px;
```

```
margin: 0px 0px 0px 22px;
```

+++++++ Snippet End +++++++

Action: Change line 13 to the following snippet

+++++++ Snippet Start +++++++

```
** Last Modified : 30-JAN-2012
```

+++++++ Snippet End +++++++

Action: Change line 10 to the following snippet

+++++++ Snippet Start +++++++

```
** Version : 8.2.0
```

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 0

+++++++ Snippet Start +++++++

```
/* $Revision: 1.9 $ $Date: 2012/06/08 20:13:22 $ */
```

+++++++ Snippet End +++++++

[/css/resultsHeadings.css](#)

Action: Add the following snippet at starting at line 99

```
+++++++ Snippet Start +++++++
.oddRowHeadingCount, .evenRowHeadingCount
{
    background-image: none;
    background-repeat: no-repeat;
    text-align:center;
}
```

```
.evenRowHeadingCount{
background-color: #EBEBEB;
}
.oddRowHeadingCount{
background-color: #FFF;
}
```

```
span.referenceTypeCode i
{
    margin:20px;
}
```

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 98

```
+++++++ Snippet Start +++++++
.authTable td
{
border: 1px solid #999999;
margin:0px;
padding:0px;
border-right
}
```

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 97

```
+++++++ Snippet Start +++++++
.authTable th
{
border: 1px solid #999999;
margin:0px;
padding:0px;
text-align: center;
}
```

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 96

```
+++++++ Snippet Start +++++++
.authTable
{
border: 1px solid #999999;
margin:0px;
padding:0px;
```

```
width: 100%;
background-color:#999;
border-collapse: collapse;
}
.authTable tr
{
margin:0px;
padding:0px;
background-color:white;
}
+++++++ Snippet End +++++++
```

Action: Change line 76 to the following snippet

+++++++ Snippet Start +++++++

/* Results Titles and Type */

.resultTitle, .resultType

```
{
margin: 5px 0px 0px 40px;
padding: 0px 0px 0px 0px;
}
```

.resultTitleLabel, .resultTypeLabel

```
{
FONT-WEIGHT: bold;
margin: 0px 0px 0px -30px;
padding: 0px 10px 0px 0px;
float: left;
}
```

.resultTitleValue, .resultTypeValue

```
{
overflow-y: hidden;
overflow-x: hidden;
}
```

/* Results Titles and Type */

/* Results Headings */

+++++++ Snippet End +++++++

Action: Change lines 52 to 74 to the following snippet

+++++++ Snippet Start +++++++

}

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 0

+++++++ Snippet Start +++++++

/* \$Revision: 1.5 \$ \$Date: 2012/06/08 20:13:22 \$ */

+++++++ Snippet End +++++++

[/css/resultsTitles.css](#)

Action: Add the following snippet at starting at line 0

+++++++ Snippet Start +++++++

/* \$Revision: 1.4 \$ \$Date: 2012/06/08 20:13:22 \$ */

+++++++ Snippet End +++++++

[/css/searchAdvanced.css](#)

Action: Add the following snippet at starting at line 0

+++++++ Snippet Start +++++++

/* \$Revision: 1.4 \$ \$Date: 2012/06/08 20:13:22 \$ */
+++++++ Snippet End +++++++

[/css/searchAuthor.css](#)

Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start +++++++
/* \$Revision: 1.4 \$ \$Date: 2012/06/08 20:13:22 \$ */
+++++++ Snippet End +++++++

[/css/searchBasic.css](#)

Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start +++++++
/* \$Revision: 1.4 \$ \$Date: 2012/06/08 20:13:22 \$ */
+++++++ Snippet End +++++++

[/css/searchCommon.css](#)

Action: Change line 20 to the following snippet ####
+++++++ Snippet Start +++++++
/* .searchHistoryForm {min-height: 20em;} */
+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start +++++++
/* \$Revision: 1.5 \$ \$Date: 2012/06/08 20:13:22 \$ */
+++++++ Snippet End +++++++

[/css/searchCourseReserve.css](#)

Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start +++++++
/* \$Revision: 1.4 \$ \$Date: 2012/06/08 20:13:22 \$ */
+++++++ Snippet End +++++++

[/css/searchDatabases.css](#)

Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start +++++++
/* \$Revision: 1.4 \$ \$Date: 2012/06/08 20:13:22 \$ */
+++++++ Snippet End +++++++

[/css/searchGeospatial.css](#)

Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start +++++++
/* \$Revision: 1.4 \$ \$Date: 2012/06/08 20:13:22 \$ */
+++++++ Snippet End +++++++

[/css/searchHistory.css](#)

Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start +++++++
/* \$Revision: 1.4 \$ \$Date: 2012/06/08 20:13:22 \$ */

+++++++ Snippet End ++++++

[/css/searchLinkedCourses.css](#)

Action: Add the following snippet at starting at line 0

+++++++ Snippet Start ++++++

/* \$Revision: 1.4 \$ \$Date: 2012/06/08 20:13:22 \$ */

+++++++ Snippet End ++++++

[/css/searchMySearches.css](#)

Action: Add the following snippet at starting at line 0

+++++++ Snippet Start ++++++

/* \$Revision: 1.4 \$ \$Date: 2012/06/08 20:13:22 \$ */

+++++++ Snippet End ++++++

[/css/searchPages.css](#)

Action: Change line 196 to the following snippet

+++++++ Snippet Start ++++++

margin: 0px;

+++++++ Snippet End ++++++

Action: Change line 56 to the following snippet

+++++++ Snippet Start ++++++

font-size: .8em;

+++++++ Snippet End ++++++

Action: Add the following snippet at starting at line 0

+++++++ Snippet Start ++++++

/* \$Revision: 1.7 \$ \$Date: 2012/06/08 20:13:22 \$ */

+++++++ Snippet End ++++++

[/css/searchStatus.css](#)

Action: Add the following snippet at starting at line 0

+++++++ Snippet Start ++++++

/* \$Revision: 1.4 \$ \$Date: 2012/06/08 20:13:22 \$ */

+++++++ Snippet End ++++++

[/css/searchSubject.css](#)

Action: Add the following snippet at starting at line 0

+++++++ Snippet Start ++++++

/* \$Revision: 1.4 \$ \$Date: 2012/06/08 20:13:22 \$ */

+++++++ Snippet End ++++++

[/css/showXML.css](#)

Action: Add the following snippet at starting at line 0

+++++++ Snippet Start ++++++

/* \$Revision: 1.4 \$ \$Date: 2012/06/08 20:13:22 \$ */

+++++++ Snippet End ++++++

[/css/window.css](#)

Action: Add the following snippet at starting at line 0

+++++++ Snippet Start ++++++

/* \$Revision: 1.2 \$ \$Date: 2012/06/08 20:13:22 \$ */

+++++++ Snippet End ++++++

[/holdingsInfo.vbib.properties](#)

Action: Delete line 71

Action: Add the following snippet at starting at line 69

```
+++++++ Snippet Start +++++++  
email.format.briefAuth=briefAuthRecord.xml  
+++++++ Snippet End +++++++
```

Action: Add the following snippet at starting at line 68

```
+++++++ Snippet Start +++++++  
email.format.fullAuth=fullAuthRecord.xml  
+++++++ Snippet End +++++++
```

Action: Add the following snippet at starting at line 52

```
+++++++ Snippet Start +++++++  
print.format.briefAuth=briefAuthRecord.xml  
+++++++ Snippet End +++++++
```

Action: Add the following snippet at starting at line 51

```
+++++++ Snippet Start +++++++  
print.format.fullAuth=fullAuthRecord.xml  
+++++++ Snippet End +++++++
```

Action: Add the following snippet at starting at line 0

```
+++++++ Snippet Start +++++++  
# $Revision: 1.4.2.1 $ $Date: 2012/06/12 14:39:58 $  
+++++++ Snippet End +++++++
```

[/holdingsInfo.vbib.properties.tml](#)

Action: Delete line 71

Action: Add the following snippet at starting at line 69

```
+++++++ Snippet Start +++++++  
email.format.briefAuth=briefAuthRecord.xml  
+++++++ Snippet End +++++++
```

Action: Add the following snippet at starting at line 68

```
+++++++ Snippet Start +++++++  
email.format.fullAuth=fullAuthRecord.xml  
+++++++ Snippet End +++++++
```

Action: Add the following snippet at starting at line 52

```
+++++++ Snippet Start +++++++  
print.format.briefAuth=briefAuthRecord.xml  
+++++++ Snippet End +++++++
```

Action: Add the following snippet at starting at line 51

```
+++++++ Snippet Start +++++++  
print.format.fullAuth=fullAuthRecord.xml  
+++++++ Snippet End +++++++
```

Action: Add the following snippet at starting at line 0

```
+++++++ Snippet Start +++++++  
# $Revision: 1.4.2.1 $ $Date: 2012/06/12 14:39:58 $  
+++++++ Snippet End +++++++
```

[/holdingsInfo.vcit.properties](#)

Action: Add the following snippet at starting at line 0

```
+++++++ Snippet Start +++++++
```

\$Revision: 1.3.2.1 \$ \$Date: 2012/06/12 14:39:59 \$
+++++++ Snippet End +++++++

[/holdingsInfo.vcit.properties.tml](#)

Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start +++++++
\$Revision: 1.3.2.1 \$ \$Date: 2012/06/12 14:39:59 \$
+++++++ Snippet End +++++++

[/holdingsInfo.zbib.properties](#)

Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start +++++++
\$Revision: 1.3.2.1 \$ \$Date: 2012/06/12 14:39:59 \$
+++++++ Snippet End +++++++

[/holdingsInfo.zbib.properties.tml](#)

Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start +++++++
\$Revision: 1.3.2.1 \$ \$Date: 2012/06/12 14:39:59 \$
+++++++ Snippet End +++++++

[/holdingsInfo.zcit.properties](#)

Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start +++++++
\$Revision: 1.3.2.1 \$ \$Date: 2012/06/12 14:39:59 \$
+++++++ Snippet End +++++++

[/holdingsInfo.zcit.properties.tml](#)

Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start +++++++
\$Revision: 1.3.2.1 \$ \$Date: 2012/06/12 14:39:59 \$
+++++++ Snippet End +++++++

[/htdocs/help/accessibility.html](#)

Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.4.2.1 \$ \$Date: 2012/06/11 22:30:25 \$ -->
+++++++ Snippet End +++++++

[/htdocs/help/callslip.html](#)

Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.3.2.1 \$ \$Date: 2012/06/11 22:30:25 \$ -->
+++++++ Snippet End +++++++

[/htdocs/help/changePin.html](#)

Action: Change lines 62 to 64 to the following snippet ####
+++++++ Snippet Start +++++++
 </div>
 </body>
</html>
+++++++ Snippet End +++++++

Action: Change lines 57 to 60 to the following snippet ####
+++++++ Snippet Start +++++++
 © 2011 Ex Libris Group. All rights
 reserved.
 </div>
</div>

+++++++ Snippet End +++++++

Action: Change lines 53 to 54 to the following snippet

+++++++ Snippet Start +++++++
</div>

+++++++ Snippet End +++++++

Action: Change line 51 to the following snippet

+++++++ Snippet Start +++++++
</div>

+++++++ Snippet End +++++++

Action: Change line 49 to the following snippet

+++++++ Snippet Start +++++++
</div>

+++++++ Snippet End +++++++

Action: Change lines 38 to 44 to the following snippet

+++++++ Snippet Start +++++++
<h2>Changing your PIN</h2>

Enter your current PIN or library default PIN.
Enter your new PIN twice. It will be masked for your protection and must be identical.
Press the Save button.

+++++++ Snippet End +++++++

Action: Change lines 32 to 36 to the following snippet

+++++++ Snippet Start +++++++
<p>A Personal Identification Number (PIN) is a security feature. You are required to provide your PIN whenever you log in. PINs are alphanumeric and between 5 and 12 characters long. (Special characters and symbols should not be used in your PIN.)</p>
<p>If you are logging in for the first time, you must enter the default PIN established by the library and you must create a new PIN.

+++++++ Snippet End +++++++

Action: Change line 20 to the following snippet

+++++++ Snippet Start +++++++
<div id="pageHeader">

+++++++ Snippet End +++++++

Action: Change lines 16 to 17 to the following snippet

+++++++ Snippet Start +++++++
<title>WebVoyáge Change Pin Help</title>
</head>

+++++++ Snippet End +++++++

Action: Change lines 12 to 13 to the following snippet

+++++++ Snippet Start +++++++
<style type="text/css">@import "../css/frameWork.css";</style>
<style type="text/css">@import "../css/header.css";</style>
+++++++ Snippet End +++++++

Action: Change line 2 to the following snippet

+++++++ Snippet Start +++++++
<!-- \$Revision: 1.4.2.2 \$ \$Date: 2012/06/12 19:50:05 \$ -->
<!--
+++++++ Snippet End +++++++

[/htdocs/help/editPreferences.html](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4.2.1 $ $Date: 2012/06/11 22:30:25 $ -->
+++++++ Snippet End ++++++++
```

[/htdocs/help/eMailAuthDialog.html](#)

[/htdocs/help/eMailDialog.html](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4.2.1 $ $Date: 2012/06/11 22:30:25 $ -->
+++++++ Snippet End ++++++++
```

[/htdocs/help/exportAuthDialog.html](#)

[/htdocs/help/exportDialog.html](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4.2.1 $ $Date: 2012/06/11 22:30:25 $ -->
+++++++ Snippet End ++++++++
```

[/htdocs/help/hldrcl.html](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.3.2.1 $ $Date: 2012/06/11 22:30:25 $ -->
+++++++ Snippet End ++++++++
```

[/htdocs/help/holdingsInfo.html](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4.2.1 $ $Date: 2012/06/11 22:30:26 $ -->
+++++++ Snippet End ++++++++
```

[/htdocs/help/index.html](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.5.2.1 $ $Date: 2012/06/11 22:30:26 $ -->
+++++++ Snippet End ++++++++
```

[/htdocs/help/login.html](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4.2.1 $ $Date: 2012/06/11 22:30:26 $ -->
+++++++ Snippet End ++++++++
```

[/htdocs/help/myAccount.html](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4.2.1 $ $Date: 2012/06/11 22:30:26 $ -->
+++++++ Snippet End ++++++++
```

[/htdocs/help/myList.html](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4.2.1 $ $Date: 2012/06/11 22:30:26 $ -->
+++++++ Snippet End ++++++++
```

[/htdocs/help/mySearch.html](#)

```
##### Action: Add the following snippet at starting at line 1 #####
```

+++++++ Snippet Start +++++++
<!-- \$Revision: 1.4.2.1 \$ \$Date: 2012/06/11 22:30:26 \$ -->
+++++++ Snippet End +++++++

[/htdocs/help/patronRequest.html](#)

Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.3.2.1 \$ \$Date: 2012/06/11 22:30:26 \$ -->
+++++++ Snippet End +++++++

[/htdocs/help/patronRequests.html](#)

Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.4.2.1 \$ \$Date: 2012/06/11 22:30:26 \$ -->
+++++++ Snippet End +++++++

[/htdocs/help/printAuthDialog.html](#)

[/htdocs/help/printDialog.html](#)

Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.4.2.1 \$ \$Date: 2012/06/11 22:30:26 \$ -->
+++++++ Snippet End +++++++

[/htdocs/help/purchase.html](#)

Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.3.2.1 \$ \$Date: 2012/06/11 22:30:26 \$ -->
+++++++ Snippet End +++++++

[/htdocs/help/searchAdvanced.html](#)

Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.4.2.1 \$ \$Date: 2012/06/11 22:30:26 \$ -->
+++++++ Snippet End +++++++

[/htdocs/help/searchAuthor.html](#)

Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.4.2.1 \$ \$Date: 2012/06/11 22:30:26 \$ -->
+++++++ Snippet End +++++++

[/htdocs/help/searchBasic.html](#)

Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.4.2.1 \$ \$Date: 2012/06/11 22:30:26 \$ -->
+++++++ Snippet End +++++++

[/htdocs/help/searchCourseReserve.html](#)

Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.4.2.1 \$ \$Date: 2012/06/11 22:30:26 \$ -->
+++++++ Snippet End +++++++

[/htdocs/help/searchCourseReserveAlpha.html](#)

Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.4.2.1 \$ \$Date: 2012/06/11 22:30:26 \$ -->
+++++++ Snippet End +++++++

[/htdocs/help/searchCourseReserveAlphaResults.html](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4.2.1 $ $Date: 2012/06/11 22:30:26 $ -->
+++++++ Snippet End ++++++++
```

[/htdocs/help/searchGeospatial.html](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4.2.1 $ $Date: 2012/06/11 22:30:26 $ -->
+++++++ Snippet End ++++++++
```

[/htdocs/help/searchHistory.html](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4.2.1 $ $Date: 2012/06/11 22:30:26 $ -->
+++++++ Snippet End ++++++++
```

[/htdocs/help/searchResultsCallNumber.html](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4.2.1 $ $Date: 2012/06/11 22:30:26 $ -->
+++++++ Snippet End ++++++++
```

[/htdocs/help/searchResultsHeadings.html](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4.2.1 $ $Date: 2012/06/11 22:30:26 $ -->
+++++++ Snippet End ++++++++
```

[/htdocs/help/searchResultsTitles.html](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4.2.1 $ $Date: 2012/06/11 22:30:26 $ -->
+++++++ Snippet End ++++++++
```

[/htdocs/help/searchStatus.html](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4.2.1 $ $Date: 2012/06/11 22:30:26 $ -->
+++++++ Snippet End ++++++++
```

[/htdocs/help/searchSubject.html](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4.2.1 $ $Date: 2012/06/11 22:30:26 $ -->
+++++++ Snippet End ++++++++
```

[/htdocs/help/selectDatabase.html](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4.2.1 $ $Date: 2012/06/11 22:30:26 $ -->
+++++++ Snippet End ++++++++
```

[/htdocs/help/staffView.html](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4.2.1 $ $Date: 2012/06/11 22:30:26 $ -->
+++++++ Snippet End ++++++++
```

[/htdocs/index.html](#)

```
#### Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.3.2.1 $ $Date: 2012/06/11 22:30:25 $ -->
+++++++ Snippet End ++++++++
```

[/internal.properties](#)

```
#### Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start ++++++++
# $Revision: 1.3.2.1 $ $Date: 2012/06/12 14:39:59 $
+++++++ Snippet End ++++++++
```

[/internal.properties.tml](#)

```
#### Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start ++++++++
# $Revision: 1.3.2.1 $ $Date: 2012/06/12 14:39:59 $
+++++++ Snippet End ++++++++
```

[/jscripts/ajaxUtils.js](#)

```
#### Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start ++++++++
/* $Revision: 1.4.2.1 $ $Date: 2012/06/12 14:59:02 $ */
+++++++ Snippet End ++++++++
```

[/jscripts/autoPrint.js](#)

```
#### Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start ++++++++
/* $Revision: 1.1.1.1.10.1 $ $Date: 2012/06/12 14:59:02 $ */
+++++++ Snippet End ++++++++
```

[/jscripts/calendar-en.js](#)

```
#### Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start ++++++++
/* $Revision: 1.1.1.1.10.1 $ $Date: 2012/06/12 14:59:02 $ */
+++++++ Snippet End ++++++++
```

[/jscripts/calendar-setup.js](#)

```
#### Action: Change line 22 to the following snippet ####
+++++++ Snippet Start ++++++++
// $Id: calendar-setup.js,v 1.1.1.1.10.1 2012/06/12 14:59:02 cduong Exp $
+++++++ Snippet End ++++++++
```

```
#### Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start ++++++++
/* $Revision: 1.1.1.1.10.1 $ $Date: 2012/06/12 14:59:02 $ */
+++++++ Snippet End ++++++++
```

[/jscripts/calendar.js](#)

```
#### Action: Change line 13 to the following snippet ####
+++++++ Snippet Start ++++++++
// $Id: calendar.js,v 1.1.1.1.10.1 2012/06/12 14:59:02 cduong Exp $
+++++++ Snippet End ++++++++
```

```
#### Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start ++++++++
/* $Revision: 1.1.1.1.10.1 $ $Date: 2012/06/12 14:59:02 $ */
+++++++ Snippet End ++++++++
```

[/jscripts/debug.js](#)

```
#### Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start ++++++++
/* $Revision: 1.1.1.1.10.1 $ $Date: 2012/06/12 14:59:02 $ */
+++++++ Snippet End ++++++++
```

[/jscripts/effects.js](#)

```
#### Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start ++++++++
/* $Revision: 1.1.1.1.10.1 $ $Date: 2012/06/12 14:59:02 $ */
+++++++ Snippet End ++++++++
```

[/jscripts/googleBooksAvail.js](#)

```
#### Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start ++++++++
/* $Revision: 1.1.1.1.10.1 $ $Date: 2012/06/12 14:59:02 $ */
+++++++ Snippet End ++++++++
```

[/jscripts/highLight.js](#)

```
#### Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start ++++++++
/* $Revision: 1.5.2.1 $ $Date: 2012/06/12 14:59:02 $ */
+++++++ Snippet End ++++++++
```

[/jscripts/imageUtils.js](#)

```
#### Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start ++++++++
/* $Revision: 1.5.2.1 $ $Date: 2012/06/12 14:59:02 $ */
+++++++ Snippet End ++++++++
```

[/jscripts/mapUtils.js](#)

```
#### Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start ++++++++
/* $Revision: 1.3.2.1 $ $Date: 2012/06/12 14:59:02 $ */
+++++++ Snippet End ++++++++
```

[/jscripts/pageInputFocus.js](#)

```
#### Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start ++++++++
/* $Revision: 1.3.2.1 $ $Date: 2012/06/12 14:59:03 $ */
+++++++ Snippet End ++++++++
```

[/jscripts/prototype.js](#)

```
#### Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start ++++++++
/* $Revision: 1.1.1.1.10.1 $ $Date: 2012/06/12 14:59:03 $ */
+++++++ Snippet End ++++++++
```

[/jscripts/requestGroups.js](#)

```
#### Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start ++++++++
/* $Revision: 1.4.2.1 $ $Date: 2012/06/12 14:59:03 $ */
+++++++ Snippet End ++++++++
```

[/jscripts/window_ext.js](#)

```
#### Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start ++++++++
/* $Revision: 1.1.1.1.10.1 $ $Date: 2012/06/12 14:59:03 $ */
+++++++ Snippet End ++++++++
```

[/jscripsts/window.js](#)

```
#### Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start ++++++++
/* $Revision: 1.1.1.1.10.1 $ $Date: 2012/06/12 14:59:03 $ */
+++++++ Snippet End ++++++++
```

[/linkresolver.properties](#)

```
#### Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start ++++++++
# $Revision: 1.1.1.1.10.1 $ $Date: 2012/06/12 14:39:59 $
+++++++ Snippet End ++++++++
```

[/linkresolver.properties.tml](#)

```
#### Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start ++++++++
# $Revision: 1.1.1.1.10.1 $ $Date: 2012/06/12 14:39:59 $
+++++++ Snippet End ++++++++
```

[/mapSearch.properties](#)

```
#### Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start ++++++++
# $Revision: 1.1.1.1.10.1 $ $Date: 2012/06/12 14:39:59 $
+++++++ Snippet End ++++++++
```

[/mapSearch.properties.tml](#)

```
#### Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start ++++++++
# $Revision: 1.1.1.1.10.1 $ $Date: 2012/06/12 14:39:59 $
+++++++ Snippet End ++++++++
```

[/webvoyage.properties](#)

```
#### Action: Add the following snippet at starting at line 1492 ####
+++++++ Snippet Start ++++++++
#the next two are for the benefit of vxws OPAC via Primo
page.myAccount.reqPending.cancel.success=Request cancelled.
page.myAccount.reqPending.cancel.failure=Failed to cancel request.
+++++++ Snippet End ++++++++
```

```
#### Action: Add the following snippet at starting at line 1327 ####
+++++++ Snippet Start ++++++++
page.exportAuthDialog.format.selected=latin1
page.exportAuthDialog.format.latin1=
page.exportAuthDialog.format.latin1.label=Latin1 MARC
page.exportAuthDialog.format.latin1.order=1
page.exportAuthDialog.format.raw=
page.exportAuthDialog.format.raw.label=Raw MARC
page.exportAuthDialog.format.raw.order=2
page.exportAuthDialog.format.utf-8=
page.exportAuthDialog.format.utf-8.label=UTF-8 MARC
```

page.exportAuthDialog.format.utf-8.order=3
page.exportAuthDialog.format.label=Export Format:
+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 1104 ####
+++++++ Snippet Start +++++++

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 1044

+++++++ Snippet Start +++++++
holdings.item.request.status.23=\i Requests: \c
+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 1033

+++++++ Snippet Start +++++++
holdings.item.request.status.6=\i Requests: \c
+++++++ Snippet End +++++++

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 794 ####
+++++++ Snippet Start +++++++

page.search.advanced.content.label=Content:
page.search.advanced.media.label=Media:
page.search.advanced.carrier.label=Carrier:

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 747 ####
+++++++ Snippet Start +++++++

+++++++ Snippet End +++++++

Action: Change line 522 to the following snippet

+++++++ Snippet Start +++++++
The possible values for LANG, MEDI, PLAC, STAT, TYPE, CONT, MEDA and CARR are listed in
+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 520

+++++++ Snippet Start +++++++
CONT Content
MEDA Media
CARR Carrier
+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 159

+++++++ Snippet Start +++++++
Option to activate (True) or deactivate (False) elink thumbnails
Default is deactivate elink thumbnail
#=====

option.elink.activate=False

#=====

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 90

+++++++ Snippet Start +++++++

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 0

+++++++ Snippet Start +++++++

\$Revision: 1.23.2.3 \$ \$Date: 2012/10/04 17:45:29 \$+++++++ Snippet End +++++++

[/webvoyage.properties.tml](#)

Action: Add the following snippet at starting at line 1492

+++++++ Snippet Start +++++++

#the next two are for the benefit of vxws OPAC via Primo

page.myAccount.reqPending.cancel.success=Request cancelled.

page.myAccount.reqPending.cancel.failure=Failed to cancel request.

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 1327

+++++++ Snippet Start +++++++

page.exportAuthDialog.format.selected=latin1

page.exportAuthDialog.format.latin1=

page.exportAuthDialog.format.latin1.label=Latin1 MARC

page.exportAuthDialog.format.latin1.order=1

page.exportAuthDialog.format.raw=

page.exportAuthDialog.format.raw.label=Raw MARC

page.exportAuthDialog.format.raw.order=2

page.exportAuthDialog.format.utf-8=

page.exportAuthDialog.format.utf-8.label=UTF-8 MARC

page.exportAuthDialog.format.utf-8.order=3

page.exportAuthDialog.format.label=Export Format:

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 1104

+++++++ Snippet Start +++++++

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 1044

+++++++ Snippet Start +++++++

holdings.item.request.status.23=\\i Requests: \\c

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 1033

+++++++ Snippet Start +++++++

holdings.item.request.status.6=\\i Requests: \\c

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 794

+++++++ Snippet Start +++++++

page.search.advanced.content.label=Content:

page.search.advanced.media.label=Media:

page.search.advanced.carrier.label=Carrier:

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 747

+++++++ Snippet Start ++++++

+++++++ Snippet End ++++++

Action: Change line 522 to the following snippet

+++++++ Snippet Start ++++++

The possible values for LANG, MEDI, PLAC, STAT, TYPE, CONT, MEDA and CARR are listed in

+++++++ Snippet End ++++++

Action: Add the following snippet at starting at line 520

+++++++ Snippet Start ++++++

CONT Content

MEDA Media

CARR Carrier

+++++++ Snippet End ++++++

Action: Add the following snippet at starting at line 159

+++++++ Snippet Start ++++++

Option to activate (True) or deactivate (False) elink thumbnails

Default is deactivate elink thumbnail

#=====

option.elink.activate=False

#=====

+++++++ Snippet End ++++++

Action: Add the following snippet at starting at line 90

+++++++ Snippet Start ++++++

+++++++ Snippet End ++++++

Action: Add the following snippet at starting at line 0

+++++++ Snippet Start ++++++

\$Revision: 1.23.2.3 \$ \$Date: 2012/10/04 17:45:29 \$

+++++++ Snippet End ++++++

[/xsl/changePin.xsl](#)

Action: Change line 2 to the following snippet

+++++++ Snippet Start ++++++

<!-- \$Revision: 1.5.2.1 \$ \$Date: 2012/06/11 22:17:13 \$ -->

+++++++ Snippet End ++++++

[/xsl/common/constants.xsl](#)

Action: Change line 2 to the following snippet

+++++++ Snippet Start ++++++

<!-- \$Revision: 1.5.2.1 \$ \$Date: 2012/06/11 22:12:06 \$ -->

+++++++ Snippet End ++++++

[/xsl/common/constantStrings.xsl](#)

Action: Change line 2 to the following snippet

+++++++ Snippet Start ++++++

<!-- \$Revision: 1.5.2.1 \$ \$Date: 2012/06/11 22:12:06 \$ -->

+++++++ Snippet End ++++++

[/xsl/common/stdImports.xsl](#)

Action: Change line 2 to the following snippet

```
+++++++ Snippet Start +++++++
<!-- $Revision: 1.5.2.1 $ $Date: 2012/06/11 22:12:06 $ -->
+++++++ Snippet End +++++++
```

[/xsl/confirmation.xsl](#)

```
#### Action: Change line 2 to the following snippet ####
+++++++ Snippet Start +++++++
<!-- $Revision: 1.5.2.1 $ $Date: 2012/06/11 22:17:13 $ -->
+++++++ Snippet End +++++++
```

[/xsl/contentLayout/cl_changePin.xsl](#)

```
#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:51 $ -->
+++++++ Snippet End +++++++
```

[/xsl/contentLayout/cl_commonDialog.xsl](#)

```
#### Action: Add the following snippet at starting at line 40 ####
+++++++ Snippet Start +++++++
    <xsl:with-param name="eleName" select="authId"/>
    </xsl:call-template>
    <xsl:call-template name="createHiddenField">
+++++++ Snippet End +++++++
```

```
#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- $Revision: 1.5 $ $Date: 2012/06/09 00:27:51 $ -->
+++++++ Snippet End +++++++
```

[/xsl/contentLayout/cl_confirmation.xsl](#)

```
#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:51 $ -->
+++++++ Snippet End +++++++
```

[/xsl/contentLayout/cl_courseReserveLocation.xsl](#)

```
#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:51 $ -->
+++++++ Snippet End +++++++
```

[/xsl/contentLayout/cl_displayRecord.xsl](#)

```
#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:51 $ -->
+++++++ Snippet End +++++++
```

[/xsl/contentLayout/cl_displayStaff.xsl](#)

```
#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:51 $ -->
+++++++ Snippet End +++++++
```

[/xsl/contentLayout/cl_eMailDialog.xsl](#)

```
#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:51 $ -->
+++++++ Snippet End +++++++
```

[/xsl/contentLayout/cl_exportRecordDialog.xsl](#)
Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.5 \$ \$Date: 2012/06/09 00:27:51 \$ -->
+++++++ Snippet End +++++++

[/xsl/contentLayout/cl_getAvailRequests.xsl](#)
Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.4 \$ \$Date: 2012/06/09 00:27:51 \$ -->
+++++++ Snippet End +++++++

[/xsl/contentLayout/cl_login.xsl](#)
Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.4 \$ \$Date: 2012/06/09 00:27:51 \$ -->
+++++++ Snippet End +++++++

[/xsl/contentLayout/cl_myAccount.xsl](#)
Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.5 \$ \$Date: 2012/06/09 00:27:51 \$ -->
+++++++ Snippet End +++++++

[/xsl/contentLayout/cl_personalInfo.xsl](#)
Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.4 \$ \$Date: 2012/06/09 00:27:51 \$ -->
+++++++ Snippet End +++++++

[/xsl/contentLayout/cl_preferences.xsl](#)
Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.4 \$ \$Date: 2012/06/09 00:27:51 \$ -->
+++++++ Snippet End +++++++

[/xsl/contentLayout/cl_printRecordDialog.xsl](#)
Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.5 \$ \$Date: 2012/06/09 00:27:51 \$ -->
+++++++ Snippet End +++++++

[/xsl/contentLayout/cl_requestForms.xsl](#)
Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.5 \$ \$Date: 2012/06/09 00:27:51 \$ -->
+++++++ Snippet End +++++++

[/xsl/contentLayout/cl_resultsCallNumbers.xsl](#)
Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.4 \$ \$Date: 2012/06/09 00:27:51 \$ -->
+++++++ Snippet End +++++++

[/xsl/contentLayout/cl_resultsHeadings.xsl](#)
Action: Delete line 169

Action: Add the following snippet at starting at line 161

```
+++++++ Snippet Start ++++++
</div>
+++++++ Snippet End ++++++
```

Action: Add the following snippet at starting at line 76

```
+++++++ Snippet Start ++++++
<div id="resultListAuth">
+++++++ Snippet End ++++++
```

Action: Add the following snippet at starting at line 75

```
+++++++ Snippet Start ++++++
```

```
+++++++ Snippet End ++++++
```

Action: Add the following snippet at starting at line 74

```
+++++++ Snippet Start ++++++
<xsl:variable name="searchCommand" select="search"/>
<xsl:variable name="searchType" select="'7'"/>

<xsl:variable name="searchId"><xsl:value-of
select="/page:page//page:element[@nameId='searchId']/page:value"/></xsl:variable>
<xsl:variable name="maxResultsPerPage" select="'10'"/>
<xsl:variable name="recCount" select="'10'"/>
<xsl:variable name="recPointer" select="'0'"/>
```

```
<xsl:for-each select="page:element/results">
<div id="resultListAuth">
<table class="authTable">
  <tr>
    <th width="1%">Bib Records</th>
    <th width="auto">Heading</th>
    <th>Authority Headings/References</th>
  </tr>
```

```
<xsl:for-each select="sear:result">
  <xsl:variable name="resultPointer"><xsl:value-of select="position()+$recPointer -1"/></xsl:variable>
  <xsl:variable name="headingId" select="sear:headingId"/>
  <!-- ## variable used for alternating color ## -->
  <xsl:variable name="classPosition">
    <xsl:choose>
      <xsl:when test="(position() mod 2) = 0">evenRow</xsl:when>
      <xsl:otherwise>oddRow</xsl:otherwise>
    </xsl:choose>
  </xsl:variable>
```

```
<tr>
  <!-- ## headings result record ## -->
  <td class="{ $classPosition }HeadingCount">
    <xsl:value-of select="sear:headingCount"/>
  </td>
  <td class="{ $classPosition }HeadingCount">
    <xsl:choose>
      <xsl:when test="sear:headingCount='0'">
        <xsl:value-of select="sear:headingText"/>
      </xsl:when>
      <xsl:otherwise>
        <a>
          <xsl:attribute name="href">
```

```

        <xsl:value-of select="concat($searchCommand,'?')"/>
        <xsl:value-of select="concat('searchType=', $searchType, '&')"/>
        <xsl:value-of select="concat('searchId=', $searchId, '&')"/>
        <xsl:value-of
select="concat('maxResultsPerPage=', $maxResultsPerPage, '&')"/>
        <xsl:value-of select="concat('recCount=', $recCount, '&')"/>
        <xsl:value-of select="concat('recPointer=', $recPointer, '&')"/>
        <xsl:value-of select="concat('resultPointer=', $resultPointer)"/>
        </xsl:attribute>
        <xsl:value-of select="sear:headingText"/>
        </a>
    </xsl:otherwise>
</xsl:choose>
</td>
<td>
    <div class="{ $classPosition }">
        <div class="resultListTextCell">
            <div class="resultHeading">
                <div class="resultType">
                    <div class="resultTypeLabel">
                        <label><xsl:value-of
select="$Configs/pageConfigs/authorityRecords/labels/label[ @id='headingType']"/></label>
                    </div>

                    <div class="resultTypeValue">
                        <span><xsl:value-of select="sear:headingType"/>&#160;</span>
                    </div>
                </div>
            <!--
            <div class="resultTitle">
                <div class="resultTitleLabel">
                    <label><xsl:value-of
select="$Configs/pageConfigs/authorityRecords/labels/label[ @id='headingText']"/></label>
                </div>
                <div class="resultTitleValue">
                    <span><xsl:value-of select="sear:headingText"/>&#160;</span>
                </div>
            </div>
            -->
            <!--
            <div class="resultTitle">
                <div class="resultTitleLabel"><label><xsl:value-of
select="$Configs/pageConfigs/authorityRecords/labels/label[ @id='headingCount']"/></label></div>
                <div class="resultTitleValue"><span><xsl:value-of
select="sear:headingCount"/>&#160;</span></div>
            </div>
            -->
        </div>

        <!-- ## References ## -->
        <xsl:variable name="indexCode" select="sear:indexCode"/>
        <xsl:for-each select="sear:references">
            <xsl:call-template name="doScopeNote"/>
            <xsl:call-template name="doAuthRecordRefs">
                <xsl:with-param name="headingId" select="$headingId"/>
            </xsl:call-template>
            <xsl:call-template name="doAuthCrossRef">
                <xsl:with-param name="idxCode" select="$indexCode"/>
            </xsl:call-template>
        </xsl:for-each>

```

```

        </div>
    </div>
</td>
</tr>
</xsl:for-each>
</table>
</div>
</xsl:for-each>

</xsl:template>

<xsl:template name="doAuthRecordRefs">
<xsl:param name="headingId"/>
<!-- ## Authority Records ## -->
<xsl:for-each select="sear:authorityRecords">
    <div class="resultAuthorityRecords">
        <div class="resultTitle">
            <div class="resultTitleLabel">
                <label>Authorized Heading</label>
            </div>

            </div><br/>

            <div class="resultAuthorityRecord">
                <span class="referenceTypeCode"><i>Select a Link to View the Authority Record</i></span>
                <xsl:for-each select="sear:authorities/sear:authority">
                    <div class="resultAuthority">
                        <xsl:variable name="refTypeCode" select="sear:referenceTypeCode"/>
                        <xsl:variable name="searchID" select="//page:element[@nameId='searchId']/page:value"/>
                        <span class="referenceTypeCode"><xsl:value-of
select="$Configs/pageConfigs/authorityRecords/labels/label[@id=$refTypeCode]"/></span>
                        <!--
                        <span class="headingText"><a
href="authorityInfo?searchId={searchID}&authId={sear:authorityId}&headingId={$headingId}"><xsl:va
lue-of select="sear:headingText"/></a></span>
                        -->
                        <span class="headingText"><a
href="staffViewAuthority?searchId={searchID}&authId={sear:authorityId}&headingId={$headingId}"><
xsl:value-of select="sear:headingText"/></a></span>
                    </div>
                </xsl:for-each>
            </div>
        </div>
    </xsl:for-each>
</xsl:template>

<xsl:template name="doScopeNote">
<!-- ## Scope Notes ## -->
<xsl:for-each select="sear:scopeNotes">
    <div class="resultReferance">
        <div id="scopenotes" class="resultTitleLabel">
            <label><xsl:value-of
select="$Configs/pageConfigs/authorityRecords/labels/label[@id='scopeNote']"/></label>
        </div>
        <xsl:for-each select="sear:scopeNote">

            <div class="resultReferanceValue">
                <span><xsl:value-of select="sear:data"/></span>
            </div>
        </xsl:for-each>
    </div>
</xsl:for-each>

```

```

    </div>
  </xsl:for-each>
</xsl:template>

<xsl:template name="doAuthCrossRef">
  <xsl:param name="idxCode"/>
  <!-- ## Cross-Reference Searches ## -->

  <xsl:variable name="crossRefs">
    <xsl:for-each select="sear:referenceRecords">
      <div class="resultReferenceRecords">
        <span class="referenceTypeCode"><i>Select a Link to search the reference as a <xsl:value-of
select="$Configs/pageConfigs/authorityRecords/crossRefSearchCodes/searchIndex[@code=$idxCode]/@desc"
/></i></span>
        <div class="resultReferenceRecord">
          <xsl:for-each select="sear:references/sear:reference">
            <xsl:variable name="subdivisionCode" select="sear:subdivisionCode"/>
            <div class="resultReference">
              <span class="subdivisionCode"><xsl:value-of
select="$Configs/pageConfigs/authorityRecords/subdivisionCodeMap/subdivisionCode[@code=$subdivisionCod
e]"/></span>
              <xsl:call-template name="doCrossReferenceDescription"/>
            </div>
          </xsl:for-each>
        </div>
      </div>
    </xsl:for-each>
  </xsl:variable>

  <xsl:if test="string-length($crossRefs)">
    <div class="resultTitle">
      <div class="resultTitleLabel">
        <label>Cross References</label>
      </div>
    </div>
    <br/>
    <xsl:copy-of select="$crossRefs"/>
  </xsl:if>

</xsl:template>

<xsl:template name="doCrossReferenceDescription">

  <span class="crossReferenceDescription">
    <xsl:variable name="indexType" select="sear:indexType"/>
    <xsl:variable name="searchCode"
select="$Configs/pageConfigs/authorityRecords/crossRefSearchCodes/searchIndex[@code=$indexType]"/>
    <xsl:variable name="searchURL">search?searchArg=<xsl:value-of
select="sear:crossReferenceDescription"/>&amp;searchCode=<xsl:value-of
select="$searchCode"/>&amp;searchType=1</xsl:variable>
    <xsl:variable name="crossReferenceDescription" select="sear:crossReferenceDescription"/>
    <a href="{ $searchURL }" title="CrossRef Search for { $crossReferenceDescription }"><xsl:value-of
select="$crossReferenceDescription"/></a>
  </span>

</xsl:template>

```

+++++++ Snippet End ++++++

Action: Add the following snippet at starting at line 73

+++++++ Snippet Start ++++++

<xsl:template name="buildAuthResultsList">

+++++++ Snippet End ++++++

Action: Change lines 54 to 56 to the following snippet

+++++++ Snippet Start ++++++

<xsl:call-template name="buildAuthResultsList"/>

<xsl:call-template name="buildResultsHeadingsList"/>

+++++++ Snippet End ++++++

Action: Add the following snippet at starting at line 24

+++++++ Snippet Start ++++++

xmlns:sear="http://www.endinfosys.com/Voyager/search"

+++++++ Snippet End ++++++

Action: Add the following snippet at starting at line 1

+++++++ Snippet Start ++++++

<!-- \$Revision: 1.5 \$ \$Date: 2012/06/09 00:27:51 \$ -->

+++++++ Snippet End ++++++

[/xsl/contentLayout/cl_resultsMyList.xsl](#)

Action: Add the following snippet at starting at line 1

+++++++ Snippet Start ++++++

<!-- \$Revision: 1.4 \$ \$Date: 2012/06/09 00:27:51 \$ -->

+++++++ Snippet End ++++++

[/xsl/contentLayout/cl_resultsTitles.xsl](#)

Action: Add the following snippet at starting at line 1

+++++++ Snippet Start ++++++

<!-- \$Revision: 1.4 \$ \$Date: 2012/06/09 00:27:51 \$ -->

+++++++ Snippet End ++++++

[/xsl/contentLayout/cl_searchAdvanced.xsl](#)

Action: Change line 218 to the following snippet

+++++++ Snippet Start ++++++

+++++++ Snippet End ++++++

Action: Change line 216 to the following snippet

+++++++ Snippet Start ++++++

+++++++ Snippet End ++++++

Action: Change line 214 to the following snippet

+++++++ Snippet Start ++++++

+++++++ Snippet End ++++++

Action: Change lines 210 to 211 to the following snippet

+++++++ Snippet Start ++++++

</xsl:call-template>

+++++++ Snippet End ++++++

Action: Change line 206 to the following snippet

+++++++ Snippet Start ++++++

```

+++++++ Snippet End ++++++

#### Action: Change line 199 to the following snippet ####
+++++++ Snippet Start ++++++

+++++++ Snippet End ++++++

#### Action: Change line 188 to the following snippet ####
+++++++ Snippet Start ++++++
</xsl:if>
+++++++ Snippet End ++++++

#### Action: Change line 178 to the following snippet ####
+++++++ Snippet Start ++++++
</xsl:variable>
+++++++ Snippet End ++++++

#### Action: Change line 172 to the following snippet ####
+++++++ Snippet Start ++++++

+++++++ Snippet End ++++++

#### Action: Change line 165 to the following snippet ####
+++++++ Snippet Start ++++++

+++++++ Snippet End ++++++

#### Action: Change line 163 to the following snippet ####
+++++++ Snippet Start ++++++

+++++++ Snippet End ++++++

#### Action: Change line 159 to the following snippet ####
+++++++ Snippet Start ++++++

+++++++ Snippet End ++++++

#### Action: Change line 156 to the following snippet ####
+++++++ Snippet Start ++++++

+++++++ Snippet End ++++++

#### Action: Add the following snippet at starting at line 148 ####
+++++++ Snippet Start ++++++
<!-- RDA Types -->
<xsl:for-each select="/page:page//page:element[@nameId='content']">
  <div class="limitDiv">
    <xsl:call-template name="buildLimitSetDropDown">
      <xsl:with-param name="limitType" select="content"/>
      <xsl:with-param name="limitData" select="$Limits"/>
      <xsl:with-param name="cssClass" select="searchAdvancedContentMargin"/>
    </xsl:call-template>
  </div>
</xsl:for-each>
<xsl:for-each select="/page:page//page:element[@nameId='media']">
  <div class="limitDiv">
    <xsl:call-template name="buildLimitSetDropDown">
      <xsl:with-param name="limitType" select="media"/>
      <xsl:with-param name="limitData" select="$Limits"/>
      <xsl:with-param name="cssClass" select="searchAdvancedMediaMargin"/>

```

```

        </xsl:call-template>
    </div>
</xsl:for-each>
<xsl:for-each select="/page:page//page:element[@nameId='carrier']">
    <div class="limitDiv">
        <xsl:call-template name="buildLimitSetDropDown">
            <xsl:with-param name="limitType" select="carrier"/>
            <xsl:with-param name="limitData" select="$Limits"/>
            <xsl:with-param name="cssClass" select="searchAdvancedCarrierMargin"/>
        </xsl:call-template>
    </div>
</xsl:for-each>

```

+++++++ Snippet End ++++++

Action: Change line 137 to the following snippet

+++++++ Snippet Start ++++++

+++++++ Snippet End ++++++

Action: Change line 125 to the following snippet

+++++++ Snippet Start ++++++

+++++++ Snippet End ++++++

Action: Change line 113 to the following snippet

+++++++ Snippet Start ++++++

+++++++ Snippet End ++++++

Action: Change line 101 to the following snippet

+++++++ Snippet Start ++++++

+++++++ Snippet End ++++++

Action: Change lines 88 to 89 to the following snippet

+++++++ Snippet Start ++++++

```

        </xsl:for-each>

```

+++++++ Snippet End ++++++

Action: Change line 76 to the following snippet

+++++++ Snippet Start ++++++

+++++++ Snippet End ++++++

Action: Change line 41 to the following snippet

+++++++ Snippet Start ++++++

+++++++ Snippet End ++++++

Action: Change line 35 to the following snippet

+++++++ Snippet Start ++++++

+++++++ Snippet End ++++++

Action: Add the following snippet at starting at line 1

+++++++ Snippet Start ++++++

```

<!-- $Revision: 1.5 $ $Date: 2012/06/09 00:27:51 $ -->

```

+++++++ Snippet End ++++++

[/xsl/contentLayout/cl_searchAuthor.xsl](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:51 $ -->
+++++++ Snippet End ++++++++
```

[/xsl/contentLayout/cl_searchBasic.xsl](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:51 $ -->
+++++++ Snippet End ++++++++
```

[/xsl/contentLayout/cl_searchCourseReserveAlpha.xsl](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:51 $ -->
+++++++ Snippet End ++++++++
```

[/xsl/contentLayout/cl_searchCourseReserves.xsl](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:51 $ -->
+++++++ Snippet End ++++++++
```

[/xsl/contentLayout/cl_searchDatabases.xsl](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:51 $ -->
+++++++ Snippet End ++++++++
```

[/xsl/contentLayout/cl_searchGeoCorridor.xsl](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:51 $ -->
+++++++ Snippet End ++++++++
```

[/xsl/contentLayout/cl_searchGeoPolygon.xsl](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:51 $ -->
+++++++ Snippet End ++++++++
```

[/xsl/contentLayout/cl_searchGeoRadius.xsl](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:51 $ -->
+++++++ Snippet End ++++++++
```

[/xsl/contentLayout/cl_searchGeoRange.xsl](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:51 $ -->
+++++++ Snippet End ++++++++
```

[/xsl/contentLayout/cl_searchGeoRectangle.xsl](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:51 $ -->
+++++++ Snippet End ++++++++
```

[/xsl/contentLayout/cl_searchHistory.xsl](#)

```
#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:51 $ -->
+++++++ Snippet End ++++++++
```

[/xsl/contentLayout/cl_searchLinkedCourses.xsl](#)

```
#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:51 $ -->
+++++++ Snippet End ++++++++
```

[/xsl/contentLayout/cl_searchMySearches.xsl](#)

```
#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:51 $ -->
+++++++ Snippet End ++++++++
```

[/xsl/contentLayout/cl_searchStatus.xsl](#)

```
#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:51 $ -->
+++++++ Snippet End ++++++++
```

[/xsl/contentLayout/cl_searchSubject.xsl](#)

```
#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:51 $ -->
+++++++ Snippet End ++++++++
```

[/xsl/contentLayout/configs/102X_config.xml](#)

```
#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.3.2.1 $ $Date: 2012/06/11 22:25:06 $ -->
+++++++ Snippet End ++++++++
```

[/xsl/contentLayout/configs/102X_display.xsl](#)

```
#### Action: Change line 42 to the following snippet ####
+++++++ Snippet Start ++++++++
<!--xsl:variable name="v102Xconfig" select="document('./1042_config.xml')"/-->
+++++++ Snippet End ++++++++
```

```
#### Action: Change line 39 to the following snippet ####
+++++++ Snippet Start ++++++++
-->
+++++++ Snippet End ++++++++
```

Action: Delete lines 35 - 36

```
#### Action: Add the following snippet at starting at line 33 ####
+++++++ Snippet Start ++++++++
<!-- NON-CONFIGURABLE GLOBAL VARIABLES
+++++++ Snippet End ++++++++
```

Action: Delete line 32

```
#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start ++++++++
```

<!-- \$Revision: 1.5 \$ \$Date: 2012/06/09 00:27:51 \$ -->
+++++++ Snippet End +++++++

[/xsl/contentLayout/configs/104X_chronValues.xml](#)

Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.4.2.1 \$ \$Date: 2012/06/11 22:25:06 \$ -->
+++++++ Snippet End +++++++

[/xsl/contentLayout/configs/104X_config.xml](#)

Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.3.2.1 \$ \$Date: 2012/06/11 22:25:06 \$ -->
+++++++ Snippet End +++++++

[/xsl/contentLayout/configs/104X_display.xsl](#)

Action: Add the following snippet at starting at line 37 ####
+++++++ Snippet Start +++++++
-->
+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 35 ####
+++++++ Snippet Start +++++++
<!-- NON-CONFIGURABLE GLOBAL VARIABLES

+++++++ Snippet End +++++++

Action: Delete line 34

Action: Delete line 31

Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.6 \$ \$Date: 2012/06/09 00:27:51 \$ -->
+++++++ Snippet End +++++++

[/xsl/contentLayout/configs/displaycfg.xml](#)

Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.5.2.1 \$ \$Date: 2012/06/11 22:25:06 \$ -->
+++++++ Snippet End +++++++

[/xsl/contentLayout/configs/displayHoldings.xml](#)

Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.3.2.1 \$ \$Date: 2012/06/11 22:25:06 \$ -->
+++++++ Snippet End +++++++

[/xsl/contentLayout/configs/emailcfg.xml](#)

Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.4.2.1 \$ \$Date: 2012/06/11 22:25:06 \$ -->
+++++++ Snippet End +++++++

[/xsl/contentLayout/configs/emailcfgHoldings.xml](#)

Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.3.2.1 \$ \$Date: 2012/06/11 22:25:06 \$ -->
+++++++ Snippet End +++++++

[/xsl/contentLayout/configs/export/endNoteCitationConfig.xml](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.3.2.1 $ $Date: 2012/06/11 22:25:06 $ -->
+++++++ Snippet End ++++++++
```

[/xsl/contentLayout/configs/export/endNoteCitationConfigHoldings.xml](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.3.2.1 $ $Date: 2012/06/11 22:25:06 $ -->
+++++++ Snippet End ++++++++
```

[/xsl/contentLayout/configs/export/exportDialogConfig.xml](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.3.2.1 $ $Date: 2012/06/11 22:25:06 $ -->
+++++++ Snippet End ++++++++
```

[/xsl/contentLayout/configs/print/briefRecordConfig.xml](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4.2.1 $ $Date: 2012/06/11 22:25:07 $ -->
+++++++ Snippet End ++++++++
```

[/xsl/contentLayout/configs/print/fullRecordConfig.xml](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4.2.1 $ $Date: 2012/06/11 22:25:07 $ -->
+++++++ Snippet End ++++++++
```

[/xsl/contentLayout/configs/print/printConfigHoldings.xml](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.3.2.1 $ $Date: 2012/06/11 22:25:07 $ -->
+++++++ Snippet End ++++++++
```

[/xsl/contentLayout/configs/print/printDialogConfig.xml](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.3.2.1 $ $Date: 2012/06/11 22:25:07 $ -->
+++++++ Snippet End ++++++++
```

[/xsl/contentLayout/display/dialog_display.xsl](#)

```
##### Action: Add the following snippet at starting at line 1 #####
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:51 $ -->
+++++++ Snippet End ++++++++
```

[/xsl/contentLayout/display/display_text.xsl](#)

```
##### Action: Delete line 1119 #####
```

```
##### Action: Change line 1079 to the following snippet #####
```

```
+++++++ Snippet Start ++++++++
<xsl:variable name="cfdata"
select="substring($recordTypeRecord/hol:marcRecord/slim:controlfield[@tag='007'],1,2)"/>
+++++++ Snippet End ++++++++
```

```
##### Action: Change line 1059 to the following snippet #####
```

```

+++++++ Snippet Start ++++++
  <xsl:variable name="cfdata"
select="substring($recordTypeRecord/hol:marcRecord/slim:controlfield[@tag='006'],1,1)"/>
+++++++ Snippet End ++++++

```

Action: Change line 1042 to the following snippet

```

+++++++ Snippet Start ++++++
  <xsl:variable name="primaryMaterial"
select="substring($recordTypeRecord/hol:marcRecord/slim:leader,7,2)"/>
+++++++ Snippet End ++++++

```

Action: Change line 1028 to the following snippet

```

+++++++ Snippet Start ++++++
  <xsl:for-each select="$recordTypeRecord/hol:bibData[@name='databaseName']">
+++++++ Snippet End ++++++

```

Action: Change line 1019 to the following snippet

```

+++++++ Snippet Start ++++++
  <xsl:for-each select="$recordTypeRecord/hol:marcRecord">
+++++++ Snippet End ++++++

```

Action: Add the following snippet at starting at line 542

```

+++++++ Snippet Start ++++++
  <xsl:choose>
    <xsl:when test="string-length($subfieldPreText)">
      <xsl:value-of select="$subfieldPreText"/>
    </xsl:when>
    <xsl:otherwise>
      <xsl:if test="position()>1"><xsl:text> </xsl:text></xsl:if>
    </xsl:otherwise>
  </xsl:choose>

  <xsl:value-of select="."/>

  <xsl:value-of select="$subfieldPostText"/>

</xsl:when>
</xsl:choose>
</xsl:for-each>

```

+++++++ Snippet End ++++++

Action: Add the following snippet at starting at line 541

```

+++++++ Snippet Start ++++++
-->
<xsl:for-each select="slim:subfield">
  <xsl:choose>
    <xsl:when test="contains($subfield,@code)">
      <xsl:variable name="subfieldCode">
        <xsl:value-of select="@code"/>
      </xsl:variable>
      <xsl:variable name="subfieldPreText">
        <xsl:if test="$displayTag"><xsl:value-of
select="$displayTag/subfield[@value=$subfieldCode]/@preText"/></xsl:if>
      </xsl:variable>
      <xsl:variable name="subfieldPostText">
        <xsl:if test="$displayTag"><xsl:value-of
select="$displayTag/subfield[@value=$subfieldCode]/@postText"/></xsl:if>
      </xsl:variable>
    </xsl:choose>
  </xsl:for-each>
+++++++ Snippet End ++++++

```

Action: Change line 538 to the following snippet

+++++++ Snippet Start +++++++

<xsl:value-of select="."/><xsl:text> </xsl:text>

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 534

+++++++ Snippet Start +++++++

<!--

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 533

+++++++ Snippet Start +++++++

<xsl:param name="displayTag"/>

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 510

+++++++ Snippet Start +++++++

<xsl:with-param name="displayTag" select="\$displayTag"/>

+++++++ Snippet End +++++++

Action: Change lines 498 to 499 to the following snippet

+++++++ Snippet Start +++++++

</xsl:if>

+++++++ Snippet End +++++++

Action: Change lines 493 to 495 to the following snippet

+++++++ Snippet Start +++++++

</xsl:for-each>

</xsl:variable>

<xsl:if test="string-length(\$BMDDATA)">

<xsl:copy-of select="\$BMDDATA"/>

<xsl:value-of select="\$new_line"/>

<xsl:call-template name="addTabsBeforeDataWithoutLabel">

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 489

+++++++ Snippet Start +++++++

<xsl:with-param name="displayTag" select="\$displayTag"/>

+++++++ Snippet End +++++++

Action: Change line 479 to the following snippet

+++++++ Snippet Start +++++++

<xsl:for-each select="\$recordTypeRecord/hol:marcRecord/slim:datafield[@tag=\$field]">

+++++++ Snippet End +++++++

Action: Change line 473 to the following snippet

+++++++ Snippet Start +++++++

<xsl:variable name="displayTag" select="."/>

<xsl:variable name="BMDDATA">

<xsl:for-each select="\$recordTypeRecord/hol:marcRecord/slim:controlfield[@tag=\$field]">

+++++++ Snippet End +++++++

Action: Change line 410 to the following snippet

+++++++ Snippet Start +++++++

<xsl:with-param name="marc" select="\$recordTypeRecord/hol:marcRecord"/>

+++++++ Snippet End +++++++

Action: Change line 137 to the following snippet

+++++++ Snippet Start +++++++

```
<xsl:copy-of select="$displayData"/>
+++++++ Snippet End +++++++
```

Action: Delete line 54

Action: Add the following snippet at starting at line 52

```
+++++++ Snippet Start ++++++++
<xsl:variable name="lowercase" select="abcdefghijklmnopqrstuvwxyz" />
<xsl:variable name="uppercase" select="ABCDEFGHIJKLMNOPQRSTUVWXYZ" />
+++++++ Snippet End ++++++++
```

Action: Change line 44 to the following snippet

```
+++++++ Snippet Start ++++++++
<xsl:variable name="pageXML" select=""/>
+++++++ Snippet End ++++++++
```

Action: Change line 41 to the following snippet

```
+++++++ Snippet Start ++++++++
<xsl:variable name="chronValues" select="document('../configs/104X_chronValues.xml')"/>
+++++++ Snippet End ++++++++
```

Action: Add the following snippet at starting at line 35

```
+++++++ Snippet Start ++++++++
-->
+++++++ Snippet End ++++++++
```

Action: Add the following snippet at starting at line 34

```
+++++++ Snippet Start ++++++++
<!-- VYG-612: inherited from mard21slim_text.xml
+++++++ Snippet End ++++++++
```

Action: Add the following snippet at starting at line 31

```
+++++++ Snippet Start ++++++++

+++++++ Snippet End ++++++++
```

Action: Add the following snippet at starting at line 1

```
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.16.2.1 $ $Date: 2012/06/19 16:24:56 $ -->
+++++++ Snippet End ++++++++
```

[/xsl/contentLayout/display/display.xsl](#)

Action: Change line 1868 to the following snippet

```
+++++++ Snippet Start ++++++++
<xsl:variable name="cfdata"
select="substring($recordTypeRecord/hol:marcRecord/slim:controlfield[@tag='007'],1,2)"/>
+++++++ Snippet End ++++++++
```

Action: Change line 1846 to the following snippet

```
+++++++ Snippet Start ++++++++
<xsl:variable name="cfdata"
select="substring($recordTypeRecord/hol:marcRecord/slim:controlfield[@tag='006'],1,1)"/>
+++++++ Snippet End ++++++++
```

Action: Change line 1827 to the following snippet

```
+++++++ Snippet Start ++++++++
<xsl:variable name="primaryMaterial"
select="substring($recordTypeRecord/hol:marcRecord/slim:leader,7,2)"/>
+++++++ Snippet End ++++++++
```

Action: Change line 1814 to the following snippet

+++++++ Snippet Start +++++++

```
<xsl:for-each select="$recordTypeRecord/hol:bibData[@name='databaseName']">
```

+++++++ Snippet End +++++++

Action: Change line 1806 to the following snippet

+++++++ Snippet Start +++++++

```
<xsl:for-each select="$recordTypeRecord/hol:marcRecord">
```

+++++++ Snippet End +++++++

Action: Change lines 955 to 956 to the following snippet

+++++++ Snippet Start +++++++

```
<xsl:if test="string-length($cleanedRedirectSearchData)>0">
```

```
<xsl:value-of select="$searchParameter"/><xsl:value-of
```

```
select="$searchArgParameter"/>=<xsl:value-of select="normalize-
```

```
space(substring($cleanedRedirectSearchData,$redirectNonFilingIndicator))"/>&lt;xsl:value-of
```

```
select="$searchCodeParameter"/>=<xsl:value-of select="$cleanedRedirectSearchData"/>&lt;xsl:value-of
```

```
select="$searchTypeParameter"/>=<xsl:value-of select="$redirectSearchType"/>
```

+++++++ Snippet End +++++++

Action: Change lines 949 to 951 to the following snippet

+++++++ Snippet Start +++++++

```
-->
```

```
<xsl:variable name="cleanedRedirectSearchData">
```

```
<xsl:call-template name="url-encode">
```

```
<xsl:with-param name="str" select="$redirectSearchData"/>
```

```
</xsl:call-template>
```

+++++++ Snippet End +++++++

Action: Change line 941 to the following snippet

+++++++ Snippet Start +++++++

+++++++ Snippet End +++++++

Action: Change line 831 to the following snippet

+++++++ Snippet Start +++++++

```
<!--<xsl:value-of select="$poundSignEncodedSearch" />-->
```

```
<xsl:call-template name="url-encode">
```

```
<xsl:with-param name="str" select="$apostropheSearchData"/>
```

```
</xsl:call-template>
```

+++++++ Snippet End +++++++

Action: Change line 829 to the following snippet

+++++++ Snippet Start +++++++

```
-->
```

+++++++ Snippet End +++++++

Action: Change line 824 to the following snippet

+++++++ Snippet Start +++++++

```
<xsl:with-param name="stringIn" select="$percentSignEncodedSearch"/>
```

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 821

+++++++ Snippet Start +++++++

```
<!-- For all searches, replace the pound (#) with the URL encoding %23.
```

+++++++ Snippet End +++++++

Action: Delete lines 815 - 820

Action: Change line 810 to the following snippet

+++++++ Snippet Start +++++++

```
<xsl:with-param name="stringIn" select="$apostropheSearchData"/>
```

+++++++ Snippet End +++++++

Action: Change line 807 to the following snippet

+++++++ Snippet Start +++++++

+++++++ Snippet End +++++++

Action: Delete lines 800 - 802

Action: Change line 797 to the following snippet

+++++++ Snippet Start +++++++

```
<xsl:value-of select='translate($tempRedirectSearchData, "&apos;", "'')'/>
```

+++++++ Snippet End +++++++

Action: Change line 783 to the following snippet

+++++++ Snippet Start +++++++

```
<xsl:variable name="tempRedirectSearchData">
```

+++++++ Snippet End +++++++

Action: Delete line 758

Action: Change lines 754 to 755 to the following snippet

+++++++ Snippet Start +++++++

```
<xsl:when test="$bibSearchRedirect='subject'"><xsl:value-of
select="$searchTypeSubject/page:element[@nameId='searchType']/page:label"/><xsl:value-of
select="$searchTypeSubjectAuthority/page:element[@nameId='searchType']/page:label"/></xsl:when>
<xsl:when test="$bibSearchRedirect='title'"><xsl:value-of
select="$searchTypeTitle/page:element[@nameId='searchType']/page:label"/><xsl:value-of
select="$searchTypeTitleAuthority/page:element[@nameId='searchType']/page:label"/></xsl:when>
<xsl:when test="$bibSearchRedirect='name'"><xsl:value-of
select="$searchTypeNameAuthority/page:element[@nameId='searchType']/page:label"/></xsl:when>
<xsl:when test="$bibSearchRedirect='nametitle'"><xsl:value-of
select="$searchTypeNameTitleAuthority/page:element[@nameId='searchType']/page:label"/></xsl:when>
+++++++ Snippet End +++++++
```

Action: Delete line 749

Action: Change lines 742 to 747 to the following snippet

+++++++ Snippet Start +++++++

```
<xsl:call-template name="substringReplace">
  <xsl:with-param name="stringIn">
    <xsl:choose>
      <xsl:when test="$bibSearchRedirect='author'"><xsl:value-of
select="$searchTypeAuthor/page:element[@nameId='searchCode']/page:label"/></xsl:when>
      <xsl:when test="$bibSearchRedirect='callnumber'"><xsl:value-of
select="$searchTypeCallNumber/page:element[@nameId='searchCode']/page:label"/> </xsl:when>
      <xsl:when test="$bibSearchRedirect='subject'"><xsl:value-of
select="$searchTypeSubject/page:element[@nameId='searchCode']/page:label"/><xsl:value-of
select="$searchTypeSubjectAuthority/page:element[@nameId='searchCode']/page:label"/></xsl:when>
      <xsl:when test="$bibSearchRedirect='title'"><xsl:value-of
select="$searchTypeTitle/page:element[@nameId='searchCode']/page:label"/><xsl:value-of
select="$searchTypeTitleAuthority/page:element[@nameId='searchCode']/page:label"/></xsl:when>
      <xsl:when test="$bibSearchRedirect='name'"><xsl:value-of
select="$searchTypeNameAuthority/page:element[@nameId='searchCode']/page:label"/></xsl:when>
      <xsl:when test="$bibSearchRedirect='nametitle'"><xsl:value-of
select="$searchTypeNameTitleAuthority/page:element[@nameId='searchCode']/page:label"/></xsl:when>
    </xsl:choose>
  </xsl:with-param>
  <xsl:with-param name="start" select="1"/>
  <xsl:with-param name="end" select="1000"/>
  <xsl:with-param name="replace" select=" " />
</xsl:call-template>
```

```

        </xsl:with-param>
        <xsl:with-param name="substringIn" select="+" />
        <xsl:with-param name="substringOut" select=""%2B" />
    </xsl:call-template>
+++++++ Snippet End ++++++

#### Action: Change lines 738 to 739 to the following snippet ####
+++++++ Snippet Start ++++++
        <xsl:value-of select="translate($displayTag/@redirect, $uppercase, $lowercase)" />
+++++++ Snippet End ++++++

#### Action: Change lines 720 to 721 to the following snippet ####
+++++++ Snippet Start ++++++
        <xsl:for-each select="$recordTypeRecord/hol:marcRecord/slim:datafield[@tag=$field]">
+++++++ Snippet End ++++++

#### Action: Change line 715 to the following snippet ####
+++++++ Snippet Start ++++++
        <xsl:for-each select="$recordTypeRecord/hol:marcRecord/slim:controlfield[@tag=$field]">
+++++++ Snippet End ++++++

#### Action: Change line 640 to the following snippet ####
+++++++ Snippet Start ++++++
        <xsl:with-param name="marc" select="$recordTypeRecord/hol:marcRecord" />
+++++++ Snippet End ++++++

#### Action: Change line 353 to the following snippet ####
+++++++ Snippet Start ++++++
        <xsl:for-each select="$recordTypeRecord/hol:marcRecord/slim:datafield[@tag=$field]">
+++++++ Snippet End ++++++

#### Action: Change line 313 to the following snippet ####
+++++++ Snippet Start ++++++
        <xsl:for-each select="$recordTypeRecord/hol:marcRecord/slim:datafield[@tag=$field]">
+++++++ Snippet End ++++++

#### Action: Change line 92 to the following snippet ####
+++++++ Snippet Start ++++++
-->
+++++++ Snippet End ++++++

#### Action: Change line 89 to the following snippet ####
+++++++ Snippet Start ++++++
<!-- ## The following variables are used to convert case ##
+++++++ Snippet End ++++++

#### Action: Add the following snippet at starting at line 58 ####
+++++++ Snippet Start ++++++
<xsl:variable name="searchTypeSubjectAuthority"
select="/page:page/page:pageBody/page:element[@nameId='searchType.subjectAuthority']"/>
<xsl:variable name="searchTypeTitleAuthority"
select="/page:page/page:pageBody/page:element[@nameId='searchType.titleAuthority']"/>
<xsl:variable name="searchTypeNameAuthority"
select="/page:page/page:pageBody/page:element[@nameId='searchType.nameAuthority']"/>
<xsl:variable name="searchTypeNameTitleAuthority"
select="/page:page/page:pageBody/page:element[@nameId='searchType.nametitleAuthority']"/>

+++++++ Snippet End ++++++

#### Action: Change line 44 to the following snippet ####
+++++++ Snippet Start ++++++

```

```

<xsl:variable name="authRecord" select="//hol:authRecord "/>

<xsl:variable name="bibID" select="//hol:recordTypeRecord/@bibld"/>
+++++++ Snippet End ++++++

#### Action: Add the following snippet at starting at line 32 ####
+++++++ Snippet Start ++++++
<xsl:variable name="chronValues" select="document('../configs/104X_chronValues.xml')"/>
+++++++ Snippet End ++++++

#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start ++++++
<!-- $Revision: 1.17.2.1 $ $Date: 2012/06/28 19:56:13 $ -->
+++++++ Snippet End ++++++

/xsl/contentLayout/display/marc21slim_text.xsl
#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start ++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:52 $ -->
+++++++ Snippet End ++++++

/xsl/contentLayout/display/marc21slim.xsl
#### Action: Change line 95 to the following snippet ####
+++++++ Snippet Start ++++++
</span>
+++++++ Snippet End ++++++

#### Action: Change line 93 to the following snippet ####
+++++++ Snippet Start ++++++
<span class="fieldText">
+++++++ Snippet End ++++++

#### Action: Change line 61 to the following snippet ####
+++++++ Snippet Start ++++++
</span>
+++++++ Snippet End ++++++

#### Action: Change line 59 to the following snippet ####
+++++++ Snippet Start ++++++
<span class="fieldText">
+++++++ Snippet End ++++++

#### Action: Change line 39 to the following snippet ####
+++++++ Snippet Start ++++++
</span>
+++++++ Snippet End ++++++

#### Action: Change line 37 to the following snippet ####
+++++++ Snippet Start ++++++
<span class="fieldText">
+++++++ Snippet End ++++++

#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start ++++++
<!-- $Revision: 1.5 $ $Date: 2012/06/09 00:27:52 $ -->
+++++++ Snippet End ++++++

/xsl/courseReserveLocation.xsl
#### Action: Change line 2 to the following snippet ####
+++++++ Snippet Start ++++++

```

<!-- \$Revision: 1.5.2.1 \$ \$Date: 2012/06/11 22:17:13 \$ -->
+++++++ Snippet End +++++++

[/xsl/displayRecord_vbib.xsl](#)

Action: Add the following snippet at starting at line 38

+++++++ Snippet Start +++++++

<xsl:variable name="recordTypeRecord" select="//hol:bibRecord"/>

+++++++ Snippet End +++++++

Action: Change line 2 to the following snippet

+++++++ Snippet Start +++++++

<!-- \$Revision: 1.6.2.1 \$ \$Date: 2012/06/11 22:17:13 \$ -->

+++++++ Snippet End +++++++

[/xsl/displayRecord_vcit.xsl](#)

Action: Add the following snippet at starting at line 38

+++++++ Snippet Start +++++++

<xsl:variable name="recordTypeRecord" select="//hol:bibRecord"/>

+++++++ Snippet End +++++++

Action: Change line 2 to the following snippet

+++++++ Snippet Start +++++++

<!-- \$Revision: 1.6.2.1 \$ \$Date: 2012/06/11 22:17:13 \$ -->

+++++++ Snippet End +++++++

[/xsl/displayRecord_zbib.xsl](#)

Action: Add the following snippet at starting at line 38

+++++++ Snippet Start +++++++

<xsl:variable name="recordTypeRecord" select="//hol:bibRecord"/>

+++++++ Snippet End +++++++

Action: Change line 2 to the following snippet

+++++++ Snippet Start +++++++

<!-- \$Revision: 1.6.2.1 \$ \$Date: 2012/06/11 22:17:13 \$ -->

+++++++ Snippet End +++++++

[/xsl/displayRecord_zcit.xsl](#)

Action: Add the following snippet at starting at line 38

+++++++ Snippet Start +++++++

<xsl:variable name="recordTypeRecord" select="//hol:bibRecord"/>

+++++++ Snippet End +++++++

Action: Change line 2 to the following snippet

+++++++ Snippet Start +++++++

<!-- \$Revision: 1.6.2.1 \$ \$Date: 2012/06/11 22:17:13 \$ -->

+++++++ Snippet End +++++++

[/xsl/displayRecord.xsl](#)

Action: Add the following snippet at starting at line 37

+++++++ Snippet Start +++++++

<xsl:variable name="recordTypeRecord" select="//hol:bibRecord"/>

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 24

+++++++ Snippet Start +++++++

xmlns:hol="http://www.endinfosys.com/Voyager/holdings"

+++++++ Snippet End +++++++

Action: Change line 2 to the following snippet

+++++++ Snippet Start +++++++

<!-- \$Revision: 1.6.2.1 \$ \$Date: 2012/06/11 22:17:13 \$ -->
+++++++ Snippet End +++++++

/xsl/displayStaff.xsl

Action: Add the following snippet at starting at line 37

+++++++ Snippet Start +++++++

<xsl:variable name="recordTypeRecord" select="//hol:bibRecord"/>

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 24

+++++++ Snippet Start +++++++

xmlns:hol="http://www.endinfosys.com/Voyager/holdings"

+++++++ Snippet End +++++++

Action: Change line 2 to the following snippet

+++++++ Snippet Start +++++++

<!-- \$Revision: 1.6.2.2 \$ \$Date: 2012/06/28 19:50:35 \$ -->

+++++++ Snippet End +++++++

/xsl/emailBody.xsl

Action: Change lines 71 to 72 to the following snippet

+++++++ Snippet Start +++++++

</xsl:for-each>

</xsl:template>

+++++++ Snippet End +++++++

Action: Delete lines 68 - 69

Action: Change line 64 to the following snippet

+++++++ Snippet Start +++++++

Institution Name:

+++++++ Snippet End +++++++

Action: Change lines 31 to 62 to the following snippet

+++++++ Snippet Start +++++++

<xsl:include href="./contentLayout/display/display_text.xsl"/>

<!-- since we don't have html and text all emails will be
text so that we cover both types of clients
(html clients will read text email) -->

<xsl:output method="html" version="4.0" encoding="UTF-8"/>

<xsl:variable name="new_line" select="''
'' />

<!-- VYG-612: inherited from display_text.xsl

<xsl:variable name="tab" select="''	'' />

-->

<xsl:variable name="recordTypeRecord" select="//hol:bibRecord"/>

<xsl:variable name="Config" select="document('./contentLayout/configs/emailcfg.xml')"/>

<xsl:variable name="holdingsConfig" select="document('./contentLayout/configs/emailcfgHoldings.xml')"/>

<xsl:template match="/">

<xsl:for-each select="/page:page/page:pageBody" >

<xsl:for-each select="page:element[@nameId='eMail.to']" >

<xsl:value-of select="page:label"/>

<xsl:value-of select="''"/>

<xsl:value-of select="page:value"/>

<xsl:value-of select="''"/>

```

</xsl:for-each>
<xsl:value-of select="$new_line"/>
<xsl:value-of select="$new_line"/>

<xsl:value-of select="page:element[@nameId='text.entered.by.user']"/>
<xsl:value-of select="$new_line"/>

<!-- the bib_records_replacement_token will be
      replaced the bib records rendered by emailRecord.xml -->
<xsl:value-of select="bib_records_replacement_token"/>
<xsl:value-of select="$new_line"/>
<xsl:value-of select="$new_line"/>

```

+++++++ Snippet End ++++++

Action: Change lines 23 to 27 to the following snippet

+++++++ Snippet Start ++++++

```

xmlns:xsl="http://www.w3.org/1999/XSL/Transform"
xmlns:page="http://www.exlibrisgroup.com/voyager/webvoyage/page"
xmlns:fo="http://www.w3.org/1999/XSL/Format"
xmlns:ser="http://www.endinfosys.com/Voyager/serviceParameters"
xmlns:hol="http://www.endinfosys.com/Voyager/holdings"

```

+++++++ Snippet End ++++++

Action: Add the following snippet at starting at line 1

+++++++ Snippet Start ++++++

```

<!-- $Revision: 1.5.2.1 $ $Date: 2012/06/19 16:24:56 $ -->

```

+++++++ Snippet End ++++++

[/xsl/eMailDialog.xsl](#)

Action: Add the following snippet at starting at line 1

+++++++ Snippet Start ++++++

```

<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:50 $ -->

```

+++++++ Snippet End ++++++

[/xsl/emailRecord.xsl](#)

Action: Change lines 49 to 57 to the following snippet

+++++++ Snippet Start ++++++

```

<xsl:include href="./contentLayout/display/display_text.xsl"/>

```

```

<!-- since we don't have html and text all emails will be
      text so that we cover both types of clients
      (html clients will read text email) -->

```

```

<!-- VYG-612: inherited from display_text.xsl
<xsl:variable name="new_line" select="''&#xA;'' />
<xsl:variable name="tab" select="''&#09;'' />
-->

```

```

<xsl:variable name="recordTypeRecord" select="//hol:bibRecord"/>

```

```

<xsl:variable name="Config" select="document('./contentLayout/configs/emailcfg.xml')"/>

```

```

<xsl:variable name="holdingsConfig" select="document('./contentLayout/configs/emailcfgHoldings.xml')"/>

```

```

<xsl:template match="/">

```

```

  <!-- this just creates one text record -->

```

```

  <xsl:for-each select="$Config">

```

```

    <xsl:call-template name="buildMarcDisplay">

```

```

      <xsl:with-param name="recordType" select="bib"/>

```

```

    </xsl:call-template>

```

```

  </xsl:for-each>

```

```

<xsl:for-each select="$Config">
  <xsl:call-template name="buildMarcDisplay">
    <xsl:with-param name="recordType" select="mfhd"/>
  </xsl:call-template>
</xsl:for-each>

```

```

</xsl:template>

```

+++++++ Snippet End +++++++

Action: Change lines 31 to 47 to the following snippet

+++++++ Snippet Start +++++++

```

<xsl:output method="text" version="4.0" encoding="UTF-8"/>

```

+++++++ Snippet End +++++++

Action: Change lines 25 to 29 to the following snippet

+++++++ Snippet Start +++++++

```

xmlns:fo="http://www.w3.org/1999/XSL/Format"
xmlns:hol="http://www.endinfosys.com/Voyager/holdings"
>

```

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 1

+++++++ Snippet Start +++++++

```

<!-- $Revision: 1.5.2.1 $ $Date: 2012/06/19 16:24:56 $ -->

```

+++++++ Snippet End +++++++

[/xsl/exportFormats/endNoteCitation.xsl](#)

Action: Add the following snippet at starting at line 32

+++++++ Snippet Start +++++++

```

<xsl:variable name="recordTypeRecord" select="//hol:bibRecord"/>

```

+++++++ Snippet End +++++++

Action: Change line 30 to the following snippet

+++++++ Snippet Start +++++++

```

<xsl:output method="text" encoding="UTF-8"/>
<xsl:variable name="lowercase" select="abcdefghijklmnopqrstuvwxyz" />
<xsl:variable name="uppercase" select="ABCDEFGHIJKLMNOPQRSTUVWXYZ" />

```

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 28

+++++++ Snippet Start +++++++

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 26

+++++++ Snippet Start +++++++

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 1

+++++++ Snippet Start +++++++

```

<!-- $Revision: 1.7 $ $Date: 2012/06/09 00:27:52 $ -->

```

+++++++ Snippet End +++++++

[/xsl/exportRecordDialog.xsl](#)

Action: Change lines 27 to 55 to the following snippet

+++++++ Snippet Start +++++++

```

<!-- External imports -->
<xsl:include href="/common/stdImports.xsl"/>
<xsl:include href="/contentLayout/cl_exportRecordDialog.xsl"/>

<!-- Variable Declarations -->
<xsl:variable name="currPage">Export Dialog</xsl:variable>
<xsl:variable name="recordTypeRecord" select="//hol:bibRecord"/>
<xsl:variable name="exportRecordDialogCSS">
  <link href="{${css-loc}}commonForm.css" media="all" type="text/css" rel="stylesheet"/>
</xsl:variable>

<!-- ### -->
<!-- ## begin Main Template ## -->
<!-- ##### -->

<xsl:template match="/">
  <xsl:call-template name="buildHtmlPage">
    <xsl:with-param name="myCSS" select="$exportRecordDialogCSS" />
  </xsl:call-template>
</xsl:template>

<!-- ##### -->
<!-- ## buildContent ## -->
<!-- ##### -->

<xsl:template name="buildContent">
  <xsl:call-template name="cl_exportRecordDialog.exportRecordDialogForm"/>
</xsl:template>

```

+++++++ Snippet End +++++++

Action: Change lines 23 to 25 to the following snippet

+++++++ Snippet Start +++++++

```

xmlns:xsl="http://www.w3.org/1999/XSL/Transform"
xmlns:page="http://www.exlibrisgroup.com/voyager/webvoyage/page"
xmlns:fo="http://www.w3.org/1999/XSL/Format"
xmlns:hol="http://www.endinfosys.com/Voyager/holdings">

```

+++++++ Snippet End +++++++

Action: Change line 21 to the following snippet

+++++++ Snippet Start +++++++

```
<xsl:stylesheet version="1.0"
```

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 1

+++++++ Snippet Start +++++++

```
<!-- $Revision: 1.5.2.1 $ $Date: 2012/06/19 16:24:56 $ -->
```

+++++++ Snippet End +++++++

</xsl/geoSearchCorridor.xsl>

Action: Add the following snippet at starting at line 1

+++++++ Snippet Start +++++++

```
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:50 $ -->
```

+++++++ Snippet End +++++++

</xsl/geoSearchPolygon.xsl>

Action: Add the following snippet at starting at line 1

+++++++ Snippet Start +++++++

```
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:50 $ -->
```

+++++++ Snippet End ++++++

[/xsl/geoSearchRadius.xsl](#)

Action: Add the following snippet at starting at line 1

+++++++ Snippet Start ++++++

<!-- \$Revision: 1.4 \$ \$Date: 2012/06/09 00:27:50 \$ -->

+++++++ Snippet End ++++++

[/xsl/geoSearchRange.xsl](#)

Action: Add the following snippet at starting at line 1

+++++++ Snippet Start ++++++

<!-- \$Revision: 1.4 \$ \$Date: 2012/06/09 00:27:50 \$ -->

+++++++ Snippet End ++++++

[/xsl/geoSearchRectangle.xsl](#)

Action: Add the following snippet at starting at line 1

+++++++ Snippet Start ++++++

<!-- \$Revision: 1.4 \$ \$Date: 2012/06/09 00:27:50 \$ -->

+++++++ Snippet End ++++++

[/xsl/getAvailRequests.xsl](#)

Action: Add the following snippet at starting at line 1

+++++++ Snippet Start ++++++

<!-- \$Revision: 1.4 \$ \$Date: 2012/06/09 00:27:50 \$ -->

+++++++ Snippet End ++++++

[/xsl/local_googleBooksAvail.xsl](#)

Action: Add the following snippet at starting at line 1

+++++++ Snippet Start ++++++

<!-- \$Revision: 1.2 \$ \$Date: 2012/06/09 00:27:50 \$ -->

+++++++ Snippet End ++++++

[/xsl/login.xsl](#)

Action: Add the following snippet at starting at line 1

+++++++ Snippet Start ++++++

<!-- \$Revision: 1.4 \$ \$Date: 2012/06/09 00:27:50 \$ -->

+++++++ Snippet End ++++++

[/xsl/myAccount.xsl](#)

Action: Add the following snippet at starting at line 1

+++++++ Snippet Start ++++++

<!-- \$Revision: 1.4 \$ \$Date: 2012/06/09 00:27:50 \$ -->

+++++++ Snippet End ++++++

[/xsl/pageFacets/displayFacets.xsl](#)

Action: Add the following snippet at starting at line 1

+++++++ Snippet Start ++++++

<!-- \$Revision: 1.5 \$ \$Date: 2012/06/09 00:27:52 \$ -->

+++++++ Snippet End ++++++

[/xsl/pageFacets/footer.xsl](#)

Action: Add the following snippet at starting at line 0

+++++++ Snippet Start ++++++

<!-- \$Revision: 1.4 \$ \$Date: 2012/06/11 14:46:57 \$ -->

+++++++ Snippet End ++++++

[/xsl/pageFacets/geosearchFacets.xsl](#)

Action: Add the following snippet at starting at line 0

+++++++ Snippet Start ++++++

<!-- \$Revision: 1.4 \$ \$Date: 2012/06/11 14:46:57 \$ -->
+++++++ Snippet End +++++++

[/xsl/pageFacets/header.xsl](#)

Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.4 \$ \$Date: 2012/06/11 14:46:57 \$ -->
+++++++ Snippet End +++++++

[/xsl/pageFacets/myAccountLinks.xsl](#)

Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.4 \$ \$Date: 2012/06/11 14:46:57 \$ -->
+++++++ Snippet End +++++++

[/xsl/pageFacets/resultsFacets.xsl](#)

Action: Change line 583 to the following snippet ####
+++++++ Snippet Start +++++++

+++++++ Snippet End +++++++

Action: Change line 581 to the following snippet ####
+++++++ Snippet Start +++++++
 <xsl:if test="string-length(\$bibFormats2/bibFormat[@type=\$bibType]/@icon)">
+++++++ Snippet End +++++++

Action: Change line 550 to the following snippet ####
+++++++ Snippet Start +++++++

+++++++ Snippet End +++++++

Action: Change line 537 to the following snippet ####
+++++++ Snippet Start +++++++

+++++++ Snippet End +++++++

Action: Change line 515 to the following snippet ####
+++++++ Snippet Start +++++++

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 172 ####
+++++++ Snippet Start +++++++
 <xsl:for-each select="page:option/page:element[contains(@nameId,'elink.url.link')]">
 <div id="linkFloater">
 <div id="linkContent">

 </div>
 </div>
 </xsl:for-each>
+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 165 ####
+++++++ Snippet Start +++++++

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 77

+++++++ Snippet Start +++++++

+++++++ Snippet End +++++++

Action: Delete line 76

Action: Add the following snippet at starting at line 26

+++++++ Snippet Start +++++++

+++++++ Snippet End +++++++

Action: Change line 25 to the following snippet

+++++++ Snippet Start +++++++

<!-- VYG-612: renamed because of a naming conflict: -->

<xsl:variable name="bibFormats2" select="\$Configs/pageConfigs/bibFormats"/>

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 0

+++++++ Snippet Start +++++++

<!-- \$Revision: 1.7.2.1 \$ \$Date: 2012/06/19 16:24:56 \$ -->

+++++++ Snippet End +++++++

[/xsl/pageFacets/searchFacets.xsl](#)

Action: Add the following snippet at starting at line 0

+++++++ Snippet Start +++++++

<!-- \$Revision: 1.5 \$ \$Date: 2012/06/11 14:46:57 \$ -->

+++++++ Snippet End +++++++

[/xsl/pageFacets/showXML.xsl](#)

Action: Add the following snippet at starting at line 0

+++++++ Snippet Start +++++++

<!-- \$Revision: 1.4 \$ \$Date: 2012/06/11 14:46:57 \$ -->

+++++++ Snippet End +++++++

[/xsl/pageTools/formInput.xsl](#)

Action: Add the following snippet at starting at line 0

+++++++ Snippet Start +++++++

<!-- \$Revision: 1.4 \$ \$Date: 2012/06/11 14:46:58 \$ -->

+++++++ Snippet End +++++++

[/xsl/pageTools/frameWork.xsl](#)

Action: Delete line 336

Action: Change lines 253 to 254 to the following snippet

+++++++ Snippet Start +++++++

<!-- This is the Footer -->

<xsl:call-template name="buildFooter"/>

+++++++ Snippet End +++++++

Action: Change line 187 to the following snippet

+++++++ Snippet Start +++++++

<xsl:text disable-output-escaping = "yes"><!--[if gt IE 7]></xsl:text>

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 1

+++++++ Snippet Start +++++++

<!-- \$Revision: 1.6 \$ \$Date: 2012/06/09 00:27:52 \$ -->

+++++++ Snippet End +++++++

/xsl/pageTools/tools.xsl

Action: Add the following snippet at starting at line 470

+++++++ Snippet Start +++++++

```
<xsl:template name="url-encode">
  <xsl:param name="str"/>
  <xsl:if test="$str">
    <xsl:variable name="first-char" select="substring($str,1,1)"/>
    <xsl:choose>
      <xsl:when test="contains($safe,$first-char)">
        <xsl:value-of select="$first-char"/>
      </xsl:when>
      <xsl:when test="contains ($charRange,$first-char)">
        <xsl:variable name="codepoint">
          <xsl:choose>
            <xsl:when test="contains($ascii,$first-char)">
              <xsl:value-of select="string-length(substring-before($ascii,$first-char)) + 32"/>
            </xsl:when>
            <xsl:when test="contains($latin1,$first-char)">
              <xsl:value-of select="string-length(substring-before($latin1,$first-char)) + 160"/>
            </xsl:when>
            <xsl:otherwise>
              <xsl:message terminate="no">Warning: string contains a character that is out of range! Substituting
"?"</xsl:message>
              <xsl:text>63</xsl:text>
            </xsl:otherwise>
          </xsl:choose>
        </xsl:variable>
        <xsl:variable name="hex-digit1" select="substring($hex,floor($codepoint div 16) + 1,1)"/>
        <xsl:variable name="hex-digit2" select="substring($hex,$codepoint mod 16 + 1,1)"/>
        <xsl:value-of select="concat('%',$hex-digit1,$hex-digit2)"/>
      </xsl:when>
      <xsl:otherwise>
        <xsl:value-of select="$first-char"/>
      </xsl:otherwise>
    </xsl:choose>
    <xsl:if test="string-length($str) > 1">
      <xsl:call-template name="url-encode">
        <xsl:with-param name="str" select="substring($str,2)"/>
      </xsl:call-template>
    </xsl:if>
  </xsl:if>
</xsl:template>
```

<!-- ##### -->

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 32

+++++++ Snippet Start +++++++

<!-- ## For URL Encoding ## -->

<!-- Characters we'll support.

We could add control chars 0-31 and 127-159, but we won't. -->

```
<xsl:variable name="ascii"> !"#$%&'()*+,-
./0123456789:;&lt;=&gt;?@ABCDEFGHIJKLMNOPQRSTUVWXYZ[^_`abcdefghijklmnopqrstuvwxyz{~</xsl:va
riable>
```

```
<xsl:variable
name="latin1">&#160;&#161;&#162;&#163;&#164;&#165;&#166;&#167;&#168;&#169;&#170;&#171;&#172;&#1
73;&#174;&#175;&#176;&#177;&#178;&#179;&#180;&#181;&#182;&#183;&#184;&#185;&#186;&#187;&#188;&
#189;&#190;&#191;&#192;&#193;&#194;&#195;&#196;&#197;&#198;&#199;&#200;&#201;&#202;&#203;&#204
```

ÍÎÏÐÑÒÓÔÕÖ×ØÙÚÛÜÝÞßàáâãäåæçèéêëìíîïðñòóôõö÷øùúûüýþÿ</xsl:variable>

```
<xsl:variable name="charRange">
  <xsl:value-of select="concat('',$ascii,$latin1)"/>
</xsl:variable>
```

<!-- Characters that usually don't need to be escaped -->

```
<xsl:variable name="safe">!'()*-
.0123456789ABCDEFGHIJKLMNOPQRSTUVWXYZ_abcdefghijklmnopqrstuvwxyz~</xsl:variable>
```

```
<xsl:variable name="hex" >0123456789ABCDEF</xsl:variable>
+++++++ Snippet End +++++++
```

Action: Add the following snippet at starting at line 0

```
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.3.2.2 $ $Date: 2012/06/28 19:56:12 $ -->
+++++++ Snippet End ++++++++
```

[/xsl/personalInfo.xsl](#)

Action: Add the following snippet at starting at line 1

```
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:50 $ -->
+++++++ Snippet End ++++++++
```

[/xsl/preferences.xsl](#)

Action: Add the following snippet at starting at line 1

```
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:50 $ -->
+++++++ Snippet End ++++++++
```

[/xsl/printFormats/briefRecord.xsl](#)

Action: Add the following snippet at starting at line 34

```
+++++++ Snippet Start ++++++++
  <xsl:variable name="recordTypeRecord" select="//hol:bibRecord"/>
+++++++ Snippet End ++++++++
```

Action: Add the following snippet at starting at line 22

```
+++++++ Snippet Start ++++++++
  xmlns:hol="http://www.endinfosys.com/Voyager/holdings"
+++++++ Snippet End ++++++++
```

Action: Add the following snippet at starting at line 1

```
+++++++ Snippet Start ++++++++
<!-- $Revision: 1.5 $ $Date: 2012/06/09 00:27:52 $ -->
+++++++ Snippet End ++++++++
```

[/xsl/printFormats/fullRecord.xsl](#)

Action: Add the following snippet at starting at line 34

```
+++++++ Snippet Start ++++++++
  <xsl:variable name="recordTypeRecord" select="//hol:bibRecord"/>
+++++++ Snippet End ++++++++
```

Action: Add the following snippet at starting at line 22

```
+++++++ Snippet Start ++++++++
  xmlns:hol="http://www.endinfosys.com/Voyager/holdings"
+++++++ Snippet End ++++++++
```

Action: Add the following snippet at starting at line 1

```

+++++++ Snippet Start ++++++
<!-- $Revision: 1.5 $ $Date: 2012/06/09 00:27:52 $ -->
+++++++ Snippet End ++++++

```

[/xsl/printFormats/printCommon.xsl](#)

Action: Add the following snippet at starting at line 28

```

+++++++ Snippet Start ++++++
    <xsl:variable name="recordTypeRecord" select="//hol:bibRecord"/>
+++++++ Snippet End ++++++

```

Action: Add the following snippet at starting at line 21

```

+++++++ Snippet Start ++++++
    xmlns:hol="http://www.endinfosys.com/Voyager/holdings"
+++++++ Snippet End ++++++

```

Action: Add the following snippet at starting at line 1

```

+++++++ Snippet Start ++++++
<!-- $Revision: 1.5 $ $Date: 2012/06/09 00:27:52 $ -->
+++++++ Snippet End ++++++

```

[/xsl/printRecordDialog.xsl](#)

Action: Change lines 27 to 55 to the following snippet

```

+++++++ Snippet Start ++++++
<!-- External imports -->
<xsl:include href="./common/stdImports.xsl"/>
<xsl:include href="./contentLayout/cl_printRecordDialog.xsl"/>

<!-- Variable Declarations -->
<xsl:variable name="currPage">Print Record Dialog</xsl:variable>
<xsl:variable name="recordTypeRecord" select="//hol:bibRecord"/>
<xsl:variable name="printRecordDialogCSS">
    <link href="{ $css-loc }commonForm.css" media="all" type="text/css" rel="stylesheet"/>
    <link href="{ $css-loc }printRecordDialog.css" media="all" type="text/css" rel="stylesheet"/>
</xsl:variable>

<!-- ### -->
<!-- ## begin Main Template ## -->
<!-- ##### -->

<xsl:template match="/">
    <xsl:call-template name="buildHtmlPage">
        <xsl:with-param name="myCSS" select="$printRecordDialogCSS" />
    </xsl:call-template>
</xsl:template>

<!-- ##### -->
<!-- ## buildContent ## -->
<!-- ##### -->

<xsl:template name="buildContent">
    <xsl:call-template name="cl_printRecordDialog.printRecordDialogForm"/>
</xsl:template>

+++++++ Snippet End ++++++

```

Action: Change lines 21 to 25 to the following snippet

```

+++++++ Snippet Start ++++++
<xsl:stylesheet version="1.0"
    exclude-result-prefixes="xsl fo page"
    xmlns:xsl="http://www.w3.org/1999/XSL/Transform"

```

```
xmlns:page="http://www.exlibrisgroup.com/voyager/webvoyage/page"
xmlns:fo="http://www.w3.org/1999/XSL/Format"
xmlns:hol="http://www.endinfosys.com/Voyager/holdings">
+++++++ Snippet End +++++++
```

Action: Change line 17 to the following snippet

```
+++++++ Snippet Start +++++++
**   Last Modified : 18-AUG-2009
+++++++ Snippet End +++++++
```

Action: Add the following snippet at starting at line 1

```
+++++++ Snippet Start +++++++
<!-- $Revision: 1.5.2.1 $ $Date: 2012/06/19 16:24:56 $ -->
+++++++ Snippet End +++++++
```

[/xsl/requestForms.xsl](#)

Action: Add the following snippet at starting at line 1

```
+++++++ Snippet Start +++++++
<!-- $Revision: 1.5 $ $Date: 2012/06/09 00:27:50 $ -->
+++++++ Snippet End +++++++
```

[/xsl/resultsCallNumbers.xsl](#)

Action: Add the following snippet at starting at line 1

```
+++++++ Snippet Start +++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:50 $ -->
+++++++ Snippet End +++++++
```

[/xsl/resultsHeadings.xsl](#)

Action: Add the following snippet at starting at line 1

```
+++++++ Snippet Start +++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:50 $ -->
+++++++ Snippet End +++++++
```

[/xsl/resultsMyList.xsl](#)

Action: Add the following snippet at starting at line 1

```
+++++++ Snippet Start +++++++
<!-- $Revision: 1.5 $ $Date: 2012/06/09 00:27:50 $ -->
+++++++ Snippet End +++++++
```

[/xsl/resultsTitles.xsl](#)

Action: Add the following snippet at starting at line 1

```
+++++++ Snippet Start +++++++
<!-- $Revision: 1.6 $ $Date: 2012/06/09 00:27:50 $ -->
+++++++ Snippet End +++++++
```

[/xsl/searchAdvanced.xsl](#)

Action: Add the following snippet at starting at line 1

```
+++++++ Snippet Start +++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:50 $ -->
+++++++ Snippet End +++++++
```

[/xsl/searchAuthor.xsl](#)

Action: Add the following snippet at starting at line 1

```
+++++++ Snippet Start +++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:50 $ -->
+++++++ Snippet End +++++++
```

[/xsl/searchBasic.xsl](#)

Action: Add the following snippet at starting at line 1

```
+++++++ Snippet Start +++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:50 $ -->
+++++++ Snippet End +++++++
```

[/xsl/searchCourseReserveAlpha.xsl](#)

```
#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:50 $ -->
+++++++ Snippet End +++++++
```

[/xsl/searchCourseReserves.xsl](#)

```
#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:50 $ -->
+++++++ Snippet End +++++++
```

[/xsl/searchHistory.xsl](#)

```
#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:50 $ -->
+++++++ Snippet End +++++++
```

[/xsl/searchLinkedCourses.xsl](#)

```
#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:50 $ -->
+++++++ Snippet End +++++++
```

[/xsl/searchMySearches.xsl](#)

```
#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:50 $ -->
+++++++ Snippet End +++++++
```

[/xsl/searchStatus.xsl](#)

```
#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:50 $ -->
+++++++ Snippet End +++++++
```

[/xsl/searchSubject.xsl](#)

```
#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:50 $ -->
+++++++ Snippet End +++++++
```

[/xsl/selectDatabases.xsl](#)

```
#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:50 $ -->
+++++++ Snippet End +++++++
```

[/xsl/sendRequest.xsl](#)

```
#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- $Revision: 1.4 $ $Date: 2012/06/09 00:27:50 $ -->
+++++++ Snippet End +++++++
```

[/xsl/show-detail.xsl](#)

Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start ++++++++
<!-- \$Revision: 1.4 \$ \$Date: 2012/06/09 00:27:50 \$ -->
+++++++ Snippet End ++++++++

[/xsl/timeout.xsl](#)

Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start ++++++++
<!-- \$Revision: 1.4 \$ \$Date: 2012/06/09 00:27:50 \$ -->
+++++++ Snippet End ++++++++

[/xsl/userTextConfigs/limits.xml](#)

Action: Add the following snippet at starting at line 941 ####
+++++++ Snippet Start ++++++++

```
<limitGroup type="media" label="Media:">
  <limit code="all" default="Y">All Media</limit>
  <limit code="s">audio</limit>
  <limit code="c">computer</limit>
  <limit code="h">microform</limit>
  <limit code="p">microscopic</limit>
  <limit code="g">projected</limit>
  <limit code="e">stereographic</limit>
  <limit code="n">unmediated</limit>
  <limit code="v">video</limit>
  <limit code="x">other</limit>
  <limit code="z">unspecified</limit>
</limitGroup>

<limitGroup type="carrier" label="Carrier:">
  <limit code="all" default="Y">All Carriers</limit>
  <limit code="sg">audio cartridge</limit>
  <limit code="se">audio cylinder</limit>
  <limit code="sd">audio disc</limit>
  <limit code="si">sound track reel</limit>
  <limit code="sq">audio roll</limit>
  <limit code="ss">audiocassette</limit>
  <limit code="st">audiotape reel</limit>
  <limit code="sz">other audio carrier</limit>
  <limit code="ck">computer card</limit>
  <limit code="cb">computer chip cartridge</limit>
  <limit code="cd">computer disc</limit>
  <limit code="ce">computer disc cartridge</limit>
  <limit code="ca">computer tape cartridge</limit>
  <limit code="cf">computer tape cassette</limit>
  <limit code="ch">computer tape reel</limit>
  <limit code="cr">online resource</limit>
  <limit code="cz">other computer carrier</limit>
  <limit code="ha">aperture card</limit>
  <limit code="he">microfiche</limit>
  <limit code="hf">microfiche cassette</limit>
  <limit code="hb">microfilm cartridge</limit>
  <limit code="hc">microfilm cassette</limit>
  <limit code="hd">microfilm reel</limit>
  <limit code="hj">microfilm roll</limit>
  <limit code="hh">microfilm slip</limit>
  <limit code="hg">microopaque</limit>
  <limit code="hz">other microfilm carrier</limit>
  <limit code="pp">microscope slide</limit>
  <limit code="pz">other microscopic carrier</limit>
  <limit code="mc">film cartridge</limit>
```

```

<limit code="mf">film cassette</limit>
<limit code="mr">film reel</limit>
<limit code="mo">film roll</limit>
<limit code="gd">film slip</limit>
<limit code="gf">film strip</limit>
<limit code="gc">film strip cartridge</limit>
<limit code="gt">overhead transparency</limit>
<limit code="gs">slide</limit>
<limit code="mz">other projected carrier</limit>
<limit code="eh">stereograph card</limit>
<limit code="es">stereograph disc</limit>
<limit code="ez">other stereographic carrier</limit>
<limit code="no">card</limit>
<limit code="nn">flipchart</limit>
<limit code="na">roll</limit>
<limit code="nb">sheet</limit>
<limit code="nc">volume</limit>
<limit code="nr">object</limit>
<limit code="nz">other unmediated carrier</limit>
<limit code="vc">video cartridge</limit>
<limit code="vf">videocassette</limit>
<limit code="vd">videodisc</limit>
<limit code="vr">videotape reel</limit>
<limit code="vz">other video carrier</limit>
<limit code="zu">unspecified</limit>
</limitGroup>

```

+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 940

+++++++ Snippet Start +++++++

```

<limitGroup type="content" label="Content:">
  <limit code="all" default="Y">All Content</limit>
  <limit code="crd">cartographic dataset</limit>
  <limit code="cri">cartographic image</limit>
  <limit code="crm">cartographic moving image</limit>
  <limit code="crt">cartographic tactile image</limit>
  <limit code="crn">cartographic tactile three-dimensional form</limit>
  <limit code="crf">cartographic three-dimensional form</limit>
  <limit code="cod">computer dataset</limit>
  <limit code="cop">computer program</limit>
  <limit code="ntv">notated movement</limit>
  <limit code="ntm">notated music</limit>
  <limit code="prm">performed music</limit>
  <limit code="snd">sounds</limit>
  <limit code="spw">spoken word</limit>
  <limit code="sti">still image</limit>
  <limit code="tci">tactile image</limit>
  <limit code="tcm">tactile notated music</limit>
  <limit code="tcn">tactile notated movement</limit>
  <limit code="tct">tactile text</limit>
  <limit code="tcf">tactile three-dimensional form</limit>
  <limit code="txt">text</limit>
  <limit code="tdf">three-dimensional form</limit>
  <limit code="tdm">three-dimensional moving image</limit>
  <limit code="tdi">two-dimensional moving image</limit>
  <limit code="xxx">other</limit>
  <limit code="zzz">unspecified</limit>
</limitGroup>

```

+++++++ Snippet End +++++++

Action: Change lines 66 to 577 to the following snippet

+++++++ Snippet Start +++++++

```
<limit code="ENM">English, Middle (1100-1500)</limit>
<limit code="ANG">English, Old (ca. 450-1100)</limit>
<limit code="AAR">Afar</limit>
<limit code="ABK">Abkhaz</limit>
<limit code="ACE">Achinese</limit>
<limit code="ACH">Acoli</limit>
<limit code="ADA">Adangme</limit>
<limit code="ADY">Adygei</limit>
<limit code="AFA">Afroasiatic (Other)</limit>
<limit code="AFH">Afrihili (Artificial language)</limit>
<limit code="AFR">Afrikaans</limit>
<limit code="AIN">Ainu</limit>
<!--limit code="AJM">*Aljamia</limit-->
<limit code="AKA">Akan</limit>
<limit code="AKK">Akkadian</limit>
<limit code="ALB">Albanian</limit>
<limit code="ALE">Aleut</limit>
<limit code="ALG">Algonquian (Other)</limit>
<limit code="ALT">Altai</limit>
<limit code="AMH">Amharic</limit>
<limit code="ANP">Angika</limit>
<limit code="APA">Apache languages</limit>
<limit code="ARA">Arabic</limit>
<limit code="ARC">Aramaic</limit>
<limit code="ARG">Aragonese Spanish</limit>
<limit code="ARM">Armenian</limit>
<limit code="ARN">Mapuche</limit>
<limit code="ARP">Arapaho</limit>
<limit code="ART">Artificial (Other)</limit>
<limit code="ARW">Arawak</limit>
<limit code="ASM">Assamese</limit>
<limit code="AST">Bable</limit>
<limit code="ATH">Athapascan (Other)</limit>
<limit code="AUS">Australian languages</limit>
<limit code="AVA">Avaric</limit>
<limit code="AVE">Avestan</limit>
<limit code="AWA">Awadhi</limit>
<limit code="AYM">Aymara</limit>
<limit code="AZE">Azerbaijani</limit>
<limit code="BAD">Banda languages</limit>
<limit code="BAI">Bamileke languages</limit>
<limit code="BAK">Bashkir</limit>
<limit code="BAL">Baluchi</limit>
<limit code="BAM">Bambara</limit>
<limit code="BAN">Balinese</limit>
<limit code="BAQ">Basque</limit>
<limit code="BAS">Basa</limit>
<limit code="BAT">Baltic (Other)</limit>
<limit code="BEJ">Beja</limit>
<limit code="BEL">Belarusian</limit>
<limit code="BEM">Bemba</limit>
<limit code="BEN">Bengali</limit>
<limit code="BER">Berber (Other)</limit>
<limit code="BHO">Bhojpuri</limit>
<limit code="BIH">Bihari</limit>
<limit code="BIK">Bikol</limit>
<limit code="BIN">Edo</limit>
<limit code="BIS">Bislama</limit>
<limit code="BLA">Siksika</limit>
```

<limit code="BNT">Bantu (Other)</limit>
 <limit code="BOS">Bosnian</limit>
 <limit code="BRA">Braj</limit>
 <limit code="BRE">Breton</limit>
 <limit code="BTK">Batak</limit>
 <limit code="BUA">Buriat</limit>
 <limit code="BUG">Bugis</limit>
 <limit code="BUL">Bulgarian</limit>
 <limit code="BUR">Burmese</limit>
 <limit code="BYN">Bilin</limit>
 <limit code="CAD">Caddo</limit>
 <limit code="CAI">Central American Indian (Other)</limit>
 <!--limit code="CAM">*Khmer</limit-->
 <limit code="CAR">Carib</limit>
 <limit code="CAT">Catalan</limit>
 <limit code="CAU">Caucasian (Other)</limit>
 <limit code="CEB">Cebuano</limit>
 <limit code="CEL">Celtic (Other)</limit>
 <limit code="CHA">Chamorro</limit>
 <limit code="CHB">Chibcha</limit>
 <limit code="CHE">Chechen</limit>
 <limit code="CHG">Chagatai</limit>
 <limit code="CHI">Chinese</limit>
 <limit code="CHK">Chuukese</limit>
 <limit code="CHM">Mari</limit>
 <limit code="CHN">Chinook jargon</limit>
 <limit code="CHO">Choctaw</limit>
 <limit code="CHP">Chipewyan</limit>
 <limit code="CHR">Cherokee</limit>
 <limit code="CHU">Church Slavic</limit>
 <limit code="CHV">Chuvash</limit>
 <limit code="CHY">Cheyenne</limit>
 <limit code="CMC">Chamic languages</limit>
 <limit code="COP">Coptic</limit>
 <limit code="COR">Cornish</limit>
 <limit code="COS">Corsican</limit>
 <limit code="CPE">Creoles and Pidgins, English-based (Other)</limit>
 <limit code="CPF">Creoles and Pidgins, French-based (Other)</limit>
 <limit code="CPP">Creoles and Pidgins, Portuguese-based (Other)</limit>
 <limit code="CRE">Cree</limit>
 <limit code="CRH">Crimean Tatar</limit>
 <limit code="CRP">Creoles and Pidgins (Other)</limit>
 <limit code="CSB">Kashubian</limit>
 <limit code="CUS">Cushitic (Other)</limit>
 <limit code="CZE">Czech</limit>
 <limit code="DAK">Dakota</limit>
 <limit code="DAN">Danish</limit>
 <limit code="DAR">Dargwa</limit>
 <limit code="DAY">Dayak</limit>
 <limit code="DEL">Delaware</limit>
 <limit code="DEN">Slave</limit>
 <limit code="DGR">Dogrib</limit>
 <limit code="DIN">Dinka</limit>
 <limit code="DIV">Divehi</limit>
 <limit code="DOI">Dogri</limit>
 <limit code="DRA">Dravidian (Other)</limit>
 <limit code="DSB">Lower Sorbian</limit>
 <limit code="DUA">Duala</limit>
 <limit code="DUM">Dutch, Middle (ca. 1050-1350)</limit>
 <limit code="DUT">Dutch</limit>
 <limit code="DYU">Dyula</limit>

<limit code="DZO">Dzongkha</limit>
 <limit code="EFI">Efik</limit>
 <limit code="EGY">Egyptian</limit>
 <limit code="EKA">Ekajuk</limit>
 <limit code="ELX">Elamite</limit>
 <limit code="EPO">Esperanto</limit>
 <!--limit code="ESK">*Eskimo languages</limit-->
 <limit code="ESP">*Esperanto</limit-->
 <limit code="EST">Estonian</limit>
 <limit code="ETH">*Ethiopic</limit>
 <limit code="EWE">Ewe</limit>
 <limit code="EWO">Ewondo</limit>
 <limit code="FAN">Fang</limit>
 <limit code="FAO">Faroese</limit>
 <!--limit code="FAR">*Faroese</limit-->
 <limit code="FAT">Fanti</limit>
 <limit code="FIJ">Fijian</limit>
 <limit code="FIL">Filipino</limit>
 <limit code="FIN">Finnish</limit>
 <limit code="FIU">Finno-Ugrian (Other)</limit>
 <limit code="FON">Fon</limit>
 <limit code="FRE">French</limit>
 <!--limit code="FRI">*Frisian</limit-->
 <limit code="FRM">French, Middle (ca. 1300-1600)</limit>
 <limit code="FRO">French, Old (ca. 842-1300)</limit>
 <limit code="FRR">North Frisian</limit>
 <limit code="FRS">East Frisian</limit>
 <limit code="FRY">Frisian</limit>
 <limit code="FUL">Fula</limit>
 <limit code="FUR">Friulian</limit>
 <limit code="GAA">Ga</limit>
 <!--limit code="GAE">*Scottish Gaelic</limit-->
 <limit code="GAG">*Galician</limit>
 <limit code="GAL">*Oromo</limit-->
 <limit code="GAY">Gayo</limit>
 <limit code="GBA">Gbaya</limit>
 <limit code="GEM">Germanic (Other)</limit>
 <limit code="GEO">Georgian</limit>
 <limit code="GER">German</limit>
 <limit code="GEZ">Ethiopic</limit>
 <limit code="GIL">Gilbertese</limit>
 <limit code="GLA">Scottish Gaelic</limit>
 <limit code="GLE">Irish</limit>
 <limit code="GLG">Galician</limit>
 <limit code="GLV">Manx</limit>
 <limit code="GMH">German, Middle High (ca. 1050-1</limit>500)</limit>
 <limit code="GOH">German, Old High (ca. 750-1050)</limit>
 <limit code="GON">Gondi</limit>
 <limit code="GOR">Gorontalo</limit>
 <limit code="GOT">Gothic</limit>
 <limit code="GRB">Grebo</limit>
 <limit code="GRC">Greek, Ancient (to 1453)</limit>
 <limit code="GRE">Greek, Modern (1453-)</limit>
 <limit code="GRN">Guarani</limit>
 <limit code="GSW">Swiss German</limit>
 <!--limit code="GUA">*Guarani</limit-->
 <limit code="GUJ">Gujarati</limit>
 <limit code="GWI">Gwich'in</limit>
 <limit code="HAI">Haida</limit>
 <limit code="HAT">Haitian French Creole</limit>
 <limit code="HAU">Hausa</limit>

<limit code="HAW">Hawaiian</limit>
 <limit code="HEB">Hebrew</limit>
 <limit code="HER">Herero</limit>
 <limit code="HIL">Hiligaynon</limit>
 <limit code="HIM">Himachali</limit>
 <limit code="HIN">Hindi</limit>
 <limit code="HIT">Hittite</limit>
 <limit code="HMN">Hmong</limit>
 <limit code="HMO">Hiri Motu</limit>
 <limit code="HSB">Upper Sorbian</limit>
 <limit code="HUN">Hungarian</limit>
 <limit code="HUP">Hupa</limit>
 <limit code="IBA">Iban</limit>
 <limit code="IBO">Igbo</limit>
 <limit code="ICE">Icelandic</limit>
 <limit code="IDO">Ido</limit>
 <limit code="III">Sichuan Yi</limit>
 <limit code="IJO">Ijo</limit>
 <limit code="IKU">Inuktitut</limit>
 <limit code="ILE">Interlingue</limit>
 <limit code="ILO">Iloko</limit>
 <limit code="INA">Interlingua (International Auxiliary Language Association)</limit>
 <limit code="INC">Indic (Other)</limit>
 <limit code="IND">Indonesian</limit>
 <limit code="INE">Indo-European (Other)</limit>
 <limit code="INH">Ingush</limit>
 <!--limit code="INT">*Interlingua (International Aux<iliary Language Association)/limit-->
 <limit code="IPK">Inupiaq</limit>
 <limit code="IRA">Iranian (Other)</limit>
 <!--limit code="IRI">*Irish</limit-->
 <limit code="IRO">Iroquoian (Other)</limit>
 <limit code="ITA">Italian</limit>
 <limit code="JAV">Javanese</limit>
 <limit code="JBO">Lojban (Artificial language)</limit>
 <limit code="JPN">Japanese</limit>
 <limit code="JPR">Judeo-Persian</limit>
 <limit code="JRB">Judeo-Arabic</limit>
 <limit code="KAA">Kara-Kalpak</limit>
 <limit code="KAB">Kabyle</limit>
 <limit code="KAC">Kachin</limit>
 <limit code="KAL">Kalatdlisut</limit>
 <limit code="KAM">Kamba</limit>
 <limit code="KAN">Kannada</limit>
 <limit code="KAR">Karen languages</limit>
 <limit code="KAS">Kashmiri</limit>
 <limit code="KAU">Kanuri</limit>
 <limit code="KAW">Kawi</limit>
 <limit code="KAZ">Kazakh</limit>
 <limit code="KBD">Kabardian</limit>
 <limit code="KHA">Khasi</limit>
 <limit code="KHI">Khoisan (Other)</limit>
 <limit code="KHM">Khmer</limit>
 <limit code="KHO">Khotanese</limit>
 <limit code="KIK">Kikuyu</limit>
 <limit code="KIN">Kinyarwanda</limit>
 <limit code="KIR">Kyrgyz</limit>
 <limit code="KMB">Kimbundu</limit>
 <limit code="KOK">Konkani</limit>
 <limit code="KOM">Komi</limit>
 <limit code="KON">Kongo</limit>
 <limit code="KOR">Korean</limit>

```

<limit code="KOS">Kusaie</limit>
<limit code="KPE">Kpelle</limit>
<limit code="KRC">Karachay-Balkar</limit>
<limit code="KRL">Karelian</limit>
<limit code="KRO">Kru (Other)</limit>
<limit code="KRU">Kurukh</limit>
<limit code="KUA">Kuanyama</limit>
<limit code="KUM">Kumyk</limit>
<limit code="KUR">Kurdish</limit>
<!--limit code="KUS">*Kusaie</limit-->
<limit code="KUT">Kootenai</limit>
<limit code="LAD">Ladino</limit>
<limit code="LAH">Lahnda</limit>
<limit code="LAM">Lamba (Zambia and Congo)</limit>
<!--limit code="LAN">*Occitan (post 1500)</limit-->
<limit code="LAO">Lao</limit>
<!--limit code="LAP">*Sami</limit-->
<limit code="LAT">Latin</limit>
<limit code="LAV">Latvian</limit>
<limit code="LEZ">Lezgian</limit>
<limit code="LIM">Limburgish</limit>
<limit code="LIN">Lingala</limit>
<limit code="LIT">Lithuanian</limit>
<limit code="LOL">Mongo-Nkundu</limit>
<limit code="LOZ">Lozi</limit>
<limit code="LTZ">Luxembourgish</limit>
<limit code="LUA">Luba-Lulua</limit>
<limit code="LUB">Luba-Katanga</limit>
<limit code="LUG">Ganda</limit>
<limit code="LUI">Luiseno</limit>
<limit code="LUN">Lunda</limit>
<limit code="LUO">Luo (Kenya and Tanzania)</limit>
<limit code="LUS">Lushai</limit>
<limit code="MAC">Macedonian</limit>
<limit code="MAD">Madurese</limit>
<limit code="MAG">Magahi</limit>
<limit code="MAH">Marshallese</limit>
<limit code="MAI">Maithili</limit>
<limit code="MAK">Makasar</limit>
<limit code="MAL">Malayalam</limit>
<limit code="MAN">Mandingo</limit>
<limit code="MAO">Maori</limit>
<limit code="MAP">Austronesian (Other)</limit>
<limit code="MAR">Marathi</limit>
<limit code="MAS">Masai</limit>
<!--limit code="MAX">*Manx</limit-->
<limit code="MAY">Malay</limit>
<limit code="MDF">Moksha</limit>
<limit code="MDR">Mandar</limit>
<limit code="MEN">Mende</limit>
<limit code="MGA">Irish, Middle (ca. 1100-1550)</limit>
<limit code="MIC">Micmac</limit>
<limit code="MIN">Minangkabau</limit>
<limit code="MIS">Miscellaneous languages</limit>
<limit code="MKH">Mon-Khmer (Other)</limit>
<!--limit code="MLA">*Malagasy</limit-->
<limit code="MLG">Malagasy</limit>
<limit code="MLT">Maltese</limit>
<limit code="MNC">Manchu</limit>
<limit code="MNI">Manipuri</limit>
<limit code="MNO">Manobo languages</limit>

```

<limit code="MOH">Mohawk</limit>
 <limit code="MOL">Moldavian</limit>
 <limit code="MON">Mongolian</limit>
 <limit code="MOS">Moore</limit>
 <limit code="MUL">Multiple languages</limit>
 <limit code="MUN">Munda (Other)</limit>
 <limit code="MUS">Creek</limit>
 <limit code="MWL">Mirandese</limit>
 <limit code="MWR">Marwari</limit>
 <limit code="MYN">Mayan languages</limit>
 <limit code="MYV">Erzya</limit>
 <limit code="NAH">Nahuatl</limit>
 <limit code="NAI">North American Indian (Other)</limit>
 <limit code="NAP">Neapolitan Italian</limit>
 <limit code="NAU">Nauru</limit>
 <limit code="NAV">Navajo</limit>
 <limit code="NBL">Ndebele (South Africa)</limit>
 <limit code="NDE">Ndebele (Zimbabwe)</limit>
 <limit code="NDO">Ndonga</limit>
 <limit code="NDS">Low German</limit>
 <limit code="NEP">Nepali</limit>
 <limit code="NEW">Newari</limit>
 <limit code="NIA">Nias</limit>
 <limit code="NIC">Niger-Kordofanian (Other)</limit>
 <limit code="NIU">Niuean</limit>
 <limit code="NNO">Norwegian (Nynorsk)</limit>
 <limit code="NOB">Norwegian (Bokmal)</limit>
 <limit code="NOG">Nogai</limit>
 <limit code="NON">Old Norse</limit>
 <limit code="NOR">Norwegian</limit>
 <limit code="NQO">N'Ko</limit>
 <limit code="NSO">Northern Sotho</limit>
 <limit code="NUB">Nubian languages</limit>
 <limit code="NWC">Newari, Old</limit>
 <limit code="NYA">Nyanja</limit>
 <limit code="NYM">Nyamwezi</limit>
 <limit code="NYN">Nyankole</limit>
 <limit code="NYO">Nyoro</limit>
 <limit code="NZI">Nzima</limit>
 <limit code="OCI">Occitan (post 1500)</limit>
 <limit code="OJI">Ojibwa</limit>
 <limit code="ORI">Oriya</limit>
 <limit code="ORM">Oromo</limit>
 <limit code="OSA">Osage</limit>
 <limit code="OSS">Ossetic</limit>
 <limit code="OTA">Turkish, Ottoman</limit>
 <limit code="OTO">Otomian languages</limit>
 <limit code="PAA">Papuan (Other)</limit>
 <limit code="PAG">Pangasinan</limit>
 <limit code="PAL">Pahlavi</limit>
 <limit code="PAM">Pampanga</limit>
 <limit code="PAN">Panjabi</limit>
 <limit code="PAP">Papiamentu</limit>
 <limit code="PAU">Palauan</limit>
 <limit code="PEO">Old Persian (ca. 600-400 B.C.)</limit>
 <limit code="PER">Persian</limit>
 <limit code="PHI">Philippine (Other)</limit>
 <limit code="PHN">Phoenician</limit>
 <limit code="PLI">Pali</limit>
 <limit code="POL">Polish</limit>
 <limit code="PON">Ponape</limit>

<limit code="POR">Portuguese</limit>
 <limit code="PRA">Prakrit languages</limit>
 <limit code="PRO">Provençal (to 1500)</limit>
 <limit code="PUS">Pushto</limit>
 <limit code="QUE">Quechua</limit>
 <limit code="RAJ">Rajasthani</limit>
 <limit code="RAP">Rapanui</limit>
 <limit code="RAR">Rarotongan</limit>
 <limit code="ROA">Romance (Other)</limit>
 <limit code="ROH">Raeto-Romance</limit>
 <limit code="ROM">Romani</limit>
 <limit code="RUM">Romanian</limit>
 <limit code="RUN">Rundi</limit>
 <limit code="RUP">Aromanian</limit>
 <limit code="RUS">Russian</limit>
 <limit code="SAD">Sandawe</limit>
 <limit code="SAG">Sango (Ubangi Creole)</limit>
 <limit code="SAH">Yakut</limit>
 <limit code="SAI">South American Indian (Other)</limit>
 <limit code="SAL">Salishan languages</limit>
 <limit code="SAM">Samaritan Aramaic</limit>
 <limit code="SAN">Sanskrit</limit>
 <!--limit code="SAO">*Samoan</limit-->
 <limit code="SAS">Sasak</limit>
 <limit code="SAT">Santali</limit>
 <limit code="SCC">Serbian</limit>
 <limit code="SCN">Sicilian Italian</limit>
 <limit code="SCO">Scots</limit>
 <limit code="SCR">Croatian</limit>
 <limit code="SEL">Selkup</limit>
 <limit code="SEM">Semitic (Other)</limit>
 <limit code="SGA">Irish, Old (to 1100)</limit>
 <limit code="SGN">Sign languages</limit>
 <limit code="SHN">Shan</limit>
 <!--limit code="SHO">*Shona</limit-->
 <limit code="SID">Sidamo</limit>
 <limit code="SIN">Sinhalese</limit>
 <limit code="SIO">Siouan (Other)</limit>
 <limit code="SIT">Sino-Tibetan (Other)</limit>
 <limit code="SLA">Slavic (Other)</limit>
 <limit code="SLO">Slovak</limit>
 <limit code="SLV">Slovenian</limit>
 <limit code="SMA">Southern Sami</limit>
 <limit code="SME">Northern Sami</limit>
 <limit code="SMI">Sami</limit>
 <limit code="SMJ">Lule Sami</limit>
 <limit code="SMN">Inari Sami</limit>
 <limit code="SMO">Samoan</limit>
 <limit code="SMS">Skolt Sami</limit>
 <limit code="SNA">Shona</limit>
 <limit code="SND">Sindhi</limit>
 <!--limit code="SNH">*Sinhalese</limit-->
 <limit code="SNK">Soninke</limit>
 <limit code="SOG">Sogdian</limit>
 <limit code="SOM">Somali</limit>
 <limit code="SON">Songhai</limit>
 <limit code="SOT">Sotho</limit>
 <limit code="SPA">Spanish</limit>
 <limit code="SRD">Sardinian</limit>
 <limit code="SRN">Sranan</limit>
 <limit code="SRR">Serer</limit>

```

<limit code="SSA">Nilo-Saharan (Other)</limit>
<!--limit code="SSO">*Sotho</limit-->
<limit code="SSW">Swazi</limit>
<limit code="SUK">Sukuma</limit>
<limit code="SUN">Sundanese</limit>
<limit code="SUS">Susu</limit>
<limit code="SUX">Sumerian</limit>
<limit code="SWA">Swahili</limit>
<limit code="SWE">Swedish</limit>
<!--limit code="SWZ">*Swazi</limit-->
<limit code="SYC">Syriac</limit>
<limit code="SYR">Syriac, Modern</limit>
<!--limit code="TAG">*Tagalog</limit-->
<limit code="TAH">Tahitian</limit>
<limit code="TAI">Tai (Other)</limit>
<limit code="TAJ">*Tajik</limit>
<limit code="TAM">Tamil</limit>
<limit code="TAR">*Tatar</limit>
<limit code="TAT">Tatar</limit>
<limit code="TEL">Telugu</limit>
<limit code="TEM">Temne</limit>
<limit code="TER">Terena</limit>
<limit code="TET">Tetum</limit>
<limit code="TGK">Tajik</limit>
<limit code="TGL">Tagalog</limit>
<limit code="THA">Thai</limit>
<limit code="TIB">Tibetan</limit>
<limit code="TIG">Tigre</limit>
<limit code="TIR">Tigrinya</limit>
<limit code="TIV">Tiv</limit>
<limit code="TKL">Tokelauan</limit>
<limit code="TLH">Klingon (Artificial language)</limit>
<limit code="TLI">Tlingit</limit>
<limit code="TMH">Tamashek</limit>
<limit code="TOG">Tonga (Nyasa)</limit>
<limit code="TON">Tongan</limit>
<limit code="TPI">Tok Pisin</limit>
<!--limit code="TRU">*Truk</limit-->
<limit code="TSI">Tsimshian</limit>
<limit code="TSN">Tswana</limit>
<limit code="TSO">Tsonga</limit>
<!--limit code="TSW">*Tswana</limit-->
<limit code="TUK">Turkmen</limit>
<limit code="TUM">Tumbuka</limit>
<limit code="TUP">Tupi languages</limit>
<limit code="TUR">Turkish</limit>
<limit code="TUT">Altaic (Other)</limit>
<limit code="TVL">Tuvaluan</limit>
<limit code="TWI">Twi</limit>
<limit code="TYV">Tuvinian</limit>
<limit code="UDM">Udmurt</limit>
<limit code="UGA">Ugaritic</limit>
<limit code="UIG">Uighur</limit>
<limit code="UKR">Ukrainian</limit>
<limit code="UMB">Umbundu</limit>
<limit code="UND">Undetermined</limit>
<limit code="URD">Urdu</limit>
<limit code="UZB">Uzbek</limit>
<limit code="VAI">Vai</limit>
<limit code="VEN">Venda</limit>
<limit code="VIE">Vietnamese</limit>

```

```

<limit code="VOL">Volapuk</limit>
<limit code="VOT">Votic</limit>
<limit code="WAK">Wakashan languages</limit>
<limit code="WAL">Wolayta</limit>
<limit code="WAR">Waray</limit>
<limit code="WAS">Washo</limit>
<limit code="WEL">Welsh</limit>
<limit code="WEN">Sorbian (Other)</limit>
<limit code="WLN">Walloon</limit>
<limit code="WOL">Wolof</limit>
<limit code="XAL">Oirat</limit>
<limit code="XHO">Xhosa</limit>
<limit code="YAO">Yao (Africa)</limit>
<limit code="YAP">Yapese</limit>
<limit code="YID">Yiddish</limit>
<limit code="YOR">Yoruba</limit>
<limit code="YPK">Yupik languages</limit>
<limit code="ZAP">Zapotec</limit>
<limit code="ZBL">Blissymbolics</limit>
<limit code="ZEN">Zenaga</limit>
<limit code="ZHA">Zhuang</limit>
<limit code="ZND">Zande languages</limit>
<limit code="ZUL">Zulu</limit>
<limit code="ZUN">Zuni</limit>
<!--limit code="ZXX">No linguistic content</limit-->
<limit code="ZZA">Zaza</limit>
+++++++ Snippet End ++++++

#### Action: Change lines 63 to 64 to the following snippet ####
+++++++ Snippet Start ++++++

    <limit code="all" default="Y">All Languages</limit>
+++++++ Snippet End ++++++

#### Action: Change lines 38 to 42 to the following snippet ####
+++++++ Snippet Start ++++++
    <limit code="all" default="Y">All Status</limit>
    <limit code="c">Currently Published</limit>
    <limit code="d">Ceased Publication</limit>
    <limit code="u">Unknown</limit>
</limitGroup>
+++++++ Snippet End ++++++

#### Action: Change lines 24 to 35 to the following snippet ####
+++++++ Snippet Start ++++++
    <limit code="all" default="Y">All Formats</limit>
    <limit code="a">Map</limit>
    <limit code="c">Computer File</limit>
    <limit code="d">Globe</limit>
    <limit code="g">Projected Graphic</limit>
    <limit code="h">Microform</limit>
    <limit code="k">Nonprojected Graphic</limit>
    <limit code="m">Motion Picture</limit>
    <limit code="s">Sound Recording</limit>
    <limit code="t">Text (Eye-Readable)</limit>
    <limit code="v">Videorecording</limit>
</limitGroup>
+++++++ Snippet End ++++++

#### Action: Change line 17 to the following snippet ####
+++++++ Snippet Start ++++++

```

** Last Modified : 09-APR-2012
+++++++ Snippet End +++++++

Action: Change line 14 to the following snippet ####
+++++++ Snippet Start ++++++++
** Version : 8.2.0
+++++++ Snippet End ++++++++

Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start ++++++++
<!-- \$Revision: 1.4.2.1 \$ \$Date: 2012/06/11 22:25:07 \$ -->
+++++++ Snippet End ++++++++

</xsl/userTextConfigs/pageProperties.xml>

Action: Add the following snippet at starting at line 585 ####
+++++++ Snippet Start ++++++++

```
<authorityRecords>
  <labels>
    <label id="headingText">Heading Text:</label>
    <label id="headingCount">Titles:</label>
    <label id="headingType">Type of Heading:</label>
    <label id="scopeNote">Scope Note:</label>
    <label id="1XX">Heading (1XX): </label>
    <label id="4XX">Used For/See From (4XX): </label>
    <label id="5XX">Search Also Under (5XX): </label>
  </labels>
  <subdivisionCodeMap>
    <subdivisionCode code="A">Authorized</subdivisionCode>
    <subdivisionCode code="N">Non-authorized</subdivisionCode>
    <subdivisionCode code="s">See Reference</subdivisionCode>
    <subdivisionCode code="l">See Also Reference</subdivisionCode>
    <subdivisionCode code="a">Earlier Heading</subdivisionCode>
    <subdivisionCode code="b">Later Heading</subdivisionCode>
    <subdivisionCode code="d">Acronym</subdivisionCode>
    <subdivisionCode code="f">Musical Composition</subdivisionCode>
    <subdivisionCode code="g">Broader Term</subdivisionCode>
    <subdivisionCode code="h">Narrower Term</subdivisionCode>
    <subdivisionCode code="B">Untraced Reference</subdivisionCode>
    <subdivisionCode code="c">Traced Reference</subdivisionCode>
  </subdivisionCodeMap>
  <crossRefSearchCodes>
    <searchIndex code="" desc="Subject Authority Heading">SHED%2B</searchIndex>
    <searchIndex code="S" desc="Subject Authority Heading">SHED%2B</searchIndex>
    <searchIndex code="T" desc="Title Authority Heading">THED%2B</searchIndex>
    <searchIndex code="A" desc="Name Title Authority Heading">AHED%2B</searchIndex>
    <searchIndex code="E" desc="Name Title Authority Heading">AHED%2B</searchIndex>
    <searchIndex code="N" desc="Name Authority Heading">NHED%2B</searchIndex>
  </crossRefSearchCodes>
</authorityRecords>
```

+++++++ Snippet End ++++++++

Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start ++++++++
<!-- \$Revision: 1.5.2.1 \$ \$Date: 2012/06/11 22:25:07 \$ -->
+++++++ Snippet End ++++++++

</m1/voyager/xxxdb/tomcat/vwebv/context/vwebv/WEB-INF/ini/messages.properties>

Action: Add the following snippet at starting at line 2

```
+++++++ Snippet Start +++++++
<!-- $Revision: 1.1.1.1.10.1 $ $Date: 2012/06/12 19:08:19 $ -->
+++++++ Snippet End +++++++
```

[/m1/voyager/xxxdb/tomcat/vwebv/context/vwebv/WEB-INF/ini/myaccount.properties](#)

```
#### Action: Add the following snippet at starting at line 2 ####
+++++++ Snippet Start +++++++
<!-- $Revision: 1.1.1.1.10.1 $ $Date: 2012/06/12 19:08:19 $ -->
+++++++ Snippet End +++++++
```

[/m1/voyager/xxxdb/tomcat/vxws/context/vxws/ui/exl_default/vxws.properties.tml](#)

```
#### Action: Add the following snippet at starting at line 119 ####
+++++++ Snippet Start +++++++
page.myAccount.reqPending.cancel.failure=Failed to cancel request.
page.myAccount.reqPending.cancel.success=Request cancelled.
+++++++ Snippet End +++++++
```

```
#### Action: Add the following snippet at starting at line 27 ####
+++++++ Snippet Start +++++++
holdings.item.request.status.6=\i Requests: \c
+++++++ Snippet End +++++++
```

```
#### Action: Add the following snippet at starting at line 22 ####
+++++++ Snippet Start +++++++
holdings.item.request.status.23=\i Requests: \c
+++++++ Snippet End +++++++
```

[/m1/voyager/xxxdb/tomcat/vxws/context/vxws/xsl/biblelevelrequest.xsl](#)

```
#### Action: Change line 540 to the following snippet ####
+++++++ Snippet Start +++++++
</xsl:stylesheet>
+++++++ Snippet End +++++++
```

```
#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- $Revision: 1.1.1.1.10.1 $ $Date: 2012/06/12 19:48:50 $ -->
+++++++ Snippet End +++++++
```

[/m1/voyager/xxxdb/tomcat/vxws/context/vxws/xsl/configs/104X_chronValues.xml](#)

```
#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- $Revision: 1.3.2.1 $ $Date: 2012/06/12 19:48:50 $ -->
+++++++ Snippet End +++++++
```

[/m1/voyager/xxxdb/tomcat/vxws/context/vxws/xsl/configs/104X_config.xml](#)

```
#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- $Revision: 1.3.2.1 $ $Date: 2012/06/12 19:48:50 $ -->
+++++++ Snippet End +++++++
```

[/m1/voyager/xxxdb/tomcat/vxws/context/vxws/xsl/configs/104X_display.xsl](#)

```
#### Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start +++++++
<!-- $Revision: 1.3.2.1 $ $Date: 2012/06/12 19:48:50 $ -->
+++++++ Snippet End +++++++
```

[/m1/voyager/xxxdb/tomcat/vxws/context/vxws/xsl/configs/emailcfg.xml](#)

```
#### Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
```

<!-- \$Revision: 1.1.1.1.10.1 \$ \$Date: 2012/06/12 19:48:50 \$ -->
+++++++ Snippet End +++++++

[/m1/voyager/xxxdb/tomcat/vxws/context/vxws/xsl/configs/emailholdingscfg.xml](#)

Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.1.1.1.10.1 \$ \$Date: 2012/06/12 19:48:50 \$ -->
+++++++ Snippet End +++++++

[/m1/voyager/xxxdb/tomcat/vxws/context/vxws/xsl/configs/OPAC_in_primo_104X_display.xsl](#)

Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.3.2.1 \$ \$Date: 2012/06/12 19:48:50 \$ -->
+++++++ Snippet End +++++++

[/m1/voyager/xxxdb/tomcat/vxws/context/vxws/xsl/configs/requestcfg.xml](#)

Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.1.1.1.10.1 \$ \$Date: 2012/06/12 19:48:50 \$ -->
+++++++ Snippet End +++++++

[/m1/voyager/xxxdb/tomcat/vxws/context/vxws/xsl/configs/requestholdingscfg.xml](#)

Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.1.1.1.10.1 \$ \$Date: 2012/06/12 19:48:50 \$ -->
+++++++ Snippet End +++++++

[/m1/voyager/xxxdb/tomcat/vxws/context/vxws/xsl/constants.xsl](#)

Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.1.1.1.10.1 \$ \$Date: 2012/06/12 19:48:50 \$ -->
+++++++ Snippet End +++++++

[/m1/voyager/xxxdb/tomcat/vxws/context/vxws/xsl/constantstrings.xsl](#)

Action: Add the following snippet at starting at line 0 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.1.1.1.10.1 \$ \$Date: 2012/06/12 19:48:50 \$ -->
+++++++ Snippet End +++++++

[/m1/voyager/xxxdb/tomcat/vxws/context/vxws/xsl/emailbibrecord.xsl](#)

Action: Change line 540 to the following snippet ####
+++++++ Snippet Start +++++++
</xsl:stylesheet>
+++++++ Snippet End +++++++

Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.2.10.1 \$ \$Date: 2012/06/12 19:48:50 \$ -->
+++++++ Snippet End +++++++

[/m1/voyager/xxxdb/tomcat/vxws/context/vxws/xsl/marc21slim.xsl](#)

Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++
<!-- \$Revision: 1.1.1.1.10.1 \$ \$Date: 2012/06/12 19:48:50 \$ -->
+++++++ Snippet End +++++++

[/m1/voyager/xxxdb/tomcat/vxws/context/vxws/xsl/transformOPACInPrimoHoldings.xsl](#)

Action: Add the following snippet at starting at line 1 ####
+++++++ Snippet Start +++++++

<!-- \$Revision: 1.3.2.1 \$ \$Date: 2012/06/12 19:48:50 \$ -->
+++++++ Snippet End +++++++