Voyager® 7.0
WebVoyáge® Basic User's Guide

February 2008
Draft

Ex Libris (USA) Inc.
This document contains proprietary information of
Ex Libris (USA) Inc. and is not to be disclosed or used
except in accordance with applicable agreements.

Copyright © 2008 Ex Libris (USA) Inc.
Unpublished and Not for Publication
All Rights Reserved

Copyright © 2008 Ex Libris (USA) Inc.

This material is protected by the copyright laws of the United States and other countries. It may not be reproduced, distributed, or altered in any fashion by any entity (either internal or external to Ex Libris (USA) Inc.), except in accordance with applicable agreements, contracts or licensing.

CONFIDENTIAL INFORMATION

The information herein is the property of Ex Libris (USA) Inc. or its affiliates and any misuse or abuse will result in economic loss.

This document is provided for limited and restricted purposes in accordance with a binding contract with Ex Libris (USA) Inc. or an affiliate. The information herein includes trade secrets and is confidential.

Notice

Every effort was made to ensure that the information in this document was complete and accurate at the time of printing. However, information is subject to change.

Trademarks

Voyager is a registered trademark of Ex Libris (USA) Inc.
WebVoyáge is a trademark of Ex Libris (USA) Inc.
Microsoft, the Microsoft logo, MS, MS-DOS, Microsoft PowerPoint, Visual Basic, Visual C++, Win32, Microsoft Windows, the Windows logo, Microsoft Notepad, Microsoft Windows Explorer, Microsoft Internet Explorer, and Windows NT are registered trademarks and ActiveX is a trademark of the Microsoft corporation in the United States and/or other countries.
Sun, Sun Microsystems, the Sun logo, Solaris, ONC+, NFS, SunVTS, VIS, JumpStart, Sun Fire, StorEdge, Sun Fireplane Interconnect, WebNFS, Java, Solstice, Solstice AdminSuite, Sun Management Center, Sun Cluster, JVM, ShowMeHow, ShowMe TV, Solaris Webstart, Sun Remote Systems Control, Solaris PC Netlink, and Open Windows are trademarks or registered trademarks of Sun Microsystems, Inc. in the United States and other countries.
Unicode and the Unicode logo are registered trademarks of Unicode, Inc.

Contents

About This Document

- Purpose of This User's Guide xiii
- Intended Audience xiii
- Reason for Reissue xiii
- Document Summary xiv
- Conventions Used in This Document xiv
- Accessibility xv
  - Accessibility Statement and Disclaimer xvi
    - Accessibility Statement xvi
    - Disclaimer xvi
    - Comments and Suggestions xvii
- Document Reproduction/Photocopying xvii
- Comment on This Document xvii
  - To Submit Comments by E-mail xvii

1 Getting Started

- Purpose of this Chapter 1-1
- Prerequisites - Skills and Knowledge 1-1
- Before You Begin 1-2
  - Unicode 1-2
- Login 1-3
  - Session Start Login 1-3
  - Login As Needed 1-5

2 User Interface

- Purpose of This Chapter 2-1
- Navigation 2-1
  - URL Access 2-1
  - Menu List 2-2

DRAFT

Contents

- Labeled Tabs 2-3
- Search 2-4
  - Quick Search 2-5
  - Basic Search 2-6
  - Advanced Search 2-7
  - Subject Search 2-8
  - Author Search 2-9
  - Course Reserve Search 2-10
  - Geospatial Search 2-13
  - Search History 2-13
- Patron Options 2-14
  - My Searches 2-14
    - Automated Saved Search Queries 2-15
  - My List 2-16
  - My Account 2-16
    - Personal Information 2-17
    - Edit Preferences 2-18
- Actions 2-20
  - Print 2-22
  - Export 2-22
  - E-mail 2-22
  - Add to List/Add to My List 2-23
  - Make A Request 2-23

3 Basic Customization

- Purpose 3-1
- Before You Begin (Best Practices) 3-1
- Where To Find Things 3-2
  - Locating Lines of Code 3-2
  - Directory Structure and Other Customization Files 3-3
- Customization Example - Text 3-8
  - Footer - “Your Library Name Here” 3-8
  - Index.html Text Change 3-9
- Customization Example - Search 3-13
  - Quick Search 3-13
  - Search Pages 3-15
  - Geospatial 3-19

DRAFT

Contents

- Customization Example - Logos and Color (Basic) 3-22
  - Logo Example 3-22
  - Color 3-23

A WebVoyáge.properties File A-1

- WebVoyáge.properties File A-1

B Index.html File B-1

- Default Index.html File B-1

IN Index IN-1

DRAFT

Contents

DRAFT

Figures

1 Getting Started

1-1. Login from default window 1-4
1-2. Login dialog box 1-4
1-3. Basic Search dialog box 1-5
1-4. Login as needed 1-6

2 User Interface

2-1. Default window 2-3
2-2. Labeled tabs 2-4
2-3. Quick Search 2-6
2-4. Quick New Search 2-6
2-5. Basic Search 2-7
2-6. Advanced Search 2-8
2-7. Subject Search 2-9
2-8. Author Search 2-9
2-9. Course Reserve Search 2-10
2-10. Course Reserve Browse 2-11
2-11. Course reserve list 2-12
2-12. Titles displayed 2-12
2-13. Geospatial Search 2-13
2-14. Search History 2-14
2-15. My Searches 2-15
2-16. Automated My Searches example 2-15
2-17. My List example 2-16
2-18. My Account example 2-17
2-19. Personal Information page 2-18
2-20. Edit Preferences page 2-19
2-21. Database Change option 2-19
2-22. Actions bar 2-20
2-23. Titles results page example 2-21
2-24. Actions list 2-21
2-25. Full record display with Actions list example 2-22

DRAFT

Figures

3 Basic Customization

3-1. Your Library Name Here example 3-8
3-2. Customized footer name 3-9
3-3. Default window 3-10
3-4. Example of textual changes to index.html 3-11
3-5. Default index.html file 3-12
3-6. Default index.html file modified 3-12
3-7. Quick search bar 3-13
3-8. Quick search customization example 3-14
3-9. Basic Search section of the webvoyage.properties file 3-16
3-10. Geospatial Search tab 3-20
3-11. Enable Geospatial Search in the pageProperties.xml file 3-21
3-12. Header section of webvoyage.properties file 3-22
3-13. Menu list example 3-24

A WebVoyáge.properties File

A-1. Webvoyage.properties file A-1

B Index.html File

B-1. Default index.html file B-1

DRAFT

Tables

2 User Interface

2-1. Special Search Characters 2-5

3 Basic Customization

3-1. WebVoyáge Directory Structure 3-3
3-2. Other Customization Files 3-7
3-3. Search index options 3-13
3-4. Search Code Modifiers 3-14

DRAFT

Tables

DRAFT

Procedures

1 Getting Started

1-1. Setting Web Browser to Unicode Compatibility 1-2
1-2. Session Start Login 1-3

2 User Interface

2-1. Course Reserve Search/Browse 2-10

3 Basic Customization

3-1. Customize Footer Text 3-8
3-2. Change Quick Search Bar Search Index Default 3-14
3-3. Changing the Dropdown List of Search Types for Basic Search 3-15
3-4. Geospatial Search Setup 3-20
3-5. Customizing the Logo Display 3-22

DRAFT

Procedures

DRAFT

About This Document

Purpose of This User's Guide

The purpose of the *WebVoyáge Basic User's Guide* is to familiarize you with the Voyager 7.0 WebVoyáge® user interface (the Voyager Online Public Access Catalog) and describe some basic customization options.

Intended Audience

This document is intended for Voyager customers interested in a basic overview of the out-of-the-box Voyager 7.0 WebVoyáge user interface.

In addition, this guide provides basic customization instruction for the staff system administrator needing to make some simple changes to reflect site-specific preferences.

Reason for Reissue

This is the first release of the *WebVoyáge Basic User's Guide*.

DRAFT

Document Summary

Chapter 1	"Getting Started" Chapter 1 This chapter describes the prerequisite knowledge, skills, and software necessary for beginning work in Voyager 7.0 WebVoyáge. Plus, preliminary setup and logging in instructions are provided.
Chapter 2	"User Interface" Chapter 2 This chapter describes the new WebVoyáge user interface.
Chapter 3	"Basic Customization" Chapter 3 This chapter describes basic customization options to make simple changes to reflect site-specific preferences.
Appendix A	"WebVoyáge.properties File" Appendix A. This appendix provides a sample of the webvoyage.properties file.
Index	The Index is an alphabetical, detailed cross-reference of topics.

Conventions Used in This Document

The following conventions are used throughout this document:

- Names of commands, variables, stanzas, files, and paths (such as `/dev/tmp`), as well as selectors and typed user input, are displayed in `constant width` type.
- Commands or other keyboard input that must be typed exactly as presented are displayed in **`constant width bold`** type.
- Commands or other keyboard input that must be supplied by the user are displayed in ***`constant width bold italic`*** type.
- System-generated responses such as error messages are displayed in `constant width` type.
- Variable *portions* of system-generated responses are displayed in *`constant width italic`* type.
- Keyboard commands (such as **Ctrl** and **Enter**) are displayed in **bold**.
- Required keyboard input such as "Enter **`vi`**" is displayed in **`constant width bold`** type.
- Place holders for variable portions of user-defined input such as **`ls -l`** ***`filename`*** are displayed in ***`italicized constant width bold`*** type.

DRAFT

- The names of menus or status display pages and required selections from menus or status display pages such as “From the **Applications** drop-down menu, select **System-wide**,” are displayed in **bold** type.
- Object names on a window’s interface, such as the **Description** field, the **OK** button, and the **Metadata** tab, are displayed in **bold** type.
- The titles of documents such as *Acquisitions User’s Guide* are displayed in *italic* type.
- Caution, and important notices are displayed with a distinctive label such as the following:

NOTE:
Extra information pertinent to the topic.

IMPORTANT:
Information you should consider before making a decision or configuration.

CAUTION:
Information you must consider before making a decision, due to potential loss of data or system malfunction involved.

TIP:
Helpful hints you might want to consider before making a decision.

RECOMMENDED:
Preferred course of action.

OPTIONAL:
Indicates course of action which is not required, but may be taken to suit your library’s preferences or requirements.

Accessibility

Ex Libris™ development has focused on accessibility compliance for WebVoyáge.

DRAFT

The tactics and techniques used for accessibility compliance in WebVoyáge were derived from discussion documents and use of tools including the FAE (Functional Accessibility Evaluator) tool. The FAE tool analyzes web content based on the use of CITES/DRES Html Best Practices (see http://html.cita.uiuc.edu/) for web development.

For example, one of the practices used is to declare a headings level 2 tag, ***<h2>***, within ordered, ***<ol>***, and unordered, ***<ul>***, lists, ***<li>***. The ***<h2>*** tag describes a descriptive label for a collection of links.

Since JAWS (see http://www.freedomscientific.com/fs_products/software_jaws.asp) allows users to navigate web content via headers, ***<h1>…<h6>***, this is a good way to break up the web interface into logical components.

WebVoyáge implements the use of ***<h2>*** headings within lists purely for accessibility navigation. The header is positioned off-screen using css so that a non-screen-reading user does not see the header.

As you work with WebVoyáge, you will observe other characteristics of accessibility compliance.

Accessibility Statement and Disclaimer

Accessibility Statement

Ex Libris is committed to making its Web-based applications accessible to as many users as possible regardless of the challenges that they face. As new technologies emerge, Ex Libris makes every effort to improve the accessibility of its products.

The Voyager 7.0 WebVoyáge user interface was developed to comply with leading international accessibility and industry standards.

- The W3C Web Content Accessibility Guidelines 1.0, level A. See http://www.w3.org/TR/WCAG10/.
- Section 508 of the Rehabilitation Act (29 U.S.C. 794d). See http://www.section508.gov/.

Disclaimer

Institutions can customize the interface of WebVoyáge. Ex Libris cannot guarantee that the resulting user interface will be compliant with accessibility standards after a third party has altered the interface.

DRAFT

WebVoyáge connects to other Web sites maintained by third parties over which Ex Libris has no control. Ex Libris makes no representations as to Web accessibility compliance standards maintained by other Web sites.

Comments and Suggestions

If you have any comments or questions on Web accessibility issues relating to Voyager 7.0 WebVoyáge, please contact accessibility@exlibrisgroup.com.

Document Reproduction/Photocopying

Photocopying the documentation is allowed under your contract with Ex Libris (USA) Inc. It is stated below:

> All documentation is subject to U.S. copyright protection. CUSTOMER may copy the printed documentation only in reasonable quantities to aid the employees in their use of the SOFTWARE. Limited portions of documentation, relating only to the public access catalog, may be copied for use in patron instruction.

Comment on This Document

Please contact Customer Support to provide us with your feedback. For Customer Support contact information, see SupportWeb at:

`http://www.exlibrisgroup.com/support_center.htm`.

To Submit Comments by E-mail

To submit comments by e-mail, please send your message to:

`docmanager@exlibris-usa.com`

DRAFT

DRAFT

Getting Started

1

Contents

Purpose of this Chapter **1-1**

Prerequisites - Skills and Knowledge **1-1**

Before You Begin **1-2**

- Unicode 1-2

Login **1-3**

- Session Start Login 1-3
- Login As Needed 1-5

DRAFT

Contents

DRAFT

Getting Started

1

Purpose of this Chapter

The purpose of this chapter is to provide the following:

- Prerequisites for getting started and skills required.
- Preliminary setup information. See Before You Begin on page 1-2.
- Instructions for logging on to WebVoyáge. See Login on page 1-3.

Prerequisites - Skills and Knowledge

To use this document effectively, you should be familiar with the following:

- Microsoft Windows operating environment.
- XML.
- XSL.
- UNIX operating system commands and file system.
- A UNIX-based text editor such as `vi`.
- Basic MARC record formats.
- Local procedures.

DRAFT

Before You Begin

Before you can begin, you need to do the following:

- Have the Voyager WebVoyáge 7.0 and corresponding Voyager 7.0 integrated library system software installed.
- Have access to an internet browser on your PC.
- Obtain the URL and/or the IP and port address for accessing your instance of Voyager WebVoyáge 7.0.
- Obtain your user ID and password for logging in to Voyager WebVoyáge 7.0.
- Set up your PC to display Unicode-specific data as needed. See Unicode on page 1-2 for more information.

Unicode

In order to be sure that data displays properly in your browser when you view records or other information in foreign languages, you must set up your Web browser to use Unicode fonts.

For example, see Procedure 1-1, Setting Web Browser to Unicode Compatibility, on page 1-2 that describes the Unicode set up for Internet Explorer.

Procedure 1-1. Setting Web Browser to Unicode Compatibility

As an example for setting up your web browser, the following steps highlight the Unicode setup procedure when using Internet Explorer. These steps enable Unicode and UTF-8 encoding.

1. Open Internet Explorer.
2. From the **View** menu, set character coding/encoding to **Unicode (UTF-8)**.
3. Set your browser to read a Unicode-compliant font.
   a. From the **Tools** menu, click **Internet Options...**
   b. From the **General** tab, click the **Fonts...** button.
   c. In the left-column list box of the **Fonts** dialog box, select a font with Unicode included. (There may be only one selection, **Arial Unicode MS**.)
   d. Click **OK** to save your changes.

DRAFT

Result: Internet Explorer now renders any text requiring a Unicode font or UTF-8 encoding accurately.

Login

For the convenience of patrons, there are two options for logging in to WebVoyáge as follows:

- At the beginning of the WebVoyáge session. See Procedure 1-2, Session Start Login.
- When required to access secured features of WebVoyáge. See Login As Needed on page 1-5.

Session Start Login

For patrons wanting to immediately access patron-specific options such as saved searches, view a list of items on hold, or use other secured access features, they need to log in at the beginning of their WebVoyáge session. See Procedure 1-2, Session Start Login for login steps using this method.

Procedure 1-2. Session Start Login

Use the following procedure to log in at the beginning of your WebVoyáge session.

1. Enter the URL (Universal Resource Locator) in your web browser for your library's OPAC (Online Public Access Catalog) default WebVoyáge web page.

   Result: The default WebVoyáge web page displays. See Figure 1-1.

DRAFT



Figure 1-1. Login from default window

2. Click **Log in to use your saved preferences**.

   Result: The **Log In** dialog box displays. See Figure 1-2.



Figure 1-2. Login dialog box

3. Select and enter your security information using one of the following options:
   - Barcode and Last Name
   - Institution ID
   - Social Security Number

   Use the dropdown list to select which method you prefer.

4. Click **Log in** to process your security information.

   Result: The **Basic Search** dialog box and a confirmation that ***username*** **is logged in** displays when you successfully log in. See Figure 1-3.



Figure 1-3. Basic Search dialog box

Login As Needed

For the convenience of patrons wanting to do a quick search, logging in only becomes necessary if they decide to use a patron-specific, secured feature of WebVoyáge. When a secured feature is accessed, the system automatically displays the **Log In** dialog box (see Figure 1-2) for the patron to complete.

Optionally at any time, a user may also choose to log in by clicking **Log in**. See Figure 1-4.

Once the **Log in** dialog box displays, the steps are the same as in Procedure 1-2, Session Start Login, on page 1-3.

DRAFT

Figure 1-4. Login as needed

DRAFT

User Interface

2

Contents

Purpose of This Chapter **2-1**

Navigation **2-1**

- URL Access 2-1
- Menu List 2-2
- Labeled Tabs 2-3

Search **2-4**

- Quick Search 2-5
- Basic Search 2-6
- Advanced Search 2-7
- Subject Search 2-8
- Author Search 2-9
- Course Reserve Search 2-10
- Geospatial Search 2-13
- Search History 2-13

Patron Options **2-14**

- My Searches 2-14
  - Automated Saved Search Queries 2-15
- My List 2-16
- My Account 2-16
  - Personal Information 2-17
  - Edit Preferences 2-18

Actions **2-20**

- Print 2-22
- Export 2-22
- E-mail 2-22
- Add to List/Add to My List 2-23

DRAFT

Contents

- Make A Request 2-23

DRAFT

User Interface

2

Purpose of This Chapter

The purpose of this chapter is to describe the out-of-the-box Voyager 7.0 WebVoyáge user interface to include the following information:

- Navigation.
- Search.
- Patron options.
- Actions.

Navigation

WebVoyáge offers multiple options for you to easily access the function you need to invoke.

URL Access

For your ease in quickly accessing a particular function in WebVoyáge, you may enter the URL for a specific WebVoyáge function and access it dynamically.

To access My Account information, for example, you may enter a URL similar to *http://voyqa.gaboon:19024/vwebv/myAccount?sk=en_US* that specifies the My Account skin. If you attempt to access a secured page such as My Account and

DRAFT

have not logged in, the system prompts you with the Log In page. (See Figure 1-2 on page 1-4 for an illustration of the Log In display and Procedure 1-2, Session Start Login, on page 1-3 for more information about the Log In procedure.)

Given that WebVoyáge is a web-based software application, you have extensive navigation flexibility to include using bookmarks.

You may also easily access WebVoyáge functions from menu lists and labeled tabs.

Menu List

The default WebVoyáge page provides a menu list from which to select the function you need to perform. Options provided are as follows:

- Basic Search
- Advanced Search
- Course reserve materials
- Log in to use your saved preferences
- Review your account
- Read help for WebVoyáge
- Return to the main library website
- Return to the campus website

See Figure 2-1

DRAFT



Figure 2-1. Default window

Labeled Tabs

Search and patron functions are easily accessed from labeled tabs on a single page. Functions provided are as follows:

- Search (Basic, Advanced, Subject, Author, Course Reserve)
- My Searches
- My List
- My Account

See Figure 2-2.

DRAFT



Figure 2-2. Labeled tabs

Other easy access functions are available such as Search History, Account Log in, and Help.

Search

WebVoyáge provides the following search functions:

- Quick Search (see Quick Search on page 2-5).
- Basic (see Basic Search on page 2-6).
- Advanced (see Advanced Search on page 2-7).
- Subject (see Subject Search on page 2-8).
- Author (see Author Search on page 2-9).
- Course Reserve (see Course Reserve Search on page 2-10).
- Geospatial Search (see Geospatial Search on page 2-13).

DRAFT

Special characters may be used to enhance your searches. See Table 2-1.

Table 2-1. Special Search Characters

Character	Description
?	Use the question mark to truncate a search or for multiple-character, wild card searches at the beginning, middle, or end of your search term. Example: *col?r* finds color and colour. *cod?* finds code, codes, coding and so on. **NOTE:** The question mark does not work with z39.50 searches.
%	Use the percent sign for single-character wild card searches. Example: *g%%se* finds goose and geese. **NOTE:** The percent sign does not work with z39.50 searches.
+	Use the plus sign to indicate that the search term is essential.
!	Use the exclamation point before a search term to indicate that records with that term are to be excluded.
*	Use the asterisk to indicate that the search term entered is important.
“ “	Use quotes to search phrases.
( )	Use open/close parentheses to group search terms.

Boolean operators (AND, OR, or NOT) may be used with search criteria.

NOTE:
The boolean operators may be typed in either upper- or lower-case.

Quick Search

In several places throughout WebVoyáge, you can access the quick search function from the quick search bar. See Figure 2-3 and Figure 2-4.

DRAFT

Figure 2-3. Quick Search

Figure 2-4. Quick New Search

The quick search finds records using keyword search matching search terms to terms located anywhere within a title's record. The results are displayed on a Titles page.

Basic Search

Basic Search finds records using keywords located anywhere in a record or only in specific fields.

You have the options to specify the following:

- Search term(s).
- Field to search from a drop-down list.
- Limit from a drop-down list.
- Number of records to display in the results list.

See Figure 2-5.

DRAFT



Figure 2-5. Basic Search

Advanced Search

Advanced Search finds records using keywords located anywhere in a record or only in specific fields. This search option is more advanced than the Basic Search alternative due to the number of additional fields with which you may narrow your search such as the following:

- Treatment of search terms such as:
  - As a phrase
  - All of these
  - Any of these
- Field to search such as:
  - Title
  - Subject
  - Author
  - Journal Title
  - ISSN
- Multiple search term(s) fields that can be combined with the following conditions:
  - And
  - Or

DRAFT

- Not

- Year
- Location
- Place
- Type such as serial, musical score, or map
- Status
- Format
- Language

See Figure 2-6.



Figure 2-6. Advanced Search

Subject Search

Subject Search finds materials that match the search terms entered in library-defined categories for subject headings and stored in the library's cataloging database.

Use the Subject field to enter search terms for subject headings like *civil war* or *harry potter*.

See Figure 2-7.



Figure 2-7. Subject Search

Author Search

Use the Author Search option to use the author's name to locate the item for which you are searching. See Figure 2-8.

TIP:
When searching using a company or association name such as American Cancer Society, use the Last Name field to enter this search criteria.



Figure 2-8. Author Search

DRAFT

Course Reserve Search

Use the Course Reserve Search to locate items placed on reserve. See Procedure 2-1, Course Reserve Search/Browse.

Procedure 2-1. Course Reserve Search/Browse

1. Select the location associated with the materials placed on reserve. See Figure 2-9.



Figure 2-9. Course Reserve Search

Result: The Course Reserve Browse page displays. See Figure 2-10.



Figure 2-10. Course Reserve Browse

2. Select the first letter of the Instructor, Department, or Course whose reserve list you would like to browse. Letters with active reserve materials are highlighted and underlined.

OPTIONAL:

3. *Click Change Location to return to the Select Locations page to display Course Reserve Browse for a different location.*

   Result: The course reserve list displays. See Figure 2-11.

DRAFT

Figure 2-11. Course reserve list

4. Make a selection from the course reserve list.

   Result: The titles display. See Figure 2-12.



Figure 2-12. Titles displayed

Geospatial Search

Geospatial Search is a search feature that you optionally set when you install WebVoyáge. See Geospatial on page 3-19 for more information regarding setup.

NOTE:
This feature is only available if your institution has purchased the Geospatial Searching tools.

Geospatial Search provides you with a variety of options when searching for map-related items in your database. See Figure 2-13 for an example of Rectangle Search using Geospatial Search.



Figure 2-13. Geospatial Search

Search History

Search History displays a list of searches that you have completed during your current session in WebVoyáge until you logout. See Figure 2-14.

For searches that you want to keep on a more permanent basis, save them in My Searches; see My Searches on page 2-14.



Figure 2-14. Search History

With Search History, you have the ability to do the following:

- Re-run the search.
- Edit the search and run it again.
- Save the search to My Searches.

Patron Options

WebVoyáge provides patron-specific options that enhance system usability for each individual patron. The following functions are available:

- My Searches (page 2-14).
- My List (page 2-16).
- My Account (page 2-16).

My Searches

My Searches enables patrons to maintain a list of previously executed search queries. See Figure 2-15.

DRAFT



Figure 2-15. My Searches

Search queries are saved to the My Searches list from the Search History page. See Figure 2-14.

From My Searches, patrons can do the following:

- Re-run a specific search.
- Edit a specific search and run it.
- Delete individual searches from the My Searches list.

Automated Saved Search Queries

Saved search queries may be run automatically and trigger email notifications when certain optional features are set in WebVoyáge to include SDI (Selective Dissemination of Information). See Figure 2-16.



Figure 2-16. Automated My Searches example

See Chapter 3, "Basic Customization," for more information regarding customizing WebVoyáge.

DRAFT

My List

My List provides a place for patrons to save search results for later review and processing. See Figure 2-17.

Processing options include the following:

- Print
- Export
- E-mail
- Delete



Figure 2-17. My List example

Search results can be added to My List using the Add to My List action from the Actions bar (Figure 2-22) or Actions list (Figure 2-24).

My Account

The My Account page displays the following information and provides options to View Personal Information and Edit Preferences.

- Pending Requests
- Available Items
- Charged Items
- Borrowing Blocks
- Fines and Fees
- Demerits

See Figure 2-18 for an example of My Account information.



Figure 2-18. My Account example

Personal Information

The Personal Information page displays individual patron information such as name, email address, and so on. See Figure 2-19.



Figure 2-19. Personal Information page

Edit Preferences

The Edit Preferences page provides options for the patron to tailor search preferences and select the number of records to display on the results page. See Figure 2-20.

DRAFT



Figure 2-20. Edit Preferences page

If the patron has access to multiple OPAC databases, this page can display additional options where those databases can be selected as a preference. This provides an additional Search page option to select Database. See Figure 2-21.



Figure 2-21. Database Change option

DRAFT

Actions

WebVoyáge provides the following Actions for working with search results:

- Actions Bar (see Figure 2-22)
  - Print
  - Export
  - E-mail
  - Add to List
  - Update
- Actions List (see Figure 2-24)
  - Make a Request
  - Print
  - Export
  - E-mail
  - Add to My List



Figure 2-22. Actions bar

The Actions bar (Figure 2-22) displays on the Titles results page. See Figure 2-23.

NOTE:
The Update action is used in combination with the Select and Sort by display options.

DRAFT



Figure 2-23. Titles results page example



Figure 2-24. Actions list

The Actions list (Figure 2-24) displays when the title link is clicked to display the full record. See Figure 2-25.



Figure 2-25. Full record display with Actions list example

Print

The Print option displays the Print Titles page with one or more titles to print per the patron's selection.

A dropdown list provides Print Format options from which to select.

Export

The Export option displays the Export Results page with one or more titles to export per the patron's selection.

A dropdown list provides Export Format options such as Raw MARC, UTF-8 MARC and so forth from which to select.

E-mail

The E-mail option displays the E-mail page. Fields are provided for entering the following:

DRAFT

- To (address)
- Subject
- Body Text

Add to List/Add to My List

The Add to List or Add to My List options add selected titles to the My List page. Once stored on the My List page, these selections are available to view and process at a later session after logging in.

Make A Request

The Make A Request option displays the Patron Requests page that provides several patron request alternatives such as hold, recall, call slip, and so on for the holdings record selected.

DRAFT

DRAFT

Basic Customization

3

Contents

Purpose **3-1**

Before You Begin (Best Practices) **3-1**

Where To Find Things **3-2**

- Locating Lines of Code 3-2
- Directory Structure and Other Customization Files 3-3

Customization Example - Text **3-8**

- Footer - “Your Library Name Here” 3-8
- Index.html Text Change 3-9

Customization Example - Search **3-13**

- Quick Search 3-13
- Search Pages 3-15
- Geospatial 3-19

Customization Example - Logos and Color (Basic) **3-22**

- Logo Example 3-22
- Color 3-23

DRAFT

Contents

DRAFT

Basic Customization

3

Purpose

The purpose of this chapter is to do the following:

- Provide some best practices considerations when planning and implementing changes to WebVoyáge.
- Provide an overview of the directory structure and files needed to customize WebVoyáge.
- Provide some basic examples of changes you can make to WebVoyáge.

Before You Begin (Best Practices)

This chapter's focus is about customization. Customization implies change; and with change, planning is an important part of the process.

As a result, the intent of this section is to share a few reminders or things to consider before opening a file and making that first change. Consider the following as you prepare:

- Make a backup copy of all the original files you plan to change. Use a naming convention that makes it obvious that the file is in the original format and that it is a backup copy.

DRAFT

- Use Begin and End comments before and after the places where you make customization changes within a file. You may want to consider using something consistent in each comment like author's initials, institution name, or some other unique naming convention that makes it easy to search out the locations of customization changes at a later time.
- Use comments to describe the purpose of the customization change.
- Plan ahead for software upgrades. Consider the upgrade implications with the customization changes that you make and develop a plan for identifying changed files.
- Keep a record of all the files that you change.
- Make backup copies of the files in which you've made customization changes. Consider using a version control system to maintain customized files starting with the original source file.

Where To Find Things

This section is intended to provide information that enables you to do the following:

- Locate lines of code within the files that you want to change.
- Find the files you need to customize within the WebVoyáge directory structure.

Locating Lines of Code

The content of the WebVoyáge properties files used to customize your system are organized in sections such as Options, Connections, Header, Footer, Search Quick, Login page, and so on. These sections are labeled using comments near the lines of code (options) that you can customize to match your preferences.

The `webvoyage.properties` file is one of the key files used to make customization changes. An example of this file is provided in the Appendix section of this user's guide for your reference.

As you review the `webvoyage.properties` file in the Appendix, notice that additional comments have been included near the options to describe parameter choices.

TIP:
As part of your planning process for making customizations, you may want to print a copy of the properties file(s), read the comments/instructions

DRAFT

provided within the properties file regarding the options, make notes on the hard copy regarding customization changes you want to implement, and use your hard copy notes to make those changes.

As you become familiar with the properties file, using the Search/Find features of your editor makes an easy method for locating lines of code (options) you want to change.

Directory Structure and Other Customization Files

As part of the basic user's guide, the purpose of this section is to provide an overview of some key WebVoyáge directories/files relative to customizing the product for your institution. See Table 3-1 for a description of the directory structure for WebVoyáge and Table 3-2 for other customization files.

NOTE:
Refer to the *Voyager 7.0 WebVoyáge Recipe User's Guide* for more intermediate customization information.

Regarding the directory structure highlighted in Table 3-1, all the directories/files identified are preceded by `/m1/voyager/2007.0.1/xxxdb/tomcat/vwebv/context/vwebv/` where `xxxdb` is your database name.

Table 3-1. WebVoyáge Directory Structure

Directory/Files	Description

/WEB-INF/	Provides the `web.xml` file where the help links and default skin are located.
	Regarding Help search for:
	`<param-name>HelpURL</param-name>`
	`<param-value>ui/%SKIN%/htdocs/help/</param-value>`
	Regarding skins search for:
	`<param-name>DefaultSkin</param-name>`
	`<param-value>en_US</param-value>`
	Example skin URL format for Basic Search:
	`http://voyqa.gaboon:19000/vwebv/search-Basic?sk=en_US`

DRAFT

Table 3-1. WebVoyáge Directory Structure

Directory/Files	Description
/htdocs/	Provides the default `index.html` file for accessing WebVoyáge. See Appendix B for an example of the `index.html` file. The `index.html`, when accessed by the URL you define, opens a window that displays like the one seen in Figure 3-3 on page 3-10.
/ui/	Provides the root directory containing files and subdirectories that are key to customizing WebVoyáge. Copy the base `en_US` directory (and subdirectories) located in `/ui/` as many times as needed to the `/ui/` directory to create alternative skins to do the following: • Make alternate language interfaces. • Make alternate configurations for different devices. • Make alternate configurations for different libraries (all pointing to the same database). • Make test configurations. ⚠ **CAUTION:** *Do not modify the exl_default skin located in the /ui/ directory.*

DRAFT

Table 3-1. WebVoyáge Directory Structure

Directory/Files	Description

/ui/en_US/	Provides the default files and subdirectories used to localize skins. Each subdirectory provides skin settings for functional, language, and appearance changes.
	
	NOTE:
	The default skin en_US is identified in the `web.xml` file. Substitute your skin (directory name) to establish a new default. Alternatively, you may access your modified skin settings by entering the name as part of a URL using the pattern of the following examples where `en_US_ABC` is your customized skin directory name:
	
	`http://voyqa.gaboon:19000/vwebv/search-Basic?sk=en_US_ABC`
	
	`http://voyqa.gaboon:19000/vwebv/searchAdvanced?sk=en_US_ABC`
	
	`http://voyqa.gaboon:19000/vwebv/search-AuthorBasic?sk=en_US_ABC`
	
	When entered from the URL in your browser, the customized skin remains active until you end your WebVoyáge session.

/ui/en_US/internal.properties	Used by Ex Libris development and support staff only.
/ui/en_US/webvoyage.properties	Provides configuration options for several display characteristics and system behaviors such as which page to return to when one logs out. **TIP:** *Refer to file comments for configuration assistance.*
/ui/en_US/mapsearch.properties	Provides configuration options for setting up Geospatial map search. **TIP:** *Refer to file comments for configuration assistance.*

DRAFT

Table 3-1. WebVoyáge Directory Structure

Directory/Files	Description
/ui/en_US/css	Provides cascading style sheets that control the appearance of elements on each page in vwebv to include color settings.
/ui/en_US/css/print	Provides style sheets used for printing records.
/ui/en_US/images	Provides storage for logos, icons, and images such as the ones used on tabs and buttons.
/ui/en_US/images/bibFormat	Provides images used as record format icons.
/ui/en_US/jscripts	Provides Java scripts used by WebVoyáge.
/ui/en_US/xsl	Provides XSL stylesheets for transforming XML data from the server into specific page layout with headers, footers, and so on.
/ui/en_US/xsl/common	Provides XSL stylesheets for managing constants used in the interface.
/ui/en_US/xsl/contentLayout	Provides working XSL for page displays.
/ui/en_US/xsl/contentLayout/configs	Provides XML files for configuring MARC, bibliographic, holdings, and item displays.
/ui/en_US/xsl/contentLayout/configs/export	Provides XML files for configuring MARC, bibliographic, holdings, and item export formats.
/ui/en_US/xsl/contentLayout/configs/print	Provides XML files for configuring MARC, bibliographic, holdings, and item printing.
/ui/en_US/xsl/contentLayout/display	Provides XSL templates for MARC display, export, and print functionality
/ui/en_US/xsl/exportFormats	Provides XSL files that drive the actual export format output.
/ui/en_US/xsl/pageFacets	Provides XSL files with templates for common page elements such as headers, footers, and so on.
/ui/en_US/xsl/PageTools	Provides XSL files with templates used on pages to help create a button, create an image URL, and so forth.
/ui/en_US/xsl/printFormats	Provides XSL files that drive actual print format output.
/ui/en_US/xsl/userTextConfigs	Provides XML files that contain assisting message text for page displays and that contain options for limits configuration.
/ui/en_US/htdocs/help	Provides the .html help files.

DRAFT

For Table 3-2, all the directories/files identified are preceded by `/m1/voyager/2007.0.1/xxxdb/tomcat/vwebv/context/vwebv/ui/en_US/` where xxxdb is your database name. The directories/files described in Table 3-2 are all a subset of the default skin directory.

NOTE:
You can create your own customized skin for use in addition to the default `/en_US/` by copying `/en_US/` and all its subdirectories/files and giving it a unique name such as `/en_USxxx/` where xxx is the name that you append for skins in U.S. English. For example, `/en_US_ABCUniv/`. This name becomes a part of the URL for accesing the skin as in `http://xxx.xxx.xxx.xxx:19024/vwebv/searchBasic?sk=en_US_ABCUniv` to access the **Basic** search tab.

Table 3-2. Other Customization Files

Directory/Files	Description
/css/frameWork.css	Sets basic fonts and colors.
/xsl/contentLayout/configs/104X_config.xml	Provides 104X “NISO” or “Standard” display settings.
/xsl/contentLayout/configs/displayHoldings.xml	Provides record display holdings/items MARC tag configuration settings.
/xsl/contentLayout/configs/displaycfg.xml	Provides record display bibliographic MARC tags configuration settings.
/xsl/contentLayout/configs/emailcfg.xml	Provides record email bibliographic MARC tags configuration settings.
/xsl/contentLayout/configs/export	Stores export format files.
/xsl/contentLayout/configs/export/endNoteCitationConfig.xml	Provides record export bibliographic MARC tags configuration format.
/xsl/contentLayout/configs/print	Provides XML files containing print formats.
/xsl/contentLayout/configs/print/briefRecordConfig.xml	Provides XML formatting for printing bibliographic MARC record tags in the brief record configuration.
/xsl/contentLayout/configs/print/fullRecordConfig.xml	Provides XML formatting for printing bibliographic MARC record tags in the full record configuration.
/xsl/emailBody.xsl	Provides settings for email footer information.
/xsl/printFormats/printCommon.xsl	Provides formatting for footer data on printouts.
/xsl/userTextConfigs/pageProperties.xml	Provides XML options for search tips, instructions, Geospatial setup, and other messages.

DRAFT

Table 3-2. Other Customization Files

Directory/Files	Description
/xsl/userTextConfigs/limits.xml	Provides limits settings (in order) for advanced search.

Customization Example - Text

This section is designed to illustrate examples where you can customize text in the WebVoyáge user interface.

Footer - "Your Library Name Here"

The out-of-the-box version of WebVoyáge provides a place in the footer of the user interface where you can tailor it to display your institution's name. See Figure 3-1.

Figure 3-1. Your Library Name Here example

Use Procedure 3-1, Customize Footer Text to customize the footer text in WebVoyáge for your institution.

Procedure 3-1. Customize Footer Text

Use the following steps to customize the footer text.

1. Locate the `webvoyage.properties` file stored in `/m1/voyager/2007.0.1/xxxdb/tomcat/vwebv/context/vwebv/ui/en_US/` where `xxxdb` is your database name.

2. Open `webvoyage.properties` in your editor of choice and search for *Your Library Name Here*.

DRAFT

NOTE:
Remember to make copies of the original files before making changes. See Before You Begin (Best Practices) on page 3-1 for additional information.

3. Replace *Your Library Name Here* with your university's name or other footer text you prefer. See Figure 3-2.

Figure 3-2. Customized footer name

4. Save your updated `webvoyage.properties` file in `/m1/voyager/2007.0.1/xxxdb/tomcat/vwebv/context/vwebv/ui/en_US/`.

Index.html Text Change

This section describes how you can make some textual changes to customize the default `index.html` file for your institution. It is located in `/m1/voyager/2007.0.1/xxxdb/tomcat/vwebv/context/vwebv/htdocs/` where `xxxdb` is your database name.

In its original form, the default `index.html` opens as seen in Figure 3-3.

DRAFT



Figure 3-3. Default window

As an example, this section highlights code changes to produce the result as seen in Figure 3-4.

DRAFT



Figure 3-4. Example of textual changes to index.html

For comparison purposes, refer to the lines of code in Figure 3-5 that illustrates the original `index.html` and Figure 3-6 that illustrates the changes.

Specifically, the following lines changed:

- Line 1 was removed from the original file and replaced with lines 1 and 2 as seen in Figure 3-6.

  To achieve different font characteristics, heading 1 (h1) and heading 2 (h2) styles were used in place of the default paragraph (p) style.

- Line 8 text was changed from “Read help for WebVoyáge“ to “How to use the Library Catalog (HELP).”

  Notice that in line 8 there is also a reference to the help file such as `/vwebv/ui/en_US/htdocs/help/index.html`.

TIP:
Update the file referenced in line 8 to provide your library-specific help information like library policies, hours of operation and so forth or create a separate file that you point to (enter) in line 8.

DRAFT

```
Line#
1   <p>More choices:</p>
2   <ul>
3                   <li><a href="/vwebv/searchBasic?sk=en_US">Basic search</a></li>
4               <li><a href="/vwebv/searchAdvanced?sk=en_US">Advanced search</
            a></li>
5               <li><a href="/vwebv/enterCourseReserve.do?sk=en_US">Course
            reserve materials</a></li>
6               <li><a href="/vwebv/login?sk=en_US">Log in to use your saved
            preferences</a></li>
7               <li><a href="/vwebv/myAccount?sk=en_US">Review your account</
            a></li>
8               <li><a href="/vwebv/ui/en_US/htdocs/help/index.html">Read help
            for WebVoyÃ¡ge</a></li>
9               <!-- the following links must be customized locally -->
10              <li><a href="#">Return to the main library website.</a></li>
11              <li><a href="#">Return to the campus website</a></li>
12  </ul>
```

Figure 3-5. Default index.html file

```
Line#
1   <h1>ABC University - Library Catalog</h1>
2   <h2>Make Your Selection From The Following Choices:</h2>
3   <ul>
4               <li><a href="/vwebv/searchBasic?sk=en_US">Basic search</a></li>
5               <li><a href="/vwebv/searchAdvanced?sk=en_US">Advanced search</
            a></li>
6               <li><a href="/vwebv/enterCourseReserve.do?sk=en_US">Course
            reserve materials</a></li>
7               <li><a href="/vwebv/login?sk=en_US">Log in to use your saved
            preferences</a></li>
8               <li><a href="/vwebv/myAccount?sk=en_US">Review your account</
            a></li>
```

Figure 3-6. Default index.html file modified

DRAFT

```
Line#
 9              <li><a href="/vwebv/ui/en_US/htdocs/help/index.html">How to use
               the Library Catalog (HELP)</a></li>
10
               <!-- the following links must be customized locally -->
11
               <li><a href="#">Return to the main library website.</a></li>
12
               <li><a href="#">Return to the campus website</a></li>
13         </ul>
```

Figure 3-6. Default index.html file modified (Continued)

Customization Example - Search

There are several optons for customizing search within WebVoyáge. This section is intended to highlight some of those options.

As you build your skills with customizing WebVoyáge, learn to take full advantage of the commenting done within the files of code that describe the options.

Quick Search

You may customize the quick search bar (see Figure 3-7) to default to the search index of your choice.

Figure 3-7. Quick search bar

By default, the quick search bar uses the GKEY index. You may change this default in the `webvoyage.properties` file to another search index. See Table 3-3 for other options.

Table 3-3. Search index options

Index	Description
GKEY	Keyword anywhere (default).
TKEY	Title.
SKEY	Subject.

DRAFT

Table 3-3. Search index options

Index	Description
NKEY	Author name.

NOTE:
There are other modifiers you can add after the index search code (see line 7 of Figure 3-8). Refer to Table 3-4 for a description of these modifiers.

Table 3-4. Search Code Modifiers

Modifier	Description
+	Indicates browse search type.
*	Indicates relevance search type.
^	Indicates to insert an AND operator between the strings in a search.
|	Indicates to insert an OR operator between the strings in a search.

See Procedure 3-2, Change Quick Search Bar Search Index Default for the steps to change the default.

Procedure 3-2. Change Quick Search Bar Search Index Default

Use the following steps to change the default search index for the quick search bar.

1. Open the `webvoyage.properties` file in `/m1/voyager/2007.0.1/xxxdb/tomcat/vwebv/context/vwebv/ui/en_US/` and locate `page.search.quick.search.code=GKEY` (see Figure 3-8, line 7).

```
Line#
  1  ##############################################################################
  2  #
  3  #   Quick Search
  4  #
  5  ##############################################################################
```

Figure 3-8. Quick search customization example

DRAFT

```
Line#
  6   page.searchQuick.argument.label=New Search :
  7   page.search.quick.search.code=GKEY^*
  8   page.searchQuick.go.button=Go
  9   page.searchQuick.go.button.message=Submit search the library
 10   page.searchQuick.searchHistory.linkText=Search History
 11   page.searchQuick.searchHistory.link.pretext=
 12   page.searchQuick.searchHistory.link.posttext=
 13   ##############################################################################
```

Figure 3-8. Quick search customization example (Continued)

2. Replace GKEY with the index you prefer. See the sample list in Figure 3-3.

   NOTE:
   The search code must be one of the codes listed on either the Search Definitions, Composite Definitions, or Keyword Searches dialogs in the Voyager System Administration module.

3. Save your changes.

Search Pages

There are several search pages such as Basic, Advanced, Subject, and so on and there are many options for customizing these searches. The comments within the properties file helps guide you through many customization alternatives. Some changes can be as simple as adding or removing comment indicators to the line(s) of code. See Procedure 3-3, Changing the Dropdown List of Search Types for Basic Search.

Procedure 3-3. Changing the Dropdown List of Search Types for Basic Search

Use the following steps to change the dropdown list of search types for Basic search.

DRAFT

1. Open the `webvoyage.properties` file in `/m1/voyager/2007.0.1/xxxdb/tomcat/vwebv/context/vwebv/ui/en_US/` and locate the Basic Search section. See Figure 3-9.

```
Line#
1   ##############################################################################
2   #
3   #   Search Basic
4   #
5   ##############################################################################
6   page.search.basic.title=WebVoyáge Basic Search
7   page.search.basic.heading=Basic Search
8   #
9   # The Search Code must be one of the codes listed on either the Search
10  # Definitions, Composite Definitions, or Keyword Searches dialogs (in the
            Voyager
11  # System Administration module). In addition to the search codes on those
            dialogs,
12  # you may use the codes FT (Full-Text Keyword Search) and CMD or BT (Command
            Search.)
13  #
14  # To modify search codes, you may use the following:
15  #
16  # ? Enter a plus (+) sign after the Search Code. This will turn that particular
17  # search into a Browse search. For example, entering AUTH+ would specify
18  # an Author Browse search type.
19  #
20  # ? Enter an asterisk (*) after the Search Code. This will cause that search to
21  # be performed with Relevance. For example, entering CMD* will indicate a
22  # Command Search with Relevance search type.
23  #
24  # ? Enter a caret (^) after an index code (such as GKEY, SKEY, TKEY, JKEY,
25  # etc.) to insert an AND operator between the strings in a search. An asterisk
26  # may be placed after this symbol to add relevance to the search.
27  #
```

Figure 3-9. Basic Search section of the webvoyage.properties file

DRAFT

```
Line#
28  # ? Enter a pipe (|) after an index code (such as GKEY, SKEY, TKEY, JKEY,
29  # etc.) to insert an OR operator between the strings in a search. An asterisk
30  # may be placed after this symbol to add relevance to the search.
31
32  #====================================
33  # Basic search codes
34  #====================================
35  page.search.basic.search.code.selected=GKEY|*
36  page.search.basic.search.code.keyAnyAndWith=
37  page.search.basic.search.code.keyAnyAndWith.code=GKEY^*
38  page.search.basic.search.code.keyAnyAndWith.order=1
39  page.search.basic.search.code.keyAnyAndWith.display=All Fields
40  #page.search.basic.search.code.keyAnyOrWith=
41  #page.search.basic.search.code.keyAnyOrWith.code=GKEY|*
42  #page.search.basic.search.code.keyAnyOrWith.order=2
43  #page.search.basic.search.code.keyAnyOrWith.display=Keyword Anywhere OR with
              Relevance
44  page.search.basic.search.code.titleKeyAnd=
45  page.search.basic.search.code.titleKeyAnd.code=TKEY^
46  page.search.basic.search.code.titleKeyAnd.order=3
47  page.search.basic.search.code.titleKeyAnd.display=Title
48  page.search.basic.search.code.subjectKeyAnd=
49  page.search.basic.search.code.subjectKeyAnd.code=SKEY^
50  page.search.basic.search.code.subjectKeyAnd.order=4
51  page.search.basic.search.code.subjectKeyAnd.display=Subject
52  page.search.basic.search.code.journalTitleKeyAnd=
53  page.search.basic.search.code.journalTitleKeyAnd.code=JKEY^
54  page.search.basic.search.code.journalTitleKeyAnd.order=5
55  page.search.basic.search.code.journalTitleKeyAnd.display=Journal Title
56  #page.search.basic.search.code.keyRelSearch=
57  #page.search.basic.search.code.keyRelSearch.code=FT*
58  #page.search.basic.search.code.keyRelSearch.order=6
```

Figure 3-9. Basic Search section of the webvoyage.properties file (Continued)

DRAFT

```
Line#
59  #page.search.basic.search.code.keyRelSearch.display=Keyword Relevance Search
60  page.search.basic.search.code.authorKey=
61  page.search.basic.search.code.authorKey.code=NKEY*
62  page.search.basic.search.code.authorKey.order=7
63  page.search.basic.search.code.authorKey.display=Author
64  #page.search.basic.search.code.leftAnchorTitle=
65  #page.search.basic.search.code.leftAnchorTitle.code=TALL
66  #page.search.basic.search.code.leftAnchorTitle.order=8
67  #page.search.basic.search.code.leftAnchorTitle.display=Left Anchored Title
68  page.search.basic.search.code.callNumberBrowse=
69  page.search.basic.search.code.callNumberBrowse.code=CALL+
70  page.search.basic.search.code.callNumberBrowse.order=9
71  page.search.basic.search.code.callNumberBrowse.display=Call Number
72  #page.search.basic.search.code.subjectBrowse=
73  #page.search.basic.search.code.subjectBrowse.code=SUBJ+
74  #page.search.basic.search.code.subjectBrowse.order=10
75  #page.search.basic.search.code.subjectBrowse.display=Subject Browse
76  #page.search.basic.search.code.commSearchWithRel=
77  #page.search.basic.search.code.commSearchWithRel.code=CMD*
78  #page.search.basic.search.code.commSearchWithRel.order=11
79  #page.search.basic.search.code.commSearchWithRel.display=Command Search with
                Relevance
80  #page.search.basic.search.code.dateSearch=
81  #page.search.basic.search.code.dateSearch.code=008D
82  #page.search.basic.search.code.dateSearch.order=12
83  #page.search.basic.search.code.dateSearch.display=Date Search (Left Anchored)
84  #page.search.basic.search.code.nameTitleBrowse=
85  #page.search.basic.search.code.nameTitleBrowse.code=AUTH+
86  #page.search.basic.search.code.nameTitleBrowse.order=13
87  #page.search.basic.search.code.nameTitleBrowse.display=Name Title Browse
88  #page.search.basic.search.code.fullTextKeySearch=
89  #page.search.basic.search.code.fullTextKeySearch.code=FT
```

DRAFT

Figure 3-9. Basic Search section of the webvoyage.properties file (Continued)

```
Line#
 90  #page.search.basic.search.code.fullTextKeySearch.order=14
 91  #page.search.basic.search.code.fullTextKeySearch.display=Full Text Keyword
             Search
 92  #page.search.basic.search.code.commandSearch=
 93  #page.search.basic.search.code.commandSearch.code=CMD
 94  #page.search.basic.search.code.commandSearch.order=14
 95  #page.search.basic.search.code.commandSearch.display=Command Search
 96  #page.search.basic.search.code.subjectHeadingsKeyword=
 97  #page.search.basic.search.code.subjectHeadingsKeyword.code=SUBJ@
 98  #page.search.basic.search.code.subjectHeadingsKeyword.order=15
 99  #page.search.basic.search.code.subjectHeadingsKeyword.display=Subject Headings
             Keyword
```

Figure 3-9. Basic Search section of the webvoyage.properties file (Continued)

2. Identify the lines of code associated with the dropdown list items you want to add or remove from the list (see lines 35 through 99 in Figure 3-9).

3. Place the # symbol (comment indicator), for example, in the first position of lines you 68 through 71 of the code shown in Figure 3-9 to remove the Call Number option from the search types dropdown list for Basic search.

4. Repeat this process of adding or removing the # symbol to the lines of code you want to affect.

5. Save your changes.

Geospatial

Geospatial Search is a search feature that you optionally set when you install WebVoyáge.

NOTE:
This feature is only available if your institution has purchased the Geospatial Searching tools.

See Procedure 3-4, Geospatial Search Setup for the steps to provide access to Geospatial Search.

DRAFT

Procedure 3-4. Geospatial Search Setup

Use the following steps to setup Geospatial Search.

1. Open the `webvoyage.properties` file in `/m1/voyager/2007.0.1/xxxdb/tomcat/vwebv/context/vwebv/ui/en_US/` and locate `option.geospatialSearch=`.

2. Set this option to ***Y*** to have WebVoyáge display a Geospatial Search tab. See Figure 3-10 for a display example.



Figure 3-10. Geospatial Search tab

3. Save the updated `webvoyage.properties` file.

4. Open the `pageProperties.xml` file in `/m1/voyager/2007.0.1/xxxdb/tomcat/vwebv/context/vwebv/ui/en_US/xsl/userTextConfigs/` and locate `<!-- enable these lines if site has geospatial searching`.

   See Figure 3-11.

```
Line#
1    <!-- ## Search Tab Display Order ## -->
2    <searchTabDisplayOrder>
3       <tab name="page.search.buttons.basic.button"/>
4       <tab name="page.search.buttons.advanced.button"/>
5       <tab name="page.search.buttons.subjectHeading.button"/>
6       <tab name="page.search.buttons.author.button"/>
7       <tab name="page.search.buttons.courseReserve.button"/>
8       <!-- enable these lines if site has geospatial searching
9       <tab name="page.search.buttons.geospatial.button"/>
10      <tab name="page.search.geospatial.button"/>
11      -->
12   </searchTabDisplayOrder>
13
14   <!-- ## GeoSearch Tab Display Order ## -->
15   <geosearchTabDisplayOrder>
16      <tab name="map.search.buttons.rectangleSearch.button"/>
17      <tab name="map.search.buttons.polygonSearch.button"/>
18      <tab name="map.search.buttons.pointRadiusSearch.button"/>
19      <tab name="map.search.buttons.corridorSearch.button"/>
20      <tab name="map.search.buttons.rangeSearch.button"/>
21   </geosearchTabDisplayOrder>
```

Figure 3-11. Enable Geospatial Search in the pageProperties.xml file

5. Remove the comment lines to enable Geospatial Search.

   In Figure 3-11, the comment lines are lines 8 and 11.

6. Save your changes.

DRAFT

Customization Example - Logos and Color (Basic)

This section describes basic logo and color change customization information for WebVoyáge.

Logo Example

See Procedure 3-5, Customizing the Logo Display for steps regarding how to customize the logo that displays.

Procedure 3-5. Customizing the Logo Display

Use the following steps to customize the logo display.

1. Open the `webvoyage.properties` file in `/m1/voyager/2007.0.1/xxxdb/tomcat/vwebv/context/vwebv/ui/en_US/` and locate the Header section. See Figure 3-12 for an example.

Line#

```
1
2   ##############################################################################
3   #
4   #   Header
5   #
6   ##############################################################################
7   page.header.login.linkText=Log in
8   page.header.login.link.pretext=
9   page.header.login.link.posttext= to your account
10  page.header.logout.linkText=Logout
11  # the username from the patron record will be inserted as the first pretext
              element
```

Figure 3-12. Header section of webvoyage.properties file

DRAFT

```
Line#
 12  page.header.logout.link.pretext= is logged in
 13  page.header.logout.link.posttext=
 14  page.header.logo.image=ui/en_US/images/webVoyageLogo.jpg
 15  page.header.logo.link=exit.do
 16  page.header.logo.linkText=WebVoyáge
```

Figure 3-12. Header section of webvoyage.properties file (Continued)

2. Locate the line of code that specifies the name of the logo image. See line 14 in Figure 3-12.

3. Edit this line of code to specify the name of your logo image file.

NOTE:
Your custom logo needs to be stored in the `/images/` subdirectory of the skin path. The full path is `/m1/voyager/2007.0.1/xxxdb/tomcat/vwebv/context/vwebv/ui/en_US/images/`.

OPTIONAL:

4. *Edit the skin name if you are using a custom skin. For example, line 14 of Figure 3-12 may be edited as follows:*

```
page.header.logo.image=ui/en_US_ABCUniv/images/ABCUnivLogo.jpg
```

5. Save your changes.

Color

Considerable thought was given to the color choices for the Voyager 7.0 WebVoyáge user interface to also include how it works as a single design component of the overall appearance/display of the WebVoyáge user interface.

There are a large number of display components that have color associated with them. As described in Table 3-2 on page 3-7, the frameWork.css file provides many of the settings for colors and fonts.

As part of a Basic User's Guide, the intent of this section is to provide some general information regarding color.

DRAFT

For example when you change text, using heading styles changes the appearance. See Figure 3-4 on page 3-11.

As you customize menu lists such as the one in Figure 3-13, you will want to keep a consistent appearance.



Figure 3-13. Menu list example

When you make your changes, you can follow the existing pattern for these lines of code.

Notice also in Figure 3-13, that separate color settings have been standardized for used and unused links.

For more information about color settings, refer to the *Voyager 7.0 WebVoyáge Recipe User's Guide*.

DRAFT

WebVoyáge.properties File

A

WebVoyáge.properties File

See Figure A-1 for a sample of the `webvoyage.properties` file.

```
Line#
  1
  2  #(c)#=================================================================
  3  #(c)#
  4  #(c)#       Copyright 2007-2007 Ex Libris Group
  5  #(c)#                          All Rights Reserved
  6  #(c)#
  7  #(c)#=================================================================
  8
  9  ##############################################################################
 10  #
 11  # Custom Property File
 12  # ====================
```

Figure A-1. Webvoyage.properties file

DRAFT

```
Line#
13  # This file contains customizable properties, which will control displayed
14  # text and behavior.
15  #
16  # The properties are name/value pairs.
17  #
18  # The name is unique and it is all characters delimited by dot (".").
19  # Each section is a part of the property hierarchy similar to the ini
20  # file, but the ini file describes the hierarchy in many text blocks instead of
21  # combining them on a single line.
22  #
23  # This file is organized in sections.
24  # Options
25  #     These properties will control system behavior.
26  # Connections
27  #      These properties customize database connections
28  # Page Customizations
29  #     These properties will customize individual pages.
30  # Page Header
31  # Page Footer
32  # Quick Search Bar
33  # Log In
34  # Searching attributes
35  # Search Pages
36  #  Basic
37  #  Advanced
38  #  Subject
39  #  Author
40  #  Course Reserve
41  #  Geospatial
42  # Search Results pages
43  #  common results elements
```

DRAFT

Figure A-1. Webvoyage.properties file (Continued)

```
Line#
44  #    jump bar
45  #    save selected messages
46  #  Search Status
47  # Search History
48  # Select Database
49  # My Account Pages
50  #  My Account
51  #  Edit preferences
52  #  Personal info
53  #  Change Pin
54  # My Searches pages
55  # My List Pages
56
57
58  ##############################################################################
59
60
61  ##############################################################################
62  #
63  # Options
64  # ========
65  # This section contains options that may be set to configure the behavior
66  # of the WebVoyage system.
67  ##############################################################################
68
69  #==============================
70  # Which page should the system return to on logout?
71  #==============================
72  option.startPage=searchBasic
73
74  #==============================
```

DRAFT

Figure A-1. Webvoyage.properties file (Continued)

```
Line#
 75  # What page or URL should the system go to in response to the exit.do action?
 76  # This can be a WebVoyage page, such as searchBasic, or an external URL
 77  #==============================
 78  option.exitURL=index.html
 79
 80  #==============================
 81  # Should WebVoyage display a quick search page element?
 82  # If Y, WebVoyage displays a quick search page element
 83  # If N, WebVoyage doesn't display a quick search page element
 84  #==============================
 85  option.useQuickSearch=Y
 86
 87  #==============================
 88  # Should WebVoyage display a geospatial search tab,
 89  # and are geospatial indexes permitted in advanced search?
 90  # If Y, WebVoyage permits geospatial searches
 91  # If N, WebVoyage doesn't permit geospatial searches
 92  # NOTE: Geospatial Searching is an add-on product that must be enabled in the
             database.
 93  #==============================
 94  option.geospatialSearch=N
 95
 96  #==============================
 97  # Should WebVoyage users enter a PIN when logging in?
 98  # If Y, supply a default PIN for patrons that do not yet have PINs in their
             records.
 99  #==============================
100  option.usePIN=N
101  option.defaultPIN=
102
103  #==============================
104  # Should WebVoyage users be presented with the "brief" logon form when logging
             in?
105  # If Y, WebVoyage displays the brief logon form
```

DRAFT

Figure A-1. Webvoyage.properties file (Continued)

```
Line#
106  # If N, WebVoyage displays the standard logon form
107  #==============================
108  option.useBriefLogon=N
109
110  #==============================
111  # Should WebVoyage users use an external authentication system when logging in?
112  # If Y, WebVoyage uses the external authentication system as configured below
113  # If N, WebVoyage displays the native logon form
114  #==============================
115  option.extAuthSystemEnabled=Y
116
117  #========================================
118  # URL to the external authentication system
119  #========================================
120  option.extAuthSystemURL=http://10.100.2.36:19008/cgi-bin/Pextauth.cgi
121
122  #========================================
123  # Should WebVoyage bypass the logon form if using an external authentication
                system?
124  #========================================
125  option.extAuthBypassLoginScreen=N
126
127  #========================================
128  # Option to display the "Save Search" link
129  #========================================
130  option.saveSearch=Y
131
132  #========================================
133  # Option to display the "Save Search as Alert" link
134  #NOTE: "Save Search" functionality must be enabled for "Save Search as Alert" to
                work.
135  #========================================
136  option.SDI=N
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
137
138  #========================================
139  # Option to enable "MyList" functionality
140  #========================================
141  option.saveRecords=Y
142
143  #========================================
144  # Option to enable loading related records for a bib id on holdings page
145  # when the related record is available for the bib ID
146  #========================================
147  option.loadRelatedRecords=Y
148
149  #========================================
150  # Option to display paired bib records (880 tags) on holdings page
151  #========================================
152  option.link880s=N
153
154  #========================================
155  # Option to display request groups on hold and recall request forms
156  #========================================
157  option.displayRequestGroups=Y
158
159  #============================
160  # Date time conversion format -- the format must be Java program recognizable
161  # The month is MM, the minute is mm
162  #============================
163  date.format.short=MM-dd-yyyy
164  date.format.long=MM-dd-yyyy hh:mm:ss
165  time.format=HH:mm:ss
166  #============================
167  # Money conversion format -- the scale is the number of digits after the decimal
                point
```

DRAFT

Figure A-1. Webvoyage.properties file (Continued)

```
Line#
168  #==============================
169  money.format.scale=2
170
171  #==============================
172  # Timeout configuration.
173  #==============================
174  # How many minutes before an idle WebVoyage session times out?
175  # Must be less than Tomcat's session timeout, defined in web.xml.
176  timeout.time=4
177  # How many minutes before timeout should the user be warned? Should be less than
                the timeout.time value.
178  timeout.grace=2
179  # Where do we go when a session times out?
180  timeout.page=exit.do
181
182  ##############################################################################
183  #
184  # Connections
185  # ========
186  # This section contains customizations for remote database connections.
187  ##############################################################################
188  ##############################################################################
189  #
190  #To create one or more groups of remote database connections, do the following:
191  #1. Create an empty numbered group variable.
192  #2. Provide a name for the group.
193  #3. Add the database code (from Sysadmin) of a database to be included in the
                group.
194  #NOTE: the database code must be included in the variable name, on the left side
                of the equals sign, as well as the right.
195  #4. Add the database name that will display in WebVoyage.
196  #5. Add the config properties file name that will control how record details from
                this database are displayed.
197  #     Voyager bibliographic databases (vbib)
```

DRAFT

Figure A-1. Webvoyage.properties file (Continued)

```
Line#
198  #     Voyager citation databases (vcit)
199  #      Z39.50 bibliographic databases (zbib)
200  #      Z39.50 citation databases j(zcit)
201  #6. Specify the order in which the database appears within the group.
202  #7. Repeat steps 3 - 6 for each database that belongs to the group.
203  #
204  #Example:
205  #connect.db.group1=
206  #connect.db.group1.name=Academic Libraries
207  #connect.db.group1.VOY.dbCode=VOY
208  #connect.db.group1.VOY.name=Voyager University
209  #connect.db.group1.VOY.config=holdingsInfo.vbib.properties
210  #connect.db.group1.VOY.order=1
211  #connect.db.group1.APH.dbCode=APH
212  #connect.db.group1.APH.name=Aleph University
213  #connect.db.group1.APH.config=holdingsInfo.zbib.properties
214  #connect.db.group1.APH.order=2
215  #
216  #=============================================
217  # The following lines are required to give the local database a name
218  # before any other database may be selected.
219  # Note that LOCAL database code "LOCAL" must be in capital letters.
220  #=============================================
221  connect.db.LOCAL.dbCode=LOCAL
222  connect.db.LOCAL.name=My Library Catalog
223  connect.db.LOCAL.config=holdingsInfo.vbib.properties
224  #=======================================
225  # This option controls whether users may set preferred
226  # database connections on their preferences page.
227  #=======================================
228  connect.db.preference=N
```

DRAFT

Figure A-1. Webvoyage.properties file (Continued)

```
Line#
229
230  #connect.db.group1=
231  #connect.db.group1.name=Local Libraries
232  #connect.db.group1.order=1
233  #connect.db.group1.XXX.dbCode=
234  #connect.db.group1.XXX.name=
235  #connect.db.group1.XXX.config=holdingsInfo.vbib.properties
236  #connect.db.group1.XXX.order=1
237  #connect.db.group1.YYY.dbCode=YYY
238  #connect.db.group1.YYY.name=
239  #connect.db.group1.YYY.config=holdingsInfo.vbib.properties
240  #connect.db.group1.YYY.order=3
241  #connect.db.group1.ZZZ.dbCode=ZZZ
242  #connect.db.group1.ZZZ.name=
243  #connect.db.group1.ZZZ.config=holdingsInfo.vbib.properties
244  #connect.db.group1.KZZZ.order=4
245  #connect.db.group1.LOCAL.dbCode=LOCAL
246  #connect.db.group1.LOCAL.name=My Library Catalog
247  #connect.db.group1.LOCAL.config=holdingsInfo.vbib.properties
248  #connect.db.group1.LOCAL.order=1
249  #
250  #connect.db.group2=
251  #connect.db.group2.name=Academic Libraries
252  #connect.db.group2.order=2
253  #connect.db.group2.XYZ.dbCodeXYZ
254  #connect.db.group2.XYZ.name
255  #connect.db.group2.XYZ.config=holdingsInfo.vbib.properties
256  #connect.db.group2.XYZ.order=1
257  #
258  #connect.db.group3=
259  #connect.db.group3.name=Economics Libraries
```

DRAFT

Figure A-1. Webvoyage.properties file (Continued)

```
Line#
260 #connect.db.group3.order=3
261 #connect.db.group3.ECON.dbCode=ECON
262 #connect.db.group3.ECON.name=
263 #connect.db.group3.ECON.config=holdingsInfo.vbib.properties
264 #connect.db.group3.ECON.order=1
265 #connect.db.group3.LOCAL.dbCode=LOCAL
266 #connect.db.group3.LOCAL.name=My Library Catalog
267 #connect.db.group3.LOCAL.config=holdingsInfo.vbib.properties
268 #connect.db.group3.LOCAL.order=2
269 ##############################################################################
270 #
271 #   Header
272 #
273 ##############################################################################
274 page.header.login.linkText=Log in
275 page.header.login.link.pretext=
276 page.header.login.link.posttext= to your account
277 page.header.logout.linkText=Logout
278 # the username from the patron record will be inserted as the first pretext
              element
279 page.header.logout.link.pretext= is logged in
280 page.header.logout.link.posttext=
281 page.header.logo.image=ui/en_US/images/webVoyageLogo.jpg
282 page.header.logo.link=exit.do
283 page.header.logo.linkText=WebVoyáge
284 page.header.buttons.search.button=Search
285 page.header.buttons.search.message=Search the library
286 page.header.buttons.myList.button=My List
287 page.header.buttons.myList.message=My book list
288 page.header.buttons.mySearches.button=My Searches
289 page.header.buttons.mySearches.message=My search list
290 page.header.buttons.myAccount.button=My Account
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
291 page.header.buttons.myAccount.message=My account information
292 page.header.help.linktext=Help
293 page.header.help.link.pretext=
294 page.header.help.link.posttext=
295 ##############################################################################
296 #
297 #   Footer
298 #
299 ##############################################################################
300 page.footer.buttons.help.message=Help on searching the library catalog
301 page.footer.buttons.search.button=Search
302 page.footer.buttons.search.message=Search the library
303 page.footer.buttons.myList.button=My List
304 page.footer.buttons.myList.message=My book list
305 page.footer.buttons.mySearches.button=My Searches
306 page.footer.buttons.mySearches.message=My search list
307 page.footer.buttons.myAccount.button=My Account
308 page.footer.buttons.myAccount.message=My account information
309 page.footer.buttons.help.button=Help
310 page.footer.library.linktext=Your Library Name Here
311 page.footer.library.link=http://your.librarylink.here
312 page.footer.copyright.message=©2007 Ex Libris Group. All rights reserved.
313 ##############################################################################
314 #
315 #   Quick Search
316 #
317 ##############################################################################
318 page.searchQuick.argument.label=New Search :
319 page.search.quick.search.code=GKEY^*
320 page.searchQuick.go.button=Go
321 page.searchQuick.go.button.message=Submit search the library
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
322 page.searchQuick.searchHistory.linkText=Search History
323 page.searchQuick.searchHistory.link.pretext=
324 page.searchQuick.searchHistory.link.posttext=
325 ################################################################################
326 #
327 # Login Page
328 #
329 ################################################################################
330 page.logIn.title=WebVoyáge Log In
331 page.logIn.heading=Log In
332 page.logIn.message="You must log in to access this feature"
333 page.logIn.logIn.button=Log in
334 page.logIn.logIn.button.message=Log in to access library feature
335 page.logIn.cancel.button=Cancel
336 page.logIn.cancel.button.message=Cancel log in
337 #============================
338 # At least one loginType must be defined, the others are optional and
339 # may be commented out.
340 #============================
341 page.logIn.loginType.barcode=Barcode
342 page.logIn.loginType.instId=Institution Id
343 page.logIn.loginType.ssn=Social Security Number
344 page.logIn.lastName=Last Name:
345 page.logIn.logIn.label=Log in
346 page.logIn.homeLibrary.label=Home Library
347 page.logIn.defaultCluster=
348 page.logIn.briefId.label=ID Number
349 #============================
350 # use of the PIN is optional, this line will have no effect if option.usePIN=N
351 #============================
352 page.logIn.pin=Personal Identification Number
```

DRAFT

Figure A-1. Webvoyage.properties file (Continued)

```
Line#
353  #============================
354  # use of the external authentication link is optional,
355  # this line will have no effect if option.extAuthSystemEnabled=N
356  #============================
357  page.logIn.extAuth.linkText=Go to External Patron Login System
358
359  ##########################################################################
             #######
360  #
361  # Number of record display per page
362  #
363  ##########################################################################
             #######
364  page.record.display.label=Records per page:
365  page.record.display.record.10=10 records per page
366  page.record.display.record.20=20 records per page
367  page.record.display.record.25=25 records per page
368  page.record.display.record.50=50 records per page
369  page.record.display.record.10=
370  page.record.display.record.10.name=10 records per page
371  page.record.display.record.10.order=1
372  page.record.display.record.20=
373  page.record.display.record.20.name=20 records per page
374  page.record.display.record.20.order=2
375  page.record.display.record.25=
376  page.record.display.record.25.name=25 records per page
377  page.record.display.record.25.order=3
378  page.record.display.record.50=
379  page.record.display.record.50.name=50 records per page
380  page.record.display.record.50.order=4
381  # default value
382  page.record.display.record=10
383
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
384
385  #============================================================================
386  # The following properties configure the "No Hits Redirect" feature when
387  # redirectEnabled=Y. The specified database code (dbCode) must be unique and
388  # defined in System Administration for this feature to work.  If enabled, this
           feature
389  # will create an extra search button, whose text is defined below, when a search
           returns no hits.
390  # When a user clicks this button, it will connect to the desired database
391  # and search that database.  The original connection to the current database will
           be dropped.
392  #============================================================================
393  page.search.redirectEnabled=N
394  page.search.reSearch.button=Search Another Database
395  page.search.reSearch.message=Search Another Database
396  page.search.reSearch.database.dbCode=CODE
397
398  ##############################################################################
           #######
399  #
400  # Search Index Definitions
401  #    Search Index definitions are used on the Advanced search page. This section
402  #    allows the name of the index to be changed from what is defined in Sysadmin.
403  #    The order of these entries is controlled by the database.
404  #
405  ##############################################################################
           #######
406  search.index.GKEY=
407  search.index.GKEY.display=Keyword Anywhere
408  search.index.TKEY=
409  search.index.TKEY.display=Title
410  search.index.SKEY=
411  search.index.SKEY.display=Subject
412  search.index.NKEY=
413  search.index.NKEY.display=Author Name
```

DRAFT

Figure A-1. Webvoyage.properties file (Continued)

```
Line#
414  search.index.100A=
415  search.index.100A.display=Personal Name
416  search.index.260B=
417  search.index.260B.display=Publisher: Name
418  search.index.NAUT=
419  search.index.NAUT.display=Name/Uniform Title
420  search.index.260C=
421  search.index.260C.display=Publisher: Date
422  search.index.ISSN=
423  search.index.ISSN.display=ISSN
424  search.index.DEWD=
425  search.index.DEWD.display=Dewey Call Number
426  search.index.ISBN=
427  search.index.ISBN.display=ISBN
428  search.index.SERI=
429  search.index.SERI.display=Series
430  search.index.AUTI=
431  search.index.AUTI.display=Author/Title
432
433
434  #=====================================================
435  # Heading for holding records on item location, call number, and status
436  #=====================================================
437  search.item.location=Location
438  search.item.callNumber=Call Number
439  search.item.status=Status
440  ##############################################################################
441  #
442  #  Limit To
443  #
444  ##############################################################################
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
445  #============================================
446  # To specify a default quick limit on the Basic Search page, list its name in the
                page.search.limitTo option.
447  # If there is no default quick limit on the Basic Search page, type "none"
448  # NOTE these limits are used in the post search Filter functionality as well.
449  #============================================
450  page.search.limitTo.selected=none
451
452  page.search.limitTo.none=
453  page.search.limitTo.none.limit=none
454  page.search.limitTo.none.text=All Material
455  page.search.limitTo.2006AndAfter=
456  page.search.limitTo.2006AndAfter.limit=Date=2006-
457  page.search.limitTo.2006AndAfter.text=2006 And After
458  page.search.limitTo.English=
459  page.search.limitTo.English.limit=LANG=ENG
460  page.search.limitTo.English.text=English language materials
461  page.search.limitTo.Videos=
462  page.search.limitTo.Videos.limit=MEDI=v
463  page.search.limitTo.Videos.text=Videos
464  ##############################################################################
465  #
466  #  Select location
467  #These variables are used for course reserve searches in multi-cluster
                databases.
468  #
469  ##############################################################################
470  page.search.selectLocation.page.title=WebVoyáge Select Locations
471  page.search.selectLocation.page.heading=Select Locations
472  page.search.selectLocation.page.label=Select Locations:
473  page.search.selectLocation.submit.button=Submit
474  page.search.selectLocation.submit.button.message=Submit location
475  page.search.selectLocation.cancel.button=Cancel
```

DRAFT

Figure A-1. Webvoyage.properties file (Continued)

```
Line#
476 page.search.selectLocation.cancel.button.message=Cancel selection of locations
477 page.search.selectLocation.label=Select Locations:
478 page.search.selectLocation.linkText=Change Location
479 page.search.selectLocation.link.pretext=
480 page.search.selectLocation.link.posttext=
481 page.search.selectLocation.allClusters=All Clusters
482 page.search.selectLocation.allLocations=All Locations
483 page.search.selectLocation.defaultCluster=Default Cluster
484 page.search.selectLocation.defaultLocation=Default Location
485
486
487
488 ##############################################################################
489 #
490 # Search Pages
491 #
492 ##############################################################################
493 page.search.argument.label=Search:
494 page.search.database.label=Database:
495 page.search.buttons.quick.button=Quick
496 page.search.buttons.basic.button=Basic
497 page.search.buttons.basic.message=Basic search
498 page.search.buttons.advanced.button=Advanced
499 page.search.buttons.advanced.message=Advanced search
500 page.search.buttons.subjectHeading.button=Subject
501 page.search.buttons.subjectHeading.message=Search by subject
502 page.search.buttons.author.button=Author
503 page.search.buttons.author.message=Search by author
504 page.search.buttons.courseReserve.button=Course Reserve
505 page.search.buttons.courseReserve.message=Search by course reserve
506 page.search.search.label=Search:
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
507  page.search.change.linkText=Change
508  page.search.change.link.pretext=
509  page.search.change.link.posttext=
510  page.search.within.label=within
511  page.search.limitTo.label=Limit To:
512  page.search.searchHistory.linkText=Search History
513  page.search.searchHistory.link.pretext=
514  page.search.searchHistory.link.posttext=
515  page.search.search.button=Search
516  page.search.search.button.message=Search the library
517  page.search.clear.button=Reset
518  page.search.clear.button.message=Reset dropdown menus
519
520  ##############################################################################
521  #
522  #   Search Basic
523  #
524  ##############################################################################
525  page.search.basic.title=WebVoyage Basic Search
526  page.search.basic.heading=Basic Search
527  #
528  # The Search Code must be one of the codes listed on either the Search
529  # Definitions, Composite Definitions, or Keyword Searches dialogs (in the
                Voyager
530  # System Administration module). In addition to the search codes on those
                dialogs,
531  # you may use the codes FT (Full-Text Keyword Search) and CMD or BT (Command
                Search.)
532  #
533  # To modify search codes, you may use the following:
534  #
535  # ? Enter a plus (+) sign after the Search Code. This will turn that particular
536  # search into a Browse search. For example, entering AUTH+ would specify
537  # an Author Browse search type.
```

DRAFT

Figure A-1. Webvoyage.properties file (Continued)

```
Line#
538  #
539  # ? Enter an asterisk (*) after the Search Code. This will cause that search to
540  # be performed with Relevance. For example, entering CMD* will indicate a
541  # Command Search with Relevance search type.
542  #
543  # ? Enter a caret (^) after an index code (such as GKEY, SKEY, TKEY, JKEY,
544  # etc.) to insert an AND operator between the strings in a search. An asterisk
545  # may be placed after this symbol to add relevance to the search.
546  #
547  # ? Enter a pipe (|) after an index code (such as GKEY, SKEY, TKEY, JKEY,
548  # etc.) to insert an OR operator between the strings in a search. An asterisk
549  # may be placed after this symbol to add relevance to the search.
550
551  #====================================
552  # Basic search codes
553  #====================================
554  page.search.basic.search.code.selected=GKEY|*
555  page.search.basic.search.code.keyAnyAndWith=
556  page.search.basic.search.code.keyAnyAndWith.code=GKEY^*
557  page.search.basic.search.code.keyAnyAndWith.order=1
558  page.search.basic.search.code.keyAnyAndWith.display=All Fields
559  #page.search.basic.search.code.keyAnyOrWith=
560  #page.search.basic.search.code.keyAnyOrWith.code=GKEY|*
561  #page.search.basic.search.code.keyAnyOrWith.order=2
562  #page.search.basic.search.code.keyAnyOrWith.display=Keyword Anywhere OR with
                Relevance
563  page.search.basic.search.code.titleKeyAnd=
564  page.search.basic.search.code.titleKeyAnd.code=TKEY^
565  page.search.basic.search.code.titleKeyAnd.order=3
566  page.search.basic.search.code.titleKeyAnd.display=Title
567  page.search.basic.search.code.subjectKeyAnd=
568  page.search.basic.search.code.subjectKeyAnd.code=SKEY^
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
569  page.search.basic.search.code.subjectKeyAnd.order=4
570  page.search.basic.search.code.subjectKeyAnd.display=Subject
571  page.search.basic.search.code.journalTitleKeyAnd=
572  page.search.basic.search.code.journalTitleKeyAnd.code=JKEY^
573  page.search.basic.search.code.journalTitleKeyAnd.order=5
574  page.search.basic.search.code.journalTitleKeyAnd.display=Journal Title
575  #page.search.basic.search.code.keyRelSearch=
576  #page.search.basic.search.code.keyRelSearch.code=FT*
577  #page.search.basic.search.code.keyRelSearch.order=6
578  #page.search.basic.search.code.keyRelSearch.display=Keyword Relevance Search
579  page.search.basic.search.code.authorKey=
580  page.search.basic.search.code.authorKey.code=NKEY*
581  page.search.basic.search.code.authorKey.order=7
582  page.search.basic.search.code.authorKey.display=Author
583  #page.search.basic.search.code.leftAnchorTitle=
584  #page.search.basic.search.code.leftAnchorTitle.code=TALL
585  #page.search.basic.search.code.leftAnchorTitle.order=8
586  #page.search.basic.search.code.leftAnchorTitle.display=Left Anchored Title
587  page.search.basic.search.code.callNumberBrowse=
588  page.search.basic.search.code.callNumberBrowse.code=CALL+
589  page.search.basic.search.code.callNumberBrowse.order=9
590  page.search.basic.search.code.callNumberBrowse.display=Call Number
591  #page.search.basic.search.code.subjectBrowse=
592  #page.search.basic.search.code.subjectBrowse.code=SUBJ+
593  #page.search.basic.search.code.subjectBrowse.order=10
594  #page.search.basic.search.code.subjectBrowse.display=Subject Browse
595  #page.search.basic.search.code.commSearchWithRel=
596  #page.search.basic.search.code.commSearchWithRel.code=CMD*
597  #page.search.basic.search.code.commSearchWithRel.order=11
598  #page.search.basic.search.code.commSearchWithRel.display=Command Search with
                Relevance
599  #page.search.basic.search.code.dateSearch=
```

DRAFT

Figure A-1. Webvoyage.properties file (Continued)

```
Line#
600  #page.search.basic.search.code.dateSearch.code=008D
601  #page.search.basic.search.code.dateSearch.order=12
602  #page.search.basic.search.code.dateSearch.display=Date Search (Left Anchored)
603  #page.search.basic.search.code.nameTitleBrowse=
604  #page.search.basic.search.code.nameTitleBrowse.code=AUTH+
605  #page.search.basic.search.code.nameTitleBrowse.order=13
606  #page.search.basic.search.code.nameTitleBrowse.display=Name Title Browse
607  #page.search.basic.search.code.fullTextKeySearch=
608  #page.search.basic.search.code.fullTextKeySearch.code=FT
609  #page.search.basic.search.code.fullTextKeySearch.order=14
610  #page.search.basic.search.code.fullTextKeySearch.display=Full Text Keyword
               Search
611  #page.search.basic.search.code.commandSearch=
612  #page.search.basic.search.code.commandSearch.code=CMD
613  #page.search.basic.search.code.commandSearch.order=14
614  #page.search.basic.search.code.commandSearch.display=Command Search
615  #page.search.basic.search.code.subjectHeadingsKeyword=
616  #page.search.basic.search.code.subjectHeadingsKeyword.code=SUBJ@
617  #page.search.basic.search.code.subjectHeadingsKeyword.order=15
618  #page.search.basic.search.code.subjectHeadingsKeyword.display=Subject Headings
               Keyword
619
620
621  ##############################################################################
622  #
623  #   Search Advanced
624  #
625  ##############################################################################
626  page.search.advanced.title=WebVoyáge Advanced Search
627  page.search.advanced.heading=Advanced Search
628  page.search.advanced.label=Advanced Search
629
630  #=======================================================
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
631  # The number of search arguments and it must be a positive value.
632  # The default is 3
633  #=========================================================
634  page.search.advanced.numsets=3
635
636  page.search.advanced.arg.label=Search Argument
637  page.search.advanced.selection.argType.label=Search Argument Type
638  page.search.advanced.argType.any=any of these
639  page.search.advanced.argType.all=all of these
640  page.search.advanced.argType.phrase=as a phrase
641  page.search.advanced.selection.combine.label=Combine With
642  page.search.advanced.combine.and=AND
643  page.search.advanced.combine.or=OR
644  page.search.advanced.combine.not=NOT
645  page.search.advanced.search.label=Search:
646  page.search.advanced.year.selection.label=Year:
647  page.search.advanced.location.label=Location:
648  #==================================
649  # The name of the default location, if any.
650  # This option may be left blank or commented out.
651  #==================================
652  page.search.advanced.location.default=
653  # the text used to indicate all locations should be included
654  page.search.advanced.location.all=All Locations
655  page.search.advanced.materialType.label=Material Type:
656  page.search.advanced.format.label=Format:
657  page.search.advanced.language.label=Language:
658  page.search.advanced.yearOption.defined=select
659  page.search.advanced.yearOption.range=range
660  page.search.advanced.fromYear.label=From
661  page.search.advanced.toYear.label=To
```

DRAFT

Figure A-1. Webvoyage.properties file (Continued)

```
Line#
662  #===================================
663  # YYYY in the lines below is a token meaning the current year.
664  # It is used to enable relative ranges to be defined.  For example,
665  #  YYYY-1
666  # will be interpreted as a range beginning at the year before the
667  # current year.
668  #===================================
669  page.search.advanced.year.limit.current=
670  page.search.advanced.year.limit.current.name=Current Material
671  page.search.advanced.year.limit.current.def=YYYY-1
672  page.search.advanced.year.limit.current.order=1
673  page.search.advanced.year.limit.prev5=
674  page.search.advanced.year.limit.prev5.name=Last 5 Years
675  page.search.advanced.year.limit.prev5.def=YYYY-5
676  page.search.advanced.year.limit.prev5.order=2
677  page.search.advanced.year.limit.prev10=
678  page.search.advanced.year.limit.prev10.name=Last 10 Years
679  page.search.advanced.year.limit.prev10.def=YYYY-10
680  page.search.advanced.year.limit.prev10.order=3
681
682  page.search.advanced.place.label=Place
683  page.search.advanced.status.selection.label=Status:
684  page.search.advanced.within.label=within
685
686  ##############################################################################
687  #
688  #   Search Subject
689  #
690  ##############################################################################
691  page.search.subject.title=WebVoyáge Subject Search
692  page.search.subject.heading=Subject Search
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
693  page.search.subjectPage.label=Subject Search
694  page.search.subject.message=Enter a subject to search the Subject Headings Index
695  page.search.subject.argument.label=Subject:
696  #====================================
697  # page.search.subject.search.code defines the index to be used
698  # for searches initiated from the subject search page.
699  #====================================
700  page.search.subject.search.code=SUBJ@
701  page.search.subject.search.display=Subject
702  ##############################################################################
703  #
704  #   Search Author
705  #
706  ##############################################################################
707  page.search.author.title=WebVoyáge Author Search
708  page.search.author.heading=Author Search
709  page.search.authorPage.label=Author Search
710  page.search.author.label=Author:
711  page.search.author.message=Enter an author's name to search the Author Index
712  page.search.author.lastName.argument.label=Last Name
713  page.search.author.firstName.argument.label=Initials or First Name
714  #====================================
715  # page.search.author.search.code defines the index to be used
716  # for searches initiated from the author search page.
717  #====================================
718  page.search.author.search.code=NAME@
719  page.search.author.search.display=Author
720  ##############################################################################
721  #
722  #   Search Course Reserve
723  #
```

DRAFT

Figure A-1. Webvoyage.properties file (Continued)

```
Line#
724  ##############################################################################
725  page.search.courseReserve.data.page.title=WebVoyáge Course Reserve Data Page
726  page.search.courseReserve.data.page.heading=Course Reserve Data Page
727  page.search.courseReserve.alpha.page.title=WebVoyáge Course Reserve Browse
728  page.search.courseReserve.alpha.page.heading=Course Reserve Browse Page
729  page.search.courseReserve.instructor.page.label=Instructor
730  page.search.courseReserve.instructor.page.title=WebVoyáge Course Reserve
               Instructor Page
731  page.search.courseReserve.instructor.page.heading=Course Reserve Instructor Page
732  page.search.courseReserve.department.page.label=Department
733  page.search.courseReserve.department.page.title=WebVoyáge Course Reserve
               Department Page
734  page.search.courseReserve.department.page.heading=Course Reserve Department Page
735  page.search.courseReserve.course.page.title=WebVoyáge Course Reserve Course Page
736  page.search.courseReserve.course.page.heading=Course Reserve Course Page
737  page.search.courseReserve.course.page.label=Course
738  page.search.courseReserve.page.label=Course Reserve Search
739  page.search.courseReserve.label=Course Reserve Search:
740  #================================================
741  # Browse option -
742  #   "Y" for course reserve alpha list for instructor, department, and course
743  #   "N" (default) for course reserve dropdown instructor, department, course,
               and section
744  #   Check htdocs/help/index.html for link to different version of help for alpha
               list
745  #================================================
746  page.search.courseReserve.browse=N
747  page.search.courseReserve.instructor=Instructor:
748  page.search.courseReserve.department=Department:
749  page.search.courseReserve.course=Course:
750  page.search.courseReserve.section=Section:
751
752  #=================================================
753  # the name Any from the course reserve drop down link on search course reserve
               page
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
754 #================================================
755 page.search.courseReserve.term.any=Any
756
757 ##########################################################################
758 #
759 # Holdings Information Section
760 #
761 ##########################################################################
762 holdingsInfo.page.title=WebVoyáge Holdings Information
763 holdingsInfo.page.heading=Holdings Information
764 holdingsInfo.page.label=Bibliographic Details
765
766 #=======================================================
767 # Action box on the holding information page
768 #=======================================================
769 actionBox.thisItem=This item
770 actionBox.recordView.linkText=Record View
771 actionBox.staffView.linkText=Staff View
772 actionBox.actions=Actions
773 actionBox.actions.makeRequest.linkText=Make a Request
774 actionBox.actions.makeRequest.link.posttext=(e.g. Hold, Recall, Photocopy)
775 actionBox.actions.print.linkText=Print
776 actionBox.actions.export.linkText=Export
777 actionBox.actions.email.linkText=E-mail
778 #NOTE the option.email variable must be Y in order for the email link to appear.
779
780 actionBox.actions.addToList.linkText=Add to My List
781 actionBox.moreAboutThisItem=More About This Item From
782 # actionBox.openURL properties in holdingsInfo.X.properties
783 # actionBox.requestURI properties in holdingsInfo.X.properties
784
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
785  #=====================================================================
786  # Holdings info text to display when related records feature is turned on.
787  # NOTE option.loadRelatedRecords must be Y
788  # NOTE the pretext, linktext, and posttext are used to display the text
789  # for the related items link. Therefore, this approach would provide more
790  # flexible how to construct the text for the link.
791  # The default is "Click (pretext) here (linktext has underlining URL to the
792  # related items link) for related items" (posttext).
793  #=====================================================================
794  holdingsInfo.relatedRecords=Related Records
795  holdingsInfo.relatedRecords.maxPerPage=10
796  holdingsInfo.relatedRecords.profile.ISSNPREC=
797  holdingsInfo.relatedRecords.profile.ISSNPREC.link.pretext=Click
798  holdingsInfo.relatedRecords.profile.ISSNPREC.link.text=here
799  holdingsInfo.relatedRecords.profile.ISSNPREC.link.posttext=for related items
800  holdingsInfo.relatedRecords.profile.ISSNSUCC=
801  holdingsInfo.relatedRecords.profile.ISSNSUCC.link.pretext=Click
802  holdingsInfo.relatedRecords.profile.ISSNSUCC.link.text=here
803  holdingsInfo.relatedRecords.profile.ISSNSUCC.link.posttext=for related items
804  holdingsInfo.relatedRecords.profile.ISSNCOMP=
805  holdingsInfo.relatedRecords.profile.ISSNCOMP.link.pretext=Click
806  holdingsInfo.relatedRecords.profile.ISSNCOMP.link.text=here
807  holdingsInfo.relatedRecords.profile.ISSNCOMP.link.posttext=for related items
808  #=========================================
809  # Label for displaying source record link in the holdings record page
810  ## NOTE option.loadRelatedRecords must be Y
811  #=========================================
812  holdingsInfo.sourceRecord=Source Record
813  #=====================================================================
814  # Order status for the holdings record. The status is from the line
815  # item status defined in the database.
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
816  # The "+" indicates status for multiple holdings records.
817  # Substitution characters:
818  # c -- number of copies
819  # d -- date
820  #=====================================================================
821  holdingsInfo.orderStatus.Pending=In the Pre-Order Process
822  holdingsInfo.orderStatus.Pending+=In the Pre-Order Process
823  holdingsInfo.orderStatus.Approved=\\c Copy Ordered as of \\d
824  holdingsInfo.orderStatus.Approved+=\\c Copies Ordered as of \\d
825  holdingsInfo.orderStatus.Claimed=\\c Copy Claimed as of \\d
826  holdingsInfo.orderStatus.Claimed+=\\c Copies Claimed as of \\d
827  holdingsInfo.orderStatus.ReceivedComplete=\\c Copy Received as of \\d
828  holdingsInfo.orderStatus.ReceivedComplete+=\\c Copies Received as of \\d
829  #=====================================================================
830  # Holdings item status. Note that the status code is exactly the same as the
                request status
831  #=====================================================================
832  holdings.item.status.1=Not Charged
833  holdings.item.status.2=\\i Charged - Due on \\d \\u
834  holdings.item.status.3=\\i Renewed - Due on \\d \\u
835  holdings.item.status.4=\\i Overdue - Due on \\d \\u
836  holdings.item.status.5=\\i Requests: \\c
837  holdings.item.status.6=\\i Requests: \\c
838  holdings.item.status.7=\\i On hold at \\l
839  holdings.item.status.8=\\i In transit \\d
840  holdings.item.status.9=\\i In transit to \\l \\d
841  holdings.item.status.10=\\i In transit to \\l \\d
842  holdings.item.status.11=\\i Discharged - \\d \\u
843  holdings.item.status.12=\\i Missing - \\d
844  holdings.item.status.14=\\i Lost - \\d
845  holdings.item.status.18=\\i At Bindery - \\d
846  holdings.item.status.21=\\i Scheduled
```

DRAFT

Figure A-1. Webvoyage.properties file (Continued)

```
Line#
847  holdings.item.status.22=\\i In Process \\d
848  holdings.item.status.23=\\i Requested
849  holdings.item.status.24=\\i Requested
850  holdings.item.status.25=\\i Requested
851
852  #=====================================================================
853  # Holdings item request status code and display text. Note that the status code
854  # is exactly as the status code for item status
855  #=====================================================================
856  holdings.item.request.status.1=\\i has \\c requests
857  holdings.item.request.status.2=\\i Charged (Requests: \\c) - Due on \\d \\u
858  holdings.item.request.status.3=\\i Renewed (Requests: \\c) - Due on \\d \\u
859  holdings.item.request.status.4=\\i Overdue (Requests: \\c) - Due on \\d \\u
860  holdings.item.request.status.7=\\i On hold at \\l (Requests: \\c)
861  holdings.item.request.status.8=\\i In transit \\d (Requests: \\c)
862  holdings.item.request.status.9=\\i In transit to \\l \\d (Requests: \\c)
863  holdings.item.request.status.10=\\i In transit to \\l \\d (Requests: \\c)
864  holdings.item.request.status.11=\\i Discharged - \\d \\u (Requests: \\c)
865  holdings.item.request.status.12=\\i Missing - \\d (Requests: \\c)
866  holdings.item.request.status.14=\\i Lost - \\d (Requests: \\c)
867  holdings.item.request.status.18=\\i At Bindery - \\d (Requests: \\c)
868  holdings.item.request.status.22=\\i In Process \\d (Requests: \\c)
869  holdings.item.request.status.21=\\i Scheduled (Requests: \\c)
870  holdings.item.request.status.22=\\i In Process \\d
871  holdings.item.request.status.24=\\i Requests: \\c
872  holdings.item.request.status.25=\\i Requests: \\c
873
874  #=====================================================================
875  # DB Holdings jump bar to allow traverse to the desire section
876  # of database holdings in a holdings record. This feature only
877  # activates in a multiple database environment and
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
878  # when the holding jump bar = Y
879  #=====================================================================
880  db.holdings.jumpBar=Y
881  db.holdings.jumpBar.text=Held at:
882  db.holdings.jumpBar.back=Back to library list
883
884  ##########################################################################
885  #
886  # Search Results Section
887  #
888  ##########################################################################
889
890  ##########################################################################
891  #
892  # "Jump Bar" configuration (prev/next)
893  #
894  ##########################################################################
895  jumpBar.next=Next
896  jumpBar.prev=Prev
897  # separator between first/last page and the rest of the short list
898  jumpBar.discontinuity=...
899  # how many pages to show left and right of the current page
900  jumpBar.viewWindow=2
901  # text separating page X_of_Y in record view results
902  jumpBar.recsOf.separator=of
903  ##########################################################################
904  #
905  # "Add to list" messages
906  #
907  ##########################################################################
908  searchResults.saveSelected.errMsg=Selection not saved.
```

DRAFT

Figure A-1. Webvoyage.properties file (Continued)

```
Line#
909  searchResults.saveSelected.successMsg=Selection saved.
910  ##########################################################################
911  #
912  # Call number search results page
913  #
914  ##########################################################################
915  page.searchResults.callNumbers.page.title=WebVoyáge Call Number
916  page.searchResults.callNumbers.page.heading=Call Number
917  page.searchResults.callNumbers.page.label=Call Number
918  ##########################################################################
919  #
920  # Headings search results page
921  #
922  ##########################################################################
923  page.searchResults.headings.page.title=WebVoyáge Subjects
924  page.searchResults.headings.page.heading=Subjects
925  #=================================================
926  # The following headings are also used in jump bar and titles for headings page
927  #=================================================
928  headings.authors=Authors
929  headings.subjects=Subjects
930  headings.titles=Titles
931  headings.namesTitles=Name/Titles
932  headings.callNumbers=Call Numbers
933  #=============================================================================
              ==
934  #  Reference code for display label for related topic from the heading search
935  #=============================================================================
              ==
936  headings.reference.code.Authorized=Authorized:
937  headings.reference.code.Non-authorized=Non-authorized:
938  headings.reference.code.SeeReference=See:
939  headings.reference.code.SeeAlsoReference=See Also:
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
940  headings.reference.code.EarlierHeading=Earlier Heading:
941  headings.reference.code.LaterHeading=Later Heading:
942  headings.reference.code.Acronym=Acronym:
943  headings.reference.code.MusicalComposition=Musical Composition:
944  headings.reference.code.BroaderTerm=Broader Term:
945  headings.reference.code.NarrowerTerm=Narrower Term:
946  headings.reference.code.UntracedReference=Untraced Reference:
947  headings.reference.code.TracedReference=Traced Reference:
948  #================================================================
949  #  Scope notes code for displaying the label text for the topic from search
                result headings page
950  #================================================================
951  headings.scopeNote.code.260=Search Under:
952  headings.scopeNote.code.360=Search Also Under:
953  headings.scopeNote.code.663=Search Also Under:
954  headings.scopeNote.code.664=Search Under:
955  headings.scopeNote.code.665=History:
956  headings.scopeNote.code.666=Note:
957  headings.scopeNote.code.680=Note:
958  ##############################################################################
959  #
960  # Search titles
961  #
962  ##############################################################################
963  page.searchResults.titles.page.title=WebVoyáge Titles
964  page.searchResults.titles.page.heading=Titles
965  page.searchResults.titles.page.label=Titles
966  ##############################################################################
967  #
968  # Simultaneous search status
969  #
970  ##############################################################################
```

DRAFT

Figure A-1. Webvoyage.properties file (Continued)

```
Line#
 971  page.searchStatus.page.title=WebVoyáge Search Status
 972  page.searchStatus.page.heading=Search Status
 973  page.searchStatus.page.label=Search Status
 974  search.status.id=VWEBV en_US
 975  #====================================
 976  # search status page refresh time in sec
 977  #====================================
 978  page.searchStatus.refresh=5
 979
 980  page.search.stop.button=Stop
 981  page.search.stop.button.message=Stop the search
 982  page.searchStatus.show.button=Show
 983  page.searchStatus.show.button.message=Show search status
 984  page.searchStatus.status=Search Status
 985  page.searchStatus.database=Database Name
 986  #=======================================
 987  # search status code
 988  #=======================================
 989  page.searchStatus.Status_Searching=Searching...
 990  page.searchStatus.Status_Receiving=Receiving: %s%s of %s
 991  page.searchStatus.Status_DBFail=Database Failure
 992  page.searchStatus.Status_SearchFail=Search Failed
 993  page.searchStatus.Status_SearchIncompatible=Search Incompatible
 994  page.searchStatus.Status_SearchDone=Done %s Records
 995  page.searchStatus.Status_DBReset=Database Resetting
 996  page.searchStatus.Status_DBVersion=Database Version Incompatible
 997  page.searchStatus.Status_DBLicense=Database License Block
 998
 999  #=========================================
1000  # New search results item status
1001  #=========================================
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
1002 page.searchResults.item.status.noHoldingsAvailable=no holdings available
1003 page.searchResults.item.status.noItemInfo=no item information
1004 page.searchResults.item.status.available=available
1005 page.searchResults.item.status.unavailable=not available
1006 page.searchResults.item.status.multipleItemsAvailable=multiple items available
1007 page.searchResults.item.status.multipleHoldingsAvailable= multiple holdings
              available
1008 page.searchResults.item.status.noCallNumber=No call number
1009 ##########################################################################
1010 #
1011 # Search results, titles page header label, link configuration
1012 #
1013 ##########################################################################
1014 page.searchResults.recordsFound.label=results found
1015 page.searchResults.saveSearch.linkText=Save Search
1016 page.searchResults.saveSearch.link.pretext=
1017 page.searchResults.saveSearch.link.posttext=
1018 page.searchResults.editSearch.linkText=Edit Search
1019 page.searchResults.editSearch.link.pretext=
1020 page.searchResults.editSearch.link.posttext=
1021 page.searchResults.saveSearchAsAlert.linkText=Save Search as Alert
1022 page.searchResults.saveSearchAsAlert.link.pretext=
1023 page.searchResults.saveSearchAsAlert.link.posttext=
1024
1025 ##########################################################################
1026 #
1027 # Search results, browse bar (print, export buttons, selection of all or page
1028 # record per page, post sort menu
1029 #
1030 ##########################################################################
1031 page.searchResults.browseBar.print.button=Print
1032 page.searchResults.browseBar.print.button.message=Print the search results
```

DRAFT

Figure A-1. Webvoyage.properties file (Continued)

```
Line#
1033  page.searchResults.browseBar.export.button=Export
1034  page.searchResults.browseBar.export.button.message=Export the search results
1035  page.searchResults.browseBar.email.button=E-mail
1036  page.searchResults.browseBar.email.button.message=E-mail the search results
1037  page.searchResults.browseBar.addToList.button=Add to List
1038  page.searchResults.browseBar.addToList.button.message=Add to the list of my
                search results
1039  page.searchResults.browseBar.update.button=Update
1040  page.searchResults.browseBar.update.button.message=Update current page
1041  page.searchResults.browseBar.delete.button=Delete
1042  page.searchResults.browseBar.delete.button.message=Delete selected or all items
1043  #=========================================
1044  # Select display of the results -- all or page
1045  #=========================================
1046  page.searchResults.selectPage.label=Select
1047  page.searchResults.selectPage.type.all=All
1048  page.searchResults.selectPage.type.page=Page
1049
1050  #=========================================
1051  # Post sort menu to provide additional filtering on the search results
1052  #=========================================
1053  page.searchResults.postSortDisplay=Y
1054  page.searchResults.sort.label=Sort By:
1055  page.searchResults.sort.AUTHOR=
1056  page.searchResults.sort.AUTHOR.text=Author
1057  page.searchResults.sort.AUTHOR.order=1
1058  page.searchResults.sort.TITLE=
1059  page.searchResults.sort.TITLE.text=Title
1060  page.searchResults.sort.TITLE.order=2
1061  page.searchResults.sort.PUB_DATE=
1062  page.searchResults.sort.PUB_DATE.text=Publication Date
1063  page.searchResults.sort.PUB_DATE.order=3
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
1064 page.searchResults.sort.PUB_DATE_DESC=
1065 page.searchResults.sort.PUB_DATE_DESC.text=Publication Date Descending
1066 page.searchResults.sort.PUB_DATE_DESC.order=4
1067 page.searchResults.sort.RELEVANCE=
1068 page.searchResults.sort.RELEVANCE.text=Relevance
1069 page.searchResults.sort.RELEVANCE.order=5
1070
1071
1072 page.searchResults.filtersBlock.label=Filter Your Search:
1073 page.searchResults.filtersBlock.remove.linkText=remove filter
1074 # this property controls the text used to indicate a search has been filtered
1075 page.searchResults.filtered=Filtered
1076
1077 page.searchResults.saveSearchAddSuccess=Successfully saved your search.
1078 page.searchResults.saveSearchAddFailure=Failed to save your search.
1079 ##########################################################################
1080 #
1081 # Export search results labels, buttons. Export uses the same format as print.
1082 #
1083 ##########################################################################
1084 page.exportDialog.page.title=WebVoyáge Export Results
1085 page.exportDialog.page.heading=Export Results
1086 page.exportDialog.page.label=Export
1087 page.exportDialog.export.button=Click to Export
1088 page.exportDialog.export.moreRecords= more bibliographic records...
1089 page.exportDialog.export.button.action=
1090 page.exportDialog.export.button.message=Export search results
1091 page.exportDialog.export.instructions=To export this result, choose the desired
                format and click Export
1092 ##########################################################################
1093 #
1094 # Print search results labels, buttons, and format selections
```

DRAFT

Figure A-1. Webvoyage.properties file (Continued)

```
Line#
1095  #
1096  ##########################################################################
1097  page.printDialog.page.title=WebVoyáge Print Titles
1098  page.printDialog.page.heading=Print Titles
1099  page.printDialog.page.label=Print Titles
1100  page.printDialog.format.label=Format:
1101  page.return.button=Return
1102  page.return.button.message=Return to previous page
1103  page.printDialog.print.moreRecords= more bibliographic records...
1104  page.printDialog.print.button=Click to Print
1105  page.printDialog.print.button.message=Print the selected page(s)
1106  #=========================================================================
1107  # Print and Export format selection. The default format is marked "selected".
1108  # Each format has display name for the drop down # The xsl stylesheet used for
                each format is defined in the record display # configuration file,
                holdingsInfo.X.properties by default.  The format # names (X in
                page.printDialog.format.X) must match exactly the names # of the
                print formats in the record display configuration file.
1109  # Also, each format defined here must have a stylesheet associated with it # in
                each of the record display configuration files, including any that #
                are customer defined.
1110  #=========================================================================
1111  page.printDialog.format.selected=brief
1112  page.printDialog.format.full=
1113  page.printDialog.format.full.label=Full Record (All Fields)
1114  page.printDialog.format.full.order=1
1115  page.printDialog.format.brief=
1116  page.printDialog.format.brief.label=Brief Record (Title, Author, Location & Call
                Number)
1117  page.printDialog.format.brief.order=2
1118  page.printDialog.format.label=Print Format:
1119  page.printDialog.error.noSelectedRecords=No records were selected.
1120
1121  ##########################################################################
1122  #
1123  # Print results results labels, buttons, and format selections
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
1124  #
1125  ##########################################################################
1126  page.printResults.page.title=WebVoyáge Printable Record Page
1127  page.printResults.page.heading=Printable View
1128
1129  #=========================================================================
1130  # Note for the export formats Latin1, Raw and UTF-8 there is no xsl file
1131  #=========================================================================
1132  page.exportDialog.format.selected=endNote
1133  page.exportDialog.format.endNote=
1134  page.exportDialog.format.endNote.label=EndNote Citation
1135  page.exportDialog.format.endNote.order=1
1136  page.exportDialog.format.latin1=
1137  page.exportDialog.format.latin1.label=Latin1 MARC
1138  page.exportDialog.format.latin1.order=2
1139  page.exportDialog.format.raw=
1140  page.exportDialog.format.raw.label=Raw MARC
1141  page.exportDialog.format.raw.order=3
1142  page.exportDialog.format.utf-8=
1143  page.exportDialog.format.utf-8.label=UTF-8 MARC
1144  page.exportDialog.format.utf-8.order=4
1145  page.exportDialog.format.label=Export Format:
1146  page.exportDialog.error.noSelectedRecords=No records were selected.
1147
1148  #=========================================================================
1149  # Print property DOI and URN URL to convert the DOI and URN to the physical
                location
1150  # of the digital item
1151  #=========================================================================
1152  property.DOI=http://hdl.handle.net/
1153  property.URN=http://hdl.handle.net/
1154  ##########################################################################
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
1155  #
1156  # Search History
1157  #
1158  ################################################################################
1159  page.searchHistory.page.title=WebVoyáge Search History
1160  page.searchHistory.page.heading=Search History
1161  page.searchHistory.page.label=Search History
1162  page.searchHistory.heading.combine=Combine
1163  page.searchHistory.heading.search=Search
1164  page.searchHistory.heading.searchType=Search Type
1165  page.searchHistory.heading.results=Results
1166  page.searchHistory.heading.action=Action
1167  page.searchHistory.data.action.rerun.linkText=Re-run
1168  page.searchHistory.data.action.edit.linkText=Edit
1169  page.searchHistory.data.action.save.linkText=Save
1170  page.searchHistory.button.combine=Search
1171  #================================================================
1172  # Display this string in the "Hits" column if the search is browse or
                simultaneous search
1173  # or the number of hits is unknown
1174  #================================================================
1175  page.searchHistory.browse_simul=BROWSE/Simul
1176  ################################################################################
1177  #
1178  # My Searches
1179  #
1180  ################################################################################
1181  page.searchMySearches.page.title=WebVoyáge My Searches
1182  page.searchMySearches.page.heading=My Searches
1183  page.searchMySearches.heading.combine=Combine
1184  page.searchMySearches.heading.search=Search
1185  page.searchMySearches.heading.newhits=Results
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
1186 page.searchMySearches.heading.searchType=Search Type
1187 page.searchMySearches.heading.date=Date
1188 page.searchMySearches.heading.alertfrequency=Alert Frequency
1189 page.searchMySearches.heading.action=Actions
1190 page.searchMySearches.heading.summary=This table displays the search history.
1191 page.searchMySearches.data.action.rerun.linkText=Re-Run
1192 page.searchMySearches.data.action.edit.linkText=Edit
1193 page.searchMySearches.data.action.delete.linkText=Delete
1194 page.searchMySearches.data.newhits.yes=Y
1195 page.searchMySearches.data.newhits.no=N
1196 page.searchMySearches.data.alertfrequency.default=1
1197 page.searchMySearches.data.alertfrequency.1=None
1198 page.searchMySearches.data.alertfrequency.2=Daily
1199 page.searchMySearches.data.alertfrequency.3=Weekly
1200 page.searchMySearches.data.alertfrequency.4=Bi-Monthly
1201 page.searchMySearches.data.alertfrequency.5=Monthly
1202 page.searchMySearches.save.button=Save Changes
1203 page.searchMySearches.combineSearches.button=Search
1204 ##########################################################################
1205 #
1206 # Select Database
1207 #
1208 ##########################################################################
1209 page.selectDatabase.title=WebVoyáge Select Database
1210 page.selectDatabase.heading=Select Database
1211 page.selectDatabase.selectDatabase.label=Select Databases:
1212 page.selectDatabase.selectDatabase.message=Select database(s) to search:
1213 page.selectDatabase.select.button=Select
1214 page.selectDatabase.select.button.message=Select libraries to search
1215 page.selectDatabase.cancel.button=Reset
1216 page.selectDatabase.cancel.button.message=Reset selection
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
1217
1218
1219
1220 ##############################################################################
1221 #
1222 # My Account
1223 #
1224 ##############################################################################
1225 page.myAccount.myAccount.title=WebVoyáge My Account
1226 page.myAccount.myAccount.heading=My Account
1227 page.myAccount.myAccount.linkText=My Account
1228 page.myAccount.myAccount.link.pretext=
1229 page.myAccount.myAccount.link.posttext=
1230 page.myAccount.changePin.linkText=Change PIN
1231 page.myAccount.changePin.link.pretext=
1232 page.myAccount.changePin.link.posttext=
1233 page.myAccount.editPreferences.linkText=Edit Preferences
1234 page.myAccount.editPreferences.link.pretext=
1235 page.myAccount.editPreferences.link.posttext=
1236 page.myAccount.viewPersonalInfo.linkText=View Personal Information
1237 page.myAccount.viewPersonalInfo.link.pretext=
1238 page.myAccount.viewPersonalInfo.link.posttext=
1239 page.myAccount.page.label=My Account
1240 page.myAccount.yourItems.label=Your Items
1241 page.myAccount.yourItems.itemAvail.linkText=Items available
1242 page.myAccount.yourItems.reqPending.linkText=Requests Pending
1243 page.myAccount.yourItems.chargedItem.linkText=Charged Items
1244 page.myAccount.yourItems.borrowingBlocks.linkText=Borrowing Blocks
1245 page.myAccount.yourItems.finesAndFees.linkText=Fines and Fees
1246 page.myAccount.yourItems.demerits.linkText=Demerits
1247 page.myAccount.borrowingBlocks.label=Borrowing Blocks
```

DRAFT

Figure A-1. Webvoyage.properties file (Continued)

```
Line#
1248 page.myAccount.borrowingBlocks.item.heading.reason=Reason
1249 page.myAccount.borrowingBlocks.total.label=Total
1250 page.myAccount.finesAndFees.label=Fines and Fees
1251 page.myAccount.finesAndFees.item.heading.date=Date
1252 page.myAccount.finesAndFees.item.heading.item=Item
1253 page.myAccount.finesAndFees.item.heading.fee=Fee
1254 page.myAccount.finesAndFees.item.heading.payment=Payment
1255 page.myAccount.finesAndFees.item.heading.balance=Balance
1256 page.myAccount.finesAndFees.item.heading.type=Fee/PostingType
1257 page.myAccount.finesAndFees.item.heading.total=Fee Amount
1258 page.myAccount.finesAndFees.total.label=Fee Amount
1259 page.myAccount.finesAndFees.amountDue.label=Total Amount Due:
1260 page.myAccount.demerits.label=Demerits
1261 page.myAccount.demerits.item.heading.date=Date
1262 page.myAccount.demerits.item.heading.location=Location
1263 page.myAccount.demerits.item.heading.item=Item
1264 page.myAccount.demerits.item.heading.demerits=Demerits
1265 page.myAccount.demerits.item.heading.posting=Posting
1266 page.myAccount.demerits.item.heading.balance=Balance
1267 page.myAccount.demerits.item.heading.type=Demerit/PostingType
1268 page.myAccount.demerits.total.label=Total
1269 page.myAccount.itemAvailable.label=Items Available
1270 page.myAccount.itemAvailable.cancel.preference=Y
1271 page.myAccount.itemAvailable.cancel.button.name=Cancel Request
1272 page.myAccount.itemAvailable.cancel.button.message=Cancel request to the
                selection of item available
1273 page.myAccount.itemAvailable.select.label=Select All:
1274 page.myAccount.itemAvailable.select.option.all=All
1275 page.myAccount.itemAvailable.item.heading.item=Item
1276 page.myAccount.itemAvailable.item.heading.database=Database
1277 page.myAccount.itemAvailable.item.heading.status=Status
1278 #page.myAccount.itemAvailable.item.heading.holdExpires=Hold Expires
```

DRAFT

Figure A-1. Webvoyage.properties file (Continued)

```
Line#
1279 page.myAccount.itemAvailable.item.heading.pickupLocation=Pickup Location
1280 page.myAccount.reqPending.label=Requests Pending
1281 page.myAccount.reqPending.cancel.preference=Y
1282 page.myAccount.reqPending.cancel.button.name=Cancel Request
1283 page.myAccount.reqPending.cancel.button.message=Cancel request to the selection
                of requests pending
1284 page.myAccount.reqPending.select.label=Select All:
1285 page.myAccount.reqPending.select.option.all=All
1286 page.myAccount.reqPending.item.heading.item=Item
1287 page.myAccount.reqPending.item.heading.database=Database
1288 page.myAccount.reqPending.item.heading.status=Status
1289 #page.myAccount.reqPending.item.heading.holdExpires=Hold Expires
1290 page.myAccount.reqPending.item.heading.pickupLocation=Pickup Location
1291 page.myAccount.chargedItem.label=Charged Items
1292 page.myAccount.chargedItem.cancel.preference=Y
1293 page.myAccount.chargedItem.cancel.button.name=Cancel Request
1294 page.myAccount.chargedItem.cancel.button.message=Cancel request to the selection
                of charged item
1295 page.myAccount.chargedItem.renew.single=Y
1296 page.myAccount.chargedItem.renew.all=Y
1297 page.myAccount.chargedItem.renew.button.name=Request Renewal
1298 page.myAccount.chargedItem.renew.button.message=Renew single item
1299 page.myAccount.chargedItem.select.label=Select All:
1300 page.myAccount.chargedItem.select.option.all=All
1301 page.myAccount.chargedItem.item.heading.item=Item
1302 page.myAccount.chargedItem.item.heading.type=Item Type
1303 page.myAccount.chargedItem.item.heading.status=Status
1304 page.myAccount.chargedItem.item.heading.dueDate=Due Date
1305 page.myAccount.update.button=Update
1306 page.myAccount.update.button.message=Refresh the data
1307 ##############################################################################
1308 #
1309 # Block reason code
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
1310 ##############################################################################
1311 page.myAccount.borrowingBlocks.item.reason.Expired_patron=Your patron record
             expired on \\\\d.
1312 page.myAccount.borrowingBlocks.item.reason.Address_expired_patron=The address
             in your patron record expired on \\d.
1313 page.myAccount.borrowingBlocks.item.reason.Address_invalid_patron=The address
             in your patron record is invalid.
1314 page.myAccount.borrowingBlocks.item.reason.charge_limit_patron=You have \\p
             items charged. The limit for your patron group is \\b.
1315 page.myAccount.borrowingBlocks.item.reason.fine_limit_patron=You have \\p in
             fines and fees. The limit for your patron group is \\b.
1316 page.myAccount.borrowingBlocks.item.reason.odue_limit_patron=You have \\p
             overdue items. The limit for your patron group is \\b.
1317 page.myAccount.borrowingBlocks.item.reason.odue_recall_limit_patron=You have
             \\p overdue recalled items. The limit for your patron group is \\b.
1318 page.myAccount.borrowingBlocks.item.reason.recall_limit_patron=You have
             recalled \\p items. The limit for your patron group is \\b.
1319 page.myAccount.borrowingBlocks.item.reason.claims_ret_limit_patron=You have
             claimed to have returned \\p items. The limit for your patron group
             is \\b.
1320 page.myAccount.borrowingBlocks.item.reason.lost_limit_patron=You have lost \\p
             items. The limit for your patron group is \\b.
1321 page.myAccount.borrowingBlocks.item.reason.sshelved_limit_patron=You have \\p
             self-shelved items. The limit for your patron group is \\b.
1322 page.myAccount.borrowingBlocks.item.reason.short_loan_limit_patron=You have \\p
             pending Short Loan requests. The limit for your patron group is \\b.
1323 page.myAccount.borrowingBlocks.item.reason.call_slip_limit_patron=You have \\p
             pending Call Slip requests. The limit for your patron group is \\b.
1324 page.myAccount.borrowingBlocks.item.reason.suspension_patron=Your borrowing
             privileges are suspended until \\d.
1325 page.myAccount.borrowingBlocks.item.reason.demerits_limit_patron=You have \\p
             demerits. The limit for your patron group is \\b.
1326 page.myAccount.borrowingBlocks.item.reason.ub_ineligible_patron=You are not
             eligible to use Universal Borrowing.
1327 page.myAccount.borrowingBlocks.item.reason.charge_limit_ub_patron=You have \\p
             Universal Borrowing items charged. The limit for your patron group
             is \\b.
1328 page.myAccount.borrowingBlocks.item.reason.fine_limit_ub_patron=You have \\p in
             Universal Borrowing fines. The limit for your patron group is \\b.
1329 page.myAccount.borrowingBlocks.item.reason.odue_limit_ub_patron= You have \\p
             Universal Borrowing overdue items. The limit for your patron group
             is \\b.
1330 page.myAccount.borrowingBlocks.item.reason.odrecall_limit_ub_patron=You have
             \\p Universal Borrowing recalled items. The limit for your patron
             group is \\b.
1331 page.myAccount.borrowingBlocks.item.reason.claims_ret_limit_ub_patron=You have
             \\p Universal Borrowing claims returned items. The limit for your
             patron group is \\b.
1332 page.myAccount.borrowingBlocks.item.reason.lost_limit_ub_patron=You have \\p
             Universal Borrowing lost items. The limit for your patron group is
             \\b.
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
1333  page.myAccount.borrowingBlocks.item.reason.sshelved_limit_ub_patron= You have
                \\p Universal Borrowing self-shelved items. The limit for your
                patron group is \\b.
1334  page.myAccount.borrowingBlocks.item.reason.charge_limit_item_policy=You have
                \\p items charged. The limit for your patron group in this item's
                policy is \\b.
1335  page.myAccount.borrowingBlocks.item.reason.charge_limit_item_type=You have \\p
                items charged that have the item type \\i. The limit for your patron
                group is \\b.
1336  page.myAccount.borrowingBlocks.item.reason.charge_limit_item_policy_type=You
                have \\p items charged that have the item type \\i. The limit for
                your patron group is \\b.
1337  page.myAccount.borrowingBlocks.item.reason.demerits_limit_ub_patron=You have
                \\p ub demerits. The limit for your ub demerits is \\b.
1338  ##########################################################################
1339  #
1340  # Charged Item Status Code -- from OPAC.INI
1341  #         NOTCHARGED              1
1342  #         CHARGED                 2
1343  #         RENEWED                 3
1344  #         OVERDUE                 4
1345  #         RECALLREQUEST           5
1346  #         HOLDREQUEST             6
1347  #         ONHOLD                  7
1348  #         INTRANSIT               8
1349  #         INTRANSIT_DISCHARGED    9  (No longer in use - please do not remove)
1350  #         INTRANSIT_ONHOLD        10 (No longer in use - please do not remove)
1351  #         DISCHARGED              11
1352  #         MISSING                 12
1353  #         LOSTLIBRARYAPPLIED      13
1354  #         LOSTSYSTEMAPPLIED       14
1355  #         CLAIMSRETURNED          15
1356  #         DAMAGED                 16
1357  #         WITHDRAWN               17
1358  #         ATBINDERY               18
1359  #         CATALOGINGREVIEW        19
1360  #         CIRCULATIONREVIEW       20
```

DRAFT

Figure A-1. Webvoyage.properties file (Continued)

```
Line#
1361  #          SCHEDULED                21
1362  #          INPROCESS                22
1363  #          CALLSLIPREQUEST          23
1364  #          SHORTLOANREQUEST         24
1365  #          REMOTESTORAGEREQUEST     25
1366  #
1367  ##########################################################################
1368  page.myAccount.chargedItem.item.status.1=Not Charged
1369  page.myAccount.chargedItem.item.status.2=Charged
1370  page.myAccount.chargedItem.item.status.3=Renewed
1371  page.myAccount.chargedItem.item.status.4=Overdue
1372  page.myAccount.chargedItem.item.status.5=Recall Request
1373  page.myAccount.chargedItem.item.status.6=Hold Request
1374  page.myAccount.chargedItem.item.status.7=On Hold
1375  page.myAccount.chargedItem.item.status.8=Routed from \\rsloc in \\rslib to
                \\rtloc in \\rtlib on \\rd
1376  page.myAccount.chargedItem.item.status.9=In Transit Discharged
1377  page.myAccount.chargedItem.item.status.10=In Transit On Hold
1378  page.myAccount.chargedItem.item.status.11=Discharged
1379  page.myAccount.chargedItem.item.status.12=Missing
1380  page.myAccount.chargedItem.item.status.13=Lost--Library Applied
1381  page.myAccount.chargedItem.item.status.14=Lost--System Applied
1382  page.myAccount.chargedItem.item.status.15=Claims Returned
1383  page.myAccount.chargedItem.item.status.16=Damaged
1384  page.myAccount.chargedItem.item.status.17=Withdrawn
1385  page.myAccount.chargedItem.item.status.18=At Bindery
1386  page.myAccount.chargedItem.item.status.19=Cataloging Review
1387  page.myAccount.chargedItem.item.status.20=Circulation Review
1388  page.myAccount.chargedItem.item.status.21=Scheduled
1389  page.myAccount.chargedItem.item.status.22=In Process
1390  page.myAccount.chargedItem.item.status.23=Call Slip Request
1391  page.myAccount.chargedItem.item.status.24=Short Loan Request
```

DRAFT

Figure A-1. Webvoyage.properties file (Continued)

```
Line#
1392 page.myAccount.chargedItem.item.status.25=Remote Storage Request
1393 ##########################################################################
1394 #
1395 #  Variables used to substitute for the in transit status rsloc, rslib, rtloc,
                rtlib, rd
1396 #  rsloc: RoutingSourceLocationUnknown=unknown location
1397 #  rslib: RoutingSourceLibraryUnknown=unknown location
1398 #  rtloc: RoutingTargetLocationUnknown=unknown location
1399 #  rtlib: RoutingTargetLibraryUnknown=unknown location
1400 #  rd:    RoutingDateUnknown=unknown date
1401 #
1402 ##########################################################################
1403 page.myAccount.chargedItem.item.status.variable.rsloc=unknown location
1404 page.myAccount.chargedItem.item.status.variable.rslib=unknown location
1405 page.myAccount.chargedItem.item.status.variable.rtloc=unknown location
1406 page.myAccount.chargedItem.item.status.variable.rtlib=unknown location
1407 page.myAccount.chargedItem.item.status.variable.rd=unknown date
1408 ##########################################################################
1409 #
1410 #   My Account - Requests/Callslip Status
1411 #   1=Accepted
1412 #   2=Printed
1413 #   3=Reassigned
1414 #   4=Filled
1415 #   5=Not Filled
1416 #   6=Expired
1417 #   7=Canceled
1418 #   8=Error
1419 #   9=Promoted
1420 ##########################################################################
1421 page.myAccount.reqPending.item.status.1=Accepted
1422 page.myAccount.reqPending.item.status.2=Printed
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
1423 page.myAccount.reqPending.item.status.3=Reassigned
1424 page.myAccount.reqPending.item.status.4=Filled
1425 page.myAccount.reqPending.item.status.5=Not Filled
1426 page.myAccount.reqPending.item.status.6=Expired
1427 page.myAccount.reqPending.item.status.7=Canceled
1428 page.myAccount.reqPending.item.status.8=Error
1429 page.myAccount.reqPending.item.status.9=Promoted
1430
1431 #=====================================================
1432 # Following is the label for concatenating with the above request status code
1433 # to produce the display status
1434 #=====================================================
1435 page.myAccount.reqPending.position=Position
1436 page.myAccount.reqPending.expires=Expires
1437 page.myAccount.reqPending.pickup=Pick up at
1438 page.myAccount.reqPending.inTransit=In transit to
1439 item.status.unknown.location=Unknown Location
1440 item.status.unknown.date=Unknown Date
1441
1442 ##############################################################################
1443 #
1444 #  My Account Preferences used for Edit Preferences Page
1445 #
1446 ##############################################################################
1447 page.myAccount.editPreferences.title=WebVoyáge My Account Edit Preferences
1448 page.myAccount.editPreferences.heading=Edit Preferences
1449 page.myAccount.editPreferences.label=Edit Preferences
1450 page.myAccount.editPreferences.searchOptions.label=Search options
1451 page.myAccount.editPreferences.database.label=Databases
1452 page.myAccount.editPreferences.displayOptions.label=Display options
1453 page.myAccount.editPreferences.defaultSearchForm.label=Default Search Form:
```

DRAFT

Figure A-1. Webvoyage.properties file (Continued)

```
Line#
1454  page.myAccount.editPreferences.displaySearchResults.label=Display Search
              Results:
1455  page.myAccount.editPreferences.save.button=Save
1456  page.myAccount.editPreferences.save.button.message=Save user search preferences
1457  page.myAccount.editPreferences.cancel.button=Cancel
1458  page.myAccount.editPreferences.cancel.button.message=Cancel editing user search
              preferences
1459  page.myAccount.editPreferences.clear.button=Clear
1460  page.myAccount.editPreferences.clear.button.message=Clear user selected
              preferences
1461
1462  ##############################################################################
              #######
1463  #
1464  #  My Account Preferences - page e.g. basic, advanced, author, subject, course
              reserve
1465  #  set preference to Y to display the preference choice
1466  ##############################################################################
              #######
1467  page.myAccount.editPreferences.preferences.page.preference=Y
1468  page.myAccount.editPreferences.preferences.page.name=Default Search Form:
1469  page.myAccount.editPreferences.preferences.page.type.basic=Basic
1470  page.myAccount.editPreferences.preferences.page.type.advanced=Advanced
1471  page.myAccount.editPreferences.preferences.page.type.subject=Subject
1472  page.myAccount.editPreferences.preferences.page.type.author=Author
1473  page.myAccount.editPreferences.preferences.page.type.courseReserve=CourseReserv
              e
1474  ##############################################################################
1475  #
1476  #  My account edit preferences -- search basic page available indices
1477  ##############################################################################
1478  page.myAccount.editPreferences.preferences.page.basic.label=Basic
1479  page.myAccount.editPreferences.preferences.page.basic.code=1
1480  page.myAccount.editPreferences.preferences.page.basic.codeName=basic
1481  page.myAccount.editPreferences.preferences.page.basic.name.GKEY=All Fields
1482  page.myAccount.editPreferences.preferences.page.basic.name.TKEY=Title
1483  page.myAccount.editPreferences.preferences.page.basic.name.SKEY=Subject
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
1484  page.myAccount.editPreferences.preferences.page.basic.name.NKEY=Author
1485  page.myAccount.editPreferences.preferences.page.basic.name.JKEY=Journal Title
1486  ##############################################################################
1487  #
1488  #  My account edit preferences -- search advanced page available indices <-- for
                developing the page
1489  # the indices are actually from the database
1490  ##############################################################################
1491  page.myAccount.editPreferences.preferences.page.advanced.label=Advanced
1492  page.myAccount.editPreferences.preferences.page.advanced.code=2
1493  page.myAccount.editPreferences.preferences.page.advanced.codeName=advanced
1494  page.myAccount.editPreferences.preferences.page.advanced.name.TKEY=Title
                Keyword
1495  page.myAccount.editPreferences.preferences.page.advanced.name.SKEY=Subject
                Keyword
1496  page.myAccount.editPreferences.preferences.page.advanced.name.JKEY=Journal
                Title Keyword
1497  ##############################################################################
1498  #
1499  #  My account edit preferences -- search subject page available indices (NEW)
1500  ##############################################################################
1501  page.myAccount.editPreferences.preferences.page.subject.label=Subject
1502  page.myAccount.editPreferences.preferences.page.subject.code=3
1503  page.myAccount.editPreferences.preferences.page.subject.codeName=subject
1504  page.myAccount.editPreferences.preferences.page.subject.name.SKEY=Subject
                Keyword
1505  ##############################################################################
1506  #
1507  #  My account edit preferences -- search author page available indices
1508  ##############################################################################
1509  page.myAccount.editPreferences.preferences.page.author.label=Author
1510  page.myAccount.editPreferences.preferences.page.author.code=4
1511  page.myAccount.editPreferences.preferences.page.author.codeName=author
1512  page.myAccount.editPreferences.preferences.page.author.name.AUTH=Name Title
                Browse
1513  ##############################################################################
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
1514  #
1515  #  My account edit preferences -- search course reserve page available indices
1516  ################################################################################
1517  page.myAccount.editPreferences.preferences.page.courseReserve.label=Course
                Reserve
1518  page.myAccount.editPreferences.preferences.page.courseReserve.code=5
1519  page.myAccount.editPreferences.preferences.page.courseReserve.codeName=courseRe
                serve
1520  page.myAccount.editPreferences.preferences.page.courseReserve.instructor.label=
                Instructor
1521  page.myAccount.editPreferences.preferences.page.courseReserve.department.label=
                Department
1522  page.myAccount.editPreferences.preferences.page.courseReserve.course.label=Cour
                se
1523  page.myAccount.editPreferences.preferences.page.courseReserve.section.label=Sec
                tion
1524
1525  ################################################################################
1526  #
1527  #  My Account Preferences - display e.g. number of records on a page
1528  #  set preference to Y to display the preference choice
1529  ################################################################################
1530  page.myAccount.editPreferences.preferences.display.preference=Y
1531
1532  ################################################################################
1533  #
1534  #   My Account - personal information
1535  #
1536  ################################################################################
1537  page.myAccount.viewPersonalInfo.title=WebVoyáge My Account Personal Information
1538  page.myAccount.viewPersonalInfo.heading=Personal Information
1539  page.myAccount.viewPersonalInfo.label=Personal Information
1540  page.myAccount.viewPersonalInfo.fullname.label=Name:
1541  page.myAccount.viewPersonalInfo.firstName.label=First Name:
1542  page.myAccount.viewPersonalInfo.lastName.label=Last Name:
1543  page.myAccount.viewPersonalInfo.permanentAddress=Permanent Address:
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
1544 page.myAccount.viewPersonalInfo.activeAddress=Active Address:
1545 page.myAccount.viewPersonalInfo.addressLine1.label=Address Line1:
1546 page.myAccount.viewPersonalInfo.addressLine2.label=Address Line2:
1547 page.myAccount.viewPersonalInfo.addressLine3.label=Address Line3:
1548 page.myAccount.viewPersonalInfo.addressLine4.label=Address Line4:
1549 page.myAccount.viewPersonalInfo.addressLine5.label=Address Line5:
1550 page.myAccount.viewPersonalInfo.city.label=City:
1551 page.myAccount.viewPersonalInfo.state.label=State:
1552 page.myAccount.viewPersonalInfo.zipCode.label=Zip Code
1553 page.myAccount.viewPersonalInfo.country.label=Country:
1554 page.myAccount.viewPersonalInfo.activeAddress.label=Active Address:
1555 page.myAccount.viewPersonalInfo.permanentAddress.label=Permanent Address:
1556 page.myAccount.viewPersonalInfo.permanentAddress.preference=Y
1557 page.myAccount.viewPersonalInfo.phone.label=Phone:
1558 page.myAccount.viewPersonalInfo.mobile.label=Cell Phone:
1559 page.myAccount.viewPersonalInfo.fax.label=Fax:
1560 page.myAccount.viewPersonalInfo.otherPhone.label=Other:
1561 page.myAccount.viewPersonalInfo.email.label=Email:
1562 page.myAccount.viewPersonalInfo.expirationDate.label=Expiration Date:
1563
1564 ##############################################################################
1565 #
1566 #   My Account - change PIN
1567 #
1568 ##############################################################################
1569 page.myAccount.changePin.title=WebVoyáge My Account Change PIN
1570 page.myAccount.changePin.heading=Change PIN
1571 page.myAccount.changePin.changePin.label=Change PIN
1572 page.myAccount.changePin.save.button=Save
1573 page.myAccount.changePin.save.button.message=Save new PIN
1574 page.myAccount.changePin.cancel.button=Cancel
```

DRAFT

Figure A-1. Webvoyage.properties file (Continued)

```
Line#
1575 page.myAccount.changePin.cancel.button.message=Cancel change PIN
1576 page.myAccount.changePin.currentPin.label=Current PIN:
1577 page.myAccount.changePin.newPin.label=New PIN:
1578 page.myAccount.changePin.ConfirmNewPin.label=Confirm New PIN:
1579 ##############################################################################
1580 #
1581 #   My Account - change PIN error code
1582 #
1583 #     Customizable Change PIN message from OPAC.ini and add success message code
1584 #
1585 ##############################################################################
1586 page.myAccount.changePin.errorCode.PINMessage1=You have not entered your current
              PIN correctly.
1587 page.myAccount.changePin.errorCode.PINMessage2=Not all fields have been entered.
              Please try again.
1588 page.myAccount.changePin.errorCode.PINMessage3=New PIN does not contain 5-12
              characters. Please enter again.
1589 page.myAccount.changePin.errorCode.PINMessage4=New PIN and Confirm PIN do not
              mach. Please enter again.
1590 page.myAccount.changePin.errorCode.PINMessage5=New PIN matches existing PIN.
              Please enter again.
1591 page.myAccount.changePin.errorCode.PINMessage6=Unable to change PIN. Please ask
              for help at the Circulation or Reference Desk.
1592 page.myAccount.changePin.errorCode.PINMessage7=Change PIN success
1593 ##############################################################################
1594 #
1595 # Patron Requests page properties
1596 #
1597 ##############################################################################
1598 option.patronRequests=Y
1599 page.patronRequests.title=WebVoyáge Patron Requests
1600 page.patronRequests.heading=Patron Requests
1601 page.patronRequests.label=Patron Requests
1602 page.patronRequests.select.message=Select the type of request below:
1603 page.patronRequests.available.pretext=(
1604 page.patronRequests.available.posttext= available)
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
1605 page.patronRequests.returnToHoldings.linkText=Return to holdings
1606 page.patronRequests.returnToHoldings.pretext=
1607 page.patronRequests.returnToHoldings.posttext=
1608 ##############################################################################
1609 #
1610 # Patron Request page properties
1611 #
1612 ##############################################################################
1613 page.patronRequest.submit.button=Submit
1614 page.patronRequest.submit.button.message=Submit the request
1615 page.patronRequest.cancel.button=Cancel
1616 page.patronRequest.cancel.button.message=Cancel request
1617 page.patronRequest.returnToRequests.linkText=Return to requests
1618 page.patronRequest.returnToRequests.pretext=
1619 page.patronRequest.returnToRequests.posttext=
1620 page.patronRequest.requiredFields.message=Please enter data for the required
                field
1621 ##############################################################################
1622 #
1623 # Patron Requests - request form label text
1624 #    These define the text labels on patron request forms.
1625 #    Please be aware that some patron request form field labels are defined
1626 #    in SysAdmin and cannot be changed here.
1627 #
1628 ##############################################################################
1629 # These labels are used on many request forms:
1630 page.patronRequest.label.anyCopy=Any Copy
1631 page.patronRequest.label.anyCopyAt=Any Copy At:
1632 page.patronRequest.label.comment=Comment:
1633 page.patronRequest.label.instructions=Instructions:
1634 page.patronRequest.label.pickUpAt=Pick Up At:
1635 page.patronRequest.label.notNeededAfter=Not Needed After:
```

DRAFT

Figure A-1. Webvoyage.properties file (Continued)

```
Line#
1636 page.patronRequest.label.selectItem=Select an item:
1637 page.patronRequest.label.thisCopy=This Copy:
1638 page.patronRequest.label.thisIssue=Specify an issue:
1639 page.patronRequest.label.title=Title:
1640 # These are the labels for the option buttons on the Call Slip request form
1641 page.patronRequest.label.callSlipPick=Select an item:
1642 page.patronRequest.label.callSlipSpecify=Specify an issue:
1643 # These are the labels on the "No Bib" Form (OPAC Purchase Request)
1644 page.patronRequest.label.field1=Author:
1645 page.patronRequest.label.field2=Title:
1646 page.patronRequest.label.field3=Number:
1647 page.patronRequest.label.field4=Publisher:
1648 page.patronRequest.label.field5=Date:
1649 page.patronRequest.label.field6=Edition:
1650 page.patronRequest.label.field7=Email:
1651 # This is the label for the Bib Info section on the Bib Level requests
1652 page.patronRequest.label.bibInfo=Bib Info:
1653 # These labels are used on the Short Loan request form
1654 page.patronRequest.label.reservationDate=Select Reservation Date:
1655 page.patronRequest.label.startTime=Start Time:
1656 page.patronRequest.label.endTime=End Time:
1657 # This is for the NLNZ BibU and Index ILL Forms.
1658 page.patronRequest.label.note=Note:
1659 # These are labels for the UB Request form
1660 page.patronRequest.label.holdingsLib=Library:
1661 page.patronRequest.label.pickupLib=Pick Up Library:
1662 page.patronRequest.label.SelectPickupLocsMsg=You must provide a Pick Up Library
                and Desk before your request is complete!
1663 # These are labels for the Media Bookings forms
1664 page.patronRequest.label.callNumber=Call Number:
1665 page.patronRequest.label.deliverTo=Deliver To:
1666 page.patronRequest.label.equipmentInRoom=Equipment In Room:
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
1667  page.patronRequest.label.itemNotAvailable=This item is not available during the
            following times:
1668  page.patronRequest.label.itemLoanPeriod=This item may be booked for up to \\n
            \\i(s).
1669  page.patronRequest.label.mediaStartDate=Select Start Date and Time:
1670  page.patronRequest.label.mediaEndDate=Select End Date and Time:
1671  page.patronRequest.label.otherEquipment=Other Equipment Available For Your
            Booking:
1672  page.patronRequest.label.selectEquipment=Select Equipment:
1673  ###########################################################################
1674  #
1675  # Patron Requests - request messages
1676  #
1677  ###########################################################################
1678  page.patronRequests.message.request.success=Your request was successful.
1679  page.patronRequests.message.request.fail=Your request failed.
1680  page.patronRequests.message.request.validation=The barcode you entered does not
            match that of the currently logged in patron. You may retry your
            request or log out and start over.
1681  ###########################################################################
1682  #
1683  # Patron Requests - no requests message. This is displayed if:
1684  #    1: the patron has no requests available in the current database
1685  #   OR
1686  #    2: the patron is blocked from making requests
1687  #
1688  ###########################################################################
1689  page.patronRequests.message.noRequests=You have no requests available in this
            database.
1690  ###########################################################################
1691  #
1692  # Patron Requests - generic request blocked messages
1693  #
1694  ###########################################################################
1695  page.patronRequests.message.requestblocked-4=There are no circulating items
            available to satisfy your UB Borrowing Request.
```

DRAFT

Figure A-1. Webvoyage.properties file (Continued)

```
Line#
1696  page.patronRequests.message.requestblocked-2=No items are available for CallSlip
                requests.
1697  page.patronRequests.message.requestblocked-1=No items are available for Hold
                requests.
1698  page.patronRequests.message.requestblocked1=No holdings are available.
1699  page.patronRequests.message.requestblocked2=The item is on order.
1700  page.patronRequests.message.requestblocked3=The item is not charged.
1701  page.patronRequests.message.requestblocked4=The item is missing.
1702  page.patronRequests.message.requestblocked5=The item is lost.
1703  page.patronRequests.message.requestblocked6=The item is at the bindery.
1704  page.patronRequests.message.requestblocked7=No items are available for recall.
1705  page.patronRequests.message.requestblocked8=You have already placed a request
                for this item.
1706  page.patronRequests.message.requestblocked9=No recall policy is defined for this
                item.
1707  page.patronRequests.message.requestblocked10=No hold policy is defined for this
                item.
1708  page.patronRequests.message.requestblocked11=This item has been scheduled
                through media booking.
1709  page.patronRequests.message.requestblocked12=This item is not available for
                hold.
1710  ##########################################################################
1711  #
1712  # Patron Requests - automated retrieval system request blocked messages
1713  #
1714  ##########################################################################
1715  page.patronRequests.message.arsblocked1=Your Automated Retrieval System Request
                failed. This item is not a Remote Storage item.
1716  page.patronRequests.message.arsblocked2=Your Automated Retrieval System Request
                failed. This item has already been requested from Remote Storage.
1717  page.patronRequests.message.arsblocked3=Your Automated Retrieval System Request
                failed. This item is not available for Remote Storage request.
1718  page.patronRequests.message.arsblocked-3=No items are available for Remote
                Storage requests.
1719  ##########################################################################
1720  #
1721  # Patron Requests - short loan request blocked messages
1722  #
1723  ##########################################################################
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
1724  page.patronRequests.message.shortloanblocked1=This item is not authorized for
                Short Loans.
1725  page.patronRequests.message.shortloanblocked2=This item is not available for
                Short Loan at the selected time.
1726  page.patronRequests.message.shortloanblocked3=This item cannot be requested on
                this date since the Library will be closed.
1727  page.patronRequests.message.shortloanblocked4=The Short Loan configuration is
                not valid. Please inform the nearest librarian.
1728  page.patronRequests.message.shortloanblocked5=Patron has accrued blocks.
1729  page.patronRequests.message.shortloanblocked6=Patron has reached the maximum
                number of short loans allowed.
1730  page.patronRequests.message.shortloanblocked7=Patron has reached the maximum
                number of short loans allowed for this title.
1731  page.patronRequests.message.shortloanblocked8=Patron has reached the maximum
                number of short loans allowed for this day.
1732  page.patronRequests.message.shortloanblocked99=No items are available for Short
                Loan.
1733  ##########################################################################
1734  #
1735  # Patron Requests - media booking block messages
1736  #
1737  ##########################################################################
1738  page.patronRequests.message.medbaddelloc=The selected media item cannot be
                delivered to the specified location. Please select another delivery
                location from the list.
1739  page.patronRequests.message.medbadend=Your selected ending date and/or time does
                not fall within the media calendar. Please enter a different end
                time.
1740  page.patronRequests.message.medbadequiptimes=The selected equipment cannot be
                booked at the specified time. Please select a different piece of
                equipment from the list, or adjust your booking times.
1741  page.patronRequests.message.medbadpickuploc=The selected media item cannot be
                picked up at the specified location. Please select a different
                pickup location from the list.
1742  page.patronRequests.message.medbadroomtimes=The selected room cannot be booked
                at the specified time. Please select a different room from the list,
                or change the time of your booking.
1743  page.patronRequests.message.medbadstart=Your selected starting date and/or time
                does not fall within the media calendar. Please enter a different
                start time.
1744  page.patronRequests.message.medbooklimit=You have reached the maximum number of
                bookings. Please see staff at the Media Desk.
1745  page.patronRequests.message.medcancellimit=You have too many cancelled media
                bookings. Please see staff at the Media Desk.
1746  page.patronRequests.message.medendclosed=The library is closed on the specified
                end date or time. Please enter a different end time.
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
1747  page.patronRequests.message.medequipintervalmax=The specified booking schedule
                exceeds the maximum booking interval for the selected equipment.
                Please select a different piece of equipment from the list, or
                change the booking times.
1748  page.patronRequests.message.medequipnousage=The selected equipment cannot be
                picked up or delivered. Please select a different piece of equipment
                from the list.
1749  page.patronRequests.message.medequippiecesmax=You have reached the maximum
                number of pieces of equipment allowed in a media booking. Please
                remove one or more pieces from the list.
1750  page.patronRequests.message.medfeelimit=You have reached the maximum balance in
                media booking fees. Please see staff at the Media Desk.
1751  page.patronRequests.message.meditemintervalmax=The specified booking schedule
                exceeds the maximum loan period for the selected item. Please
                consult the displayed loan period and modify the booking times.
1752  page.patronRequests.message.meditemnousage=The selected item cannot be picked up
                or delivered. Please select a different item.
1753  page.patronRequests.message.meditemunavail=The selected item is not available
                for booking at the specified times. Please consult the displayed
                schedule and modify the booking times.
1754  page.patronRequests.message.medlatelimit=You have too many "late return" media
                bookings. Please see staff at the Media Desk.
1755  page.patronRequests.message.mednoitems=No items are available for use in your
                booking.
1756  page.patronRequests.message.medroomintervalmax=The specified booking schedule
                exceeds the maximum booking interval for the selected room. Please
                select a different room from the list, or change the booking times.
1757  page.patronRequests.message.medroomnousage=The selected location cannot be used
                for delivery. Please select a different delivery location.
1758  page.patronRequests.message.medroomunavail=The selected room is not available
                for booking at the specified times. Please select a different room
                from the list, or change the booking times.
1759  page.patronRequests.message.medstartclosed=The library is closed on the
                specified start date or time. Please enter a different start time.
1760  page.patronRequests.message.medunclaimlimit=You have too many unclaimed media
                bookings. Please see staff at the Media Desk.
1761  ##########################################################################
1762  #
1763  # Patron Requests - call slip request messages:
1764  #    The final segment of the message codes must match those defined in SysAdmin.
1765  #
1766  ##########################################################################
1767  page.patronRequests.message.callslipmsg.SM1_NxtDay=Call Slip requests should be
                fulfilled by the next day.
1768  ##########################################################################
1769  #
1770  # Patron Requests - media booking confirmation form
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
1771  #
1772  ##########################################################################
1773  page.mediaBookingConf.title=WebVoyáge Media Booking Request
1774  page.mediaBookingConf.heading=Media Booking Confirmation
1775  page.mediaBookingConf.label=Media Booking Confirmation
1776  ##########################################################################
1777  #
1778  # Send Email
1779  #
1780  ##########################################################################
1781  page.searchResults.emailResults.page.title=WebVoyáge E-mail
1782  page.searchResults.emailResults.page.heading=E-mail
1783  page.searchResults.emailResults.page.label=E-mail
1784  page.searchResults.emailResults.page.email.label1=To e-mail the selected
                results, enter the information below and click E-mail.
1785  page.searchResults.emailResults.page.email.label2=(
1786  page.searchResults.emailResults.page.email.label2.value=*
1787  page.searchResults.emailResults.page.email.label2.posttext= = required field)
1788  page.searchResults.emailResults.page.email.label3=The information entered on
                this page will not be used to send unsolicited e-mail, and will not
                be sold to a 3rd party.
1789  page.searchResults.emailResults.page.email.to.argument.label=To:
1790  toString.asterisk=*
1791  page.searchResults.emailResults.page.email.subject.argument.label=Subject:
1792  page.searchResults.emailResults.page.email.bodytext.argument.label=Body Text:
1793  page.searchResults.emailResults.page.email.email.button=E-mail
1794  page.searchResults.emailResults.page.email.email.button.message=Send Email
                Message
1795  page.searchResults.emailResults.page.email.cancel.button=Cancel
1796  page.searchResults.emailResults.page.email.cancel.button.message=Cancel Email
                Message
1797  page.searchResults.emailResults.page.errorCode.EMAILMessage1=No email address
                has been entered. Please enter an email address.
1798  page.searchResults.emailResults.page.errorCode.EMAILMessage2=Email address is
                not valid.
1799  page.searchResults.emailResults.page.errorCode.EMAILMessage3=No records were
                selected.
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
1800  page.searchResults.emailResults.page.errorCode.EMAILMessage4=The maximum number
                of characters on subject line is 100.
1801  page.searchResults.emailResults.page.errorCode.EMAILMessage5=The maximum number
                of characters of boy text is 2000.
1802  page.searchResults.emailResults.page.errorCode.EMAILMessage6=Your Email Request
                failed!
1803  page.searchResults.emailResults.page.email.success=Your Email was sent correctly
1804  page.searchResults.emailComplete.page.title=WebVoyáge E-mail Confirmation
1805  page.searchResults.emailComplete.page.heading=E-Mail Sent
1806  page.searchResults.emailComplete.page.label=E-mail Sent
1807  page.searchResults.emailComplete.page.success.label=Your e-mail has been sent
                successfully to
1808  page.searchResults.emailComplete.page.return.button=Return
1809  page.searchResults.emailComplete.page.return.button.message=Return Email
                Message
1810
1811  #=======================================
1812  # Option to enable email functionality
1813  #=======================================
1814  option.email=N
1815  mail.host=
1816  mail.transport.protocol=smtp
1817  mail.user=voyager
1818  mail.subject=Search Results
1819
1820  ################################################################################
                ##########
1821  #
1822  #  My list page used configurable labels, buttons
1823  #
1824  ################################################################################
                ##########
1825  page.myList.page.title=WebVoyáge My List
1826  page.myList.page.heading=My List
1827  page.myList.pubDate.label=Publisher date:
1828  page.myList.saveOn.label=Saved on:
1829  page.myList.delete.button=delete
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

```
Line#
1830 page.myList.delete.message=delete the list
1831 page.myList.noOfHits.label=
1832 page.myList.noOfHits.posttext= items in your list
1833 page.myList.message.empty.display=Your list is empty.
1834
1835 #=============================================================================
1836 # My list book bag error message
1837 #=============================================================================
1838 page.myList.bookbagMessage1=Record not found, or it has been deleted.
1839 page.myList.bookbagMessage2=Database is no longer available.
1840 page.myList.bookbagMessage3=No email address has been entered. Please enter an
              email address.
1841 page.myList.bookbagMessage4=No records have been selected to save to your list.
1842 page.myList.bookbagMessage5=To save to your list, you must log into your
              account.
1843 page.myList.bookbagMessage6=The selected records have been added to your list.
1844 page.myList.bookbagMessage7=You may not save more than 1000 records to your
              list.
1845 page.myList.bookbagMessage8=Your list is empty.
1846 page.myList.bookbagMessage9=Save record operation may have been failed.
```

Figure A-1. Webvoyage.properties file (Continued)

DRAFT

Index.html File

B

Default Index.html File

See Figure B-1 for a sample of the default `index.html` file.

```
Line#
  1
  2  <head>
  3      <META http-equiv="Content-Type" content="text/html; charset=UTF-8">
  4      <style type="text/css">@import "/vwebv/ui/en_US/css/frameWork.css";</style>
  5      <style type="text/css">@import "/vwebv/ui/en_US/css/header.css";</style>
  6      <style media="screen" type="text/css">@import "/vwebv/ui/en_US/css/
                quickSearchBar.css";</style>
  7      <link href="/vwebv/ui/en_US/css/help.css" rel="stylesheet" type="text/css">
  8
  9                  <title>Welcome to WebVoyÃ¡ge</title>
 10  </head>
 11  <body class="frameWorkUI">
 12  <div id="pageContainer">
```

Figure B-1. Default index.html file

DRAFT

```
Line#
13        <div id="pageHeader">
14          <div id="headerRow">
15            <div id="logo">
16              <img alt="WebVoyage" src="/vwebv/ui/en_US/images/webVoyageLogo.jpg">
17            </div>
18        </div>
19  </div>
20  <div id="mainContent" class="help">
21  <h1 id="pageHeadingTitle">WebVoyÃ¡ge</h1>
22
23  <div id="quickSearchBar">
24  <form method="get" action="/vwebv/search">
25          <span id="quickSearchArg"><label for="searchArg">Search: </label><input
              id="searchArg" name="searchArg" class="inputStyle" size="36"
              type="text"></span><span id="searchButton">
26                  <input id="quickSearchButton" value="Go" type="submit"
              alt="Go get search results" src="/vwebv/ui/en_US/images/
              btn_go.gif"></span><input value="GKEY^*" name="searchCode"
              type="hidden">
27                  <input value="0" name="searchType" type="hidden">
28          </form>
29  </div>
30  <p>More choices:</p>
31  <ul>
32                  <li><a href="/vwebv/searchBasic?sk=en_US">Basic search</a></li>
33                  <li><a href="/vwebv/searchAdvanced?sk=en_US">Advanced search</
              a></li>
34                  <li><a href="/vwebv/enterCourseReserve.do?sk=en_US">Course
              reserve materials</a></li>
35                  <li><a href="/vwebv/login?sk=en_US">Log in to use your saved
              preferences</a></li>
36                  <li><a href="/vwebv/myAccount?sk=en_US">Review your account</
              a></li>
37                  <li><a href="/vwebv/ui/en_US/htdocs/help/index.html">Read help
              for WebVoyÃ¡ge</a></li>
38                  <!-- the following links must be customized locally -->
39                  <li><a href="#">Return to the main library website.</a></li>
40                  <li><a href="#">Return to the campus website</a></li>
41  </ul>
```

DRAFT

Figure B-1. Default index.html file (Continued)

```
Line#
 42
 43   </div> <!-- end mainContent -->
 44
 45   <div id="pageFooter">
 46   <div id="copyright">
 47            <span id="copySymbol">&copy;</span><span>2007 Ex Libris Group. All
                rights reserved.</span>
 48          </div>
 49   </div> <!-- end of pageFooter -->
 50   </div> <!-- end page container -->
 51   </body>
 52   </html>
```

Figure B-1. Default index.html file (Continued)

DRAFT

DRAFT

Index

Symbols

!, 2-5
"" (quotes), 2-5
%, 2-5
() (parentheses), 2-5
*, 2-5
+, 2-5
?, 2-5

A

accessibility, 0-xv
actions, 2-20
    add to list, 2-23
    add to my list, 2-23
    e-mail, 2-22
    export, 2-22
    make a request, 2-23
    print, 2-22
add to list, 2-23
add to my list, 2-23
advanced search, 2-7
author search, 2-9
automated search
    SDI, 2-15

B

basic search, 2-6

C

course reserve search, 2-10

D

directory structure, 3-3

E

edit preferences, 2-18
e-mail, 2-22
export, 2-22

G

Geospatial, 3-19
geospatial search, 2-13
Getting Started, 1-1
    prerequisite skills and knowledge, 1-1

L

labeled tabs, 2-3
logging in, 1-3

M

make a request, 2-23
map search configuration, 3-19
menu list, 2-2
My Account, 2-16
My List, 2-16
My Searches, 2-14

N

navigation, 2-1

DRAFT

labeled tabs, 2-3
menu list, 2-2
quick search, 2-5
URL access, 2-1

P

patron options, 2-14
My Account, 2-16
My List, 2-16
My Searches, 2-14
personal information, 2-17
preferences
database change, 2-19
edit, 2-18
prerequisites, 1-1
print, 2-22

Q

quick search, 2-5

S

SDI (Selective Dissemination of Information), 2-15
search
advanced, 2-7
author, 2-9
basic, 2-6
course reserve, 2-10
geospatial, 2-13
search history, 2-13
special characters (wild card), 2-5
subject, 2-8
search history, 2-13
special search character
!, 2-5
"" (quotes), 2-5
%, 2-5
() (parentheses), 2-5
*, 2-5
+, 2-5
?, 2-5
subject search, 2-8

U

URL access, 2-1

W

wild card character, 2-5

DRAFT