



# Data Dictionary

Version 8

## CONFIDENTIAL INFORMATION

The information herein is the property of Ex Libris Ltd. or its affiliates and any misuse or abuse will result in economic loss. DO NOT COPY UNLESS YOU HAVE BEEN GIVEN SPECIFIC WRITTEN AUTHORIZATION FROM EX LIBRIS LTD.

This document is provided for limited and restricted purposes in accordance with a binding contract with Ex Libris Ltd. or an affiliate. The information herein includes trade secrets and is confidential.

## DISCLAIMER

The information in this document will be subject to periodic change and updating. Please confirm that you have the most current documentation. There are no warranties of any kind, express or implied, provided in this documentation, other than those expressly agreed upon in the applicable Ex Libris contract. This information is provided AS IS. Unless otherwise agreed, Ex Libris shall not be liable for any damages for use of this document, including, without limitation, consequential, punitive, indirect or direct damages.

Any references in this document to third-party material (including third-party Web sites) are provided for convenience only and do not in any manner serve as an endorsement of that third-party material or those Web sites. The third-party materials are not part of the materials for this Ex Libris product and Ex Libris has no liability for such materials.

## TRADEMARKS

"Ex Libris," the Ex Libris bridge, Primo, Aleph, Alephino, Voyager, SFX, MetaLib, Verde, DigiTool, Preservation, URM, ENCompass, Endeavor eZConnect, WebVoyage, Citation Server, LinkFinder and LinkFinder Plus, and other marks are trademarks or registered trademarks of Ex Libris Ltd. or its affiliates.

The absence of a name or logo in this list does not constitute a waiver of any and all intellectual property rights that Ex Libris Ltd. or its affiliates have established in any of its products, features, or service names or logos.

Trademarks of various third-party products, which may include the following, are referenced in this documentation. Ex Libris does not claim any rights in these trademarks. Use of these marks does not imply endorsement by Ex Libris of these third-party products, or endorsement by these third parties of Ex Libris products.

Oracle is a registered trademark of Oracle Corporation.

UNIX is a registered trademark in the United States and other countries, licensed exclusively through X/Open Company Ltd.

Microsoft, the Microsoft logo, MS, MS-DOS, Microsoft PowerPoint, Visual Basic, Visual C++, Win32,

Microsoft Windows, the Windows logo, Microsoft Notepad, Microsoft Windows Explorer, Microsoft Internet Explorer, and Windows NT are registered trademarks and ActiveX is a trademark of the Microsoft Corporation in the United States and/or other countries.

Unicode and the Unicode logo are registered trademarks of Unicode, Inc.

Google is a registered trademark of Google, Inc.

Copyright Ex Libris Limited, 2011. All rights reserved.

Document released: June 2011

Web address: <http://www.exlibrisgroup.com>

---

### **ACCESS\_GROUP**

ACCESS\_GROUP\_ID: NUMBER  
ACCESS\_GROUP\_CODE: VARCHAR2(8)  
ACCESS\_GROUP\_NAME: VARCHAR2(40)  
ACCESS\_GROUP\_TYPE: CHAR(1)

### **ACCESS\_GROUP\_DATABASES**

ACCESS\_GROUP\_ID: NUMBER  
DB\_CODE: VARCHAR2(8)  
DB\_ID: NUMBER

### **ACCESS\_GROUP\_DOMAIN**

ACCESS\_GROUP\_DOMAIN\_ID: NUMBER  
ACCESS\_GROUP\_ID: NUMBER  
DOMAIN\_NAME: VARCHAR2(256)

### **ACCESS\_GROUP\_IP**

ACCESS\_GROUP\_IP\_ID: NUMBER  
ACCESS\_GROUP\_ID: NUMBER  
MIN\_IP\_ADDR: NUMBER  
MAX\_IP\_ADDR: NUMBER

### **ACCESS\_GROUP\_PATRON\_GROUP**

ACCESS\_GROUP\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER

### **ACCESS\_GROUP\_SORT\_GROUP**

ACCESS\_GROUP\_ID: NUMBER  
SORT\_GROUP\_ID: NUMBER

### **ACCOUNT\_LOCATION**

ACCOUNT\_ID: NUMBER  
ACCOUNT\_LOCATION: NUMBER

### **ACCOUNT\_NOTE**

ACCOUNT\_ID: NUMBER  
VENDOR\_ID: NUMBER  
NOTE: VARCHAR2(1900)

### **ACQ\_LOCATIONS**

ACQ\_POLICY\_ID: NUMBER  
LOCATION\_ID: NUMBER  
ORDER\_LOC: CHAR(1)  
RECEIVE\_LOC: CHAR(1)  
DESTINATION\_LOC: CHAR(1)  
ORDER\_OPAC: CHAR(1)  
ORDER\_DEFAULT\_ITEM\_TYPE: NUMBER  
RECEIVE\_DEFAULT\_ITEM\_TYPE: NUMBER  
PRINT\_LOCATION: NUMBER

### **ACQ\_OPERATOR**

OPERATOR\_ID: VARCHAR2(10)  
ACQ\_PROFILE\_ID: NUMBER

### **ACQ\_POLICY\_GROUP**

ACQ\_POLICY\_ID: NUMBER  
ACQ\_POLICY\_NAME: VARCHAR2(40)  
DUP\_PROFILE\_ID: NUMBER

### **ACQ\_PROFILE**

ACQ\_PROFILE\_ID: NUMBER  
ACQ\_PROFILE\_NAME: VARCHAR2(25)  
ORDER\_ADD\_UPDATE: CHAR(1)  
ORDER\_APPROVE: CHAR(1)  
OVERRIDE\_COMMIT: CHAR(1)  
OVERRIDE\_EXPEND: CHAR(1)  
RECEIVE: CHAR(1)  
SERIAL\_CHECKIN: CHAR(1)  
ORDER\_VIEW\_ONLY: CHAR(1)  
INVOICE\_ADD\_UPDATE: CHAR(1)  
INVOICE\_APPROVE: CHAR(1)  
INVOICE\_VIEW\_ONLY: CHAR(1)  
LEDGER\_ADD\_UPDATE: CHAR(1)  
CHANGE\_FUND\_ALLOC: CHAR(1)  
LEDGER\_VIEW\_ONLY: CHAR(1)  
FISCAL\_CLOSE: CHAR(1)  
VENDOR\_ADD\_UPDATE: CHAR(1)  
VENDOR\_VIEW\_ONLY: CHAR(1)  
MONO\_CLAIMS: CHAR(1)  
SERIAL\_CLAIMS: CHAR(1)  
PATTERN\_ADD\_UPDATE: CHAR(1)  
PATTERN\_VIEW\_ONLY: CHAR(1)  
ORDER\_DELETE: CHAR(1)  
INVOICE\_DELETE: CHAR(1)  
LEDGER\_DELETE: CHAR(1)  
PATTERN\_DELETE: CHAR(1)  
VENDOR\_DELETE: CHAR(1)  
CURRENCY\_MAINTENANCE: CHAR(1)  
EDI\_INCOMING: CHAR(1)  
EDI\_OUTGOING: CHAR(1)  
HOLD\_IGNORE\_OWNERSHIP: CHAR(1)  
MODIFY\_EDS\_OUTGOING: CHAR(1)  
ITEM\_ADD\_UPDATE: CHAR(1)  
ITEM\_VIEW\_ONLY: CHAR(1)  
ITEM\_DELETE: CHAR(1)  
SERIALS\_VIEW\_ONLY: CHAR(1)  
PROBLEMS\_CLAIMS\_VIEW\_ONLY: CHAR(1)  
BIND\_VIEW\_VOL\_ISSUE: CHAR(1)  
BIND\_EDIT\_VOL: CHAR(1)  
BIND\_EDIT\_ISSUE: CHAR(1)  
BIND\_PRINT: CHAR(1)  
CHANGE\_LINE\_ITEM\_BIB: CHAR(1)

### **ACQ\_SECURITY\_LOCS**

ACQ\_PROFILE\_ID: NUMBER

LOCATION\_ID: NUMBER

**ACTION\_TYPE**  
 ACTION\_TYPE\_ID: NUMBER  
 ACTION\_TYPE: VARCHAR2(20)

**ADDRESS\_TYPE**  
 ADDRESS\_TYPE: NUMBER  
 ADDRESS\_DESC: VARCHAR2(25)

**ADJUST\_REASON**  
 REASON\_ID: NUMBER

**ADJUST\_REASON**  
 REASON\_TEXT: VARCHAR2(50)  
 CHARGE\_OR\_CREDIT: CHAR(1)  
 REASON\_EDT\_CODE: VARCHAR2(250)  
 VENDOR\_ID: NUMBER

**AUTH\_DATA**  
 AUTH\_ID: NUMBER  
 SEQNUM: NUMBER  
 RECORD\_SEGMENT: VARCHAR2(990)

**AUTH\_HEADING**  
 HEADING\_ID\_POINTER: NUMBER  
 HEADING\_ID\_POINTEE: NUMBER  
 AUTH\_ID: NUMBER  
 REFERENCE\_TYPE: CHAR(1)  
 DISPLAY\_HEADING: VARCHAR2(330)  
 SCOPE\_NOTE\_PRESENT: CHAR(1)

**AUTH\_HISTORY**  
 AUTH\_ID: NUMBER  
 OPERATOR\_ID: VARCHAR2(10)  
 ACTION\_DATE: DATE  
 LOCATION\_ID: NUMBER  
 ENCODING\_LEVEL: CHAR(1)  
 ACTION\_TYPE\_ID: NUMBER

**AUTH\_INDEX**  
 AUTH\_ID: NUMBER  
 INDEX\_CODE: CHAR(4)  
 NORMAL\_HEADING: VARCHAR2(150)  
 DISPLAY\_HEADING: VARCHAR2(150)

**AUTH\_MASTER**  
 AUTH\_ID: NUMBER  
 CREATE\_DATE: DATE  
 UPDATE\_DATE: DATE  
 EXPORT\_OK: CHAR(1)  
 EXPORT\_OK\_DATE: DATE  
 EXPORT\_OK\_OPID: VARCHAR2(10)  
 EXPORT\_OK\_LOCATION\_ID: NUMBER  
 EXPORT\_DATE: DATE

**AUTH\_SUBDIVISION**  
 SUBDIV\_ID\_POINTER: NUMBER  
 SUBDIV\_ID\_POINTEE: NUMBER  
 REFERENCE\_TYPE: CHAR(1)  
 AUTH\_ID: NUMBER  
 DISPLAY\_SUBDIV: VARCHAR2(330)

**AUTHBLOB\_VW**  
 AUTH\_ID: NUMBER

MARC\_RECORD: CLOB

**AUTHHEADING\_VW**  
 HEADING\_ID\_POINTER: NUMBER  
 HEADING\_ID\_POINTEE: NUMBER  
 AUTH\_ID: NUMBER  
 REFERENCE\_TYPE: VARCHAR2(20)

**AUTHHISTORY\_VW**  
 AUTH\_ID: NUMBER  
 CREATE\_OPERATOR\_ID: VARCHAR2(10)  
 CREATE\_DATE: DATE  
 CREATE\_LOCATION\_ID: NUMBER  
 UPDATE\_OPERATOR\_ID: VARCHAR2(10)  
 UPDATE\_DATE: DATE  
 UPDATE\_LOCATION\_ID: NUMBER

**AUTHORITY1XX4XX\_VW**  
 INDEX\_TYPE: VARCHAR2(10)  
 AUTH\_ID\_1XX: NUMBER  
 AUTH\_ID\_4XX: NUMBER  
 STAFFBIBS: NUMBER  
 OPACBIBS: NUMBER  
 DISPLAY\_HEADING: VARCHAR2(330)

**AUTHORITY5XX1XX\_VW**  
 INDEX\_TYPE: VARCHAR2(10)  
 AUTH\_ID\_5XX: NUMBER  
 DISPLAY\_HEADING: VARCHAR2(300)

**AUTHORITYDUPE\_VW**  
 AUTH\_ID: NUMBER  
 DISPLAY\_HEADING: VARCHAR2(330)

**AUTHORITYRECORDS\_VW**  
 AUTH\_ID: NUMBER  
 INDEX\_TYPE: VARCHAR2(10)  
 REFERENCE\_TYPE\_DESC: VARCHAR2(20)  
 DISPLAY\_HEADING: VARCHAR2(300)  
 NORMAL\_HEADING: VARCHAR2(300)

**BASE\_CURRENCY**  
 BASE\_COUNTRY\_NAME: VARCHAR2(25)  
 BASE\_CURRENCY\_NAME: VARCHAR2(25)  
 BASE\_CURRENCY\_CODE: VARCHAR2(3)  
 BASE\_DECIMALS: NUMBER  
 DECIMAL\_DELIMITER: CHAR(1)

**BIB\_DATA**  
 BIB\_ID: NUMBER  
 SEQNUM: NUMBER  
 RECORD\_SEGMENT: VARCHAR2(990)

**BIB\_FACET**  
 BIB\_ID: NUMBER  
 INDEX\_CODE: CHAR(4)  
 FACET1: VARCHAR2(20)  
 FACET2: VARCHAR2(20)  
 FACET3: VARCHAR2(20)

**BIB\_FORMAT\_DISPLAY**  
 BIB\_FORMAT: VARCHAR2(2)  
 BIB\_FORMAT\_DISPLAY: VARCHAR2(20)

**BIB\_HEADING**

HEADING\_ID: NUMBER  
BIB\_ID: NUMBER  
DISPLAY\_HEADING: VARCHAR2(330)  
SUPPRESS\_IN\_OPAC: CHAR(1)

#### **BIB\_HISTORY**

BIB\_ID: NUMBER  
OPERATOR\_ID: VARCHAR2(10)  
ACTION\_DATE: DATE  
LOCATION\_ID: NUMBER  
ENCODING\_LEVEL: CHAR(1)  
SUPPRESS\_IN\_OPAC: VARCHAR2(1)  
ACTION\_TYPE\_ID: NUMBER

#### **BIB\_INDEX**

BIB\_ID: NUMBER  
INDEX\_CODE: CHAR(4)  
NORMAL\_HEADING: VARCHAR2(150)  
DISPLAY\_HEADING: VARCHAR2(150)

#### **BIB\_ITEM**

BIB\_ID: NUMBER  
ITEM\_ID: NUMBER  
ADD\_DATE: DATE  
OPERATOR\_ID: VARCHAR2(10)

#### **BIB\_LOCATION**

BIB\_ID: NUMBER  
LOCATION\_ID: NUMBER

#### **BIB\_MASTER**

BIB\_ID: NUMBER  
LIBRARY\_ID: NUMBER  
SUPPRESS\_IN\_OPAC: CHAR(1)  
CREATE\_DATE: DATE  
UPDATE\_DATE: DATE  
EXPORT\_OK: CHAR(1)  
EXPORT\_OK\_DATE: DATE  
EXPORT\_OK\_OPID: VARCHAR2(10)  
EXPORT\_OK\_LOCATION\_ID: NUMBER  
EXPORT\_DATE: DATE  
EXISTS\_IN\_DPS: CHAR(1)  
EXISTS\_IN\_DPS\_DATE: DATE

#### **BIB\_MEDIUM**

MEDIUM: CHAR(1)  
BIB\_ID: NUMBER

#### **BIB\_MFHD**

BIB\_ID: NUMBER  
MFHD\_ID: NUMBER

#### **BIB\_SUBDIVISION**

BIB\_ID: NUMBER  
SUBDIV\_ID: NUMBER  
DISPLAY\_SUBDIV: VARCHAR2(330)

#### **BIB\_TEXT**

BIB\_ID: NUMBER  
AUTHOR: VARCHAR2(255)  
TITLE: VARCHAR2(255)  
TITLE\_BRIEF: VARCHAR2(150)  
UNIFORM\_TITLE: VARCHAR2(255)  
EDITION: VARCHAR2(100)  
ISBN: VARCHAR2(50)

ISSN: VARCHAR2(20)  
LCCN: VARCHAR2(20)  
NETWORK\_NUMBER: VARCHAR2(30)  
SERIES: VARCHAR2(255)  
CODEN: VARCHAR2(6)  
GPONUM: VARCHAR2(20)  
STDTECH: VARCHAR2(30)  
OTHER\_STD\_NUM: VARCHAR2(30)  
BEGIN\_PUB\_DATE: VARCHAR2(4)  
END\_PUB\_DATE: VARCHAR2(4)  
PUB\_DATES\_COMBINED: VARCHAR2(9)  
PUBLISHER\_DATE: VARCHAR2(25)  
PUB\_PLACE: VARCHAR2(100)  
PUBLISHER: VARCHAR2(150)  
PUBLISHER\_NUMBER: VARCHAR2(40)  
IMPRINT: VARCHAR2(200)  
LANGUAGE: VARCHAR2(3)  
BIB\_FORMAT: VARCHAR2(2)  
RECORD\_STATUS: VARCHAR2(1)  
ENCODING\_LEVEL: VARCHAR2(1)  
DESCRIP\_FORM: VARCHAR2(1)  
FIELD\_008: VARCHAR2(40)  
PLACE\_CODE: VARCHAR2(3)  
DATE\_TYPE\_STATUS: CHAR(1)  
MAP\_PROJECTION: CHAR(2)  
MAP\_MATH\_DATA: VARCHAR2(255)  
STOCK\_NUMBER: VARCHAR2(50)

#### **BIB\_TEXT\_DISPLAYFIELD**

BIB\_TEXT\_FIELD: VARCHAR2(30)  
DISPLAY\_NAME: VARCHAR2(40)

#### **BIB\_USAGE\_LOG**

CLIENT\_TYPE: CHAR(1)  
USE\_DATE: DATE  
OPERATOR\_ID: VARCHAR2(10)  
LOCATION\_ID: NUMBER  
SESSION\_ID: VARCHAR2(16)  
STAT\_STRING: VARCHAR2(15)  
CLIENT\_IP: VARCHAR2(15)  
BIB\_ID: NUMBER  
USE\_TYPE: CHAR(1)

#### **BIB\_VW**

TITLE: VARCHAR2(150)  
SORT\_TITLE: VARCHAR2(150)  
BIB\_ID: NUMBER  
CREATE\_DATE: DATE  
CREATE\_OPERATOR: VARCHAR2(10)  
CREATE\_LOCATION\_ID: NUMBER  
MFHD\_ID: NUMBER  
CALL\_NO: VARCHAR2(300)  
CALL\_NO\_TYPE: CHAR(1)  
NORMALIZED\_CALL\_NO: VARCHAR2(300)  
MFHD\_CREATE\_DATE: DATE  
MFHD\_CREATE\_OPERATOR: VARCHAR2(10)  
MFHD\_CREATE\_LOCATION\_ID: NUMBER  
MFHD\_LOCATION\_ID: NUMBER  
MFHD\_LOCATION\_CODE: VARCHAR2(10)  
MFHD\_LOCATION: VARCHAR2(25)

#### **BIBBLOB\_VW**

BIB\_ID: NUMBER

MARC\_RECORD: CLOB

**BIBCOMPOSITEINDEX\_VW**  
 COMPOSITE\_SEARCHCODE: CHAR(4)  
 COMPONENT\_SEARCHCODE: CHAR(4)

**BIBHISTORY\_VW**  
 BIB\_ID: NUMBER  
 CREATE\_OPERATOR\_ID: VARCHAR2(10)  
 CREATE\_DATE: DATE  
 CREATE\_LOCATION\_ID: NUMBER  
 UPDATE\_OPERATOR\_ID: VARCHAR2(10)  
 UPDATE\_DATE: DATE  
 UPDATE\_LOCATION\_ID: NUMBER

**BIBLOC\_VW**  
 BIB\_ID: NUMBER  
 MARCLOCCODE: VARCHAR2(3)

**BIBSORTING\_VW**  
 BIB\_ID: NUMBER  
 DISPLAY\_TITLE: VARCHAR2(150)  
 NORMAL\_TITLE: VARCHAR2(150)  
 DISPLAY\_AUTHOR: VARCHAR2(150)  
 NORMAL\_AUTHOR: VARCHAR2(150)  
 PUB\_DATE: VARCHAR2(4)

**BINDERY\_COPY**  
 BINDERY\_COPY\_ID: NUMBER  
 COMPONENT\_ID: NUMBER  
 COPY\_ID: NUMBER

**BINDERY\_COPY\_DATA**  
 BINDERY\_DATA\_ID: NUMBER  
 BINDERY\_COPY\_ID: NUMBER  
 BINDERY\_DATA\_TYPE\_ID: NUMBER  
 BINDERY\_DATA: VARCHAR2(1000)

**BINDERY\_COPY\_DATA\_TYPE**  
 BINDERY\_DATA\_TYPE\_ID: NUMBER  
 BINDERY\_COPY\_DATA\_TYPE\_DESC: VARCHAR2(25)

**BINDERY\_VOLUME**  
 BINDERY\_VOLUME\_ID: NUMBER  
 BINDERY\_COPY\_ID: NUMBER  
 BIND\_ON\_DATE: DATE  
 ITEM\_ID: NUMBER  
 ITEM\_ENUM: VARCHAR2(80)  
 CHRON: VARCHAR2(80)  
 YEAR: VARCHAR2(20)  
 CAPTION: VARCHAR2(256)  
 FREETEXT: VARCHAR2(256)  
 VOLUME\_NOTE: VARCHAR2(200)  
 OTHER\_VOLUME\_DATA: VARCHAR2(200)

**BINDERY\_VOLUME\_ISSUES**  
 BINDERY\_VOLUME\_ID: NUMBER  
 ISSUE\_ID: NUMBER  
 COMPONENT\_ID: NUMBER  
 COPY\_ID: NUMBER  
 SEQUENCE\_NUMBER: NUMBER

**BOOKING\_RESULT**  
 BOOKING\_RESULT\_ID: NUMBER

BOOKING\_RESULT: VARCHAR2(20)

**BROWSE\_STATS**  
 STAT\_ID: NUMBER  
 STAT\_SAMPLE: VARCHAR2(50)  
 STAT\_TYPE: CHAR(1)  
 SUB\_TYPE: CHAR(1)  
 SUBSUB\_TYPE: NUMBER

**CACHE\_MAPS**  
 CACHE\_ID: NUMBER  
 CODE: CHAR(4)  
 ARG: VARCHAR2(60)  
 DATE\_UPDATED: DATE  
 BITS: NUMBER  
 SEGSIZE: NUMBER

**CACHE\_SEGS**  
 CACHE\_ID: NUMBER  
 SEQNUM: NUMBER  
 RECORD\_SEGMENT: LONG RAW

**CALENDAR**  
 CALENDAR\_ID: NUMBER  
 CALENDAR\_BEGIN\_DATE: DATE  
 CALENDAR\_END\_DATE: DATE  
 FIXED\_DUE\_DATE: DATE  
 CALENDAR\_DESC: VARCHAR2(25)  
 SUNDAY\_OPEN: CHAR(1)  
 SUNDAY\_OPENHOUR: NUMBER  
 SUNDAY\_CLOSEHOUR: NUMBER  
 MONDAY\_OPEN: CHAR(1)  
 MONDAY\_OPENHOUR: NUMBER  
 MONDAY\_CLOSEHOUR: NUMBER  
 TUESDAY\_OPEN: CHAR(1)  
 TUESDAY\_OPENHOUR: NUMBER  
 TUESDAY\_CLOSEHOUR: NUMBER  
 WEDNESDAY\_OPEN: CHAR(1)  
 WEDNESDAY\_OPENHOUR: NUMBER  
 WEDNESDAY\_CLOSEHOUR: NUMBER  
 THURSDAY\_OPEN: CHAR(1)  
 THURSDAY\_OPENHOUR: NUMBER  
 THURSDAY\_CLOSEHOUR: NUMBER  
 FRIDAY\_OPEN: CHAR(1)  
 FRIDAY\_OPENHOUR: NUMBER  
 FRIDAY\_CLOSEHOUR: NUMBER  
 SATURDAY\_OPEN: CHAR(1)  
 SATURDAY\_OPENHOUR: NUMBER  
 SATURDAY\_CLOSEHOUR: NUMBER  
 CIRC\_CLUSTER\_ID: NUMBER  
 MONDAY\_HOURLY\_EFFECT: NUMBER  
 MONDAY\_LOAN\_DUE: NUMBER  
 TUESDAY\_HOURLY\_EFFECT: NUMBER  
 TUESDAY\_LOAN\_DUE: NUMBER  
 WEDNESDAY\_HOURLY\_EFFECT: NUMBER  
 WEDNESDAY\_LOAN\_DUE: NUMBER  
 THURSDAY\_HOURLY\_EFFECT: NUMBER  
 THURSDAY\_LOAN\_DUE: NUMBER  
 FRIDAY\_HOURLY\_EFFECT: NUMBER  
 FRIDAY\_LOAN\_DUE: NUMBER  
 SATURDAY\_HOURLY\_EFFECT: NUMBER  
 SATURDAY\_LOAN\_DUE: NUMBER  
 SUNDAY\_HOURLY\_EFFECT: NUMBER

SUNDAY\_LOAN\_DUE: NUMBER

**CALENDAR\_TERM\_DATE**  
 CALENDAR\_ID: NUMBER  
 LEAD\_DAYS: NUMBER  
 END\_OF\_TERM\_DATE: DATE

**CALL\_NO\_HIERARCHY**  
 CALL\_NO\_HIERARCHY\_ID: NUMBER  
 CALL\_NO\_TYPE: CHAR(1)  
 CODE: VARCHAR2(8)  
 NAME: VARCHAR2(25)  
 USE\_AS\_DEFAULT: CHAR(1)

**CALL\_NO\_TYPE**  
 CALL\_NO\_TYPE: CHAR(1)  
 CALL\_NO\_DESC: VARCHAR2(25)  
 INDEXRULES: VARCHAR2(300)  
 CALL\_NO\_CODE: VARCHAR2(16)  
 MAP\_CODE: CHAR(1)

**CALL\_SLIP**  
 CALL\_SLIP\_ID: NUMBER  
 PRINT\_GROUP\_ID: NUMBER  
 BIB\_ID: NUMBER  
 ITEM\_ID: NUMBER  
 PATRON\_ID: NUMBER  
 PATRON\_GROUP\_ID: NUMBER  
 DATE\_REQUESTED: DATE  
 DATE\_PROCESSED: DATE  
 LOCATION\_ID: NUMBER  
 STATUS: NUMBER  
 STATUS\_DATE: DATE  
 STATUS\_OPID: VARCHAR2(10)  
 NO\_FILL\_REASON: NUMBER  
 ITEM\_YEAR: VARCHAR2(20)  
 ITEM\_ENUM: VARCHAR2(80)  
 ITEM\_CHRON: VARCHAR2(80)  
 NOTE: VARCHAR2(100)  
 MFHD\_ID: NUMBER  
 PICKUP\_LOCATION\_ID: NUMBER  
 PICKUP\_DB\_ID: NUMBER  
 PATRON\_DB\_ID: NUMBER  
 NOT\_NEEDED\_AFTER: NUMBER  
 REPLY\_NOTE: VARCHAR2(100)

**CALL\_SLIP\_ARCHIVE**  
 ARCHIVE\_ID: NUMBER  
 PRINT\_GROUP\_ID: NUMBER  
 BIB\_ID: NUMBER  
 ITEM\_ID: NUMBER  
 PATRON\_ID: NUMBER  
 PATRON\_GROUP\_ID: NUMBER  
 DATE\_REQUESTED: DATE  
 DATE\_PROCESSED: DATE  
 LOCATION\_ID: NUMBER  
 STATUS: NUMBER  
 STATUS\_DATE: DATE  
 STATUS\_OPID: VARCHAR2(10)  
 NO\_FILL\_REASON: NUMBER  
 ITEM\_YEAR: VARCHAR2(20)  
 ITEM\_ENUM: VARCHAR2(80)  
 ITEM\_CHRON: VARCHAR2(80)

NOTE: VARCHAR2(100)  
 MFHD\_ID: NUMBER  
 PICKUP\_LOCATION\_ID: NUMBER  
 PICKUP\_DB\_ID: NUMBER  
 PATRON\_DB\_ID: NUMBER  
 NOT\_NEEDED\_AFTER: NUMBER  
 REPLY\_NOTE: VARCHAR2(100)

**CALL\_SLIP\_GROUP\_LOCATION**  
 GROUP\_ID: NUMBER  
 LOCATION\_ID: NUMBER  
 RULE\_RANK: NUMBER  
 CALL\_NO\_TYPE: CHAR(1)  
 CALL\_NO\_MIN\_NORM: VARCHAR2(112)  
 CALL\_NO\_MIN\_DISPLAY: VARCHAR2(144)  
 CALL\_NO\_MAX\_NORM: VARCHAR2(112)  
 CALL\_NO\_MAX\_DISPLAY: VARCHAR2(144)  
 PERM\_LOCATION: NUMBER  
 TEMP\_LOCATION: NUMBER  
 ITEM\_TYPE\_ID: NUMBER  
 TEMP\_ITEM\_TYPE\_ID: NUMBER  
 YEAR\_MIN: VARCHAR2(20)  
 YEAR\_MAX: VARCHAR2(20)

**CALL\_SLIP\_MSG**  
 MESSAGE\_ID: NUMBER  
 MESSAGE\_CODE: VARCHAR2(10)  
 MESSAGE\_NAME: VARCHAR2(25)  
 SUSPENSION\_MESSAGE: CHAR(1)  
 ACTIVE: CHAR(1)

**CALL\_SLIP\_PRINT\_GROUP**  
 GROUP\_ID: NUMBER  
 GROUP\_CODE: VARCHAR2(10)  
 GROUP\_NAME: VARCHAR2(25)  
 DEFAULT\_GROUP: CHAR(1)  
 PROCESS\_METHOD: CHAR(1)  
 LOCATION\_ID: NUMBER  
 ARCHIVE\_INTERVAL: CHAR(1)  
 ARCHIVE\_PERIOD: NUMBER  
 EXPIRE\_INTERVAL: CHAR(1)  
 EXPIRE\_PERIOD: NUMBER  
 PATRON\_INFO: CHAR(1)  
 CAT\_REVIEW: CHAR(1)  
 CIRC\_REVIEW: CHAR(1)  
 DEFAULT\_ITEM\_TYPE\_ID: NUMBER

**CALL\_SLIP\_REASSIGN\_ARCHIVE**  
 ARCHIVE\_ID: NUMBER  
 PRINT\_GROUP\_ID: NUMBER  
 OPERATOR\_ID: VARCHAR2(10)  
 REASSIGN\_DATE: DATE

**CALL\_SLIP\_REASSIGNMENT**  
 CALL\_SLIP\_ID: NUMBER  
 PRINT\_GROUP\_ID: NUMBER  
 OPERATOR\_ID: VARCHAR2(10)  
 REASSIGN\_DATE: DATE

**CALL\_SLIP\_STATS**  
 CALL\_SLIP\_ID: NUMBER  
 PATRON\_STAT\_ID: NUMBER

**CALL\_SLIP\_STATUS\_TYPE**



STATUS\_TYPE: NUMBER  
 STATUS\_DESC: VARCHAR2(25)  
**CAMBRIDGEDEPTCLASS\_VW**  
 MFHD\_ID: NUMBER  
 CLASS: VARCHAR2(6)  
**CAMBRIDGEMAINCLASS\_VW**  
 MFHD\_ID: NUMBER  
 CLASS: VARCHAR2(6)  
**CAMBRIDGEMEDICALCLASS\_VW**  
 MFHD\_ID: NUMBER  
 CLASS: VARCHAR2(6)  
**CAT\_CONTROL\_BARCODE**  
 IMPORT\_RULE\_ID: NUMBER  
 INDICATOR1: CHAR(1)  
 INDICATOR2: CHAR(1)  
 FIELD: VARCHAR2(3)  
 SUBFIELD: CHAR(1)  
 SEQUENCE: NUMBER  
**CAT\_CONTROL\_CALL\_NO**  
 CALL\_NO\_HIERARCHY\_ID: NUMBER  
 INDICATOR1: CHAR(1)  
 INDICATOR2: CHAR(1)  
 FIELD: VARCHAR2(3)  
 MAIN\_SUBFIELD: CHAR(1)  
 CUTTER\_SUBFIELD: CHAR(1)  
 SEQUENCE: NUMBER  
**CAT\_CONTROL\_ITEM\_STATUS**  
 IMPORT\_RULE\_ID: NUMBER  
 BINDERY: CHAR(1)  
 CAT\_REVIEW: CHAR(1)  
 CIRC\_REVIEW: CHAR(1)  
 DAMAGED: CHAR(1)  
 IN\_PROCESS: CHAR(1)  
 LOST\_LIB\_APP: CHAR(1)  
 MISSING: CHAR(1)  
 WITHDRAWN: CHAR(1)  
**CAT\_CONTROL\_ITEM\_TYPE**  
 IMPORT\_RULE\_ID: NUMBER  
 INDICATOR1: CHAR(1)  
 INDICATOR2: CHAR(1)  
 FIELD: VARCHAR2(3)  
 SUBFIELD: CHAR(1)  
 SEQUENCE: NUMBER  
 FIXED\_START: NUMBER  
 FIXED\_END: NUMBER  
**CAT\_CONTROL\_MULTI\_ITEMS**  
 IMPORT\_RULE\_ID: NUMBER  
 MAIN\_FIELD: VARCHAR2(3)  
 MAIN\_IND1: CHAR(1)  
 MAIN\_IND2: CHAR(1)  
 LOCATION\_SUBFIELD: CHAR(1)  
 ITEM\_TYPE\_SUBFIELD: CHAR(1)  
 BARCODE\_SUBFIELD: CHAR(1)  
 COLLAPSE\_MFHD: CHAR(1)  
 ENUM\_SUBFIELD: CHAR(1)  
 CHRON\_SUBFIELD: CHAR(1)

YEAR\_SUBFIELD: CHAR(1)  
 NOTE\_SUBFIELD: CHAR(1)  
**CAT\_OPERATOR**  
 OPERATOR\_ID: VARCHAR2(10)  
 CAT\_PROFILE\_ID: NUMBER  
**CAT\_POLICY\_DUP**  
 CAT\_POLICY\_ID: NUMBER  
 DUP\_PROFILE\_ID: NUMBER  
**CAT\_POLICY\_GROUP**  
 CAT\_POLICY\_ID: NUMBER  
 CAT\_POLICY\_NAME: VARCHAR2(40)  
 NUC\_CODE: VARCHAR2(15)  
 OPAC\_DISPLAY: CHAR(1)  
**CAT\_POLICY\_HIERARCHY**  
 CAT\_POLICY\_ID: NUMBER  
 CALL\_NO\_HIERARCHY\_ID: NUMBER  
**CAT\_POLICY\_LOCS**  
 CAT\_GROUP\_ID: NUMBER  
 LOCATION\_ID: NUMBER  
 CATALOGING\_LOCATION: CHAR(1)  
 CIRC\_LOCATION: CHAR(1)  
 ROUTING\_LOCATION: CHAR(1)  
 CALL\_NO\_TYPE: CHAR(1)  
 NUC\_CODE: VARCHAR2(15)  
 DEFAULT\_ITEM\_TYPE: NUMBER  
**CAT\_PROFILE**  
 CAT\_PROFILE\_ID: NUMBER  
 CAT\_PROFILE\_NAME: VARCHAR2(25)  
 BIB\_ADD: CHAR(1)  
 BIB\_UPDATE: CHAR(1)  
 BIB\_DELETE: CHAR(1)  
 BIB\_VIEW\_ONLY: CHAR(1)  
 HOLD\_ADD: CHAR(1)  
 HOLD\_UPDATE: CHAR(1)  
 HOLD\_DELETE: CHAR(1)  
 HOLD\_VIEW\_ONLY: CHAR(1)  
 ITEM\_ADD: CHAR(1)  
 ITEM\_UPDATE: CHAR(1)  
 ITEM\_DELETE: CHAR(1)  
 ITEM\_VIEW\_ONLY: CHAR(1)  
 AUTH\_ADD: CHAR(1)  
 AUTH\_UPDATE: CHAR(1)  
 AUTH\_DELETE: CHAR(1)  
 AUTH\_VIEW\_ONLY: CHAR(1)  
 MARCAUTH\_ADD\_UPDATE: CHAR(1)  
 MARCAUTH\_VIEW\_ONLY: CHAR(1)  
 MARCBIB\_ADD\_UPDATE: CHAR(1)  
 MARCBIB\_VIEW\_ONLY: CHAR(1)  
 MARCHOLD\_ADD\_UPDATE: CHAR(1)  
 MARCHOLD\_VIEW\_ONLY: CHAR(1)  
 GLOBAL\_REPLACE: CHAR(1)  
 CHANGE\_OWNERSHIP: CHAR(1)  
 HOLD\_IGNORE\_OWNERSHIP: CHAR(1)  
 AUTH\_EXPORT\_OK: CHAR(1)  
 BIB\_EXPORT\_OK: CHAR(1)  
 MFHD\_EXPORT\_OK: CHAR(1)  
 USE\_TEMPLATE: CHAR(1)



**CAT\_SECURITY\_LOCS**

CAT\_PROFILE\_ID: NUMBER  
LOCATION\_ID: NUMBER

**CHARACTER\_SET**

CHAR\_SET\_ID: NUMBER  
CHAR\_SET\_CODE: CHAR(1)  
CHAR\_SET\_NAME: VARCHAR2(30)

**CHRON**

CHRON\_TYPE\_ID: NUMBER  
CHRON\_SEQ: NUMBER  
CHRON\_VALUE: VARCHAR2(20)

**CHRON\_TYPE**

CHRON\_TYPE\_ID: NUMBER  
CHRON\_NAME: VARCHAR2(40)  
CHRON\_TYPE\_CODE: CHAR(2)

**CIRC\_ALERT\_CONDITIONS**

LOC\_ID: NUMBER  
ALERT\_ID: NUMBER  
ALERT\_DISPLAY: NUMBER  
ALERT\_USE\_PATRON\_NAME: CHAR(1)  
ALERT\_USE\_PATRON\_BARCODE: CHAR(1)  
ALERT\_USE\_PATRON\_PHONE: CHAR(1)

**CIRC\_ALERT\_TYPES**

ALERT\_TYPE: NUMBER  
ALERT\_TYPE\_DESC: VARCHAR2(100)

**CIRC\_ALERTS**

ALERT\_ID: NUMBER  
ALERT\_TYPE: NUMBER  
ALERT\_NAME: VARCHAR2(30)  
ALERT\_TEXT: VARCHAR2(100)

**CIRC\_BLOCK\_OVERRIDE**

CIRC\_PROFILE\_ID: NUMBER  
BLOCK\_ID: NUMBER

**CIRC\_BLOCKS**

BLOCK\_ID: NUMBER  
BLOCK\_TYPE: VARCHAR2(6)  
BLOCK\_NAME: VARCHAR2(30)  
BLOCK\_DISPLAY\_NAME: VARCHAR2(100)

**CIRC\_CLUSTER**

CIRC\_CLUSTER\_ID: NUMBER  
CIRC\_CLUSTER\_CODE: VARCHAR2(10)  
CIRC\_CLUSTER\_NAME: VARCHAR2(100)  
DEFAULT\_PICKUP\_LOCATION: NUMBER

**CIRC\_GROUP\_CALENDAR**

CIRC\_GROUP\_ID: NUMBER  
CALENDAR\_ID: NUMBER

**CIRC\_OPERATOR**

OPERATOR\_ID: VARCHAR2(10)  
CIRC\_PROFILE\_ID: NUMBER

**CIRC\_POLICY\_GROUP**

CIRC\_GROUP\_ID: NUMBER  
CIRC\_GROUP\_NAME: VARCHAR2(40)  
RENEW\_IF\_RECALL: CHAR(1)

RENEW\_IF\_HOLD: CHAR(1)  
RENEW\_IF\_OVERDUE: CHAR(1)  
CLOSED\_DAYS\_FOR\_LOANS: CHAR(1)  
CLOSED\_DAYS\_FOR\_FINES: CHAR(1)  
LOST\_PROCESS\_FEE: CHAR(1)  
PROCESS\_FEE: NUMBER  
MAX\_FINE\_FEE\_FOR\_LOST: CHAR(1)  
EARLY\_PICKUP\_WINDOW: NUMBER  
UNCLAIMED\_INTERVAL: NUMBER  
EXTEND\_RECALL\_DUE\_DATE: CHAR(1)  
CIRC\_CLUSTER\_ID: NUMBER  
FIXED\_DUE\_TIME: CHAR(1)

**CIRC\_POLICY\_LOCS**

CIRC\_GROUP\_ID: NUMBER  
LOCATION\_ID: NUMBER  
CIRC\_LOCATION: CHAR(1)  
COLLECT\_FINES: CHAR(1)  
COURTESY\_DISCHARGE: CHAR(1)  
SHELVING\_INTERVAL: CHAR(1)  
SHELVING\_PERIOD: NUMBER  
SUPPRESS\_FLY\_ITEMS: CHAR(1)  
DEFAULT\_ITEM\_TYPE: NUMBER  
DEFAULT\_LOCATION: NUMBER  
PRINT\_DATE\_DUES: CHAR(1)  
PRINT\_FINE\_RECEIPTS: CHAR(1)  
PRINT\_DISCHARGE\_RECEIPTS: CHAR(1)  
PRINT\_HOLD\_SLIPS: CHAR(1)  
PRINT\_ROUTING\_SLIPS: CHAR(1)  
TRANSIT\_PERIOD: NUMBER  
PRINT\_LOCATION: NUMBER  
AUTOMATED\_STORAGE: CHAR(1)  
OPAC\_CIRC\_DESK: CHAR(1)  
PICKUP\_LOCATION: CHAR(1)  
HOLD\_LIFE: NUMBER  
RECALL\_LIFE: NUMBER  
PATRON\_AVAIL\_ITEMS\_ALERT: CHAR(1)  
PATRON\_FINE\_FEE\_ALERT: CHAR(1)

**CIRC\_POLICY\_MATRIX**

CIRC\_POLICY\_MATRIX\_ID: NUMBER  
CIRC\_GROUP\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
ITEM\_TYPE\_ID: NUMBER  
CHARGE\_RENEW: CHAR(1)  
PLACE\_RECALL: CHAR(1)  
PLACE\_HOLD: CHAR(1)  
LOAN\_INTERVAL: CHAR(1)  
LOAN\_PERIOD: NUMBER  
FINE\_INTERVAL: CHAR(1)  
FINE\_RATE: NUMBER  
MAX\_FINE: NUMBER  
GRACE\_PERIOD: NUMBER  
RENEWAL\_COUNT: NUMBER

**CIRC\_POLICY\_MATRIX**

RENEWAL\_INTERVAL: CHAR(1)  
RENEWAL\_PERIOD: NUMBER  
RECALL\_FINE\_INTERVAL: CHAR(1)  
RECALL\_FINE\_RATE: NUMBER  
RECALL\_MIN\_LOAN: NUMBER  
RENEW\_FROM\_DUE\_DATE: CHAR(1)  
RECALL\_RETURN\_PERIOD: NUMBER

PLACE\_CALL\_SLIP: CHAR(1)  
 MAX\_RECALL\_FINE: NUMBER  
 RECALL\_GRACE\_PERIOD: NUMBER  
 COURTESY\_NOTICE\_INTERVAL: NUMBER  
 COURTESY\_NOTICE\_MIN\_LOAN: NUMBER  
 FIRST\_OVERDUE\_INTERVAL: NUMBER  
 OTHER\_NOTICE\_COUNT: NUMBER  
 OTHER\_NOTICE\_INTERVAL: NUMBER  
 LOST\_NOTICE\_INTERVAL: NUMBER  
 RECALL\_NOTICE\_INTERVAL: NUMBER  
 RECALL\_NOTICE\_COUNT: NUMBER  
 HOLD\_SHELF\_LIFE: NUMBER  
 HOLD\_SHELF\_LIFE\_INTERVAL: CHAR(1)  
 CHARGE\_LIMIT: NUMBER  
 CHARGE\_LIMIT\_APPLY: CHAR(1)  
 PLACE\_UB\_REQUEST: CHAR(1)  
 ALLOW\_BOOKINGS\_ON\_OVERDUES: CHAR(1)  
 ADVANCED\_LOAN\_WARNING\_INTERVAL:  
 CHAR(1)  
 ADVANCED\_LOAN\_WARNING\_PERIOD:  
 NUMBER  
 ALWAYS\_DUE\_NEXT\_OPEN\_DAY: CHAR(1)

#### **CIRC\_PROFILE**

CIRC\_PROFILE\_ID: NUMBER  
 CIRC\_PROFILE\_NAME: VARCHAR2(25)  
 CHARGE\_RENEW: CHAR(1)  
 DISCHARGE: CHAR(1)  
 CHANGE\_DUE\_DATE: CHAR(1)  
 CHANGE\_DISCHARGE\_DATE: CHAR(1)  
 ITEM\_ADD\_UPDATE: CHAR(1)  
 ITEM\_STATUS: CHAR(1)  
 ITEM\_DELETE: CHAR(1)  
 ADD\_FINES: CHAR(1)  
 PAY\_FINES: CHAR(1)  
 FORGIVE\_FINES: CHAR(1)  
 RECAHOLD\_ADD\_UPDATE: CHAR(1)  
 RECAHOLD\_RESEQUENCE: CHAR(1)  
 PATRON\_ADD\_UPDATE: CHAR(1)  
 PATRON\_DELETE: CHAR(1)  
 PATRON\_COUNTERS: CHAR(1)  
 PATRON\_PROXY\_MAINTAIN: CHAR(1)  
 PATRON\_VIEW\_ONLY: CHAR(1)  
 PG\_RESTRICT\_VIEW: CHAR(1)  
 PG\_RESTRICT\_MAINT: CHAR(1)  
 PG\_RESTRICT\_CIRC: CHAR(1)  
 RESERVE\_ADD\_UPDATE: CHAR(1)  
 HOLD\_IGNORE\_OWNERSHIP: CHAR(1)  
 DISTRIBUTION\_ITEM\_VIEW: CHAR(1)  
 DISTRIBUTION\_ITEM\_DISTRIBUTE: CHAR(1)  
 DISTRIBUTION\_ITEM\_CREATE: CHAR(1)  
 DISTRIBUTION\_ITEM\_UPDATE: CHAR(1)  
 DISTRIBUTION\_ITEM\_ORDER: CHAR(1)  
 DISTRIBUTION\_ITEM\_RECEIVE: CHAR(1)  
 DISTRIBUTION\_ITEM\_DELETE: CHAR(1)  
 UPDATE\_PIN: CHAR(1)  
 MFHD\_UPDATE: CHAR(1)  
 PATRON\_MASK\_SSN: CHAR(1)  
 EDIT\_STUB\_PATRON: CHAR(1)  
 MANUALLY\_MAP\_PATRON: CHAR(1)  
 VIEW\_PATRON\_CIRC\_HISTORY: CHAR(1)

#### **CIRC\_SECURITY\_LOCS**

CIRC\_PROFILE\_ID: NUMBER  
 LOCATION\_ID: NUMBER

#### **CIRC\_SECURITY\_PG**

CIRC\_PROFILE\_ID: NUMBER  
 PATRON\_GROUP\_ID: NUMBER

#### **CIRC\_TRANS\_ARCHIVE**

CIRC\_TRANSACTION\_ID: NUMBER  
 ITEM\_ID: NUMBER  
 CIRC\_POLICY\_MATRIX\_ID: NUMBER  
 PATRON\_GROUP\_ID: NUMBER  
 CHARGE\_DATE: DATE  
 CHARGE\_LOCATION: NUMBER  
 CHARGE\_TYPE: CHAR(1)  
 CHARGE\_OPER\_ID: VARCHAR2(10)  
 DUE\_DATE: DATE  
 DISCHARGE\_DATE: DATE  
 DISCHARGE\_LOCATION: NUMBER  
 DISCHARGE\_TYPE: CHAR(1)  
 DISCHARGE\_OPER\_ID: VARCHAR2(10)  
 RENEWAL\_COUNT: NUMBER  
 RECALL\_DATE: DATE  
 RECALL\_DUE\_DATE: DATE  
 RECALL\_NOTICE\_COUNT: NUMBER  
 RECALL\_NOTICE\_DATE: DATE  
 OVERDUE\_NOTICE\_COUNT: NUMBER  
 OVERDUE\_NOTICE\_DATE: DATE  
 OVER\_RECALL\_NOTICE\_COUNT: NUMBER  
 OVER\_RECALL\_NOTICE\_DATE: DATE  
 PATRON\_ID: NUMBER  
 PATRON\_ID\_PROXY: NUMBER  
 COURTESY\_NOTICE\_DATE: DATE  
 DB\_ID: NUMBER

#### **CIRC\_TRANS\_EXCEPT\_TYPE**

EXCEPTION\_TYPE: NUMBER  
 EXCEPTION\_DESC: VARCHAR2(50)

#### **CIRC\_TRANS\_EXCEPTION**

CIRC\_TRANS\_EXCEPT\_ID: NUMBER  
 ITEM\_ID: NUMBER  
 ITEM\_LOCATION: NUMBER  
 PATRON\_ID: NUMBER  
 TRANS\_EXCEPT\_DATE: DATE  
 TRANS\_EXCEPT\_LOCATION: NUMBER  
 TRANS\_EXCEPT\_TYPE: NUMBER  
 TRANS\_EXCEPT\_OPER\_ID: VARCHAR2(10)

#### **CIRC\_TRANSACTION\_STATS**

CIRC\_TRANSACTION\_ID: NUMBER  
 PATRON\_STAT\_ID: NUMBER

#### **CIRC\_TRANSACTIONS**

CIRC\_TRANSACTION\_ID: NUMBER  
 ITEM\_ID: NUMBER  
 CIRC\_POLICY\_MATRIX\_ID: NUMBER  
 PATRON\_ID: NUMBER  
 PATRON\_ID\_PROXY: NUMBER  
 PATRON\_GROUP\_ID: NUMBER  
 CHARGE\_DATE: DATE  
 CHARGE\_LOCATION: NUMBER  
 CHARGE\_TYPE: CHAR(1)  
 CHARGE\_OPER\_ID: VARCHAR2(10)

CHARGE\_DUE\_DATE: DATE  
 DISCHARGE\_DATE: DATE  
 DISCHARGE\_LOCATION: NUMBER  
 DISCHARGE\_TYPE: CHAR(1)  
 DISCHARGE\_OPER\_ID: VARCHAR2(10)  
 RENEWAL\_COUNT: NUMBER  
 RECALL\_DATE: DATE  
 RECALL\_DUE\_DATE: DATE  
 CURRENT\_DUE\_DATE: DATE  
 RECALL\_NOTICE\_COUNT: NUMBER  
 RECALL\_NOTICE\_DATE: DATE  
 OVERDUE\_NOTICE\_COUNT: NUMBER  
 OVERDUE\_NOTICE\_DATE: DATE  
 OVER\_RECALL\_NOTICE\_COUNT: NUMBER  
 OVER\_RECALL\_NOTICE\_DATE: DATE  
 COURTESY\_NOTICE\_DATE: DATE  
 DB\_ID: NUMBER

### **CIRCCHARGES\_VW**

PATRON\_GROUP\_ID: NUMBER  
 PATRON\_GROUP\_CODE: VARCHAR2(10)  
 PATRON\_GROUP\_NAME: VARCHAR2(25)  
 ITEM\_ID: NUMBER  
 MFHD\_ID: NUMBER  
 BIB\_ID: NUMBER  
 PERM\_LOCATION\_CODE: VARCHAR2(10)  
 PERM\_LOCATION: VARCHAR2(25)  
 GOV\_LOCATION\_CODE: VARCHAR2(10)  
 GOV\_LOCATION: VARCHAR2(25)  
 PERM\_ITEM\_TYPE\_CODE: VARCHAR2(10)  
 PERM\_ITEM\_TYPE: VARCHAR2(25)  
 GOV\_ITEM\_TYPE\_CODE: VARCHAR2(10)  
 GOV\_ITEM\_TYPE: VARCHAR2(25)  
 CHARGE\_DATE\_TIME: DATE  
 CHARGE\_DATE\_ONLY: DATE  
 CHARGE\_OPER\_ID: VARCHAR2(10)  
 CHARGE\_LOCATION: NUMBER  
 CHARGE\_LOCATION\_CODE: VARCHAR2(10)  
 CHARGE\_LOCATION\_NAME: VARCHAR2(25)  
 RENEWAL\_COUNT: NUMBER  
 NOTICE\_COUNT: NUMBER

### **CIRCRENEW\_VW**

PATRON\_GROUP\_ID: NUMBER  
 PATRON\_GROUP\_CODE: VARCHAR2(10)  
 PATRON\_GROUP\_NAME: VARCHAR2(25)  
 ITEM\_ID: NUMBER  
 MFHD\_ID: NUMBER  
 BIB\_ID: NUMBER  
 PERM\_LOCATION\_CODE: VARCHAR2(10)  
 PERM\_LOCATION: VARCHAR2(25)  
 GOV\_LOCATION\_CODE: VARCHAR2(10)  
 GOV\_LOCATION: VARCHAR2(25)  
 PERM\_ITEM\_TYPE\_CODE: VARCHAR2(10)  
 PERM\_ITEM\_TYPE: VARCHAR2(25)  
 GOV\_ITEM\_TYPE\_CODE: VARCHAR2(10)  
 GOV\_ITEM\_TYPE: VARCHAR2(25)  
 CHARGE\_DATE\_TIME: DATE  
 CHARGE\_DATE\_ONLY: DATE  
 CHARGE\_OPER\_ID: VARCHAR2(10)  
 CHARGE\_LOCATION: NUMBER  
 CHARGE\_LOCATION\_CODE: VARCHAR2(10)  
 CHARGE\_LOCATION\_NAME: VARCHAR2(25)

RENEWAL\_COUNT: NUMBER  
 RENEW\_DATE\_TIME: DATE  
 RENEW\_DATE\_ONLY: DATE  
 RENEW\_OPER\_ID: VARCHAR2(10)  
 RENEW\_LOCATION\_CODE: VARCHAR2(10)  
 LOCATION\_NAME: VARCHAR2(25)

### **CLAIM\_TYPES**

CLAIM\_TYPE: NUMBER  
 EDI\_CODE: VARCHAR2(11)  
 CLAIM\_TYPE\_DESC: VARCHAR2(70)

### **CLASS\_SECTION**

SECTION\_ID: NUMBER  
 SECTION\_NUMBER: VARCHAR2(10)  
 NORMAL\_SECTION\_NUMBER: VARCHAR2(10)  
 NUMBER\_OF\_STUDENTS: NUMBER  
 CIRC\_CLUSTER\_ID: NUMBER

### **COMPLEX\_COMP\_PATTERN**

CCP\_ID: NUMBER  
 CP\_ID: NUMBER  
 COMPONENT\_ID: NUMBER  
 START\_ISSUE\_ID: NUMBER  
 END\_ISSUE\_ID: NUMBER  
 END\_DATE: DATE  
 END\_CP\_ISSUE: NUMBER

### **COMPLEX\_PATTERN**

CP\_ID: NUMBER  
 PATTERN\_NAME: VARCHAR2(40)  
 PATTERN\_NAME\_NORM: VARCHAR2(40)  
 CREATE\_DATE: DATE  
 CREATE\_OPID: VARCHAR2(10)  
 CREATE\_LOCATION\_ID: NUMBER  
 UPDATE\_DATE: DATE  
 UPDATE\_OPID: VARCHAR2(10)  
 UPDATE\_LOCATION\_ID: NUMBER

### **COMPONENT**

COMPONENT\_ID: NUMBER  
 SUBSCRIPTION\_ID: NUMBER  
 COMPONENT\_NAME: VARCHAR2(100)  
 COMPONENT\_NAME\_NORM: VARCHAR2(100)  
 UNIT\_TITLE: NUMBER  
 CATEGORY: NUMBER  
 PREDICT: CHAR(1)  
 NEXT\_ISSUE\_ID: NUMBER  
 NOTE: VARCHAR2(256)  
 ITEM\_TYPE\_ID: NUMBER  
 CREATE\_ITEMS: CHAR(1)  
 CLAIM\_INTERVAL: NUMBER

### **COMPONENT\_ALTCHRONDAY**

COMPONENT\_ID: NUMBER  
 CHRON\_DAY: NUMBER  
 TYPE\_OF\_DAY: CHAR(3)

### **COMPONENT\_CHRONDAY**

COMPONENT\_ID: NUMBER  
 CHRON\_DAY: NUMBER  
 TYPE\_OF\_DAY: CHAR(3)

### **COMPONENT\_ISSUE\_DAY**

COMPONENT\_ID: NUMBER  
EXPECTED\_DAY: NUMBER  
TYPE\_OF\_DAY: CHAR(3)

#### **COMPONENT\_ISSUES\_ROUTED**

ROUTING\_LIST\_ID: NUMBER  
ISSUE\_ID: NUMBER  
COMPONENT\_ID: NUMBER

#### **COMPONENT\_PATTERN**

COMPONENT\_ID: NUMBER  
PATTERN\_ID: NUMBER  
FREQUENCY\_CODE: CHAR(1)  
END\_DATE: DATE  
END\_ISSUE\_ID: NUMBER  
START\_ISSUE\_ID: NUMBER  
REGULARITY: CHAR(12)  
REGULARITY\_MARC: VARCHAR2(50)  
LVL1\_INC\_AT: NUMBER  
LVL2\_INC\_AT: NUMBER  
LVL3\_INC\_AT: NUMBER  
LVL4\_INC\_AT: NUMBER  
LVL5\_INC\_AT: NUMBER  
LVL6\_INC\_AT: NUMBER  
ALT\_LVL1\_INC\_AT: NUMBER  
ALT\_LVL2\_INC\_AT: NUMBER

#### **COMPONENT\_ROUTING**

ROUTING\_LIST\_ID: NUMBER  
COMPONENT\_ID: NUMBER

#### **CONVERSION\_RATE\_AUDIT**

CURRENCY\_ID: NUMBER  
AUDIT\_ID: NUMBER  
CONVERSION\_RATE: NUMBER  
RATE\_CREATE\_DATE\_TIME: DATE  
RATE\_CREATE\_OPERATOR\_ID: VARCHAR2(10)

#### **COURSE**

COURSE\_ID: NUMBER  
COURSE\_NAME: VARCHAR2(40)  
NORMAL\_COURSE\_NAME: VARCHAR2(40)  
COURSE\_NUMBER: VARCHAR2(10)  
NORMAL\_COURSE\_NUMBER: VARCHAR2(10)  
BEGIN\_DATE: DATE  
END\_DATE: DATE  
CIRC\_CLUSTER\_ID: NUMBER

#### **CP\_CELL**

CP\_LEVEL\_ID: NUMBER  
CP\_ISSUE\_ID: NUMBER  
LEVEL\_INCREMENT: VARCHAR2(80)

#### **CP\_DOMAIN\_TYPE**

CP\_DOMAIN\_TYPE\_ID: NUMBER  
DOMAIN: CHAR(1)  
ENUM\_CHRON\_TYPE\_ID: NUMBER

#### **CP\_ISSUE**

CP\_ISSUE\_ID: NUMBER  
CP\_ID: NUMBER  
CP\_ISSUE: NUMBER  
EXPECTED\_DATE\_INC: NUMBER  
TIME\_UNIT\_CODE: CHAR(1)

#### **CP\_LEVEL**

CP\_LEVEL\_ID: NUMBER  
CP\_ID: NUMBER  
CP\_DOMAIN\_TYPE\_ID: NUMBER  
CP\_LEVEL: NUMBER  
PRINT\_ORDER: NUMBER  
REG\_OR\_ALT: CHAR(1)  
CAPTION: VARCHAR2(50)  
IS\_CONSTANT: CHAR(1)

#### **CURRENCY\_CONVERSION**

CURRENCY\_ID: NUMBER  
COUNTRY\_NAME: VARCHAR2(45)  
NORMAL\_COUNTRY\_NAME: VARCHAR2(45)  
CURRENCY\_NAME: VARCHAR2(35)  
NORMAL\_CURRENCY\_NAME: VARCHAR2(35)  
CURRENCY\_CODE: VARCHAR2(3)  
NORMAL\_CURRENCY\_CODE: VARCHAR2(3)  
CREATE\_DATE: DATE  
CREATE\_OPERATOR\_ID: VARCHAR2(10)  
CONVERSION\_RATE: NUMBER  
RATE\_CREATE\_DATE\_TIME: DATE  
RATE\_CREATE\_OPERATOR\_ID: VARCHAR2(10)  
DECIMALS: NUMBER  
DECIMAL\_DELIMITER: CHAR(1)

#### **DATABASE\_ADDRESS**

DB\_ID: NUMBER  
DB\_ADDR: VARCHAR2(100)  
DB\_PORT: NUMBER  
APPLICATION\_TYPE: VARCHAR2(20)

#### **DATABASE\_LICENSE**

LICENSE\_ID: NUMBER  
DB\_CODE: VARCHAR2(8)  
SESSION\_ID: NUMBER  
INIT\_DATE: DATE  
MODULE: VARCHAR2(20)

#### **DEPARTMENT**

DEPARTMENT\_ID: NUMBER  
DEPARTMENT\_NAME: VARCHAR2(40)  
NORMAL\_DEPT\_NAME: VARCHAR2(40)  
DEPARTMENT\_CODE: VARCHAR2(10)  
NORMAL\_DEPT\_CODE: VARCHAR2(10)  
CIRC\_CLUSTER\_ID: NUMBER

#### **DEWEYCLASS\_VW**

MFHD\_ID: NUMBER  
CLASS: VARCHAR2(3)  
LONGCLASS: VARCHAR2(300)

#### **DISTRIBUTION\_ITEM**

ITEM\_ID: NUMBER  
VENDOR\_ID: NUMBER  
ACTIVE: CHAR(1)  
ON\_HAND\_QUANTITY: NUMBER  
ORDER\_QUANTITY: NUMBER  
REORDER\_POINT: NUMBER  
REORDER\_AUTOMATIC: CHAR(1)  
HISTORICAL\_DISTRIBUTIONS: NUMBER  
CREATE\_DATE: DATE  
CREATE\_LOCATION\_ID: NUMBER  
CREATE\_OPID: VARCHAR2(10)

MODIFY\_DATE: DATE  
 MODIFY\_LOCATION\_ID: NUMBER  
 MODIFY\_OPID: VARCHAR2(10)

**DISTRIBUTION\_ORDER**

DISTRIBUTION\_ORDER\_ID: NUMBER  
 ITEM\_ID: NUMBER  
 VENDOR\_ID: NUMBER  
 ORDER\_QUANTITY: NUMBER  
 EXPECTED\_DATE: DATE  
 NOT\_YET\_RECEIVED: NUMBER  
 ORDER\_DATE: DATE  
 ORDER\_LOCATION\_ID: NUMBER  
 ORDER\_OPID: VARCHAR2(10)  
 ORDER\_COMPLETE: CHAR(1)

**DISTRIBUTION\_RECEIPT**

DISTRIBUTION\_RECEIPT\_ID: NUMBER  
 DISTRIBUTION\_ORDER\_ID: NUMBER  
 RECEIPT\_QUANTITY: NUMBER  
 RECEIPT\_DATE: DATE  
 RECEIPT\_LOCATION\_ID: NUMBER  
 RECEIPT\_OPID: VARCHAR2(10)

**DISTRIBUTION\_TRANSACTION**

DISTRIBUTION\_TRANSACTION\_ID: NUMBER  
 ITEM\_ID: NUMBER  
 PATRON\_ID: NUMBER  
 PATRON\_GROUP\_ID: NUMBER  
 DISTRIBUTION\_DATE: DATE  
 DISTRIBUTION\_LOCATION\_ID: NUMBER  
 DISTRIBUTION\_OPID: VARCHAR2(10)

**DR\$HEADING\_CONTEXT\_IDX\$I**

TOKEN\_TEXT: VARCHAR2(64)  
 TOKEN\_TYPE: NUMBER  
 TOKEN\_FIRST: NUMBER  
 TOKEN\_LAST: NUMBER  
 TOKEN\_COUNT: NUMBER  
 TOKEN\_INFO: BLOB

**DR\$HEADING\_CONTEXT\_IDX\$K**

DOCID: NUMBER  
 TEXTKEY: ROWID

**DR\$HEADING\_CONTEXT\_IDX\$N**

NLT\_DOCID: NUMBER  
 NLT\_MARK: CHAR(1)

**DR\$HEADING\_CONTEXT\_IDX\$R**

ROW\_NO: NUMBER  
 DATA: BLOB

**DSL\_DIALECT**

DSL\_NAME: VARCHAR2(200)  
 DSL\_CLOB: CLOB

**DUP\_DETECTION\_PROFILE**

RECORD\_TYPE: CHAR(1)  
 DUP\_PROFILE\_ID: NUMBER  
 DUP\_PROFILE\_NAME: VARCHAR2(25)  
 DUP\_PROFILE\_CODE: VARCHAR2(8)  
 DUP\_HANDLING: CHAR(1)  
 CANCELLATION: CHAR(1)  
 DUP\_REPLACE: NUMBER

DUP\_WARN: NUMBER  
 DISPLAYFIELD1: VARCHAR2(30)  
 DISPLAYFIELD2: VARCHAR2(30)  
 DISPLAYFIELD3: VARCHAR2(30)  
 SORTFIELD1: VARCHAR2(30)  
 SORTFIELD2: VARCHAR2(30)  
 SORTFIELD3: VARCHAR2(30)  
 DISCARD\_UNMATCHED: CHAR(1)

**DUP\_PROFILE\_FIELDS**

DUP\_PROFILE\_ID: NUMBER  
 SEARCHCODE: CHAR(4)  
 SEQNUM: NUMBER  
 FIELD OVERRIDE: CHAR(3)  
 SUBFIELD OVERRIDE: CHAR(10)  
 WEIGHT: NUMBER  
 INDICATOR\_1: VARCHAR2(1)  
 INDICATOR\_2: VARCHAR2(1)

**DUP\_PROFILE\_QUALITY**

DUP\_PROFILE\_ID: NUMBER  
 SEQNUM: NUMBER  
 NUC\_CODE: VARCHAR2(15)  
 ENCODING\_LEVEL: CHAR(1)  
 MODIFYING\_AGENCY: VARCHAR2(15)  
 RECORD\_TYPE: VARCHAR2(2)

**DUPE\_PROFILE\_MERGE**

DUP\_PROFILE\_ID: NUMBER  
 MARC\_FIELD: CHAR(3)  
 MARC\_IND1: CHAR(1)  
 MARC\_IND2: CHAR(1)  
 NUC5: VARCHAR2(15)

**EDI\_CODE\_REF**

USAGE: NUMBER  
 CODE: VARCHAR2(3)  
 DESCR: VARCHAR2(70)

**EDI\_CODE\_USAGES**

USAGE: NUMBER  
 DATA\_ELEMENT: VARCHAR2(4)  
 DESCR: VARCHAR2(70)

**EDI\_CONNECTION\_PROFILE**

PROFILE\_ID: NUMBER  
 LOCATION\_ID: NUMBER  
 VENDOR\_ID: NUMBER  
 LIBRARY\_ENVELOPE\_ADDRESS:  
 VARCHAR2(55)  
 LIBRARY\_INSIDE\_ADDRESS: VARCHAR2(25)  
 VENDOR\_ENVELOPE\_ADDRESS:  
 VARCHAR2(55)  
 VENDOR\_INSIDE\_ADDRESS: VARCHAR2(25)  
 CREATE\_DATE: DATE  
 CREATE\_OPID: VARCHAR2(10)  
 UPDATE\_DATE: DATE  
 UPDATE\_OPID: VARCHAR2(10)  
 USE\_VENDOR\_ACCOUNT: CHAR(1)  
 USE\_PO: CHAR(1)  
 USE\_SC: CHAR(1)  
 USE\_MC: CHAR(1)  
 USE\_IV: CHAR(1)  
 USE\_SR: CHAR(1)



USE_MR: CHAR(1)	CREATE_LOC: NUMBER
USE_XM: CHAR(1)	UPDATE_DATE: DATE
<b>EDI_CURSOR</b>	UPDATE_OP_ID: VARCHAR2(10)
CURSOR_ID: NUMBER	UPDATE_LOC: NUMBER
FILE_ID: NUMBER	TRANS_INDEX: NUMBER
MSG_ID: NUMBER	GROUP_INDEX: NUMBER
FILE_NAME: VARCHAR2(30)	DOC_MSG_CODE: VARCHAR2(3)
FILE_POSITION: NUMBER	MSG_DELIMITERS: VARCHAR2(6)
MSG_DELIMITERS: VARCHAR2(6)	DATA_PRESENT: CHAR(1)
	RECEIVE_ITEMS: CHAR(1)
<b>EDI_EVENT_TYPES</b>	<b>EDI_MISSING_LINE_ITEM</b>
EVENT_TYPE: NUMBER	EXCEPTION_ID: NUMBER
EVENT_DESC: VARCHAR2(25)	LINE_ID: NUMBER
<b>EDI_FILE</b>	PROBLEM_CODE: NUMBER
FILE_ID: NUMBER	TITLE: VARCHAR2(100)
FILE_NAME: VARCHAR2(30)	STD_NUMBER: VARCHAR2(40)
FILE_TYPE: CHAR(1)	PRINT_STD_NUM: CHAR(2)
FILE_STATUS: NUMBER	VENDOR_TITLE_NUM: VARCHAR2(40)
FILE_SIZE: NUMBER	VENDOR_REF_QUAL: VARCHAR2(3)
FILE_UPDATE_DATE: DATE	VENDOR_REF_NUM: VARCHAR2(35)
CREATE_DATE: DATE	
CREATE_OP_ID: VARCHAR2(10)	<b>EDI_NOTE</b>
UPDATE_DATE: DATE	EVENT_ID: NUMBER
UPDATE_OP_ID: VARCHAR2(10)	NOTE_CODE: NUMBER
TRANS_COUNT: NUMBER	POSITION: NUMBER
GROUP_COUNT: NUMBER	
MESSAGE_COUNT: NUMBER	<b>EDI_SECTION</b>
<b>EDI_HISTORY</b>	SECTION_ID: NUMBER
EVENT_ID: NUMBER	MSG_ID: NUMBER
FILE_ID: NUMBER	SECTION_TYPE: VARCHAR2(3)
MSG_ID: NUMBER	SECTION_ORDINAL: NUMBER
EVENT_TYPE: NUMBER	SEG_COUNT: NUMBER
CREATE_DATE: DATE	SEGMENTS: LONG RAW
CREATE_OP_ID: VARCHAR2(10)	
UPDATE_DATE: DATE	<b>EITEM</b>
UPDATE_OP_ID: VARCHAR2(10)	EITEM_ID: NUMBER
<b>EDI_MESSAGE</b>	MFHD_ID: NUMBER
MSG_ID: NUMBER	ENUMERATION: VARCHAR2(80)
MSG_DIRECTION: CHAR(1)	CHRONOLOGY: VARCHAR2(80)
MSG_TYPE: VARCHAR2(6)	YEAR: VARCHAR2(20)
MSG_TYPE_CODE: NUMBER	CAPTION: VARCHAR2(255)
MSG_VERSION_CODE: NUMBER	SEQUENCE: NUMBER
MSG_STATUS: NUMBER	LINK: VARCHAR2(2048)
MSG_NUMBER: VARCHAR2(35)	CREATE_DATE: DATE
MSG_DATE: DATE	CREATE_OPID: VARCHAR2(10)
LOAD_OR_APPEND_DATE: DATE	CREATE_LOCATION_ID: NUMBER
LINE_ITEM_COUNT: NUMBER	UPDATE_DATE: DATE
TOTAL_AMOUNT: NUMBER	UPDATE_OPID: VARCHAR2(10)
LOCATION_ID: NUMBER	UPDATE_LOCATION_ID: NUMBER
VENDOR_ID: NUMBER	RESERVE_LIST_UPDATE_DATE: DATE
SENDER_CODE: VARCHAR2(55)	<b>EITEM_NOTE_TYPE</b>
RECEIVER_CODE: VARCHAR2(55)	NOTE_TYPE: NUMBER
DB_REF_ID: NUMBER	NOTE_DESC: VARCHAR2(25)
FILE_ID: NUMBER	
FILE_START_POS: NUMBER	<b>EITEM_NOTES</b>
FILE_END_POS: NUMBER	EITEM_ID: NUMBER
MATCHING_PROFILE: NUMBER	EITEM_NOTE_TYPE_ID: NUMBER
CREATE_DATE: DATE	NOTE: VARCHAR2(2000)
CREATE_OP_ID: VARCHAR2(10)	
	<b>ELINK_INDEX</b>
	ELINK_ID: NUMBER
	RECORD_TYPE: CHAR(1)

RECORD\_ID: NUMBER  
 SEQNUM: NUMBER  
 LINK\_TYPE: CHAR(3)  
 LINK: VARCHAR2(1024)  
 LINK\_TEXT: VARCHAR2(1024)  
 LINK\_TEXT\_NORMAL: VARCHAR2(1024)  
 LINK\_SUBTYPE: VARCHAR2(10)  
 URL\_HOST: VARCHAR2(255)  
 URL\_PORT: NUMBER  
 UPDATE\_DATE: DATE  
 UPDATE\_OPID: VARCHAR2(10)  
 CHECK\_DATE: DATE  
 CHECK\_STATUS: CHAR(1)  
 PARSE\_STATUS: CHAR(1)

#### **ELINK\_RECORD\_TYPE**

RECORD\_TYPE\_ID: VARCHAR2(10)  
 RECORD\_TYPE: VARCHAR2(25)

#### **ENUM\_CHRON\_TYPES\_VW**

CP\_DOMAIN\_TYPE\_ID: NUMBER  
 DOMAIN: CHAR(1)  
 DOMAIN\_DESC: VARCHAR2(13)  
 CODE: VARCHAR2(2)  
 NAME: VARCHAR2(40)  
 ENUMERATION\_TYPE\_ID: NUMBER  
 CHRON\_TYPE\_ID: NUMBER

#### **ENUMERATION\_TYPE**

ENUMERATION\_TYPE\_ID: NUMBER  
 CODE: CHAR(2)  
 NAME: VARCHAR2(40)

#### **EQUIPMENT**

EQUIP\_ID: NUMBER  
 EQUIP\_NO: VARCHAR2(15)  
 EQUIP\_NO\_NORMALIZED: VARCHAR2(15)  
 GROUP\_EQUIP\_ID: NUMBER  
 IS\_GROUP: CHAR(1)  
 DATE\_PURCHASED: DATE  
 VALUE\_PURCHASE: NUMBER  
 VALUE\_REPLACEMENT: NUMBER  
 PART\_SUPPLIER: VARCHAR2(100)  
 PART\_SUPPLIER\_NORMALIZED:  
 DEALER: VARCHAR2(100)  
 DEALER\_NORMALIZED: VARCHAR2(100)  
 MANUFACTURER: VARCHAR2(100)  
 MANUFACTURER\_NORMALIZED:  
 MODEL: VARCHAR2(100)  
 MODEL\_NORMALIZED: VARCHAR2(100)  
 SERIAL\_NO: VARCHAR2(100)  
 SERIAL\_NO\_NORMALIZED: VARCHAR2(100)  
 PART\_NO: VARCHAR2(100)  
 PART\_NO\_NORMALIZED: VARCHAR2(100)  
 EQUIP\_FORMAT: VARCHAR2(25)  
 EQUIP\_FORMAT\_NORMALIZED: VARCHAR2(25)  
 EQUIP\_TYPE\_ID: NUMBER  
 MEDIA\_ROOM\_ID: NUMBER  
 TEMP\_ROOM\_ID: NUMBER  
 HISTORICAL\_BOOKINGS: NUMBER  
 HISTORICAL\_MAINTENANCE: NUMBER  
 LAST\_INVENTORIED: DATE  
 NEXT\_MAINTENANCE: DATE

CREATE\_OPID: VARCHAR2(10)  
 UPDATE\_OPID: VARCHAR2(10)  
 CREATE\_DATE: DATE  
 UPDATE\_DATE: DATE  
 CREATE\_LOCATION\_ID: NUMBER  
 UPDATE\_LOCATION\_ID: NUMBER

#### **EQUIPMENT\_BARCODE**

EQUIP\_ID: NUMBER  
 BARCODE\_NO: VARCHAR2(25)  
 BARCODE\_NO\_NORMALIZED: VARCHAR2(25)  
 EQUIP\_BARCODE\_STS\_ID: NUMBER  
 STATUS\_DATE: DATE

#### **EQUIPMENT\_BARCODE\_STATUS**

EQUIP\_BARCODE\_STS\_ID: NUMBER  
 BARCODE\_STS: VARCHAR2(25)

#### **EQUIPMENT\_MEDIA\_TYPE**

EQUIP\_TYPE\_ID: NUMBER  
 MEDIA\_TYPE\_ID: NUMBER  
 MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
 PRIORITY: NUMBER

#### **EQUIPMENT\_NOTE\_TYPE**

EQUIP\_NOTE\_TYPE\_ID: NUMBER  
 TYPE: VARCHAR2(15)

#### **EQUIPMENT\_NOTES**

EQUIP\_ID: NUMBER  
 EQUIP\_NOTE\_TYPE\_ID: NUMBER  
 NOTE: VARCHAR2(2000)  
 OP\_ID: VARCHAR2(10)  
 UPDATE\_DATE: DATE

#### **EQUIPMENT\_STATUS**

EQUIP\_ID: NUMBER  
 EQUIP\_STS\_TYPE\_ID: NUMBER  
 NOTE: VARCHAR2(100)  
 UPDATE\_DATE: DATE  
 OP\_ID: VARCHAR2(10)

#### **EQUIPMENT\_STATUS\_TYPE**

EQUIP\_STS\_TYPE\_ID: NUMBER  
 STS\_TYPE: VARCHAR2(40)  
 DISPLAY\_PRIORITY: NUMBER  
 WARN\_ON\_BOOKING: CHAR(1)  
 BLOCK\_BOOKING: CHAR(1)  
 WARN\_ON\_CHARGE: CHAR(1)  
 BLOCK\_CHARGE: CHAR(1)  
 MESSAGE: VARCHAR2(50)  
 DISCHARGE\_MESSAGE\_SHOW: CHAR(1)  
 DISCHARGE\_MESSAGE: VARCHAR2(50)

#### **EQUIPMENT\_TYPE**

EQUIP\_TYPE\_ID: NUMBER  
 TYPE\_CODE: VARCHAR2(10)  
 TYPE: VARCHAR2(50)  
 IS\_GROUP: CHAR(1)  
 REPLACEMENT\_DEFAULT: NUMBER  
 SETUP\_TIME: NUMBER  
 CLEANUP\_TIME: NUMBER

#### **EXCEPTION\_CALENDAR**

CALENDAR\_ID: NUMBER



EXCEPTION\_DATE: DATE  
EXCEPTION\_OPEN: CHAR(1)  
EXCEPTION\_OPENHOUR: NUMBER  
EXCEPTION\_CLOSEHOUR: NUMBER  
EXCEPTION\_HOURLY\_EFFECT: NUMBER  
EXCEPTION\_LOAN\_DUE: NUMBER

#### **EXCEPTION\_TYPES**

EXCEPTION\_TYPE: NUMBER  
EXCEPTION\_TYPE\_DESC: VARCHAR2(20)

#### **FIELDWEIGHTS**

FIELD\_CODE: CHAR(4)  
FIELDWEIGHT: NUMBER

#### **FINE\_FEE**

FINE\_FEE\_ID: NUMBER  
PATRON\_ID: NUMBER  
ITEM\_ID: NUMBER  
CREATE\_DATE: DATE  
OPERATOR\_ID: VARCHAR2(10)  
FINE\_FEE\_TYPE: NUMBER  
FINE\_FEE\_LOCATION: NUMBER  
FINE\_FEE\_AMOUNT: NUMBER  
FINE\_FEE\_BALANCE: NUMBER  
FINE\_FEE\_NOTE: VARCHAR2(1000)  
ORIG\_CHARGE\_DATE: DATE  
DUE\_DATE: DATE  
FINE\_FEE\_NOTICE\_DATE: DATE  
DB\_ID: NUMBER  
DISCHARGE\_DATE: DATE

#### **FINE\_FEE\_TRANS\_METHOD**

METHOD\_TYPE: NUMBER  
METHOD\_DESC: VARCHAR2(25)

#### **FINE\_FEE\_TRANS\_TYPE**

TRANSACTION\_TYPE: NUMBER  
TRANSACTION\_DESC: VARCHAR2(25)  
TYPE\_FINE: CHAR(1)  
TYPE\_DEMERIT: CHAR(1)

#### **FINE\_FEE\_TRANSACTIONS**

FINE\_FEE\_TRANS\_ID: NUMBER  
FINE\_FEE\_ID: NUMBER  
TRANS\_DATE: DATE  
TRANS\_AMOUNT: NUMBER  
TRANS\_TYPE: NUMBER  
TRANS\_METHOD: NUMBER  
TRANS\_LOCATION: NUMBER  
OPERATOR\_ID: VARCHAR2(10)  
TRANS\_NOTE: VARCHAR2(1000)

#### **FINE\_FEE\_TYPE**

FINE\_FEE\_TYPE: NUMBER  
FINE\_FEE\_DESC: VARCHAR2(25)  
FINE\_FEE\_CODE: VARCHAR2(10)

#### **FISCAL\_PERIOD**

FISCAL\_PERIOD\_ID: NUMBER  
FISCAL\_PERIOD\_NAME: VARCHAR2(25)  
START\_DATE: DATE  
END\_DATE: DATE

#### **FREQUENCY**

FREQUENCY\_CODE: CHAR(1)  
FREQUENCY\_DESC: VARCHAR2(25)  
FREQ\_INCREMENT: NUMBER  
FREQ\_CALC\_TYPE: CHAR(1)

#### **FUND**

FUND\_ID: NUMBER  
LEDGER\_ID: NUMBER  
PARENT\_FUND: NUMBER  
FUND\_NAME: VARCHAR2(25)  
NORMAL\_FUND\_NAME: VARCHAR2(25)  
FUND\_CODE: VARCHAR2(10)  
NORMAL\_FUND\_CODE: VARCHAR2(10)  
CATEGORY: NUMBER  
FUND\_TYPE: NUMBER  
BEGIN\_DATE: DATE  
END\_DATE: DATE  
INSTITUTION\_FUND\_ID: VARCHAR2(50)  
EXPEND\_ONLY: CHAR(1)  
ORIGINAL\_ALLOCATION: NUMBER  
ALLOCATION\_INCREASE: NUMBER  
ALLOCATION\_DECREASE: NUMBER  
COMMIT\_PENDING: NUMBER  
COMMITMENTS: NUMBER  
EXPEND\_PENDING: NUMBER  
EXPENDITURES: NUMBER  
OVERCOMMIT: CHAR(1)  
OVERCOMMIT\_WARN: NUMBER  
OVERCOMMIT\_PERCENT: NUMBER  
COMMIT\_FREEZE: DATE  
UNDERCOMMIT\_PERCENT: NUMBER  
OVEREXPEND: CHAR(1)  
OVEREXPEND\_WARN: NUMBER  
OVEREXPEND\_PERCENT: NUMBER  
EXPEND\_FREEZE: DATE  
UNDEREXPEND\_PERCENT: NUMBER  
CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)  
UPDATE\_DATE: DATE  
UPDATE\_OPID: VARCHAR2(10)

#### **FUND\_NOTE**

FUND\_ID: NUMBER  
LEDGER\_ID: NUMBER  
FUND\_NOTE: VARCHAR2(1900)

#### **FUND\_PAYMENT**

PAYMENT\_ID: NUMBER  
SPLIT\_FUND\_SEQ: NUMBER  
LEDGER\_ID: NUMBER  
FUND\_ID: NUMBER  
PERCENTAGE: NUMBER  
AMOUNT: NUMBER

#### **FUND\_TRANSACTION**

FUND\_ID: NUMBER  
AUDIT\_ID: NUMBER  
LEDGER\_ID: NUMBER  
TRANS\_TYPE: NUMBER  
AMOUNT: NUMBER  
TRANS\_DATE: DATE  
OPERATOR\_ID: VARCHAR2(10)  
REFERENCE\_NO: VARCHAR2(25)

STATISTICAL\_FUND: NUMBER  
NOTE: VARCHAR2(1900)

#### **FUND\_TYPE**

FUND\_TYPE\_ID: NUMBER  
FUND\_TYPE\_NAME: VARCHAR2(25)  
COMMIT\_WARNING: NUMBER  
EXPEND\_WARNING: NUMBER  
OVERCOMMIT\_LIMIT: NUMBER  
OVEREXPEND\_LIMIT: NUMBER  
UNDERCOMMIT: NUMBER  
UNDEREXPEND: NUMBER

#### **FUNDLEDGER\_VW**

FUNDLINE: VARCHAR2(255)  
FISCAL\_PERIOD\_ID: NUMBER  
FISCAL\_PERIOD\_NAME: VARCHAR2(25)  
FISCAL\_PERIOD\_START: DATE  
FISCAL\_PERIOD\_END: DATE  
LEDGER\_ID: NUMBER  
LEDGER\_NAME: VARCHAR2(40)  
NORMAL\_LEDGER\_NAME: VARCHAR2(40)  
POLICY\_NAME: VARCHAR2(40)  
FUND\_TYPE: VARCHAR2(25)  
FUND\_CATEGORY: VARCHAR2(9)  
FUND\_ID: NUMBER  
FUND\_NAME: VARCHAR2(25)  
NORMAL\_FUND\_NAME: VARCHAR2(25)  
PARENT\_FUND\_ID: NUMBER  
PARENT\_FUND: VARCHAR2(25)  
INSTITUTION\_FUND\_ID: VARCHAR2(50)  
BEGIN\_DATE: DATE  
END\_DATE: DATE  
ORIGINAL\_ALLOCATION: NUMBER  
CURRENT\_ALLOCATION: NUMBER  
CASH\_BALANCE: NUMBER  
FREE\_BALANCE: NUMBER  
EXPENDITURES: NUMBER  
COMMITMENTS: NUMBER  
COMMIT\_PENDING: NUMBER  
EXPEND\_PENDING: NUMBER

#### **GDC\_OPERATOR**

OPERATOR\_ID: VARCHAR2(10)  
GDC\_PROFILE\_ID: NUMBER

#### **GDC\_PROFILE**

GDC\_PROFILE\_ID: NUMBER  
GDC\_PROFILE\_NAME: VARCHAR2(25)  
RECORD\_SET\_BIB\_ADD: CHAR(1)  
RECORD\_SET\_BIB\_UPDATE: CHAR(1)  
RECORD\_SET\_BIB\_DELETE: CHAR(1)  
RECORD\_SET\_BIB\_VIEW: CHAR(1)  
RECORD\_SET\_BIB\_PREVIEW: CHAR(1)  
RECORD\_SET\_BIB\_DELETE\_RULE: CHAR(1)  
RECORD\_SET\_MFHD\_ADD: CHAR(1)  
RECORD\_SET\_MFHD\_UPDATE: CHAR(1)  
RECORD\_SET\_MFHD\_DELETE: CHAR(1)  
RECORD\_SET\_MFHD\_VIEW: CHAR(1)  
RECORD\_SET\_MFHD\_PREVIEW: CHAR(1)  
RECORD\_SET\_MFHD\_DELETE\_RULE: CHAR(1)  
RECORD\_SET\_AUTH\_ADD: CHAR(1)  
RECORD\_SET\_AUTH\_UPDATE: CHAR(1)

RECORD\_SET\_AUTH\_DELETE: CHAR(1)  
RECORD\_SET\_AUTH\_VIEW: CHAR(1)  
RECORD\_SET\_AUTH\_PREVIEW: CHAR(1)  
RECORD\_SET\_AUTH\_DELETE\_RULE: CHAR(1)  
DATA\_CHANGE\_RULE\_ADD: CHAR(1)  
DATA\_CHANGE\_RULE\_UPDATE: CHAR(1)  
DATA\_CHANGE\_RULE\_DELETE: CHAR(1)  
DATA\_CHANGE\_RULE\_VIEW: CHAR(1)  
SCAN\_RULE\_ADD: CHAR(1)  
SCAN\_RULE\_UPDATE: CHAR(1)  
SCAN\_RULE\_DELETE: CHAR(1)  
SCAN\_RULE\_VIEW: CHAR(1)  
JOB\_BIB\_DATA\_CHANGE: CHAR(1)  
JOB\_BIB\_SCAN: CHAR(1)  
JOB\_BIB\_VIEW\_HISTORY: CHAR(1)  
JOB\_BIB\_REMOVE\_LOGFILE: CHAR(1)  
JOB\_BIB\_REMOVE\_MARC\_FILE: CHAR(1)  
JOB\_MFHD\_DATA\_CHANGE: CHAR(1)  
JOB\_MFHD\_SCAN: CHAR(1)  
JOB\_MFHD\_VIEW\_HISTORY: CHAR(1)  
JOB\_MFHD\_REMOVE\_LOGFILE: CHAR(1)  
JOB\_MFHD\_REMOVE\_MARC\_FILE: CHAR(1)  
JOB\_AUTH\_DATA\_CHANGE: CHAR(1)  
JOB\_AUTH\_SCAN: CHAR(1)  
JOB\_AUTH\_VIEW\_HISTORY: CHAR(1)  
JOB\_AUTH\_REMOVE\_LOGFILE: CHAR(1)  
JOB\_AUTH\_REMOVE\_MARC\_FILE: CHAR(1)  
DATA\_CHANGE\_JOB\_KILL: CHAR(1)  
SCAN\_JOB\_KILL: CHAR(1)

#### **GDC\_SAVED\_SEARCHES**

SEARCH\_ID: NUMBER  
SEARCH\_NAME: VARCHAR2(200)  
SEARCH\_OPTION: VARCHAR2(20)  
SEND\_SEARCH: VARCHAR2(700)  
SEARCH\_CODE: VARCHAR2(20)  
SEARCH\_ARGUMENT: VARCHAR2(700)  
SEARCH\_VIEW: VARCHAR2(700)  
SUBDIVISION\_FILTER: VARCHAR2(300)  
LOCATION\_FILTER: VARCHAR2(10)  
HEADING\_TYPE\_FILTER: VARCHAR2(20)  
HIT\_COUNT: NUMBER  
BROWSE\_SCAN\_FLAG: CHAR(1)  
BROWSE\_FIND\_FLAG: CHAR(1)  
KEYWORD\_HEADINGS\_FLAG: CHAR(1)  
KEYWORD\_SEARCH\_TYPE: NUMBER  
LIMITS: VARCHAR2(750)  
TAB\_KEY: VARCHAR2(20)

#### **GDC\_SECURITY\_LOCS**

GDC\_PROFILE\_ID: NUMBER  
LOCATION\_ID: NUMBER

#### **GEO\_COORD\_TYPE**

COORD\_TYPE: NUMBER  
COORD\_NAME: VARCHAR2(25)

#### **GEO\_FORMAT\_TYPE**

FORMAT\_TYPE: NUMBER  
FORMAT\_NAME: VARCHAR2(30)  
COORD\_TYPE: NUMBER

#### **GEO\_SEARCH**

SEARCH\_TYPE: NUMBER  
 SEARCH\_NAME: VARCHAR2(25)  
**GEO\_UNITS**  
 UNIT\_TYPE: NUMBER  
 UNIT\_NAME: VARCHAR2(25)  
**GLOBAL\_PARM**  
 PARM: VARCHAR2(25)  
 VALUE: VARCHAR2(50)  
**HEADING**  
 HEADING\_ID: NUMBER  
 NORMAL\_HEADING: VARCHAR2(300)  
 DISPLAY\_HEADING: VARCHAR2(300)  
 INDEX\_TYPE: CHAR(1)  
 HEADING\_TYPE: CHAR(1)  
 STAFFBIBS: NUMBER  
 OPACBIBS: NUMBER  
 STAFFREFS: VARCHAR2(5)  
 OPACREFS: VARCHAR2(5)  
 CREATE\_DATE: DATE  
 UPDATE\_DATE: DATE  
**HEADING\_CHANGE**  
 HEADING\_CHANGE\_ID: NUMBER  
 HEADING\_QUEUE\_ID: NUMBER  
 NEW\_HEADING: VARCHAR2(330)  
 INDEX\_TYPE: CHAR(1)  
 HEADING\_ID\_OLD: NUMBER  
 HEADING\_ID\_NEW: NUMBER  
 PROCESS\_FLAG: CHAR(1)  
 CHANGE\_DATE: DATE  
**HEADING\_CHANGE\_FIELDS**  
 HEADING\_CHANGE\_ID: NUMBER  
 REC\_ID: NUMBER  
 REC\_TYPE: CHAR(1)  
 MARC\_TAG: CHAR(3)  
 MARC\_IND1: CHAR(1)  
 MARC\_IND2: CHAR(1)  
 OLD\_FIELD: VARCHAR2(330)  
 NEW\_FIELD: VARCHAR2(330)  
 CHANGE\_DATE: DATE  
**HEADING\_CHANGE\_QUEUE**  
 HEADING\_QUEUE\_ID: NUMBER  
 REC\_ID: NUMBER  
 INDEX\_TYPE: CHAR(1)  
 HEADING\_ID\_OLD: NUMBER  
 HEADING\_ID\_NEW: NUMBER  
 CHANGE\_DATE: DATE  
 PROCESS\_FLAG: CHAR(1)  
 REC\_TYPE: CHAR(1)  
**HEADING\_SUBDIVISION**  
 HEADING\_ID: NUMBER  
 SUBDIV\_ID: NUMBER  
**HEADING\_TYPE**  
 INDEX\_TYPE: CHAR(1)  
 HEADING\_TYPE: CHAR(1)  
 HEADING\_CODE: VARCHAR2(20)  
 HEADING\_TYPE\_DESC: VARCHAR2(50)

STAFFSUPPRESS: CHAR(1)  
**HEADING\_VW**  
 AUTH\_ID: NUMBER  
 HEADING\_ID: NUMBER  
 REFERENCE\_TYPE: VARCHAR2(20)  
 NORMAL\_HEADING: VARCHAR2(300)  
 DISPLAY\_HEADING: VARCHAR2(300)  
 OPACBIBS: NUMBER  
 CREATE\_DATE: DATE  
 INDEX\_NAME: VARCHAR2(30)  
 HEADING\_TYPE: VARCHAR2(50)  
**HOLD\_RECALL**  
 HOLD\_RECALL\_ID: NUMBER  
 PATRON\_ID: NUMBER  
 HOLD\_RECALL\_TYPE: CHAR(1)  
 PICKUP\_LOCATION: NUMBER  
 EXPIRE\_DATE: DATE  
 AVAILABLE\_NOTICE\_COUNT: NUMBER  
 AVAILABLE\_NOTICE\_DATE: DATE  
 CREATE\_DATE: DATE  
 CREATE\_OPID: VARCHAR2(10)  
 CREATE\_LOCATION\_ID: NUMBER  
 BIB\_ID: NUMBER  
 REQUEST\_LEVEL: CHAR(1)  
 REQUEST\_ITEM\_COUNT: NUMBER  
 REQUEST\_GROUP\_ID: NUMBER  
 PATRON\_COMMENT: VARCHAR2(100)  
 PATRON\_GROUP\_ID: NUMBER  
 CALL\_SLIP\_ID: NUMBER  
 HOLDING\_DB\_ID: NUMBER  
 MODIFY\_OPID: VARCHAR2(10)  
 MODIFY\_DATE: DATE  
 MODIFY\_LOCATION\_ID: NUMBER  
**HOLD\_RECALL\_ARCHIVE**  
 HOLD\_RECALL\_ID: NUMBER  
 HOLD\_RECALL\_TYPE: CHAR(1)  
 PICKUP\_LOCATION: NUMBER  
 EXPIRE\_DATE: DATE  
 AVAILABLE\_NOTICE\_COUNT: NUMBER  
 AVAILABLE\_NOTICE\_DATE: DATE  
 CREATE\_DATE: DATE  
 CREATE\_OPID: VARCHAR2(10)  
 CREATE\_LOCATION\_ID: NUMBER  
 BIB\_ID: NUMBER  
 REQUEST\_LEVEL: CHAR(1)  
 REQUEST\_ITEM\_COUNT: NUMBER  
 REQUEST\_GROUP\_ID: NUMBER  
 PATRON\_COMMENT: VARCHAR2(100)  
 PATRON\_ID: NUMBER  
 PATRON\_GROUP\_ID: NUMBER  
 CALL\_SLIP\_ID: NUMBER  
 HOLDING\_DB\_ID: NUMBER  
 MODIFY\_OPID: VARCHAR2(10)  
 MODIFY\_DATE: DATE  
 MODIFY\_LOCATION\_ID: NUMBER  
**HOLD\_RECALL\_ITEM\_ARCHIVE**  
 HOLD\_RECALL\_ID: NUMBER  
 ITEM\_ID: NUMBER  
 HOLD\_RECALL\_TYPE: CHAR(1)

HOLD\_RECALL\_STATUS: NUMBER  
HOLD\_RECALL\_STATUS\_DATE: DATE

#### **HOLD\_RECALL\_ITEMS**

HOLD\_RECALL\_ID: NUMBER  
ITEM\_ID: NUMBER  
QUEUE\_POSITION: NUMBER  
HOLD\_RECALL\_TYPE: CHAR(1)  
HOLD\_RECALL\_STATUS: NUMBER  
HOLD\_RECALL\_STATUS\_DATE: DATE

#### **HOLD\_RECALL\_STATS**

HOLD\_RECALL\_ID: NUMBER  
PATRON\_STAT\_ID: NUMBER

#### **HOLD\_RECALL\_STATUS**

HR\_STATUS\_TYPE: NUMBER  
HR\_STATUS\_DESC: VARCHAR2(25)

#### **IMPORT\_RULE**

IMPORT\_RULE\_ID: NUMBER  
CODE: VARCHAR2(8)  
NAME: VARCHAR2(25)  
BIB\_DUP\_PROFILE\_ID: NUMBER  
AUTH\_DUP\_PROFILE\_ID: NUMBER  
CREATE\_MFHDS\_ITEMS: CHAR(1)  
LIBRARY\_ID: NUMBER  
CAT\_REVIEW: CHAR(1)  
LOC\_FIELD: VARCHAR2(3)  
LOC\_SUBFIELD: CHAR(1)  
LOC\_IND1: CHAR(1)  
LOC\_IND2: CHAR(1)  
SUPPRESS\_IN\_OPAC: CHAR(1)  
IMPORT\_RULE\_PO\_ID: NUMBER  
ORDER\_CREATE: CHAR(1)  
CREATE\_MFHDS\_ONLY: CHAR(1)  
BIB\_TO\_MFHD: CHAR(1)  
BIB\_DUP\_EXIST: CHAR(1)  
CHAR\_SET\_ID: NUMBER  
IGNORE\_OPAC\_SUPPRESS: CHAR(1)  
CREATE\_MULTI\_MFHDS: CHAR(1)  
CREATE\_MULTI\_ITEMS: CHAR(1)  
UPDATE\_MFHDS\_ITEMS: CHAR(1)  
MAG\_MEDIA\_FIELD: VARCHAR2(3)  
MAG\_MEDIA\_SUBFIELD: CHAR(1)  
MAG\_MEDIA\_IND1: CHAR(1)  
MAG\_MEDIA\_IND2: CHAR(1)  
MAG\_MEDIA\_MATCH: VARCHAR2(50)  
SENSITIZE\_FIELD: VARCHAR2(3)  
SENSITIZE\_SUBFIELD: CHAR(1)  
SENSITIZE\_IND1: CHAR(1)  
SENSITIZE\_IND2: CHAR(1)  
SENSITIZE\_MATCH: VARCHAR2(50)

#### **IMPORT\_RULE\_BIBTOMFHD**

IMPORT\_RULE\_ID: NUMBER  
MFHD\_FIELD: VARCHAR2(3)

#### **IMPORT\_RULE\_PO**

IMPORT\_RULE\_PO\_ID: NUMBER  
LOCATION\_ID\_ORDER: NUMBER  
CURRENCY\_CODE: CHAR(3)  
VENDOR\_ID: NUMBER  
ACCOUNT\_ID: NUMBER

ORDER\_TYPE: NUMBER  
FUND\_CODE: VARCHAR2(10)  
COPY\_FIELD: CHAR(3)  
COPY\_SUBFIELD: CHAR(1)  
COPY\_IND1: CHAR(1)  
COPY\_IND2: CHAR(1)  
COPY\_DEFAULT: NUMBER  
PRICE\_FIELD: CHAR(3)  
PRICE\_SUBFIELD: CHAR(1)  
PRICE\_IND1: CHAR(1)  
PRICE\_IND2: CHAR(1)  
PRICE\_DEFAULT: NUMBER  
FUND\_FIELD: CHAR(3)  
FUND\_SUBFIELD: CHAR(1)  
FUND\_IND1: CHAR(1)  
FUND\_IND2: CHAR(1)  
NOTES\_FIELD: CHAR(3)  
NOTES\_SUBFIELD: CHAR(1)  
NOTES\_IND1: CHAR(1)  
NOTES\_IND2: CHAR(1)  
INSTRUCTION\_FIELD: CHAR(3)  
INSTRUCTION\_SUBFIELD: CHAR(1)  
INSTRUCTION\_IND1: CHAR(1)  
INSTRUCTION\_IND2: CHAR(1)  
TITLE\_NO\_FIELD: CHAR(3)  
TITLE\_NO\_SUBFIELD: CHAR(1)  
TITLE\_IND1: CHAR(1)  
TITLE\_IND2: CHAR(1)  
PIECE\_FIELD: CHAR(3)  
PIECE\_SUBFIELD: CHAR(1)  
PIECE\_IND1: CHAR(1)  
PIECE\_IND2: CHAR(1)  
LINE\_ITEM\_TYPE\_FIELD: CHAR(3)  
LINE\_ITEM\_TYPE\_SUBFIELD: CHAR(1)  
LINE\_ITEM\_TYPE\_IND1: CHAR(1)  
LINE\_ITEM\_TYPE\_IND2: CHAR(1)  
LINE\_ITEM\_TYPE\_DEFAULT: NUMBER  
ONE\_PO\_PER\_BIB: CHAR(1)  
PO\_NUMBER\_FIELD: VARCHAR2(3)  
PO\_NUMBER\_SUBFIELD: CHAR(1)  
PO\_NUMBER\_IND1: CHAR(1)  
PO\_NUMBER\_IND2: CHAR(1)  
VENDOR\_REF\_FIELD: VARCHAR2(3)  
VENDOR\_REF\_SUBFIELD: CHAR(1)  
VENDOR\_REF\_IND1: CHAR(1)  
VENDOR\_REF\_IND2: CHAR(1)  
LEDGER\_FIELD: VARCHAR2(3)  
LEDGER\_SUBFIELD: CHAR(1)  
LEDGER\_IND1: CHAR(1)  
LEDGER\_IND2: CHAR(1)  
LEDGER\_DEFAULT: NUMBER  
FISCAL\_PERIOD\_FIELD: VARCHAR2(3)  
FISCAL\_PERIOD\_SUBFIELD: CHAR(1)  
FISCAL\_PERIOD\_IND1: CHAR(1)  
FISCAL\_PERIOD\_IND2: CHAR(1)  
FISCAL\_PERIOD\_DEFAULT: NUMBER  
REQUESTER\_FIELD: VARCHAR2(3)  
REQUESTER\_SUBFIELD: CHAR(1)  
REQUESTER\_IND1: CHAR(1)  
REQUESTER\_IND2: CHAR(1)  
AUTOMATIC\_APPROVAL: CHAR(1)

**INDEX\_TYPE**

INDEX\_TYPE: CHAR(1)  
INDEX\_NAME: VARCHAR2(30)

**INSTRUCTOR**

INSTRUCTOR\_ID: NUMBER  
LAST\_NAME: VARCHAR2(50)  
NORMAL\_LAST\_NAME: VARCHAR2(50)  
FIRST\_NAME: VARCHAR2(40)  
TITLE: VARCHAR2(10)  
CIRC\_CLUSTER\_ID: NUMBER

**INTERVAL\_TYPE**

INTERVAL\_TYPE: CHAR(1)  
INTERVAL\_DESC: VARCHAR2(25)

**INV\_LINE\_ITEM\_NOTES**

INV\_LINE\_ITEM\_ID: NUMBER  
INVOICE\_ID: NUMBER  
NOTE: VARCHAR2(1900)

**INVOICE**

INVOICE\_ID: NUMBER  
VENDOR\_ID: NUMBER  
ACCOUNT\_ID: NUMBER  
INVOICE\_NUMBER: VARCHAR2(25)  
NORMAL\_INVOICE\_NUMBER: VARCHAR2(25)  
INVOICE\_STATUS: NUMBER  
INVOICE\_STATUS\_DATE: DATE  
INVOICE\_DATE: DATE  
VOUCHER\_NUMBER: VARCHAR2(25)  
CURRENCY\_CODE: VARCHAR2(3)  
CONVERSION\_RATE: NUMBER  
INVOICE\_TOTAL: NUMBER  
BILL\_LOCATION: NUMBER  
INVOICE\_QUANTITY: NUMBER  
LINE\_ITEM\_COUNT: NUMBER  
LINE\_ITEM\_SUBTOTAL: NUMBER  
ADJUSTMENTS\_SUBTOTAL: NUMBER  
TOTAL: NUMBER  
INVOICE\_CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)  
CREATE\_LOCATION\_ID: NUMBER  
INVOICE\_UPDATE\_DATE: DATE  
UPDATE\_OPID: VARCHAR2(10)  
UPDATE\_LOCATION\_ID: NUMBER  
EDI\_REF: NUMBER  
EXPEND\_DATE: DATE  
CHECK\_NUMBER: VARCHAR2(40)  
NORMAL\_CHECK\_NUMBER: VARCHAR2(40)

**INVOICE\_FUNDS**

INVOICE\_ID: NUMBER  
LEDGER\_ID: NUMBER  
FUND\_ID: NUMBER  
COMMIT\_PENDING: NUMBER  
COMMITMENTS: NUMBER  
EXPEND\_PENDING: NUMBER  
EXPENDITURES: NUMBER

**INVOICE\_LINE\_ITEM**

INV\_LINE\_ITEM\_ID: NUMBER  
INVOICE\_ID: NUMBER  
LINE\_ITEM\_ID: NUMBER

UNIT\_PRICE: NUMBER  
LINE\_PRICE: NUMBER  
QUANTITY: NUMBER  
PREPAY\_AMOUNT: NUMBER  
PIECE\_IDENTIFIER: VARCHAR2(50)  
CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)  
UPDATE\_DATE: DATE  
UPDATE\_OPID: VARCHAR2(10)  
EDI\_REF: NUMBER

**INVOICE\_LINE\_ITEM\_FUNDS**

COPY\_ID: NUMBER  
INV\_LINE\_ITEM\_ID: NUMBER  
SPLIT\_FUND\_SEQ: NUMBER  
LEDGER\_ID: NUMBER  
FUND\_ID: NUMBER  
PERCENTAGE: NUMBER  
AMOUNT: NUMBER

**INVOICE\_NOTE**

INVOICE\_ID: NUMBER  
NOTE: VARCHAR2(1900)

**INVOICE\_STATUS**

INVOICE\_STATUS: NUMBER  
INVOICE\_STATUS\_DESC: VARCHAR2(25)

**ISSUES\_RECEIVED**

ISSUE\_ID: NUMBER  
COMPONENT\_ID: NUMBER  
COPY\_ID: NUMBER  
LOCATION\_ID: NUMBER  
RECEIPT\_DATE: DATE  
OPAC\_SUPPRESSED: NUMBER  
NOTE: VARCHAR2(256)  
COLLAPSED: CHAR(1)  
ITEM\_ID: NUMBER

**ITEM**

ITEM\_ID: NUMBER  
PERM\_LOCATION: NUMBER  
TEMP\_LOCATION: NUMBER  
ITEM\_TYPE\_ID: NUMBER  
TEMP\_ITEM\_TYPE\_ID: NUMBER  
COPY\_NUMBER: NUMBER  
ON\_RESERVE: CHAR(1)  
RESERVE\_CHARGES: NUMBER  
PIECES: NUMBER  
PRICE: NUMBER  
SPINE\_LABEL: VARCHAR2(25)  
HISTORICAL\_CHARGES: NUMBER  
HISTORICAL\_BROWSES: NUMBER  
RECALLS\_PLACED: NUMBER  
HOLDS\_PLACED: NUMBER  
CREATE\_DATE: DATE  
MODIFY\_DATE: DATE  
CREATE\_OPERATOR\_ID: VARCHAR2(10)  
MODIFY\_OPERATOR\_ID: VARCHAR2(10)  
CREATE\_LOCATION\_ID: NUMBER  
MODIFY\_LOCATION\_ID: NUMBER  
ITEM\_SEQUENCE\_NUMBER: NUMBER  
HISTORICAL\_BOOKINGS: NUMBER



MEDIA\_TYPE\_ID: NUMBER  
 SHORT\_LOAN\_CHARGES: NUMBER  
 MAGNETIC\_MEDIA: CHAR(1)  
 SENSITIZE: CHAR(1)

**ITEM\_BARCODE**

ITEM\_ID: NUMBER  
 ITEM\_BARCODE: VARCHAR2(30)  
 BARCODE\_STATUS: NUMBER  
 BARCODE\_STATUS\_DATE: DATE

**ITEM\_BARCODE\_STATUS**

BARCODE\_STATUS\_TYPE: NUMBER  
 BARCODE\_STATUS\_DESC: VARCHAR2(25)

**ITEM\_NOTE**

ITEM\_ID: NUMBER  
 ITEM\_NOTE: VARCHAR2(1000)  
 ITEM\_NOTE\_TYPE: NUMBER  
 LAST\_MODIFIED: DATE

**ITEM\_NOTE\_TYPE**

NOTE\_TYPE: NUMBER  
 NOTE\_DESC: VARCHAR2(20)

**ITEM\_STAT\_CODE**

ITEM\_STAT\_ID: NUMBER  
 ITEM\_STAT\_CODE: VARCHAR2(3)  
 ITEM\_STAT\_CODE\_DESC: VARCHAR2(25)

**ITEM\_STATS**

ITEM\_ID: NUMBER  
 ITEM\_STAT\_ID: NUMBER  
 DATE\_APPLIED: DATE

**ITEM\_STATUS**

ITEM\_ID: NUMBER  
 ITEM\_STATUS: NUMBER  
 ITEM\_STATUS\_DATE: DATE

**ITEM\_STATUS\_TYPE**

ITEM\_STATUS\_TYPE: NUMBER  
 ITEM\_STATUS\_DESC: VARCHAR2(25)

**ITEM\_TYPE**

ITEM\_TYPE\_ID: NUMBER  
 ITEM\_TYPE\_CODE: VARCHAR2(10)  
 ITEM\_TYPE\_NAME: VARCHAR2(25)  
 ITEM\_TYPE\_DISPLAY: VARCHAR2(40)

**ITEM\_TYPE\_MAPPING**

IMPORT\_RULE\_ID: NUMBER  
 MARC\_ITEM\_TYPE: VARCHAR2(50)  
 ITEM\_TYPE\_ID: NUMBER  
 MARC\_LOCATION: VARCHAR2(50)  
 LOCATION\_ID: NUMBER  
 CALL\_NO\_HIERARCHY\_ID: NUMBER

**ITEM\_TYPE\_POLICY**

CIRC\_GROUP\_ID: NUMBER  
 ITEM\_TYPE\_ID: NUMBER  
 REPLACE\_COST: NUMBER  
 ORDER\_QUANTITY\_NUMBER: NUMBER  
 REORDER\_POINT: NUMBER  
 SHORT\_LOAN: CHAR(1)

**ITEM\_VW**

MFHD\_ID: NUMBER  
 CALL\_NO: VARCHAR2(300)  
 CALL\_NO\_TYPE: CHAR(1)  
 NORMALIZED\_CALL\_NO: VARCHAR2(300)  
 ITEM\_ID: NUMBER  
 BARCODE: VARCHAR2(30)  
 PERM\_LOCATION\_CODE: VARCHAR2(10)  
 PERM\_LOCATION: VARCHAR2(25)  
 GOV\_LOCATION\_CODE: VARCHAR2(10)  
 GOV\_LOCATION: VARCHAR2(25)  
 PERM\_ITEM\_TYPE\_CODE: VARCHAR2(10)  
 PERM\_ITEM\_TYPE: VARCHAR2(25)  
 GOV\_ITEM\_TYPE\_CODE: VARCHAR2(10)  
 GOV\_ITEM\_TYPE: VARCHAR2(25)  
 MEDIA\_TYPE\_CODE: VARCHAR2(10)  
 MEDIA\_TYPE: VARCHAR2(50)  
 ENUMERATION: VARCHAR2(80)  
 CHRONOLOGY: VARCHAR2(80)  
 YEAR: VARCHAR2(20)  
 CAPTION: VARCHAR2(256)  
 HISTORICAL\_BROWSES: NUMBER  
 HISTORICAL\_CHARGES: NUMBER  
 HISTORICAL\_BOOKINGS: NUMBER  
 HOLDS\_PLACED: NUMBER  
 RECALLS\_PLACED: NUMBER  
 CREATE\_DATE: DATE  
 CREATE\_OPID: VARCHAR2(10)

**JOB\_DATA**

ID: NUMBER  
 NAME: VARCHAR2(200)  
 RECORD\_TYPE: NUMBER  
 JOB\_TYPE: NUMBER  
 JOB\_STATUS: NUMBER  
 SCHEDULED\_START\_DATE: DATE  
 ACTUAL\_START\_DATE: DATE  
 OPERATOR\_ID: VARCHAR2(10)  
 MODIFY\_DATE: DATE  
 RECORDS\_TO\_PROCESS: NUMBER  
 RECORDS\_PROCESSED: NUMBER  
 ERROR\_RECORD\_COUNT: NUMBER  
 RECORDS\_DELETED: NUMBER  
 CURRENT\_BULK\_NUM: NUMBER  
 PARAMETER\_STRING: VARCHAR2(2000)  
 PARAMETER\_PTR: CLOB

**JOB\_STATUS**

ID: NUMBER  
 DESCRIPTION: VARCHAR2(20)

**JOB\_TYPE**

ID: NUMBER  
 DESCRIPTION: VARCHAR2(20)

**LCCLASS\_VW**

MFHD\_ID: NUMBER  
 FIRSTLETTER: VARCHAR2(1)  
 CLASS: VARCHAR2(5)  
 LONGCLASS: VARCHAR2(8)  
 CLASSNUMBER: NUMBER

**LEDGER**

LEDGER\_ID: NUMBER  
 FISCAL\_YEAR\_ID: NUMBER  
 ACQ\_POLICY\_ID: NUMBER  
 LEDGER\_NAME: VARCHAR2(40)  
 NORMAL\_LEDGER\_NAME: VARCHAR2(40)  
 OVERCOMMIT: CHAR(1)  
 OVERCOMMIT\_WARN: NUMBER  
 OVERCOMMIT\_PERCENT: NUMBER  
 COMMIT\_FREEZE: DATE  
 UNDERCOMMIT\_PERCENT: NUMBER  
 OVEREXPEND: CHAR(1)  
 OVEREXPEND\_WARN: NUMBER  
 OVEREXPEND\_PERCENT: NUMBER  
 EXPEND\_FREEZE: DATE  
 UNDEREXPEND\_PERCENT: NUMBER  
 CREATE\_DATE: DATE  
 CREATE\_OPID: VARCHAR2(10)  
 UPDATE\_DATE: DATE  
 UPDATE\_OPID: VARCHAR2(10)  
 RULE\_ID: NUMBER  
 NEW\_LEDGER\_NAME: VARCHAR2(40)  
 NORMAL\_NEW\_LEDGER\_NAME:  
 VARCHAR2(40)  
 NEW\_LEDGER\_ID: NUMBER

#### **LEDGER\_LOCATIONS**

LEDGER\_ID: NUMBER  
 LOCATION\_ID: NUMBER

#### **LEDGER\_NOTE**

LEDGER\_ID: NUMBER  
 NOTE: VARCHAR2(1900)

#### **LIBRARY**

LIBRARY\_ID: NUMBER  
 LIBRARY\_NAME: VARCHAR2(50)  
 LIBRARY\_DISPLAY\_NAME: VARCHAR2(80)  
 NUC\_CODE: VARCHAR2(15)

#### **LIBRARY\_ADDRESS\_DEFAULT**

LIBRARY\_NAME: VARCHAR2(50)  
 CONTACT\_NAME: VARCHAR2(50)  
 EMAIL: VARCHAR2(50)  
 ADDRESS\_LINE1: VARCHAR2(50)  
 ADDRESS\_LINE2: VARCHAR2(50)  
 ADDRESS\_LINE3: VARCHAR2(50)  
 ADDRESS\_LINE4: VARCHAR2(50)  
 ADDRESS\_LINE5: VARCHAR2(50)  
 CITY: VARCHAR2(30)  
 STATE\_PROVINCE: VARCHAR2(7)  
 ZIP\_POSTAL: VARCHAR2(10)  
 COUNTRY: VARCHAR2(20)  
 SAN: VARCHAR2(10)

#### **LINE\_ITEM**

LINE\_ITEM\_ID: NUMBER  
 PO\_ID: NUMBER  
 BIB\_ID: NUMBER  
 LINE\_ITEM\_TYPE: NUMBER  
 LINE\_ITEM\_NUMBER: NUMBER  
 PIECE\_IDENTIFIER: VARCHAR2(50)  
 UNIT\_PRICE: NUMBER  
 LINE\_PRICE: NUMBER

PRINT\_STD\_NUM: CHAR(2)  
 QUANTITY: NUMBER  
 PREPAY\_AMOUNT: NUMBER  
 RUSH: CHAR(1)  
 CLAIM\_INTERVAL: NUMBER  
 CANCEL\_INTERVAL: NUMBER  
 DONOR: VARCHAR2(50)  
 REQUESTOR: VARCHAR2(50)  
 VENDOR\_TITLE\_NUM: VARCHAR2(25)  
 VENDOR\_REF\_QUAL: VARCHAR2(3)  
 VENDOR\_REF\_NUM: VARCHAR2(35)  
 CREATE\_DATE: DATE  
 CREATE\_OPID: VARCHAR2(10)  
 UPDATE\_DATE: DATE  
 UPDATE\_OPID: VARCHAR2(10)  
 EDI\_REF: NUMBER  
 STANDARD\_NUM: VARCHAR2(25)

#### **LINE\_ITEM\_BIB\_HISTORY**

AUDIT\_ID: NUMBER  
 BIB\_ID: NUMBER  
 LINE\_ITEM\_ID: NUMBER  
 CREATE\_DATE: DATE  
 CREATE\_OPID: VARCHAR2(10)

#### **LINE\_ITEM\_COPY**

LINE\_ITEM\_ID: NUMBER  
 LOCATION\_ID: NUMBER  
 SHIP\_TO\_LOCATION: NUMBER  
 COPY\_COUNT: NUMBER  
 USE\_LEDGER: NUMBER  
 USE\_FUND: NUMBER

#### **LINE\_ITEM\_COPY\_HISTORY**

COPY\_ID: NUMBER  
 AUDIT\_ID: NUMBER  
 LINE\_ITEM\_STATUS: NUMBER  
 STATUS\_DATE: DATE  
 INV\_LINE\_ITEM\_ID: NUMBER

#### **LINE\_ITEM\_COPY\_MFHD\_HISTORY**

AUDIT\_ID: NUMBER  
 MFHD\_ID: NUMBER  
 COPY\_ID: NUMBER  
 CREATE\_DATE: DATE  
 CREATE\_OPID: VARCHAR2(10)

#### **LINE\_ITEM\_COPY\_STATUS**

LINE\_ITEM\_ID: NUMBER  
 LOCATION\_ID: NUMBER  
 COPY\_ID: NUMBER  
 MFHD\_ID: NUMBER  
 LINE\_ITEM\_STATUS: NUMBER  
 INVOICE\_ITEM\_STATUS: NUMBER  
 STATUS\_DATE: DATE  
 ITEM\_ID: NUMBER

#### **LINE\_ITEM\_FUNDS**

COPY\_ID: NUMBER  
 SPLIT\_FUND\_SEQ: NUMBER  
 LEDGER\_ID: NUMBER  
 FUND\_ID: NUMBER  
 PERCENTAGE: NUMBER  
 PREPAY\_PERCENTAGE: NUMBER



AMOUNT: NUMBER  
 PREPAY: NUMBER  
**LINE\_ITEM\_NOTES**  
 LINE\_ITEM\_ID: NUMBER  
 PO\_ID: NUMBER  
 PRINT\_NOTE: VARCHAR2(60)  
 NOTE: VARCHAR2(1900)  
**LINE\_ITEM\_STATUS**  
 LINE\_ITEM\_STATUS: NUMBER  
 LINE\_ITEM\_STATUS\_DESC: VARCHAR2(25)  
**LINE\_ITEM\_TYPE**  
 LINE\_ITEM\_TYPE: NUMBER  
 LINE\_ITEM\_TYPE\_DESC: VARCHAR2(25)  
**LOADLINK**  
 ORIGINALID: VARCHAR2(25)  
 LIBID: NUMBER  
 BIBID: NUMBER  
 ITEMTYPE: CHAR(2)  
**LOCATION**  
 LOCATION\_ID: NUMBER  
 LOCATION\_CODE: VARCHAR2(10)  
 LOCATION\_NAME: VARCHAR2(25)  
 LOCATION\_DISPLAY\_NAME: VARCHAR2(60)  
 LOCATION\_SPINE\_LABEL: VARCHAR2(25)  
 LOCATION\_OPAC: CHAR(1)  
 SUPPRESS\_IN\_OPAC: CHAR(1)  
 MFHD\_COUNT: NUMBER  
 LIBRARY\_ID: NUMBER  
**LOCATION\_ADDRESS**  
 ADDRESS\_ID: NUMBER  
 LOCATION\_ID: NUMBER  
 CONTACT\_NAME: VARCHAR2(50)  
 EMAIL: VARCHAR2(50)  
 ADDRESS\_LINE1: VARCHAR2(50)  
 ADDRESS\_LINE2: VARCHAR2(50)  
 ADDRESS\_LINE3: VARCHAR2(50)  
 ADDRESS\_LINE4: VARCHAR2(50)  
 ADDRESS\_LINE5: VARCHAR2(50)  
 CITY: VARCHAR2(30)  
 STATE\_PROVINCE: VARCHAR2(7)  
 ZIP\_POSTAL: VARCHAR2(10)  
 COUNTRY: VARCHAR2(20)  
 SAN: VARCHAR2(10)  
 SHIP\_TO\_ADDRESS: CHAR(1)  
 BILL\_TO\_ADDRESS: CHAR(1)  
 STREET\_ADDRESS: CHAR(1)  
 CAMPUS\_ADDRESS: CHAR(1)  
 CIRC\_DESK\_ADDRESS: CHAR(1)  
 OTHER\_ADDRESS: CHAR(1)  
**LOCATION\_LIMIT**  
 LOCATION\_LIMIT\_ID: NUMBER  
 LIMIT\_NAME: VARCHAR2(60)  
 LIMIT\_CODE: VARCHAR2(10)  
 SUPPRESS\_IN\_OPAC: CHAR(1)  
**LOCATION\_LIMIT\_LOCS**  
 LOCATION\_LIMIT\_ID: NUMBER

LOCATION\_ID: NUMBER  
**LOCATION\_PHONE**  
 PHONE\_ID: NUMBER  
 ADDRESS\_ID: NUMBER  
 PHONE\_TYPE: NUMBER  
 PHONE\_NUMBER: VARCHAR2(25)  
**MAINTENANCE**  
 MAINT\_ID: NUMBER  
 EQUIP\_ID: NUMBER  
 DATE\_IN: DATE  
 DATE\_OUT: DATE  
 CREATE\_OPID: VARCHAR2(10)  
 UPDATE\_OPID: VARCHAR2(10)  
 CREATE\_DATE: DATE  
 UPDATE\_DATE: DATE  
 CREATE\_LOCATION\_ID: NUMBER  
 UPDATE\_LOCATION\_ID: NUMBER  
**MAINTENANCE\_DETAIL**  
 MAINT\_DTL\_ID: NUMBER  
 MAINT\_ID: NUMBER  
 MAINT\_TYPE\_ID: NUMBER  
 DETAIL\_COMMENT: VARCHAR2(100)  
**MAINTENANCE\_NOTE**  
 MAINT\_ID: NUMBER  
 NOTE: VARCHAR2(2000)  
 OP\_ID: VARCHAR2(10)  
 UPDATE\_DATE: DATE  
**MAINTENANCE\_QUEUE**  
 RELEASE\_PROCESSED: VARCHAR2(30)  
 MAINTENANCE\_CODE: CHAR(1)  
 ENQUEUE\_DATE: DATE  
 PROCESS\_DATE: DATE  
 CAUSATION\_COMMENT: VARCHAR2(2000)  
**MAINTENANCE\_TYPE**  
 MAINT\_TYPE\_ID: NUMBER  
 TYPE\_CODE: VARCHAR2(10)  
 TYPE: VARCHAR2(50)  
**MAP\_INDEX**  
 BIB\_ID: NUMBER  
 MAP\_INDEX\_ID: NUMBER  
 WEST\_LONGITUDE\_DISPLAY: VARCHAR2(12)  
 WEST\_LONGITUDE\_NORMAL: NUMBER  
 EAST\_LONGITUDE\_DISPLAY: VARCHAR2(12)  
 EAST\_LONGITUDE\_NORMAL: NUMBER  
 NORTH\_LATITUDE\_DISPLAY: VARCHAR2(12)  
 NORTH\_LATITUDE\_NORMAL: NUMBER  
 SOUTH\_LATITUDE\_DISPLAY: VARCHAR2(12)  
 SOUTH\_LATITUDE\_NORMAL: NUMBER  
**MAP\_INDEX\_G\_RING**  
 MAP\_INDEX\_ID: NUMBER  
 SEQNUM: NUMBER  
 G\_RING\_LATITUDE: VARCHAR2(12)  
 G\_RING\_LATITUDE\_NORMAL: NUMBER  
 G\_RING\_LONGITUDE: VARCHAR2(12)  
 G\_RING\_LONGITUDE\_NORMAL: NUMBER  
**MAP\_INDEX\_SCALE**

MAP\_INDEX\_ID: NUMBER  
MAP\_SCALE: NUMBER  
SCALE\_TYPE: CHAR(1)

#### **MARCBOOK\_VW**

BIB\_ID: NUMBER  
BIBTYPE: VARCHAR2(1)  
BIBLEVEL: VARCHAR2(1)  
AUDIENCE: VARCHAR2(1)  
ITEMFORM: VARCHAR2(1)  
GOVERNMENTPUB: VARCHAR2(1)  
CONFERENCEPUB: VARCHAR2(1)  
LITERARYFORM: VARCHAR2(1)  
BIOGRAPHY: VARCHAR2(1)

#### **MARCCOMPUTER\_VW**

BIB\_ID: NUMBER  
BIBTYPE: VARCHAR2(1)  
BIBLEVEL: VARCHAR2(1)  
AUDIENCE: VARCHAR2(1)  
FILETYPE: VARCHAR2(1)  
GOVERNMENTPUB: VARCHAR2(1)

#### **MARCMAP\_VW**

BIB\_ID: NUMBER  
BIBTYPE: VARCHAR2(1)  
BIBLEVEL: VARCHAR2(1)  
PROJECTION: VARCHAR2(2)  
CARTOGRAPHICTYPE: VARCHAR2(1)  
GOVERNMENTPUB: VARCHAR2(1)  
INDEXED: VARCHAR2(1)

#### **MARCMUSIC\_VW**

BIB\_ID: NUMBER  
BIBTYPE: VARCHAR2(1)  
BIBLEVEL: VARCHAR2(1)  
COMPOSITIONFORM: VARCHAR2(2)  
MUSICFORMAT: VARCHAR2(1)  
AUDIENCE: VARCHAR2(1)  
ITEMFORM: VARCHAR2(1)

#### **MARCserial\_VW**

BIB\_ID: NUMBER  
BIBTYPE: VARCHAR2(1)  
BIBLEVEL: VARCHAR2(1)  
FREQUENCY: VARCHAR2(1)  
REGULARITY: VARCHAR2(1)  
TYPE: VARCHAR2(1)  
ORIGINALFORM: VARCHAR2(1)  
ITEMFORM: VARCHAR2(1)  
ENTIRENATURE: VARCHAR2(1)  
GOVERNMENTPUB: VARCHAR2(1)  
CONFERENCEPUB: VARCHAR2(1)

#### **MARCvisual\_VW**

BIB\_ID: NUMBER  
BIBTYPE: VARCHAR2(1)  
BIBLEVEL: VARCHAR2(1)  
RUNNINGTIME: VARCHAR2(3)  
AUDIENCE: VARCHAR2(1)  
GOVERNMENTPUB: VARCHAR2(1)  
VISUALTYPE: VARCHAR2(1)  
TECHNIQUE: VARCHAR2(1)

#### **MARK\_REASON**

MARK\_REASON\_ID: NUMBER  
CLAIM\_TYPE: NUMBER  
MARK\_REASON\_NAME: VARCHAR2(25)

#### **MARKED\_ISSUE**

MARKED\_ID: NUMBER  
COMPONENT\_ID: NUMBER  
ISSUE\_ID: NUMBER  
SUBSCRIPTION\_ID: NUMBER  
MARK\_REASON: NUMBER  
LOCATION\_ID: NUMBER  
COPY\_ID: NUMBER  
OP\_ID: VARCHAR2(10)  
MARK\_DATE: DATE  
MARKED\_COMMENT: VARCHAR2(250)

#### **MARKED\_LINE\_ITEM**

MARKED\_ID: NUMBER  
LINE\_ITEM\_ID: NUMBER  
LOCATION\_ID: NUMBER  
COPY\_ID: NUMBER  
MARK\_REASON: NUMBER  
OP\_ID: VARCHAR2(10)  
MARK\_DATE: DATE  
MARKED\_COMMENT: VARCHAR2(250)

#### **MASTER\_OPERATOR**

OPERATOR\_ID: VARCHAR2(10)  
MASTER\_PROFILE\_ID: NUMBER

#### **MASTER\_PROFILE**

MASTER\_PROFILE\_ID: NUMBER  
MASTER\_PROFILE\_NAME: VARCHAR2(25)  
SECURITY: CHAR(1)  
SYSTEM\_DEFINITIONS: CHAR(1)  
CURRENCY\_TABLES: CHAR(1)  
ACQ\_POLICIES: CHAR(1)  
CAT\_POLICIES: CHAR(1)  
CIRC\_POLICIES: CHAR(1)  
MEDIA\_POLICIES: CHAR(1)  
CLUSTER\_CREATE: CHAR(1)  
CLUSTER\_EDIT: CHAR(1)  
CLUSTER\_DELETE: CHAR(1)  
CLUSTER\_VIEW: CHAR(1)  
PATRON\_GROUP\_EDIT: CHAR(1)

#### **MASTER\_SECURITY\_LOCS**

MASTER\_PROFILE\_ID: NUMBER  
LOCATION\_ID: NUMBER

#### **MEDIA\_BOOKING\_EXCEPTION**

MEDIA\_BOOKING\_EXCEPTION\_ID: NUMBER  
PATRON\_ID: NUMBER  
OP\_ID: VARCHAR2(10)  
UPDATE\_DATE: DATE  
LOCATION\_ID: NUMBER  
ITEM\_ID: NUMBER  
ITEM\_STATUS\_TYPE: NUMBER  
EQUIP\_ID: NUMBER  
EQUIP\_STS\_TYPE\_ID: NUMBER  
MEDIA\_ROOM\_ID: NUMBER  
ROOM\_STS\_TYPE\_ID: NUMBER  
ACTION: CHAR(1)

**MEDIA\_BOOKING\_EXCEPTION\_TYPE**

MEDIA\_BOOKING\_EXCEPTION\_ID: NUMBER  
MEDIA\_BOOKING\_EXCEPTION: VARCHAR2(25)

**MEDIA\_BOOKING\_TYPE**

MEDIA\_BOOKING\_TYPE\_ID: NUMBER  
TYPE: VARCHAR2(20)

**MEDIA\_OPERATOR**

PATRON\_ID: NUMBER  
STATUS: CHAR(1)  
UPDATE\_LOCATION\_ID: NUMBER  
UPDATE\_OPID: VARCHAR2(10)  
UPDATE\_DATE: DATE

**MEDIA\_POLICY\_DELIVERY\_CALENDAR**

MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
CALENDAR\_ID: NUMBER

**MEDIA\_POLICY\_EQUIP\_SETTINGS**

SETTINGS\_ID: NUMBER  
SETTINGS\_NAME: VARCHAR2(40)  
CAN\_DELIVER: CHAR(1)  
CAN\_PICKUP: CHAR(1)  
BOOKING\_INTERVAL: CHAR(1)  
BOOKING\_PERIOD\_MAX: NUMBER  
BOOKING\_RENEW: NUMBER  
BOOKING\_RENEW\_COUNT: NUMBER  
FINE\_INTERVAL: CHAR(1)  
FINE\_RATE\_PICKUP: NUMBER  
FINE\_RATE\_DELIVERY: NUMBER  
FINE\_MAX: NUMBER  
FINE\_GRACE\_PERIOD: NUMBER  
USAGE\_FEE: NUMBER  
USAGE\_RATE: NUMBER  
USAGE\_RATE\_INTERVAL: CHAR(1)  
USAGE\_RATE\_PERIOD: NUMBER

**MEDIA\_POLICY\_EQUIPMENT\_MATRIX**

MATRIX\_ID: NUMBER  
MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
EQUIP\_TYPE\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
SETTINGS\_ID: NUMBER

**MEDIA\_POLICY\_EQUIPMENT\_TYPE**

MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
EQUIP\_TYPE\_ID: NUMBER  
REPLACEMENT\_DEFAULT: NUMBER  
SETUP\_TIME: NUMBER  
CLEANUP\_TIME: NUMBER  
REQUEST\_EQUIP\_USING\_OPAC: CHAR(1)

**MEDIA\_POLICY\_GROUP**

MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
SCHEDULE\_POLICY: VARCHAR2(40)  
WARNING\_INTERVAL: NUMBER  
BLOCK\_INTERVAL: NUMBER  
DELIVERY\_COUNT\_CLOSED: CHAR(1)  
DELIVERY\_COUNT\_CLOSED\_FEES: CHAR(1)  
PICKUP\_COUNT\_CLOSED: CHAR(1)  
PICKUP\_COUNT\_CLOSED\_FEES: CHAR(1)  
CANCEL\_UNCLAIMED\_BOOKING: NUMBER  
OVERDUE\_CONFLICT\_LIST\_INTERVAL:

NUMBER

OVERDUE\_FIRST\_INTERVAL: NUMBER  
OVERDUE\_NOTICE\_INTERVAL: NUMBER  
OVERDUE\_NOTICE\_COUNT: NUMBER  
OVERDUE\_LOST\_INTERVAL: NUMBER  
OVERDUE\_LOST\_FEE: CHAR(1)  
OVERDUE\_LOST\_FEE\_AMT: NUMBER  
OVERDUE\_LOST\_MAX\_FINE: CHAR(1)  
OVERDUE\_RENEW: CHAR(1)

**MEDIA\_POLICY\_ITEM\_MATRIX**

MATRIX\_ID: NUMBER  
MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
MEDIA\_TYPE\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
SETTINGS\_ID: NUMBER

**MEDIA\_POLICY\_ITEM\_SETTINGS**

SETTINGS\_ID: NUMBER  
SETTINGS\_NAME: VARCHAR2(40)  
CAN\_PICKUP: CHAR(1)  
CAN\_DELIVER: CHAR(1)  
BOOKING\_INTERVAL: CHAR(1)  
BOOKING\_PERIOD\_MAX: NUMBER  
BOOKING\_RENEW: NUMBER  
BOOKING\_RENEW\_COUNT: NUMBER  
FINE\_INTERVAL: CHAR(1)  
FINE\_RATE\_PICKUP: NUMBER  
FINE\_RATE\_DELIVERY: NUMBER  
FINE\_MAX: NUMBER  
FINE\_GRACE\_PERIOD: NUMBER  
USAGE\_FEE: NUMBER  
USAGE\_RATE: NUMBER  
USAGE\_RATE\_INTERVAL: CHAR(1)  
USAGE\_RATE\_PERIOD: NUMBER  
RECALL\_FOR\_BOOKING: CHAR(1)

**MEDIA\_POLICY\_LOCATION**

MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
LOCATION\_ID: NUMBER  
BOOKING: CHAR(1)  
PICKUP: CHAR(1)  
PICKUP\_SLIP\_PRINT: CHAR(1)  
DELIVERY: CHAR(1)  
DELIVERY\_SLIP\_PRINT: CHAR(1)  
COLLECT\_FINES: CHAR(1)  
COURTESY\_DISCHARGE\_ITEM: CHAR(1)  
COURTESY\_DISCHARGE\_EQUIPMENT:  
CHAR(1)  
COURTESY\_DISCHARGE\_ROOM\_KEY:  
CHAR(1)  
ITEM\_SHELVING\_INTERVAL: CHAR(1)  
ITEM\_SHELVING\_PERIOD: NUMBER  
ITEM\_TRANSIT\_PERIOD: NUMBER  
FLY\_ITEM\_SUPPRESS: CHAR(1)  
FLY\_ITEM\_TYPE: NUMBER  
FLY\_ITEM\_LOCATION: NUMBER  
PRINT\_LOCATION\_ID: NUMBER  
PRINT\_CONFIRMATION: CHAR(1)  
DELIVERY\_TIME: NUMBER  
RETURN\_TIME: NUMBER  
EQUIP\_RESTRICTED: CHAR(1)

**MEDIA\_POLICY\_MEDIA\_TYPE**

MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
MEDIA\_TYPE\_ID: NUMBER  
REPLACEMENT\_DEFAULT: NUMBER  
REQUEST\_ITEM\_USING\_OPAC: CHAR(1)

**MEDIA\_POLICY\_PATRON\_GROUP**

MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
OVERLAPPING\_BOOKINGS: CHAR(1)  
FINES\_APPLY: CHAR(1)  
FEES\_APPLY: CHAR(1)  
OUTSTANDING\_BALANCE\_LIMIT: CHAR(1)  
OUTSTANDING\_BALANCE\_MAX: NUMBER  
BOOKING\_LIMIT: CHAR(1)  
BOOKING\_MAX: NUMBER  
ITEM\_BOOKING\_LIMIT: CHAR(1)  
ITEM\_BOOKING\_MAX: NUMBER  
EQUIP\_BOOKING\_LIMIT: CHAR(1)  
EQUIP\_BOOKING\_MAX: NUMBER  
LATE\_RETURN\_LIMIT: CHAR(1)  
LATE\_RETURN\_MAX: NUMBER  
CANCELLED\_BOOKING\_LIMIT: CHAR(1)  
CANCELLED\_BOOKING\_MAX: NUMBER  
UNCLAIMED\_BOOKING\_LIMIT: CHAR(1)  
UNCLAIMED\_BOOKING\_MAX: NUMBER  
EARLY\_PICKUP: NUMBER  
EARLY\_PICKUP\_INTERVAL: CHAR(1)  
OVERDUE\_NOTICE\_APPLY: CHAR(1)  
REQUEST\_PATRON\_USING\_OPAC: CHAR(1)

**MEDIA\_POLICY\_PICKUP\_CALENDAR**

MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
CALENDAR\_ID: NUMBER

**MEDIA\_POLICY\_ROOM\_CALENDAR**

MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
CALENDAR\_ID: NUMBER

**MEDIA\_POLICY\_ROOM\_MATRIX**

MATRIX\_ID: NUMBER  
MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
MEDIA\_ROOM\_TYPE\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
SETTINGS\_ID: NUMBER

**MEDIA\_POLICY\_ROOM\_SETTINGS**

SETTINGS\_ID: NUMBER  
SETTINGS\_NAME: VARCHAR2(40)  
CAN\_BOOK: CHAR(1)  
BOOKING\_INTERVAL: CHAR(1)  
BOOKING\_PERIOD\_MAX: NUMBER  
USAGE\_FEE: NUMBER  
USAGE\_RATE: NUMBER  
USAGE\_RATE\_INTERVAL: CHAR(1)  
USAGE\_RATE\_PERIOD: NUMBER

**MEDIA\_POLICY\_ROOM\_TYPE**

MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
MEDIA\_ROOM\_TYPE\_ID: NUMBER  
ROOM\_SCHEDULED: CHAR(1)  
CAN\_DELIVER: CHAR(1)

**MEDIA\_ROOM**

MEDIA\_ROOM\_ID: NUMBER  
ROOM\_NO: VARCHAR2(15)  
ROOM\_NO\_NORMALIZED: VARCHAR2(15)  
ROOM\_NAME: VARCHAR2(40)  
ROOM\_NAME\_NORMALIZED: VARCHAR2(40)  
LOCATION\_ID: NUMBER  
MEDIA\_ROOM\_TYPE\_ID: NUMBER  
STORAGE: VARCHAR2(1)  
CAPACITY: NUMBER  
HISTORICAL\_BOOKINGS: NUMBER  
CREATE\_OPID: VARCHAR2(10)  
UPDATE\_OPID: VARCHAR2(10)  
CREATE\_DATE: DATE  
UPDATE\_DATE: DATE  
CREATE\_LOCATION\_ID: NUMBER  
UPDATE\_LOCATION\_ID: NUMBER

**MEDIA\_ROOM\_DETAIL\_TYPE**

MEDIA\_ROOM\_DTL\_TYPE\_ID: NUMBER  
TYPE\_CODE: VARCHAR2(10)  
TYPE: VARCHAR2(50)  
REPEATABLE: CHAR(1)

**MEDIA\_ROOM\_DETAILS**

MEDIA\_ROOM\_DETAILS\_ID: NUMBER  
MEDIA\_ROOM\_ID: NUMBER  
MEDIA\_ROOM\_DTL\_TYPE\_ID: NUMBER  
ROOM\_DTL: VARCHAR2(100)

**MEDIA\_ROOM\_KEY**

MEDIA\_ROOM\_KEY\_ID: NUMBER  
MEDIA\_ROOM\_ID: NUMBER  
KEY\_NO: VARCHAR2(15)

**MEDIA\_ROOM\_NOTE\_TYPE**

MEDIA\_ROOM\_NOTE\_TYPE\_ID: NUMBER  
TYPE: VARCHAR2(15)

**MEDIA\_ROOM\_NOTES**

MEDIA\_ROOM\_ID: NUMBER  
MEDIA\_ROOM\_NOTE\_TYPE\_ID: NUMBER  
NOTE: VARCHAR2(2000)  
OP\_ID: VARCHAR2(10)  
UPDATE\_DATE: DATE

**MEDIA\_ROOM\_STATUS**

MEDIA\_ROOM\_ID: NUMBER  
MEDIA\_ROOM\_STS\_TYPE\_ID: NUMBER  
NOTE: VARCHAR2(100)  
UPDATE\_DATE: DATE  
OP\_ID: VARCHAR2(10)

**MEDIA\_ROOM\_STATUS\_TYPE**

MEDIA\_ROOM\_STS\_TYPE\_ID: NUMBER  
STS\_TYPE: VARCHAR2(40)  
DISPLAY\_PRIORITY: NUMBER  
WARN\_ON\_BOOKING: CHAR(1)  
BLOCK\_BOOKING: CHAR(1)  
MESSAGE: VARCHAR2(50)

**MEDIA\_ROOM\_TYPE**

MEDIA\_ROOM\_TYPE\_ID: NUMBER  
TYPE\_CODE: VARCHAR2(10)  
TYPE: VARCHAR2(50)

EQUIP\_STORAGE: CHAR(1)

#### **MEDIA\_SCHEDULE**

MEDIA\_SCHEDULE\_ID: NUMBER  
MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
PATRON\_ID: NUMBER  
PATRON\_ID\_PICKED\_UP: NUMBER  
CONFIRM\_NO: VARCHAR2(77)  
CONFIRM\_DATE: DATE  
MEDIA\_BOOKING\_TYPE\_ID: NUMBER  
ADMIN\_BOOKING: CHAR(1)  
STAGING\_LOCATION\_ID: NUMBER  
BOOKING\_SETUP\_DATE: DATE  
BOOKING\_SETUP: NUMBER  
BOOKING\_START: DATE  
BOOKING\_END: DATE  
BOOKING\_CLEANUP\_DATE: DATE  
BOOKING\_CLEANUP: NUMBER  
SCHED\_COMMENT: VARCHAR2(1000)  
OPERATOR\_DELIVERY: NUMBER  
OPERATOR\_PICKUP: NUMBER  
WIZARD: CHAR(1)  
CREATE\_LOCATION\_ID: NUMBER  
CREATE\_OPID: VARCHAR2(10)  
CREATE\_DATE: DATE  
UPDATE\_LOCATION\_ID: NUMBER  
UPDATE\_OPID: VARCHAR2(10)  
UPDATE\_DATE: DATE

#### **MEDIA\_SCHEDULE\_ARCHIVE**

MEDIA\_SCHEDULE\_ID: NUMBER  
MEDIA\_SCHEDULE\_POLICY\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
PATRON\_ID: NUMBER  
CONFIRM\_NO: VARCHAR2(77)  
CONFIRM\_DATE: DATE  
PATRON\_ID\_PICKED\_UP: NUMBER  
STAGING\_LOCATION\_ID: NUMBER  
MEDIA\_BOOKING\_TYPE\_ID: NUMBER  
ADMIN\_BOOKING: CHAR(1)  
BOOKING\_SETUP: NUMBER  
BOOKING\_START: DATE  
BOOKING\_END: DATE  
BOOKING\_CLEANUP: NUMBER  
SCHED\_COMMENT: VARCHAR2(1000)  
BOOKING\_RESULT: NUMBER  
OPERATOR\_DELIVERY: NUMBER  
OPERATOR\_PICKUP: NUMBER  
WIZARD: CHAR(1)  
CREATE\_LOCATION\_ID: NUMBER  
CREATE\_OPID: VARCHAR2(10)  
CREATE\_DATE: DATE  
UPDATE\_LOCATION\_ID: NUMBER  
UPDATE\_OPID: VARCHAR2(10)  
UPDATE\_DATE: DATE

#### **MEDIA\_SCHEDULE\_EQUIP\_ARCHIVE**

MEDIA\_SCHEDULE\_ID: NUMBER  
MEDIA\_SCHEDULE\_TRANS\_TYPE\_ID: NUMBER  
FINE\_FEE\_ID: NUMBER  
COUNT\_ID: NUMBER  
EQUIP\_TYPE\_ID: NUMBER

EQUIP\_ID: NUMBER  
FULFILL\_ITEM: CHAR(1)  
IN\_ROOM: CHAR(1)  
UPDATE\_DATE: DATE  
LOCATION\_ID: NUMBER  
OP\_ID: VARCHAR2(10)

#### **MEDIA\_SCHEDULE\_EQUIPMENT**

MEDIA\_SCHEDULE\_ID: NUMBER  
MEDIA\_SCHEDULE\_TRANS\_TYPE\_ID: NUMBER  
FINE\_FEE\_ID: NUMBER  
COUNT\_ID: NUMBER  
EQUIP\_TYPE\_ID: NUMBER  
EQUIP\_ID: NUMBER  
FULFILL\_ITEM: CHAR(1)  
IN\_ROOM: CHAR(1)  
UPDATE\_DATE: DATE  
LOCATION\_ID: NUMBER  
OP\_ID: VARCHAR2(10)

#### **MEDIA\_SCHEDULE\_FINE**

MEDIA\_SCHEDULE\_ID: NUMBER  
FINE\_FEE\_ID: NUMBER

#### **MEDIA\_SCHEDULE\_FINE\_ARCHIVE**

MEDIA\_SCHEDULE\_ID: NUMBER  
FINE\_FEE\_ID: NUMBER

#### **MEDIA\_SCHEDULE\_ITEM**

MEDIA\_SCHEDULE\_ID: NUMBER  
MEDIA\_SCHEDULE\_TRANS\_TYPE\_ID: NUMBER  
FINE\_FEE\_ID: NUMBER  
COUNT\_ID: NUMBER  
MEDIA\_TYPE\_ID: NUMBER  
BIB\_ID: NUMBER  
MFHD\_ID: NUMBER  
ITEM\_ID: NUMBER  
UPDATE\_DATE: DATE  
LOCATION\_ID: NUMBER  
OP\_ID: VARCHAR2(10)

#### **MEDIA\_SCHEDULE\_ITEM\_ARCHIVE**

MEDIA\_SCHEDULE\_ID: NUMBER  
MEDIA\_SCHEDULE\_TRANS\_TYPE\_ID: NUMBER  
FINE\_FEE\_ID: NUMBER  
COUNT\_ID: NUMBER  
MEDIA\_TYPE\_ID: NUMBER  
BIB\_ID: NUMBER  
MFHD\_ID: NUMBER  
ITEM\_ID: NUMBER  
UPDATE\_DATE: DATE  
LOCATION\_ID: NUMBER  
OP\_ID: VARCHAR2(10)

#### **MEDIA\_SCHEDULE\_ROOM**

MEDIA\_SCHEDULE\_ID: NUMBER  
MEDIA\_SCHEDULE\_TRANS\_TYPE\_ID: NUMBER  
FINE\_FEE\_ID: NUMBER  
COUNT\_ID: NUMBER  
MEDIA\_ROOM\_TYPE\_ID: NUMBER  
LOCATION\_ID: NUMBER  
CAPACITY\_NEEDED: NUMBER  
CAPACITY\_OPERATOR: NUMBER  
MEDIA\_ROOM\_ID: NUMBER



ROOM\_KEY\_ID: NUMBER  
UPDATE\_DATE: DATE  
TRANS\_LOCATION\_ID: NUMBER  
OP\_ID: VARCHAR2(10)

#### **MEDIA\_SCHEDULE\_ROOM\_ARCHIVE**

MEDIA\_SCHEDULE\_ID: NUMBER  
MEDIA\_SCHEDULE\_TRANS\_TYPE\_ID: NUMBER  
FINE\_FEE\_ID: NUMBER  
COUNT\_ID: NUMBER  
MEDIA\_ROOM\_TYPE\_ID: NUMBER  
LOCATION\_ID: NUMBER  
CAPACITY\_NEEDED: NUMBER  
CAPACITY\_OPERATOR: NUMBER  
MEDIA\_ROOM\_ID: NUMBER  
ROOM\_KEY\_ID: NUMBER  
UPDATE\_DATE: DATE  
TRANS\_LOCATION\_ID: NUMBER  
OP\_ID: VARCHAR2(10)

#### **MEDIA\_SCHEDULE\_TRANS\_TYPE**

MEDIA\_SCHEDULE\_TRANS\_TYPE\_ID: NUMBER  
TYPE: VARCHAR2(15)

#### **MEDIA\_SECURITY\_LOCATION**

MEDIA\_PROFILE\_ID: NUMBER  
LOCATION\_ID: NUMBER

#### **MEDIA\_SECURITY\_OPERATOR**

MEDIA\_PROFILE\_ID: NUMBER  
OPERATOR\_ID: VARCHAR2(10)

#### **MEDIA\_SECURITY\_PROFILE**

MEDIA\_PROFILE\_ID: NUMBER  
MEDIA\_PROFILE\_NAME: VARCHAR2(25)  
EQUIP\_ADD: CHAR(1)  
EQUIP\_DELETE: CHAR(1)  
EQUIP\_UPDATE: CHAR(1)  
EQUIP\_VIEW: CHAR(1)  
EQUIP\_MAINT\_ADD: CHAR(1)  
EQUIP\_MAINT\_DELETE: CHAR(1)  
EQUIP\_MAINT\_UPDATE: CHAR(1)  
EQUIP\_MAINT\_VIEW: CHAR(1)  
ROOM\_ADD: CHAR(1)  
ROOM\_DELETE: CHAR(1)  
ROOM\_UPDATE: CHAR(1)  
ROOM\_VIEW: CHAR(1)  
ITEM\_ADD: CHAR(1)  
ITEM\_DELETE: CHAR(1)  
ITEM\_UPDATE: CHAR(1)  
ITEM\_VIEW: CHAR(1)  
PATRON\_ADD: CHAR(1)  
PATRON\_DELETE: CHAR(1)  
PATRON\_UPDATE: CHAR(1)  
PATRON\_VIEW: CHAR(1)  
PATRON\_COUNTERS: CHAR(1)  
BOOKING\_ADD: CHAR(1)  
BOOKING\_UPDATE: CHAR(1)  
BOOKING\_CANCEL: CHAR(1)  
BOOKING\_VIEW: CHAR(1)  
BOOKING\_VIEW\_HISTORICAL: CHAR(1)  
BOOKING\_CHARGE: CHAR(1)  
BOOKING\_DISCHARGE: CHAR(1)

BOOKING\_RENEW: CHAR(1)  
OVERRIDE\_PATRON\_BLOCK: CHAR(1)  
OVERRIDE\_ITEM\_BLOCK: CHAR(1)  
OVERRIDE\_OTHER\_BLOCK: CHAR(1)  
CHANGE\_DISCHARGE\_DATE: CHAR(1)  
FEES\_ADD: CHAR(1)  
FEES\_PAY: CHAR(1)  
FEES\_ADJUST: CHAR(1)  
EQUIP\_BOOKED\_MOVE: CHAR(1)

#### **MEDIA\_TYPE**

MEDIA\_TYPE\_ID: NUMBER  
TYPE\_CODE: VARCHAR2(10)  
TYPE: VARCHAR2(50)

#### **MFHD\_DATA**

MFHD\_ID: NUMBER  
SEQNUM: NUMBER  
RECORD\_SEGMENT: VARCHAR2(300)

#### **MFHD\_HISTORY**

MFHD\_ID: NUMBER  
OPERATOR\_ID: VARCHAR2(10)  
ACTION\_DATE: DATE  
LOCATION\_ID: NUMBER  
ENCODING\_LEVEL: CHAR(1)  
SUPPRESS\_IN\_OPAC: VARCHAR2(1)  
ACTION\_TYPE\_ID: NUMBER

#### **MFHD\_ITEM**

MFHD\_ID: NUMBER  
ITEM\_ID: NUMBER  
ITEM\_ENUM: VARCHAR2(80)  
CHRON: VARCHAR2(80)  
YEAR: VARCHAR2(20)  
CAPTION: VARCHAR2(256)  
FREETEXT: VARCHAR2(256)

#### **MFHD\_MASTER**

MFHD\_ID: NUMBER  
LOCATION\_ID: NUMBER  
CALL\_NO\_TYPE: CHAR(1)  
NORMALIZED\_CALL\_NO: VARCHAR2(300)  
DISPLAY\_CALL\_NO: VARCHAR2(300)  
SUPPRESS\_IN\_OPAC: CHAR(1)  
SOURCE\_MODULE: CHAR(1)  
RECORD\_STATUS: CHAR(1)  
RECORD\_TYPE: CHAR(1)  
ENCODING\_LEVEL: CHAR(1)  
FIELD\_007: VARCHAR2(23)  
FIELD\_008: VARCHAR2(32)  
CREATE\_DATE: DATE  
UPDATE\_DATE: DATE  
EXPORT\_OK: CHAR(1)  
EXPORT\_OK\_DATE: DATE  
EXPORT\_OK\_OPID: VARCHAR2(10)  
EXPORT\_OK\_LOCATION\_ID: NUMBER  
EXPORT\_DATE: DATE

#### **MFHDBLOB\_VW**

MFHD\_ID: NUMBER  
MARC\_RECORD: CLOB

#### **MFHDHISTORY\_VW**

MFHD\_ID: NUMBER  
CREATE\_OPERATOR\_ID: VARCHAR2(10)  
CREATE\_DATE: DATE  
CREATE\_LOCATION\_ID: NUMBER  
UPDATE\_OPERATOR\_ID: VARCHAR2(10)  
UPDATE\_DATE: DATE  
UPDATE\_LOCATION\_ID: NUMBER

### **MISCELLANEOUS**

PATRON\_ID\_RETAIN: CHAR(1)  
MEDIA\_PATRON\_ID\_RETAIN: CHAR(1)  
DISTRIBUTION\_PATRON\_ID\_RETAIN: CHAR(1)  
BIBREADONLY: CHAR(1)  
MFHREADONLY: CHAR(1)  
AUTHREADONLY: CHAR(1)  
AUTO\_RETRIEVE\_SYSTEM: CHAR(1)  
UNIQUE\_ID\_OFFSET: NUMBER  
UNIQUE\_ID\_FIELD: VARCHAR2(6)  
CALL\_SLIP\_ITEM\_REQUIRED: CHAR(1)  
OPAC\_ITEM\_SORT: CHAR(1)  
CUSTOM\_1: CHAR(1)  
ON\_SHELF\_HOLD: CHAR(1)  
USE\_DEFAULT\_POLICY: CHAR(1)  
DATABASELANGUAGE: VARCHAR2(30)  
UBPAGING: CHAR(1)  
PATRON\_EXPIRE\_DATE: DATE  
PATRON\_EXPIRE\_OFFSET: VARCHAR2(5)  
PATRON\_PURGE\_DATE: DATE  
PATRON\_PURGE\_OFFSET: VARCHAR2(5)  
OPER\_EXPIRE\_DAYS: NUMBER

### **MONO\_CLAIM**

CLAIM\_THREAD: NUMBER  
COPY\_ID: NUMBER  
CLAIM\_ID: NUMBER  
VENDOR\_ID: NUMBER  
CLAIM\_TYPE: NUMBER  
CLAIM\_DATE: DATE  
CLAIM\_COUNT: NUMBER  
OVERRIDE\_CLAIM\_DATE: DATE  
CLAIM\_STATUS: NUMBER  
OP\_ID: VARCHAR2(10)  
NOTE: VARCHAR2(256)  
EDI\_REF: NUMBER

### **MONO\_CLAIM\_ARCHIVE**

CLAIM\_THREAD: NUMBER  
COPY\_ID: NUMBER  
CLAIM\_ID: NUMBER  
VENDOR\_ID: NUMBER  
CLAIM\_TYPE: NUMBER  
CLAIM\_DATE: DATE  
CLAIM\_COUNT: NUMBER  
OVERRIDE\_CLAIM\_DATE: DATE  
CLAIM\_STATUS: NUMBER  
OP\_ID: VARCHAR2(10)  
NOTE: VARCHAR2(256)  
EDI\_REF: NUMBER  
ARCHIVE\_DATE: DATE

### **MONO\_SUPPLIER\_REPORT**

AUDIT\_ID: NUMBER  
CLAIM\_ID: NUMBER

REPORT\_DATE: DATE  
ACTION\_DATE: DATE  
ACTION\_QUANTITY: NUMBER  
REPORT\_TYPE: NUMBER  
EDI\_REF: NUMBER  
NOTE: VARCHAR2(512)

### **MY\_OPAC\_DB**

PATRON\_ID: NUMBER  
DB\_ID: NUMBER

### **MY\_OPAC\_PREFERENCES**

PATRON\_ID: NUMBER  
SEARCH\_PREFERENCES: VARCHAR2(50)

### **NALCLASS\_VW**

MFHD\_ID: NUMBER  
CLASS: VARCHAR2(3)  
LONGCLASS: VARCHAR2(300)

### **NLMCLASS\_VW**

MFHD\_ID: NUMBER  
FIRSTLETTER: VARCHAR2(1)  
CLASS: VARCHAR2(300)  
LONGCLASS: VARCHAR2(7)  
CLASSNUMBER: NUMBER

### **NO\_FILL\_REASON**

REASON\_ID: NUMBER  
REASON\_CODE: VARCHAR2(10)  
REASON\_DESC: VARCHAR2(50)  
SUPPRESS: CHAR(1)

### **NOTE\_TYPE**

NOTE\_TYPE: NUMBER  
NOTE\_DESC: VARCHAR2(25)

### **OLDYALECLASS\_VW**

MFHD\_ID: NUMBER  
CLASS: VARCHAR2(6)

### **OPAC\_CHANGE\_TYPE**

OPAC\_CHANGE\_TYPE: NUMBER  
OPAC\_CHANGE\_DESC: VARCHAR2(25)

### **OPAC\_CIRC\_SETTINGS**

PATRON\_PURGE\_PERIOD: NUMBER  
SELF\_REG\_DFLT\_PATRON\_GRP: NUMBER

### **OPAC\_FORM**

FORM\_ID: NUMBER  
FORM\_CODE: VARCHAR2(10)  
FORM\_NAME: VARCHAR2(40)  
EMAIL: VARCHAR2(100)  
INSTRUCTIONS: VARCHAR2(1000)  
BLANK\_FORM: CHAR(1)  
SUPPRESS\_IN\_OPAC: CHAR(1)  
FORM\_TYPE: CHAR(1)  
OUTPUT\_TYPE: CHAR(1)  
LOGIN: VARCHAR2(15)  
PASSWORD: VARCHAR2(15)  
VOUCHER\_START: NUMBER  
VOUCHER\_END: NUMBER  
VOUCHER\_LAST\_USED: NUMBER  
VOUCHER\_PREFIX: VARCHAR2(4)



## **OPAC\_FORM\_DATABASES**

FORM\_ID: NUMBER  
DB\_CODE: VARCHAR2(8)  
DB\_ID: NUMBER

## **OPAC\_FORM\_FIELDS**

FORM\_ID: NUMBER  
FIELD\_LABEL: VARCHAR2(20)  
FIELD\_REQUIRED: CHAR(1)  
FIELD\_SEQUENCE: NUMBER  
CLIO\_TAG: VARCHAR2(20)  
MAPPING: VARCHAR2(10)  
OPAC\_CHANGE: NUMBER

## **OPAC\_FORM\_PATRON\_GROUP**

FORM\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER

## **OPAC\_FORM\_REQUEST\_FILE**

REQUEST\_ID: NUMBER  
FORM\_ID: NUMBER  
BIB\_ID: NUMBER  
MFHD\_ID: NUMBER  
ITEM\_ID: NUMBER  
PATRON\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
DATE\_REQUESTED: DATE  
FREE\_TEXT1: VARCHAR2(100)  
FREE\_TEXT2: VARCHAR2(100)  
FREE\_TEXT3: VARCHAR2(100)  
FREE\_TEXT4: VARCHAR2(100)  
FREE\_TEXT5: VARCHAR2(100)  
FREE\_TEXT6: VARCHAR2(100)  
NOTE: VARCHAR2(100)  
EXPIRE\_DATE: DATE  
VOUCHER\_NUMBER: NUMBER  
EMAIL\_TEXT: VARCHAR2(2000)

## **OPAC\_FORM\_TYPE**

FORM\_TYPE: CHAR(1)  
FORM\_TYPE\_DESC: VARCHAR2(25)

## **OPAC\_MESSAGES**

TAB\_NUMBER: NUMBER  
LINE\_NUMBER: NUMBER  
OPAC\_LINE: VARCHAR2(70)

## **OPAC\_SEARCH\_LOG**

SEARCH\_DATE: DATE  
STAT\_STRING: VARCHAR2(15)  
SESSION\_ID: VARCHAR2(16)  
SEARCH\_TYPE: VARCHAR2(25)  
SEARCH\_STRING: VARCHAR2(250)  
LIMIT\_FLAG: CHAR(1)  
LIMIT\_STRING: VARCHAR2(250)  
INDEX\_TYPE: CHAR(1)  
RELEVANCE: CHAR(1)  
HYPERLINK: CHAR(1)  
HITS: NUMBER  
SEARCH\_TAB: CHAR(1)  
CLIENT\_TYPE: CHAR(1)  
CLIENT\_IP: VARCHAR2(15)  
DBKEY: VARCHAR2(100)  
REDIRECT\_FLAG: CHAR(1)

## **OPERATOR**

OPERATOR\_ID: VARCHAR2(10)  
FIRST\_NAME: VARCHAR2(25)  
MIDDLE\_INITIAL: VARCHAR2(1)  
LAST\_NAME: VARCHAR2(25)  
PASSWORD: VARCHAR2(50)  
CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)  
MODIFY\_DATE: DATE  
MODIFY\_OPID: VARCHAR2(10)  
PASSWORD\_DATE: DATE  
NEVER\_EXPIRE: CHAR(1)  
MANUAL\_EXPIRE: CHAR(1)

## **ORDER\_TYPES**

ORDER\_TYPE: NUMBER  
ORDER\_TYPE\_DESC: VARCHAR2(25)

## **PATCH\_REGISTRY**

RELEASE\_PROCESSED: VARCHAR2(30)  
PATCH\_FILE: VARCHAR2(30)  
PATCH\_STATUS: VARCHAR2(30)  
PATCH\_OPID: VARCHAR2(30)  
PATCH\_DATE: DATE

## **PATRON**

PATRON\_ID: NUMBER  
NAME\_TYPE: NUMBER  
LAST\_NAME: VARCHAR2(30)  
NORMAL\_LAST\_NAME: VARCHAR2(30)  
FIRST\_NAME: VARCHAR2(20)  
NORMAL\_FIRST\_NAME: VARCHAR2(20)  
MIDDLE\_NAME: VARCHAR2(20)  
NORMAL\_MIDDLE\_NAME: VARCHAR2(20)  
TITLE: VARCHAR2(20)  
SSAN: VARCHAR2(11)  
INSTITUTION\_ID: VARCHAR2(30)  
NORMAL\_INSTITUTION\_ID: VARCHAR2(30)  
REGISTRATION\_DATE: DATE  
CREATE\_OPERATOR\_ID: VARCHAR2(10)  
HOME\_LOCATION: NUMBER  
CREATE\_DATE: DATE  
MODIFY\_OPERATOR\_ID: VARCHAR2(10)  
MODIFY\_LOCATION\_ID: NUMBER  
MODIFY\_DATE: DATE  
EXPIRE\_DATE: DATE  
PURGE\_DATE: DATE  
CURRENT\_CHARGES: NUMBER  
TOTAL\_FEES\_DUE: NUMBER  
NOTE\_COUNT: NUMBER  
CURRENT\_HOLD\_SHELF: NUMBER  
RECALLS\_PLACED: NUMBER  
HOLDS\_PLACED: NUMBER  
ITEMS\_RECALLED: NUMBER  
HISTORICAL\_CHARGES: NUMBER  
CLAIMS\_RETURN: NUMBER  
LOST\_ITEMS: NUMBER  
SELF\_SHELVED: NUMBER  
COUNTER\_RESET\_DATE: DATE  
COUNTER\_RESET\_OPER\_ID: VARCHAR2(10)  
CURRENT\_BOOKINGS: NUMBER  
LATE\_MEDIA\_RETURNS: NUMBER  
HISTORICAL\_BOOKINGS: NUMBER

CANCELLED\_BOOKINGS: NUMBER  
 UNCLAIMED\_BOOKINGS: NUMBER  
 MEDIA\_COUNTER\_RESET\_DATE: DATE  
 MEDIA\_COUNTER\_RESET\_OPID: VARCHAR2(10)  
 CURRENT\_CALL\_SLIPS: NUMBER  
 HISTORICAL\_CALL\_SLIPS: NUMBER  
 HISTORICAL\_DISTRIBUTIONS: NUMBER  
 CURRENT\_SHORT\_LOANS: NUMBER  
 HISTORICAL\_SHORT\_LOANS: NUMBER  
 UNCLAIMED\_SHORT\_LOANS: NUMBER  
 DB\_ID: NUMBER  
 PATRON\_ID\_UB: NUMBER  
 CURRENT\_CHARGES\_UB: NUMBER  
 HISTORICAL\_CHARGES\_UB: NUMBER  
 REQUESTS\_UB: NUMBER  
 HISTORICAL\_REQUESTS\_UB: NUMBER  
 CLAIMS\_RETURN\_UB: NUMBER  
 LOST\_ITEMS\_UB: NUMBER  
 TOTAL\_FEES\_DUE\_UB: NUMBER  
 SELF\_SHELVED\_UB: NUMBER  
 PATRON\_PIN: VARCHAR2(12)  
 SUSPENSION\_DATE: DATE  
 TOTAL\_DEMERITS: NUMBER  
 TOTAL\_DEMERITS\_DUE\_UB: NUMBER  
 SMS\_NUMBER: VARCHAR2(50)

#### **PATRON\_ADDRESS**

ADDRESS\_ID: NUMBER  
 PATRON\_ID: NUMBER  
 ADDRESS\_TYPE: NUMBER  
 ADDRESS\_STATUS: CHAR(1)  
 PROTECT\_ADDRESS: CHAR(1)  
 ADDRESS\_LINE1: VARCHAR2(50)  
 ADDRESS\_LINE2: VARCHAR2(40)  
 ADDRESS\_LINE3: VARCHAR2(40)  
 ADDRESS\_LINE4: VARCHAR2(40)  
 ADDRESS\_LINE5: VARCHAR2(40)  
 CITY: VARCHAR2(30)  
 STATE\_PROVINCE: VARCHAR2(10)  
 ZIP\_POSTAL: VARCHAR2(10)  
 COUNTRY: VARCHAR2(20)  
 EFFECT\_DATE: DATE  
 EXPIRE\_DATE: DATE  
 MODIFY\_DATE: DATE  
 MODIFY\_OPERATOR\_ID: VARCHAR2(10)

#### **PATRON\_BARCODE**

PATRON\_BARCODE\_ID: NUMBER  
 PATRON\_ID: NUMBER  
 PATRON\_GROUP\_ID: NUMBER  
 PATRON\_BARCODE: VARCHAR2(25)  
 BARCODE\_STATUS: NUMBER  
 BARCODE\_STATUS\_DATE: DATE  
 MODIFY\_OPERATOR\_ID: VARCHAR2(10)  
 HOME\_BARCODE\_ID: NUMBER  
 HOME\_PATRON\_GROUP\_ID: NUMBER

#### **PATRON\_BARCODE\_STATUS**

BARCODE\_STATUS\_TYPE: NUMBER  
 BARCODE\_STATUS\_DESC: VARCHAR2(25)

#### **PATRON\_GROUP**

PATRON\_GROUP\_ID: NUMBER  
 PATRON\_GROUP\_CODE: VARCHAR2(10)  
 PATRON\_GROUP\_NAME: VARCHAR2(25)  
 PATRON\_GROUP\_DISPLAY: VARCHAR2(40)  
 DEMERITS\_APPLIES: CHAR(1)  
 MAX\_DEMERITS: NUMBER  
 SUSPENSION\_DAYS: NUMBER  
 CIRC\_CLUSTER\_ID: NUMBER  
 CHARGED\_STATUS\_DISPLAY: CHAR(1)  
 CHARGE\_LIMIT: NUMBER  
 CHARGE\_LIMIT\_APPLY: CHAR(1)

#### **PATRON\_GROUP\_ITEM\_TYPE**

PATRON\_GROUP\_ID: NUMBER  
 ITEM\_TYPE\_ID: NUMBER  
 CHARGE\_LIMIT: NUMBER

#### **PATRON\_GROUP\_POLICY**

CIRC\_GROUP\_ID: NUMBER  
 PATRON\_GROUP\_ID: NUMBER  
 FEES\_APPLIES: CHAR(1)  
 MAX\_OUTSTANDING\_BALANCE: NUMBER  
 OVERDUE\_NOTICE\_APPLIES: CHAR(1)  
 MIN\_BALANCE\_FOR\_NOTICE: NUMBER  
 MAX\_ITEM\_LIMIT: CHAR(1)  
 ITEM\_LIMIT: NUMBER  
 MAX\_OVERDUE\_LIMIT: CHAR(1)  
 OVERDUE\_LIMIT: NUMBER  
 MAX\_OVERDUE\_RECALL\_LIMIT: CHAR(1)  
 OVERDUE\_RECALL\_LIMIT: NUMBER  
 MAX\_RECALL\_LIMIT: CHAR(1)  
 RECALL\_LIMIT: NUMBER  
 MAX\_SELF\_SHELVES\_LIMIT: CHAR(1)  
 SELF\_SHELVES\_LIMIT: NUMBER  
 MAX\_CLAIM\_RETURN\_LIMIT: CHAR(1)  
 CLAIM\_RETURN\_LIMIT: NUMBER  
 MAX\_LOST\_LIMIT: CHAR(1)  
 LOST\_LIMIT: NUMBER  
 PLACE\_HOLD\_OUTSIDE\_LIB: CHAR(1)  
 PLACE\_HOLD\_INSIDE\_LIB: CHAR(1)  
 PLACE\_RECALL\_OUTSIDE\_LIB: CHAR(1)  
 PLACE\_RECALL\_INSIDE\_LIB: CHAR(1)  
 PLACE\_INTERLIB\_LOAN\_REQ: CHAR(1)  
 PLACE\_PURCHASE\_REQ: CHAR(1)  
 COURTESY\_NOTICE\_APPLIES: CHAR(1)  
 CALL\_SLIP\_LIMIT: NUMBER  
 MAX\_CALL\_SLIPS: CHAR(1)  
 PLACE\_CALL\_SLIPS: CHAR(1)  
 EMAIL\_COURTESY\_NOTICE: CHAR(1)  
 EMAIL\_CANCELLATION\_NOTICE: CHAR(1)  
 EMAIL\_ITEM\_AVAILABLE\_NOTICE: CHAR(1)  
 EMAIL\_OVERDUE\_NOTICE: CHAR(1)  
 EMAIL\_OVERDUE\_NOTICE\_OTHER: CHAR(1)  
 EMAIL\_OVERDUE\_RECALL\_NOTICE: CHAR(1)  
 EMAIL\_RECALL\_NOTICE: CHAR(1)  
 PLACE\_SHORT\_LOAN\_IN\_LIB: CHAR(1)  
 MAX\_TOTAL\_SHORT\_LOAN: CHAR(1)  
 TOTAL\_SHORT\_LOAN: NUMBER  
 MAX\_TITLE\_SHORT\_LOAN: CHAR(1)  
 TITLE\_SHORT\_LOAN: NUMBER  
 MAX\_DAY\_SHORT\_LOAN: CHAR(1)  
 DAY\_SHORT\_LOAN: NUMBER

**PATRON\_NAME\_TYPE**

PATRON\_NAME\_TYPE: NUMBER  
PATRON\_NAME\_DESC: VARCHAR2(25)

**PATRON\_NOTES**

PATRON\_NOTE\_ID: NUMBER  
PATRON\_ID: NUMBER  
NOTE\_TYPE: NUMBER  
ADDRESS\_ID: NUMBER  
NOTE: VARCHAR2(1900)  
MODIFY\_DATE: DATE  
MODIFY\_OPERATOR\_ID: VARCHAR2(10)

**PATRON\_PHONE**

PATRON\_PHONE\_ID: NUMBER  
ADDRESS\_ID: NUMBER  
PHONE\_TYPE: NUMBER  
PHONE\_NUMBER: VARCHAR2(25)  
MODIFY\_DATE: DATE  
MODIFY\_OPERATOR\_ID: VARCHAR2(10)

**PATRON\_STAT\_CODE**

PATRON\_STAT\_ID: NUMBER  
PATRON\_STAT\_CODE: VARCHAR2(3)  
PATRON\_STAT\_DESC: VARCHAR2(25)

**PATRON\_STATS**

PATRON\_ID: NUMBER  
PATRON\_STAT\_ID: NUMBER  
DATE\_APPLIED: DATE

**PATTERN**

PATTERN\_ID: NUMBER  
PATTERN\_NAME: VARCHAR2(40)  
PATTERN\_NAME\_NORM: VARCHAR2(40)  
FREQUENCY\_CODE: CHAR(1)  
LVL1: VARCHAR2(20)  
LVL1\_SCHEME: CHAR(2)  
LVL2: VARCHAR2(20)  
LVL2\_MAX: NUMBER  
LVL2\_SCHEME: CHAR(2)  
LVL2\_NUM\_CONT: NUMBER  
LVL3: VARCHAR2(20)  
LVL3\_MAX: NUMBER  
LVL3\_SCHEME: CHAR(2)  
LVL3\_NUM\_CONT: NUMBER  
LVL4: VARCHAR2(20)  
LVL4\_MAX: NUMBER  
LVL4\_SCHEME: CHAR(2)  
LVL4\_NUM\_CONT: NUMBER  
LVL5: VARCHAR2(20)  
LVL5\_MAX: NUMBER  
LVL5\_SCHEME: CHAR(2)  
LVL5\_NUM\_CONT: NUMBER  
LVL6: VARCHAR2(20)  
LVL6\_MAX: NUMBER  
LVL6\_SCHEME: CHAR(2)  
LVL6\_NUM\_CONT: NUMBER  
ALT\_LVL1: VARCHAR2(20)  
ALT\_LVL1\_SCHEME: CHAR(2)  
ALT\_LVL2: VARCHAR2(20)  
ALT\_LVL2\_MAX: NUMBER  
ALT\_LVL2\_SCHEME: CHAR(2)

ALT\_LVL2\_NUM\_CONT: NUMBER  
CHRON1: NUMBER  
CHRON2: NUMBER  
CHRON3: NUMBER  
CHRON4: NUMBER  
ALT\_CHRON1: NUMBER  
CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)  
CREATE\_LOCATION\_ID: NUMBER  
UPDATE\_DATE: DATE  
UPDATE\_OPID: VARCHAR2(10)  
UPDATE\_LOCATION\_ID: NUMBER

**PHONE\_TYPE**

PHONE\_TYPE: NUMBER  
PHONE\_DESC: VARCHAR2(25)

**PLAN\_TABLE**

STATEMENT\_ID: VARCHAR2(30)  
TIMESTAMP: DATE  
REMARKS: VARCHAR2(80)  
OPERATION: VARCHAR2(30)  
OPTIONS: VARCHAR2(255)  
OBJECT\_NODE: VARCHAR2(128)  
OBJECT\_OWNER: VARCHAR2(30)  
OBJECT\_NAME: VARCHAR2(30)  
OBJECT\_INSTANCE: NUMBER  
OBJECT\_TYPE: VARCHAR2(30)  
OPTIMIZER: VARCHAR2(255)  
SEARCH\_COLUMNS: NUMBER  
ID: NUMBER  
PARENT\_ID: NUMBER  
POSITION: NUMBER  
COST: NUMBER  
CARDINALITY: NUMBER  
BYTES: NUMBER  
OTHER\_TAG: VARCHAR2(255)  
PARTITION\_START: VARCHAR2(255)  
PARTITION\_STOP: VARCHAR2(255)  
PARTITION\_ID: NUMBER  
OTHER: LONG  
DISTRIBUTION: VARCHAR2(30)  
CPU\_COST: NUMBER  
IO\_COST: NUMBER  
TEMP\_SPACE: NUMBER  
ACCESS\_PREDICATES: VARCHAR2(4000)  
FILTER\_PREDICATES: VARCHAR2(4000)

**PO\_FUNDS**

PO\_ID: NUMBER  
LEDGER\_ID: NUMBER  
FUND\_ID: NUMBER  
COMMIT\_PENDING: NUMBER  
COMMITMENTS: NUMBER  
EXPEND\_PENDING: NUMBER  
EXPENDITURES: NUMBER

**PO\_NOTES**

PO\_ID: NUMBER  
PRINT\_NOTE: VARCHAR2(60)  
NOTE: VARCHAR2(1900)

**PO\_STATUS**

PO\_STATUS: NUMBER  
 PO\_STATUS\_DESC: VARCHAR2(25)  
**PO\_TYPE**  
 PO\_TYPE: NUMBER  
 PO\_TYPE\_DESC: VARCHAR2(25)  
**PO\_TYPE\_RULES**  
 RULE\_ID: NUMBER  
 PO\_TYPE\_ID: NUMBER  
 SINGLE\_PART: CHAR(1)  
 SP\_INCREASE: NUMBER  
 SUBSCRIPTION: CHAR(1)  
 SUB\_INCREASE: NUMBER  
 MEMBERSHIP: CHAR(1)  
 MEM\_INCREASE: NUMBER  
 STANDING\_ORDER: CHAR(1)  
 SO\_INCREASE: NUMBER  
 BLANKET\_ORDER: CHAR(1)  
 BO\_INCREASE: NUMBER  
 MULTI\_PART: CHAR(1)  
 MP\_INCREASE: NUMBER  
 APPROVAL: CHAR(1)  
 APL\_INCREASE: NUMBER  
**PO\_VENDOR\_HISTORY**  
 AUDIT\_ID: NUMBER  
 PO\_ID: NUMBER  
 VENDOR\_ID: NUMBER  
 ACCOUNT\_ID: NUMBER  
 REPLACE\_DATE: DATE  
 REPLACE\_OPID: VARCHAR2(10)  
 REPLACE\_LOCATION: NUMBER  
**PRICE\_ADJUSTMENT**  
 OBJECT\_TYPE: CHAR(1)  
 OBJECT\_ID: NUMBER  
 SEQUENCE: NUMBER  
 REASON\_ID: NUMBER  
 METHOD: NUMBER  
 ADJUST\_AMOUNT: NUMBER  
 PAYMENT\_ID: NUMBER  
**PRIMO\_AVAIL**  
 BIB\_ID: NUMBER  
 DELETED\_YN: CHAR(1)  
 AVAIL\_HASH: NUMBER  
**PRINT\_LOCATION**  
 PRINT\_LOCATION\_ID: NUMBER  
 PRINT\_LOCATION\_CODE: VARCHAR2(10)  
 PRINT\_LOCATION\_NAME: VARCHAR2(25)  
 DEFAULT\_PRINTING: CHAR(1)  
 CIRC\_GLOBAL\_PRINTING: CHAR(1)  
 ACQ\_GLOBAL\_PRINTING: CHAR(1)  
 CAT\_GLOBAL\_PRINTING: CHAR(1)  
 MEDIA\_GLOBAL\_PRINTING: CHAR(1)  
**PROXY\_PATRON**  
 PATRON\_BARCODE\_ID: NUMBER  
 PATRON\_BARCODE\_ID\_PROXY: NUMBER  
 CREATE\_DATE: DATE  
 CREATE\_OPID: VARCHAR2(10)  
 CREATE\_LOCATION: NUMBER

EXPIRATION\_DATE: DATE  
**PURCHASE\_ORDER**  
 PO\_ID: NUMBER  
 VENDOR\_ID: NUMBER  
 ACCOUNT\_ID: NUMBER  
 PO\_TYPE: NUMBER  
 PO\_NUMBER: VARCHAR2(25)  
 NORMAL\_PO\_NUMBER: VARCHAR2(25)  
 ORDER\_LOCATION: NUMBER  
 SHIP\_LOCATION: NUMBER  
 BILL\_LOCATION: NUMBER  
 CURRENCY\_CODE: VARCHAR2(3)  
 CONVERSION\_RATE: NUMBER  
 PO\_STATUS: NUMBER  
 PO\_STATUS\_DATE: DATE  
 PO\_CREATE\_DATE: DATE  
 CREATE\_OPID: VARCHAR2(10)  
 PO\_UPDATE\_DATE: DATE  
 UPDATE\_OPID: VARCHAR2(10)  
 CREATE\_LOCATION\_ID: NUMBER  
 UPDATE\_LOCATION\_ID: NUMBER  
 SHIP\_VIA: VARCHAR2(20)  
 NOT\_NEEDED\_AFTER: DATE  
 RUSH: CHAR(1)  
 CLAIM\_INTERVAL: NUMBER  
 CANCEL\_INTERVAL: NUMBER  
 LINE\_ITEM\_COUNT: NUMBER  
 LINE\_ITEM\_SUBTOTAL: NUMBER  
 ADJUSTMENTS\_SUBTOTAL: NUMBER  
 TOTAL: NUMBER  
 EDI\_REF: NUMBER  
 PO\_APPROVE\_DATE: DATE  
 APPROVE\_OPID: VARCHAR2(10)  
 APPROVE\_LOCATION\_ID: NUMBER  
 PREPAY\_CONVERSION\_RATE: NUMBER  
**RECORD\_SET**  
 RECORD\_SET\_ID: NUMBER  
 RECORD\_SET\_NAME: VARCHAR2(200)  
 DESCRIPTION: VARCHAR2(2000)  
 CREATE\_OPERATOR\_ID: VARCHAR2(10)  
 MODIFY\_OPERATOR\_ID: VARCHAR2(10)  
 LAST\_MODIFY\_DATE: DATE  
 RECORD\_SET\_TYPE\_ID: NUMBER  
 RECORD\_TYPE\_ID: NUMBER  
**RECORD\_SET\_RECORDS**  
 RECORD\_SET\_ID: NUMBER  
 RECORD\_ID: NUMBER  
 RECORD\_SET\_BULK\_NUM: NUMBER  
**RECORD\_SET\_TYPE**  
 RECORD\_SET\_TYPE\_ID: NUMBER  
 RECORD\_SET\_TYPE\_DESC: VARCHAR2(200)  
**RECORD\_TYPE**  
 RECORD\_TYPE\_ID: NUMBER  
 RECORD\_TYPE\_DESC: VARCHAR2(200)  
**RECORDCOUNT\_VW**  
 RecordType: VARCHAR2(21)  
 Count: NUMBER

**REFERENCE\_TYPE**

REFERENCE\_TYPE: CHAR(1)  
REFERENCE\_TYPE\_DESC: VARCHAR2(20)  
DISPLAY\_CONSTANT: VARCHAR2(80)

**REMOTE\_CIRC\_CLUSTER\_CACHE**

DB\_ID: NUMBER  
REMOTE\_CIRC\_CLUSTER\_ID: NUMBER  
REMOTE\_CIRC\_CLUSTER\_CODE:  
REMOTE\_CIRC\_CLUSTER\_NAME:  
VARCHAR2(100)  
UPDATE\_DATE: DATE

**REMOTE\_PATRON\_GROUP\_CACHE**

DB\_ID: NUMBER  
REMOTE\_CIRC\_CLUSTER\_ID: NUMBER  
REMOTE\_PATRON\_GROUP\_ID: NUMBER  
UPDATE\_DATE: DATE

**REMOTE\_STORAGE\_QUEUE**

QUEUE\_ID: NUMBER  
LOCATION\_ID: NUMBER  
MESSAGE\_TYPE: CHAR(4)  
ITEM\_BARCODE: VARCHAR2(30)  
ITEM\_ID: NUMBER  
PATRON\_ID: NUMBER  
SENT: CHAR(1)  
PICKUP\_LOCATION\_ID: NUMBER

**RENEW\_TRANS\_ARCHIVE**

CIRC\_TRANSACTION\_ID: NUMBER  
RENEW\_DATE: DATE  
RENEW\_DUE\_DATE: DATE  
RENEW\_LOCATION: NUMBER  
RENEW\_TYPE: CHAR(1)  
RENEW\_OPER\_ID: VARCHAR2(10)

**RENEW\_TRANSACTIONS**

CIRC\_TRANSACTION\_ID: NUMBER  
RENEW\_DATE: DATE  
RENEW\_DUE\_DATE: DATE  
RENEW\_LOCATION: NUMBER  
RENEW\_TYPE: CHAR(1)  
RENEW\_OPER\_ID: VARCHAR2(10)

**REPORT\_TYPES**

REPORT\_TYPE: NUMBER  
EDI\_CODE: VARCHAR2(11)  
REPORT\_TYPE\_DESC: VARCHAR2(70)

**REPORTING\_LEVEL**

REPORTING\_LEVEL\_ID: NUMBER  
REPORTING\_LEVEL\_NAME: VARCHAR2(50)

**REPORTING\_OPERATOR**

REPORTING\_PROFILE\_ID: NUMBER  
OPERATOR\_ID: VARCHAR2(10)

**REPORTING\_PROFILE**

REPORTING\_PROFILE\_ID: NUMBER  
REPORTING\_PROFILE\_NAME: VARCHAR2(25)  
REPORTING\_LEVEL\_ID: NUMBER  
DATABASE\_MODEL: CHAR(1)  
SYSADMIN: CHAR(1)

CATALOGING: CHAR(1)  
ACQUISITIONS\_SERIALS: CHAR(1)  
CIRCULATION\_CALL\_SLIP: CHAR(1)  
MEDIA\_SCHEDULING: CHAR(1)  
OPAC: CHAR(1)  
REMOTE\_STORAGE: CHAR(1)  
LOCAL\_UB: CHAR(1)

**REQUEST\_GROUP**

GROUP\_ID: NUMBER  
GROUP\_CODE: VARCHAR2(10)  
GROUP\_NAME: VARCHAR2(25)

**REQUEST\_GROUP\_LOCATION**

GROUP\_ID: NUMBER  
LOCATION\_ID: NUMBER

**REQUEST\_HISTORY**

CALL\_SLIP\_ID: NUMBER  
DB\_KEY: VARCHAR2(100)  
CIRC\_CLUSTER\_ID: NUMBER  
SEQUENCE: NUMBER  
PROMOTE\_DATE: DATE

**RESERVE\_ITEM\_HISTORY**

ITEM\_ID: NUMBER  
EFFECT\_DATE: DATE  
EXPIRE\_DATE: DATE  
RESERVE\_CHARGES: NUMBER

**RESERVE\_LIST**

RESERVE\_LIST\_ID: NUMBER  
RESERVE\_LOCATION: NUMBER  
RESERVE\_ITEM\_TYPE: NUMBER  
LIST\_TITLE: VARCHAR2(40)  
NORMAL\_LIST\_TITLE: VARCHAR2(40)  
EFFECT\_DATE: DATE  
EXPIRE\_DATE: DATE  
CREATE\_DATE: DATE  
CREATE\_OPID: VARCHAR2(10)  
CREATE\_LOCATION\_ID: NUMBER  
UPDATE\_DATE: DATE  
UPDATE\_OPID: VARCHAR2(10)  
UPDATE\_LOCATION\_ID: NUMBER

**RESERVE\_LIST\_COURSES**

RESERVE\_LIST\_ID: NUMBER  
DEPARTMENT\_ID: NUMBER  
INSTRUCTOR\_ID: NUMBER  
COURSE\_ID: NUMBER  
SECTION\_ID: NUMBER

**RESERVE\_LIST\_EITEMS**

EITEM\_ID: NUMBER  
RESERVE\_LIST\_ID: NUMBER

**RESERVE\_LIST\_ITEMS**

RESERVE\_LIST\_ID: NUMBER  
ITEM\_ID: NUMBER

**ROLLOVER\_AUDIT**

AUDIT\_ID: NUMBER  
RUN\_ID: NUMBER  
RECORD\_ID: NUMBER  
PARENT\_ID: NUMBER



RECORD\_TYPE: NUMBER  
 RESULT\_CODE: NUMBER  
 TIMESTAMP: DATE  
 OTHER\_INFO: VARCHAR2(50)

**ROLLOVER\_RESULT\_CODES**

RESULT\_CODE: NUMBER  
 DESCRIPTION: VARCHAR2(256)

**ROLLOVER\_RULES**

RULE\_ID: NUMBER  
 RULE\_NAME: VARCHAR2(25)  
 NORMAL\_RULE\_NAME: VARCHAR2(25)  
 FISCAL\_PERIOD\_ID: NUMBER  
 NEW\_FISCAL\_PERIOD\_ID: NUMBER  
 INITIALIZE\_TYPE: CHAR(1)  
 CREATE\_DATE: DATE  
 CREATE\_OP\_ID: VARCHAR2(10)  
 UPDATE\_DATE: DATE  
 UPDATE\_OP\_ID: VARCHAR2(10)  
 ACTION\_INDICATOR: CHAR(1)

**ROUTING\_LIST**

ROUTING\_LIST\_ID: NUMBER  
 NAME: VARCHAR2(45)  
 NORMAL\_NAME: VARCHAR2(45)  
 CREATE\_OPID: VARCHAR2(10)  
 CREATE\_LOCATION\_ID: NUMBER  
 CREATE\_DATE: DATE  
 UPDATE\_OPID: VARCHAR2(10)  
 UPDATE\_LOCATION\_ID: NUMBER  
 UPDATE\_DATE: DATE  
 NOTE: VARCHAR2(256)  
 PRINT\_NOTE: CHAR(1)

**ROUTING\_LIST\_MEMBERS**

ROUTING\_LIST\_ID: NUMBER  
 MEMBER\_ID: NUMBER  
 MEMBER\_TYPE: CHAR(1)  
 RANK: NUMBER  
 ADD\_DATE: DATE

**RULE\_DOC**

RULE\_DOC\_ID: NUMBER  
 NAME: VARCHAR2(200)  
 DSL\_NAME: VARCHAR2(200)  
 RULES: BLOB  
 TYPE: NUMBER  
 DESCRIPTION: VARCHAR2(2000)  
 CREATE\_OPERATOR: VARCHAR2(10)  
 UPDATE\_OPERATOR: VARCHAR2(10)  
 LAST\_MODIFY\_DATE: DATE

**RULE\_SET**

RULE\_SET\_ID: NUMBER  
 NAME: VARCHAR2(200)  
 TYPE: NUMBER  
 DESCRIPTION: VARCHAR2(2000)  
 CREATE\_OPERATOR: VARCHAR2(10)  
 UPDATE\_OPERATOR: VARCHAR2(10)  
 LAST\_MODIFY\_DATE: DATE

**RULESET\_RULEDOC**

RULE\_SET\_ID: NUMBER

RULE\_DOC\_ID: NUMBER  
 RULE\_ORDER: NUMBER

**SAVED\_RECORDS\_RESULTS**

PATRON\_ID: NUMBER  
 DB\_ID: NUMBER  
 BIB\_ID: NUMBER  
 SAVE\_DATE: DATE

**SAVED\_SEARCHES**

SAVED\_SEARCHES\_ID: NUMBER  
 PATRON\_ID: NUMBER  
 SEARCH\_DATE: DATE  
 SEARCH\_TYPE: VARCHAR2(250)  
 SEARCH\_STRING: VARCHAR2(700)  
 LIMIT\_FLAG: CHAR(1)  
 LIMIT\_STRING: VARCHAR2(250)  
 INDEX\_TYPE: CHAR(1)  
 RELEVANCE: CHAR(1)  
 SEARCH\_TAB: CHAR(1)  
 LAST\_EXECUTED: DATE  
 SDI\_NEW\_HITS: CHAR(1)  
 SDI\_INTERVAL\_ID: NUMBER  
 SEARCH\_PAGE: VARCHAR2(3000)  
 NUMBER\_HITS: NUMBER

**SDI\_INTERVALS**

SDI\_INTERVAL\_ID: NUMBER  
 SDI\_INTERVAL\_CODE: VARCHAR2(10)  
 SDI\_INTERVAL\_DAYS: NUMBER

**SEARCHFIELDS**

SEARCHCODE: CHAR(4)  
 FIELD\_CODE: CHAR(4)

**SEARCHPARM**

SEARCHCODE: CHAR(4)  
 SEARCHNAME: VARCHAR2(40)  
 INDEXRULES: VARCHAR2(300)  
 OPACSUPPRESS: CHAR(1)  
 STAFFSUPPRESS: CHAR(1)  
 DISPLAYFIELD1: VARCHAR2(30)  
 DISPLAYFIELD2: VARCHAR2(30)  
 DISPLAYFIELD3: VARCHAR2(30)  
 SORTFIELD1: VARCHAR2(30)  
 SORTFIELD2: VARCHAR2(30)  
 SORTFIELD3: VARCHAR2(30)  
 OPACCOUNT: NUMBER  
 CIRCCOUNT: NUMBER  
 ACQCOUNT: NUMBER  
 CATCOUNT: NUMBER  
 ORDERING: NUMBER  
 Z3950\_USE\_ATTRIBUTE: NUMBER  
 MEDIACOUNT: NUMBER

**SERIAL\_CLAIM**

CLAIM\_THREAD: NUMBER  
 ISSUE\_ID: NUMBER  
 COMPONENT\_ID: NUMBER  
 COPY\_ID: NUMBER  
 LOCATION\_ID: NUMBER  
 CLAIM\_ID: NUMBER  
 VENDOR\_ID: NUMBER  
 CLAIM\_TYPE: NUMBER

CLAIM\_DATE: DATE  
CLAIM\_COUNT: NUMBER  
OVERRIDE\_CLAIM\_DATE: DATE  
CLAIM\_STATUS: NUMBER  
OP\_ID: VARCHAR2(10)  
NOTE: VARCHAR2(256)  
EDI\_REF: NUMBER

#### **SERIAL\_CLAIM\_ARCHIVE**

CLAIM\_THREAD: NUMBER  
ISSUE\_ID: NUMBER  
COMPONENT\_ID: NUMBER  
COPY\_ID: NUMBER  
LOCATION\_ID: NUMBER  
CLAIM\_ID: NUMBER  
VENDOR\_ID: NUMBER  
CLAIM\_TYPE: NUMBER  
CLAIM\_DATE: DATE  
CLAIM\_COUNT: NUMBER  
OVERRIDE\_CLAIM\_DATE: DATE  
CLAIM\_STATUS: NUMBER  
OP\_ID: VARCHAR2(10)  
NOTE: VARCHAR2(256)  
EDI\_REF: NUMBER  
ARCHIVE\_DATE: DATE

#### **SERIAL\_ISSUES**

ISSUE\_ID: NUMBER  
COMPONENT\_ID: NUMBER  
ENUMCHRON: VARCHAR2(256)  
LVL1: NUMBER  
LVL2: NUMBER  
LVL3: NUMBER  
LVL4: NUMBER  
LVL5: NUMBER  
LVL6: NUMBER  
ALT\_LVL1: NUMBER  
ALT\_LVL2: NUMBER  
CHRON1: NUMBER  
CHRON2: NUMBER  
CHRON3: NUMBER  
CHRON4: NUMBER  
ALT\_CHRON: NUMBER  
EXPECTED\_DATE: DATE  
RECEIPT\_DATE: DATE  
RECEIVED: NUMBER

#### **SERIAL\_SUPPLIER\_REPORT**

AUDIT\_ID: NUMBER  
CLAIM\_ID: NUMBER  
REPORT\_DATE: DATE  
ACTION\_DATE: DATE  
ACTION\_QUANTITY: NUMBER  
REPORT\_TYPE: NUMBER  
EDI\_REF: NUMBER  
NOTE: VARCHAR2(512)

#### **SERIALS\_VW**

BIB\_ID: NUMBER  
MFHD\_ID: NUMBER  
COMPONENT\_ID: NUMBER  
COMPONENT\_NAME: VARCHAR2(100)  
COMPONENT\_NAME\_NORM: VARCHAR2(100)

PREDICT: CHAR(1)  
NEXT\_ISSUE\_ID: NUMBER  
NOTE: VARCHAR2(256)  
ISSUE\_ID: NUMBER  
ENUMCHRON: VARCHAR2(256)  
EXPECTED\_DATE: DATE  
RECEIPT\_DATE: DATE  
RECEIVED: NUMBER

#### **SHORT\_LOAN**

SHORT\_LOAN\_ID: NUMBER  
PATRON\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
SHORT\_LOAN\_STATUS\_ID: NUMBER  
STATUS\_DATE: DATE  
BIB\_ID: NUMBER  
MFHD\_ID: NUMBER  
ITEM\_ID: NUMBER  
START\_TIME: DATE  
END\_TIME: DATE  
PICKUP\_LOCATION: NUMBER  
NOTE: VARCHAR2(100)  
CREATE\_DATE: DATE  
CREATE\_LOCATION: NUMBER  
CREATE\_OPID: VARCHAR2(10)  
UPDATE\_DATE: DATE  
UPDATE\_LOCATION: NUMBER  
UPDATE\_OPID: VARCHAR2(10)

#### **SHORT\_LOAN\_ARCHIVE**

SHORT\_LOAN\_ID: NUMBER  
PATRON\_ID: NUMBER  
PATRON\_GROUP\_ID: NUMBER  
SHORT\_LOAN\_STATUS\_ID: NUMBER  
STATUS\_DATE: DATE  
BIB\_ID: NUMBER  
MFHD\_ID: NUMBER  
ITEM\_ID: NUMBER  
START\_TIME: DATE  
END\_TIME: DATE  
PICKUP\_LOCATION: NUMBER  
NOTE: VARCHAR2(100)  
CREATE\_DATE: DATE  
CREATE\_LOCATION: NUMBER  
CREATE\_OPID: VARCHAR2(10)  
UPDATE\_DATE: DATE  
UPDATE\_LOCATION: NUMBER  
UPDATE\_OPID: VARCHAR2(10)

#### **SHORT\_LOAN\_STATS**

SHORT\_LOAN\_ID: NUMBER  
PATRON\_STAT\_ID: NUMBER

#### **SHORT\_LOAN\_STATUS**

SHORT\_LOAN\_STATUS\_ID: NUMBER  
SHORT\_LOAN\_STATUS\_DESC: VARCHAR2(40)

#### **SIMUL\_MERGE\_PROFILE**

BIB\_FIELD1: VARCHAR2(30)  
BIB\_FIELD2: VARCHAR2(30)  
BIB\_FIELD3: VARCHAR2(30)  
CITATION\_FIELD1: VARCHAR2(30)  
CITATION\_FIELD2: VARCHAR2(30)



CITATION\_FIELD3: VARCHAR2(30)  
PSEUDO\_RELEVANCE: CHAR(1)

#### **SNV\_FIELDS**

SNV\_FIELDS\_ID: NUMBER  
SNV\_ID: NUMBER  
RECORD\_TYPE: CHAR(1)  
FIELD: CHAR(3)  
SUBFIELD: CHAR(1)  
IND1: CHAR(1)  
IND2: CHAR(1)  
SNV\_VALIDATION\_TYPE: VARCHAR2(10)  
NORMRULES: VARCHAR2(10)

#### **SORT\_GROUP**

SORT\_GROUP\_ID: NUMBER  
SEQUENCE\_NUMBER: NUMBER  
SORT\_GROUP\_DEFAULT: CHAR(1)  
SORT\_GROUP\_NAME: VARCHAR2(40)  
SORT\_GROUP\_CODE: VARCHAR2(8)

#### **SORT\_GROUP\_LOCATION**

SORT\_GROUP\_ID: NUMBER  
SEQUENCE\_NUMBER: NUMBER  
LOCATION\_ID: NUMBER

#### **STANDARD\_NUMBER\_VALIDATION**

SNV\_ID: NUMBER  
SNV\_CODE: CHAR(7)  
SNV\_NAME: VARCHAR2(20)

#### **SUBDIVISION**

SUBDIV\_ID: NUMBER  
NORMAL\_SUBDIV: VARCHAR2(300)  
DISPLAY\_SUBDIV: VARCHAR2(300)  
SUBDIV\_TYPE: CHAR(1)  
HEADING\_TYPE: CHAR(1)  
AUTHORIZED: CHAR(1)  
CREATE\_DATE: DATE  
UPDATE\_DATE: DATE

#### **SUBDIVISION\_TYPE**

SUBDIV\_TYPE: CHAR(1)  
SUBDIV\_TYPE\_DESC: VARCHAR2(50)

#### **SUBSCRIPTION**

SUBSCRIPTION\_ID: NUMBER  
LINE\_ITEM\_ID: NUMBER  
START\_DATE: DATE  
SUBSCRIPTION\_LENGTH: NUMBER  
LENGTH\_TYPE: NUMBER  
RENEWAL\_DATE: DATE  
AUTO\_RENEWAL: CHAR(1)  
SICI: VARCHAR2(45)  
NORMAL\_SICI: VARCHAR2(45)  
UPC: VARCHAR2(30)  
NORMAL\_UPC: VARCHAR2(30)  
NOTE: VARCHAR2(256)

#### **SUDOCCLASS\_VW**

MFHD\_ID: NUMBER  
CLASS: VARCHAR2(300)  
LONGCLASS: VARCHAR2(12)

#### **SUPPRESS\_SYSTEM\_CLAIMS**

COMPONENT\_ID: NUMBER  
ISSUE\_ID: NUMBER

#### **UB\_CHARGE**

PATRON\_ID: NUMBER  
DB\_ID: NUMBER  
CIRC\_TRANSACTION\_ID: NUMBER  
DUE\_DATE: DATE  
DISCHARGE\_DATE: DATE  
RECALL\_DATE: DATE

#### **UB\_CHARGE\_ARCHIVE**

PATRON\_ID: NUMBER  
DB\_ID: NUMBER  
CIRC\_TRANSACTION\_ID: NUMBER  
DUE\_DATE: DATE  
DISCHARGE\_DATE: DATE  
RECALL\_DATE: DATE

#### **UB\_FINE\_FEE**

PATRON\_ID: NUMBER  
DB\_ID: NUMBER  
FINE\_FEE\_TOTAL: NUMBER  
UPDATE\_DATE: DATE  
DEMERITS\_TOTAL: NUMBER

#### **UB\_HOLD**

PICKUP\_DB\_ID: NUMBER  
HOLD\_RECALL\_ID: NUMBER  
PATRON\_ID: NUMBER  
ITEM\_ID: NUMBER

#### **UB\_PATRON\_GROUP\_MAP**

PATRON\_GROUP\_ID: NUMBER  
DB\_ID: NUMBER  
PATRON\_GROUP\_ID\_MAPPED: NUMBER  
MANUAL\_MAP: CHAR(1)  
CIRC\_CLUSTER\_ID: NUMBER  
REMOTE\_CIRC\_CLUSTER\_ID: NUMBER

#### **UB\_PATRON\_RECORD**

PATRON\_ID: NUMBER  
PATRON\_STUB\_ID: NUMBER  
DB\_ID: NUMBER  
CIRC\_CLUSTER\_ID: NUMBER  
CREATE\_DATE: DATE  
UPDATE\_DATE: DATE

#### **UB\_PG\_HOME\_POLICY**

PATRON\_GROUP\_ID: NUMBER  
UB\_ELIGIBLE: CHAR(1)  
FEES\_APPLIES: CHAR(1)  
MAX\_OUTSTANDING\_BALANCE: NUMBER  
MAX\_ITEM\_LIMIT: CHAR(1)  
ITEM\_LIMIT: NUMBER  
MAX\_OVERDUE\_LIMIT: CHAR(1)  
OVERDUE\_LIMIT: NUMBER  
MAX\_OVERDUE\_RECALL\_LIMIT: CHAR(1)  
OVERDUE\_RECALL\_LIMIT: NUMBER  
MAX\_SELF\_SHELVES\_LIMIT: CHAR(1)  
SELF\_SHELVES\_LIMIT: NUMBER  
MAX\_CLAIM\_RETURN\_LIMIT: CHAR(1)  
CLAIM\_RETURN\_LIMIT: NUMBER  
MAX\_LOST\_LIMIT: CHAR(1)

LOST\_LIMIT: NUMBER  
 MAX\_UB\_REQUESTS: CHAR(1)  
 UB\_REQUEST\_LIMIT: NUMBER  
 MAX\_DEMERITS\_LIMIT: CHAR(1)  
 DEMERITS\_LIMIT: NUMBER  
 OUTSTANDING\_BALANCE\_LCLBLOCK:  
 CHAR(1)  
 ITEM\_LIMIT\_LCLBLOCK: CHAR(1)  
 OVERDUE\_LIMIT\_LCLBLOCK: CHAR(1)  
 OVERDUE\_RECALL\_LCLBLOCK: CHAR(1)  
 SELF\_SHELVES\_LIMIT\_LCLBLOCK: CHAR(1)  
 CLAIM\_RETURN\_LIMIT\_LCLBLOCK: CHAR(1)  
 LOST\_LIMIT\_LCLBLOCK: CHAR(1)  
 UB\_REQUESTS\_LIMIT\_LCLBLOCK: CHAR(1)  
 DEMERITS\_LIMIT\_LCLBLOCK: CHAR(1)

#### **UB\_REQUEST**

PATRON\_ID: NUMBER  
 DB\_ID: NUMBER  
 CALL\_SLIP\_ID: NUMBER  
 DATE\_REQUESTED: DATE  
 REQUEST\_STATUS: VARCHAR2(25)  
 STATUS\_DATE: DATE  
 NOT\_NEEDED\_AFTER: NUMBER  
 HOLDING\_ITEM\_ID: NUMBER  
 PICKUP\_DB\_ID: NUMBER

#### **UB\_REQUEST\_ARCHIVE**

PATRON\_ID: NUMBER  
 DB\_ID: NUMBER  
 CALL\_SLIP\_ID: NUMBER  
 DATE\_REQUESTED: DATE  
 REQUEST\_STATUS: VARCHAR2(25)  
 STATUS\_DATE: DATE  
 NOT\_NEEDED\_AFTER: NUMBER  
 HOLDING\_ITEM\_ID: NUMBER  
 PICKUP\_DB\_ID: NUMBER

#### **UB\_REQUEST\_STATUS**

STATUS\_TYPE\_UB: NUMBER  
 STATUS\_DESC\_UB: VARCHAR2(25)

#### **UB\_ROUTING**

UB\_ROUTING\_ID: NUMBER  
 DB\_ID\_FROM: NUMBER  
 DB\_ID\_TO: NUMBER  
 LOCATION\_ID\_TO: NUMBER  
 DB\_ID\_PATRON: NUMBER  
 PATRON\_ID\_UB: NUMBER  
 DB\_ID\_ITEM: NUMBER  
 ITEM\_ID\_UB: NUMBER  
 SHIPPED\_DATE: DATE  
 RECEIVED\_DATE: DATE  
 DB\_ID\_RECEIVED: NUMBER

#### **UB\_ROUTING\_ARCHIVE**

UB\_ROUTING\_ID: NUMBER  
 DB\_ID\_FROM: NUMBER  
 DB\_ID\_TO: NUMBER  
 LOCATION\_ID\_TO: NUMBER  
 DB\_ID\_PATRON: NUMBER  
 PATRON\_ID\_UB: NUMBER  
 DB\_ID\_ITEM: NUMBER

ITEM\_ID\_UB: NUMBER  
 SHIPPED\_DATE: DATE  
 RECEIVED\_DATE: DATE  
 DB\_ID\_RECEIVED: NUMBER

#### **UDCCLASS\_VW**

MFHD\_ID: NUMBER  
 CLASS: VARCHAR2(6)

#### **VENDOR**

VENDOR\_ID: NUMBER  
 VENDOR\_TYPE: CHAR(2)  
 NORMAL\_VENDOR\_TYPE: CHAR(2)  
 VENDOR\_CODE: VARCHAR2(10)  
 NORMAL\_VENDOR\_CODE: VARCHAR2(10)  
 VENDOR\_NAME: VARCHAR2(60)  
 NORMAL\_VENDOR\_NAME: VARCHAR2(60)  
 FEDERAL\_TAX\_ID: VARCHAR2(10)  
 INSTITUTION\_ID: VARCHAR2(25)  
 DEFAULT\_CURRENCY: VARCHAR2(3)  
 CLAIM\_INTERVAL: NUMBER  
 CLAIM\_COUNT: NUMBER  
 CANCEL\_INTERVAL: NUMBER  
 SHIP\_VIA: VARCHAR2(20)  
 CREATE\_DATE: DATE  
 CREATE\_OPID: VARCHAR2(10)  
 UPDATE\_DATE: DATE  
 UPDATE\_OPID: VARCHAR2(10)

#### **VENDOR\_ACCOUNT**

ACCOUNT\_ID: NUMBER  
 VENDOR\_ID: NUMBER  
 ACCOUNT\_NUMBER: VARCHAR2(25)  
 ACCOUNT\_NAME: VARCHAR2(25)  
 DEFAULT\_PO\_TYPE: NUMBER  
 DEPOSIT: CHAR(1)  
 DEFAULT\_DISCOUNT: NUMBER  
 ACCOUNT\_STATUS: NUMBER  
 STATUS\_DATE: DATE

#### **VENDOR\_ADDRESS**

ADDRESS\_ID: NUMBER  
 VENDOR\_ID: NUMBER  
 STD\_ADDRESS\_NUMBER: VARCHAR2(8)  
 ORDER\_ADDRESS: CHAR(1)  
 PAYMENT\_ADDRESS: CHAR(1)  
 RETURN\_ADDRESS: CHAR(1)  
 CLAIM\_ADDRESS: CHAR(1)  
 EMAIL\_ADDRESS: CHAR(1)  
 OTHER\_ADDRESS: CHAR(1)  
 CONTACT\_NAME: VARCHAR2(40)  
 CONTACT\_TITLE: VARCHAR2(40)  
 ADDRESS\_LINE1: VARCHAR2(50)  
 ADDRESS\_LINE2: VARCHAR2(40)  
 ADDRESS\_LINE3: VARCHAR2(40)  
 ADDRESS\_LINE4: VARCHAR2(40)  
 ADDRESS\_LINE5: VARCHAR2(40)  
 CITY: VARCHAR2(30)  
 STATE\_PROVINCE: VARCHAR2(7)  
 ZIP\_POSTAL: VARCHAR2(10)  
 COUNTRY: VARCHAR2(20)  
 MODIFY\_DATE: DATE  
 MODIFY\_OPERATOR\_ID: VARCHAR2(10)

## **VENDOR\_BANK\_INFO**

VENDOR\_ID: NUMBER  
ACCOUNT\_NUMBER: VARCHAR2(25)  
TRANSIT\_NUMBER: VARCHAR2(25)  
TAX\_ID\_NUMBER: VARCHAR2(11)  
BANK\_NAME: VARCHAR2(60)  
ADDRESS\_LINE1: VARCHAR2(50)  
ADDRESS\_LINE2: VARCHAR2(40)  
ADDRESS\_LINE3: VARCHAR2(40)  
ADDRESS\_LINE4: VARCHAR2(40)  
ADDRESS\_LINE5: VARCHAR2(40)  
CITY: VARCHAR2(30)  
STATE\_PROVINCE: VARCHAR2(7)  
ZIP\_POSTAL: VARCHAR2(10)  
COUNTRY: VARCHAR2(20)  
PHONE: VARCHAR2(25)  
FAX: VARCHAR2(25)  
MODIFY\_DATE: DATE  
MODIFY\_OPERATOR\_ID: VARCHAR2(10)

## **VENDOR\_NOTE**

VENDOR\_ID: NUMBER  
NOTE: VARCHAR2(1900)

## **VENDOR\_PHONE**

ADDRESS\_ID: NUMBER  
PHONE\_TYPE: NUMBER  
PHONE\_NUMBER: VARCHAR2(25)  
MODIFY\_DATE: DATE  
MODIFY\_OPERATOR\_ID: VARCHAR2(10)

## **VENDOR\_TYPE\_DEFAULTS**

ACQ\_POLICY\_ID: NUMBER  
VENDOR\_TYPE: CHAR(2)  
ORDER\_TYPE: NUMBER  
DISCOUNT: NUMBER  
CLAIM\_INTERVAL: NUMBER  
CLAIM\_COUNT: NUMBER  
CANCEL\_INTERVAL: NUMBER  
SHIP\_VIA: VARCHAR2(20)

## **VENDOR\_TYPES**

VENDOR\_TYPE: CHAR(2)  
VENDOR\_TYPE\_DESC: CHAR(40)

## **VENDORINVOICE\_VW**

VENDOR\_CODE: VARCHAR2(10)  
VENDOR\_NAME: VARCHAR2(60)  
VENDOR\_TYPE: CHAR(40)  
INSTITUTION\_ID: VARCHAR2(25)  
BILL\_TO\_LOCATION\_CODE: VARCHAR2(10)  
BILL\_TO\_LOCATION: VARCHAR2(25)  
INVOICE\_DATE: DATE  
INVOICE\_NUMBER: VARCHAR2(25)  
INVOICE\_ID: NUMBER  
CURRENCY\_CODE: VARCHAR2(3)  
CURRENCY\_NAME: VARCHAR2(35)  
INVOICE\_STATUS: VARCHAR2(25)  
INVOICE\_STATUS\_DATE: DATE  
VOUCHER\_NUMBER: VARCHAR2(25)  
EXPENDITURES: NUMBER  
EXPEND\_PENDING: NUMBER  
POLICY\_NAME: VARCHAR2(40)

FISCAL\_PERIOD\_NAME: VARCHAR2(25)  
FISCAL\_PERIOD\_START: DATE  
FISCAL\_PERIOD\_END: DATE  
LEDGER\_NAME: VARCHAR2(40)  
FUND\_NAME: VARCHAR2(25)  
INSTITUTION\_FUND\_ID: VARCHAR2(50)

## **VENDORORDER\_VW**

VENDOR\_CODE: VARCHAR2(10)  
VENDOR\_NAME: VARCHAR2(60)  
INSTITUTION\_ID: VARCHAR2(25)  
VENDOR\_TYPE: CHAR(40)  
PO\_NUMBER: VARCHAR2(25)  
PO\_TYPE: VARCHAR2(25)  
ORDER\_LOCATION\_CODE: VARCHAR2(10)  
ORDER\_LOCATION: VARCHAR2(25)  
PO\_STATUS: VARCHAR2(25)  
PO\_STATUS\_DATE: DATE  
CURRENCY\_NAME: VARCHAR2(35)  
TOTAL: NUMBER  
UNIT\_PRICE: NUMBER  
QUANTITY: NUMBER  
LINE\_PRICE: NUMBER  
MFHD\_ID: NUMBER  
PO\_LINE\_STATUS: VARCHAR2(25)  
INVOICE\_STATUS: VARCHAR2(25)  
LINE\_STATUS\_DATE: DATE

## **VERSIONS**

MODULE: VARCHAR2(20)  
VERSION: VARCHAR2(30)  
SYNCPOINT: NUMBER

## **VOYAGER\_DATABASES**

DB\_CODE: VARCHAR2(10)  
DB\_NAME: VARCHAR2(100)  
DB\_DESC: VARCHAR2(200)  
DB\_PROTOCOL: CHAR(1)  
DB\_TYPE: CHAR(1)  
DB\_SUBTYPE: CHAR(1)  
DB\_WEIGHT: NUMBER  
DATABASE\_NAME: VARCHAR2(50)  
USERID: VARCHAR2(50)  
PASSWORD: VARCHAR2(50)  
MAXHITS: NUMBER  
SEARCHTIMEOUT: NUMBER  
RETRIEVALTIMEOUT: NUMBER  
IMPLEMENTOR: VARCHAR2(5)  
DUP\_PROFILE\_ID: NUMBER  
OPACSUPPRESS: CHAR(1)  
STAFFSUPPRESS: CHAR(1)  
DB\_PUBLIC: CHAR(1)  
MAX\_LICENSE: NUMBER  
STAFF\_POOL: NUMBER  
PUBLIC\_POOL: NUMBER  
ACTION: VARCHAR2(10)  
PUBLIC\_HIGHWATER: NUMBER  
STAFF\_HIGHWATER: NUMBER  
DB\_KEY: VARCHAR2(100)  
DB\_ID: NUMBER  
UB\_DB: CHAR(1)  
CONNECTTIMEOUT: NUMBER  
CHAR\_SET\_ID: NUMBER

**WOPAC\_PID\_PATRON\_KEYS**

PID: VARCHAR2(80)

PATRON\_KEY: VARCHAR2(30)

**Z3950\_ATTRIBUTES**

DB\_CODE: VARCHAR2(8)

SEARCHCODE: CHAR(4)

ATTRIBUTES: VARCHAR2(40)

ATTRIB\_DESC: VARCHAR2(50)

RH\_TRUNCATION: CHAR(1)

LH\_TRUNCATION: CHAR(1)

BOOLEAN\_ENABLED: CHAR(1)

DB\_ID: NUMBER