



Electronic Data Interchange (EDI) in Voyager

CONFIDENTIAL INFORMATION

The information herein is the property of Ex Libris Ltd. or its affiliates and any misuse or abuse will result in economic loss. DO NOT COPY UNLESS YOU HAVE BEEN GIVEN SPECIFIC WRITTEN AUTHORIZATION FROM EX LIBRIS LTD.

This document is provided for limited and restricted purposes in accordance with a binding contract with Ex Libris Ltd. or an affiliate. The information herein includes trade secrets and is confidential.

DISCLAIMER

The information in this document will be subject to periodic change and updating. Please confirm that you have the most current documentation. There are no warranties of any kind, express or implied, provided in this documentation, other than those expressly agreed upon in the applicable Ex Libris contract. This information is provided AS IS. Unless otherwise agreed, Ex Libris shall not be liable for any damages for use of this document, including, without limitation, consequential, punitive, indirect or direct damages.

Any references in this document to third-party material (including third-party Web sites) are provided for convenience only and do not in any manner serve as an endorsement of that third-party material or those Web sites. The third-party materials are not part of the materials for this Ex Libris product and Ex Libris has no liability for such materials.

TRADEMARKS

"Ex Libris," the Ex Libris bridge, Primo, Aleph, Alephino, SFX, MetaLib, Verde, DigiTool, Preservation, Ex Libris Rosetta, URM, Voyager, ENCompass, Endeavor eZConnect, WebVoyage, Citation Server, LinkFinder and LinkFinder*Plus*, and other marks are trademarks or registered trademarks of Ex Libris Ltd. or its affiliates.

The absence of a name or logo in this list does not constitute a waiver of any and all intellectual property rights that Ex Libris Ltd. or its affiliates have established in any of its products, features, or service names or logos.

Trademarks of various third-party products, which may include the following, are referenced in this documentation. Ex Libris does not claim any rights in these trademarks. Use of these marks does not imply endorsement by Ex Libris of these third-party products, or endorsement by these third parties of Ex Libris products.

Oracle is a registered trademark of Oracle Corporation.

UNIX is a registered trademark in the United States and other countries, licensed exclusively through X/Open Company Ltd.

Microsoft, the Microsoft logo, MS, MS-DOS, Microsoft PowerPoint, Visual Basic, Visual C++, Win32,

Microsoft Windows, the Windows logo, Microsoft Notepad, Microsoft Windows Explorer, Microsoft Internet Explorer, and Windows NT are registered trademarks and ActiveX is a trademark of the Microsoft Corporation in the United States and/or other countries.

Unicode and the Unicode logo are registered trademarks of Unicode, Inc.

Google is a registered trademark of Google, Inc.

Copyright Ex Libris Limited, 2009. All rights reserved.

Document released: October 2009

Web address: <http://www.exlibrisgroup.com>

Table of Contents

1	Electronic Data Interchange (EDI)	4
	EDI in Voyager®	4
	Implementing EDI	5

1

Electronic Data Interchange (EDI)

Electronic Data Interchange (EDI) is a mechanism that can be used to communicate between vendors and your Voyager® Acquisitions module. The information that can be transferred by this method includes purchase orders, invoices, serial claims, and serial claim responses. By implementing EDI, your library can benefit from notable time and cost savings with staff not needing to enter in order, invoice, and serial claim information that would normally come into the organization in a hard copy format. Using EDI, this information is uploaded into and sent from your Acquisitions module through FTP.

EDI in Voyager®

Voyager uses the internationally recognized EDIFACT (Electronic Data Interchange for Administration Commerce and Transport) Standard for communication of transaction messages. An EDIFACT file is composed of ordinary text characters that are arranged according to special coding rules that are developed and maintained by EDItUR¹ (<http://www.editeur.org>). The transmission is subdivided into *segments*. Segments are strung together in the order specified by the protocol to create messages, which are in turn strung together to create *transmission units*. Each transmission unit begins with a UNB segment and ends with a UNZ segment. Each message begins with a UNH segment and ends with a UNT segment. Before the first transmission unit, there is usually a UNA segment that specifies the control characters for the transmission.

Sample of a partial EDI invoice:

```
UNA:+.? '
UNB+UNOB:2+HAR:ZZ+EXLIBRISUNIV:ZZ+970227:1420+2+++++1'
UNH+0000340001+INVOIC:D:93A:UN:EAN007'
BGM+380+0000231954+9'
DTM+137:20090120:102'
```

¹ EDItEUR is the international group coordinating development of the standards infrastructure for electronic commerce in the book and serials industries

NAD+SU+++OTTO HARRASSOWITZ:BOOKSELLERS & SUBSCRIPTION
AGENTS:::ZS+TAUNUSSTR. 5::P.O.BOX
2929+WIESBADEN+GERMANY+65019+DE'
RFF+API:HARRAS'
NAD+BY+++ACQUISITIONS DEPARTMENT:FORBES LIBRARY:EXLIBRIS
UNIVERSITY+MANHATTAN & ANDERSON
AVES.+DESPAINES, IL+IL+60018166+US'

Additional information about the EDIFACT standard can be found in the Voyager® Acquisitions User's Guide in the chapter titled *Electronic Data Interchange*.

Implementing EDI

Implementing EDI in your library:

- 1 Determine if your vendor is certified.

There is an up-to-date list of certified vendors and the message types that they are able to transmit on the Ex Libris Documentation Center (Doc Portal).

If your vendor is not certified for EDI with Voyager you can request that testing and certification take place by submitting an incident via [eService](#).

- 2 Contact the vendor to get an envelope address for your vendor and for your library.

The envelope address is a mutually agreed upon unique code that identifies your library to your vendor and your vendor to your library. This information is required in order to create an EDI Connection Profile in Acquisitions.

- 3 Create a new EDI Connection Profile in your Acquisitions module.

Detailed information about this process can be found in procedures titled "Creating an EDI Connection Profile" in the Voyager® Acquisitions User's Guide.

- 4 Once you have successfully completed the procedure, you can begin sending and loading EDI messages.

Additional information about EDI can be found in the Voyager® Acquisitions User's Guide.