Types of attributes and methods of the SpectralAnalyzer class

Notation

- I denotes the number of items.
- *C* denotes the number of separate categories associated with the items.
- V_c denotes the number of separate values in the category c.
- *N* denotes the number of nodes.
- *P* denotes the number of patterns.
- Y denotes the number of years for which observations exist.

Attributes

observations: list

CODE	vector(character)	YEAR	numeric	
CODE	vector(character)	YEAR	numeric	
•••	•••			
CODE	vector(character)	YEAR	numeric	

items: named vector(character)
items_categories: data.frame

	category 1	category 2	•••	category C
item 1	factor	factor		factor
item 2	factor	factor		factor
•••	•••			•••
item I	factor	factor		factor

categories_colors: list(named vector(character))

\$category1

value 1	character
value 2	character
•••	
value ${\it V}_1$	character

\$category2

value 1	character
value 2	character
•••	
value V_2	character

\$categoryC

value 1	character
value 2	character
•••	
value $V_{\mathcal{C}}$	character

target: character count: numeric min_length: numeric max_length: numeric status_limit: numeric

nodes_per_year: matrix

	year 1	year 2	•••	year Y
node 1	numeric	numeric		numeric
node 2	numeric	numeric		numeric
•••				•••
node N	numeric	numeric		numeric

nodes: data.frame

node	length	weigth
vector(character)	numeric	numeric

n_links: matrix

	node 1	node 2		node N
node 1	numeric	numeric		numeric
node 2	numeric	numeric		numeric
node N	numeric	numeric	•••	numeric

nodes_links: data.frame

endpoint.1	endpoint.2	items	weight
numeric	numeric	character	numeric

obs_patterns: matrix

	pattern 1	pattern 2	 pattern P
node 1	logical	logical	 logical
node 2	logical	logical	 logical
node N	logical	logical	 logical

patterns_per_year: matrix

	year 1	year 2		year Y
pattern 1	numeric	numeric		numeric
pattern 2	numeric	numeric		numeric
pattern P	numeric	numeric	•••	numeric

patterns: data.frame

pattern	year	frequency	weight	order	specificity	status
vector(character)	numeric	numeric	numeric	numeric	numeric	character

p_links: matrix

	pattern 1	pattern 2	•••	pattern P
pattern 1	numeric	numeric		numeric
pattern 2	numeric	numeric		numeric
•••				•••
pattern P	numeric	numeric		numeric

patterns_links: data.frame

endpoint.1	endpoint.2	items	weight	year
numeric	numeric	character	numeric	numeric

Methods

spectral.analyzer(observations: see attribute observations, items: see data.frame below,

target: character, count: numeric, min_length: numeric, max_length: numeric,

status_limit: numeric): SpectralAnalyzer

item	name	category 1	category 2	 category C
character	character	Factor	factor	 factor

reset(object: SpectralAnalyzer, from: numeric)

list_obs_per_year(): see attribute nodes_per_year

list_separate_obs(): see attribute nodes

count_links(entities: character): see attributes n_links and p_links

search_links(entities: character): see attributes nodes_links and patterns_links

list_separate_patterns(target: character, count: numeric, min_length: numeric,

max_length: numeric): data.frame

pattern	weight
vector(character)	numeric

list_patterns_by_obs(): see attribute obs_patterns

list_patterns_per_year(): see attribute patterns_per_year
compute_patterns_characteristics(): see attribute patterns

compute_specificity(patterns: list(vector(numeric)), frequencies: vector(numeric),

weights: vector(numeric)): vector(numeric)

compute_ksi_threshold(reporting_indexes: vector(numeric)): numeric

compute_ri_threshold(reporting_indexes: vector(numeric), ksi: numeric): numeric

pattern	ri	
vector(character)	numeric	

check_params_for_RI(t: numeric, period: numeric): list

t	numeric
period	numeric

pattern	ri_2	ri_period
vector(character)	numeric	numeric

define_dynamic_status(patterns: list(vector(numeric)), status_limit: numeric, t: numeric,

period: numeric): data.frame

pattern	Status	
vector(character)	character	

ID	pattern	frequency	weight	order	specificity	status
numeric	vector(character)	numeric	numeric	numeric	numeric	character

plot_spectrum_chart(patterns_characteristics: see attribute patterns,

weights_by_node_type: see data.frame below, title: character)

complex_nodes	simple_node
numeric	numeric

compute_pattern_distribution_in_nodes(patterns: list(vector(numeric))): list

[["weight_distribution"]]:

1	vector(numeric)		
2	vector(numeric)		
•••			
Р	vector(numeric)		

[["length_distribution"]]:

1	vector(numeric)	
2	vector(numeric)	
•••		
Р	vector(numeric)	

spectrosome_chart(entities: character, characteristics: see attribute nodes or patterns,

nb_graphs: numeric, min_link_weight: numeric, vertex_size: character,

vertex_col: character, clusters: numeric, highlight: numeric, use_names: logical,

n.cutoff: numeric, c.cutoff: numeric, path: character, name: character,

title: character, ...): list

[["vertices"]]:

ID	node	length	weight	degree
numeric	vector(character)	numeric	numeric	numeric

or (depends on the value of **entities**)

ID	pattern	frequency	weight	order	specificity	status	degree
numeric	vector(character)	numeric	numeric	numeric	numeric	character	numeric

[["edges"]]:

ID	endpoint.1	endpoint.2	items	weight	
numeric	numeric	numeric	character	numeric	

or (depends on the value of **entities**)

ID	endpoint.1	endpoint.2	items	weight	year
numeric	numeric	numeric	character	numeric	numeric

[["coords"]]: list(matrix)

	Х	У
vertex 1	numeric	numeric
vertex 2	numeric	numeric
•••		
vertex P	P numeric nume	

	х	у
vertex 1	numeric	numeric
vertex 2	numeric	numeric
vertex P	numeric	numeric

[["vertices"]]:

ID	node	length	weight	degree
numeric	vector(character)	numeric	numeric	numeric

or (depends on the value of **entities**)

ID	pattern	frequency	weight	order	specificity	status	degree
numeric	vector(character)	numeric	numeric	numeric	numeric	character	numeric

[["edges"]]:

ID	endpoint.1	endpoint.2	items	weight
numeric	numeric	numeric	character	numeric

or (depends on the value of entities)

ID	endpoint.1	endpoint.2	items	weight	year
numeric	numeric	numeric	character	numeric	numeric

[["coords"]]: matrix

	Х	У
vertex 1	numeric	numeric
vertex 2	numeric	numeric
		•••
vertex P	numeric	numeric

network_density(links: see attribute nodes_links or patterns_links): numeric
degree(ID: numeric, links: see attribute nodes_links or patterns_links): numeric

ID	pattern	frequency	weight	order	specificity	status
numeric	vector(character)	numeric	numeric	numeric	numeric	character

plot_tree_chart(patterns_characteristics: see attribute patterns,

items_category: see data.frame below , category: character, c.cutoff: numeric,

use_names: logical, n.cutoff: numeric, display_status: logical,

display_text: character, title: character)

item	category
character	character

save characteristics(entities: character, characteristics: see attribute nodes or patterns, ...)

extract_nodes_from_items(nodes_characteristics: see attribute nodes, items: vector(numeric),

target: character): see attribute nodes

extract_nodes_from_characteristic(nodes_characteristics: see attribute nodes,

characteristic: character, value: numeric,

condition: character): see attribute nodes

extract_nodes_from_category(nodes_characteristics: see attribute nodes,

category: character | numeric, value: character,

target: character): see attribute nodes

check_access_for_category(category: character | numeric, value: character)

extract_patterns_from_items(patterns_characteristics: see attribute patterns,

items: vector(numeric), target: character): see attribute patterns

extract_patterns_from_characteristic(patterns_characteristics: see attribute patterns,

characteristic: character, value: numeric,

condition: character): see attribute patterns

extract_patterns_from_status(patterns_characteristics: see attribute patterns,

value: vector(character), condition: character): see attribute patterns

extract_patterns_from_category(patterns_characteristics: see attribute patterns,

category: character | numeric, value: character,

target: character): see attribute patterns

extract_links(entities : character, characteristics: see attribute nodes or patterns): see attribute
nodes_links or patterns_links