

Anan AI - One-Page Summary

What It Is

Anan AI is a multi-surface real estate platform built on a Convex-first backend, connecting buyers/investors, brokers, and developers (RED) through shared data, rules, and AI-driven workflows.

Who It's For

Primary persona: brokers and developers (RED) operating real estate supply and workflows, with operations admins supporting the system; buyers/investors are served via the mobile surface.

What It Does

- Provides multiple surfaces: web workspace, admin operations console, and buyer-facing mobile app.
- Uses Convex for schema, auth, access policy, shared business logic, AI orchestration, and channels.
- Enforces backend ownership boundaries via zones (`_core`, `shared_logic`, `ai_zone`, `user_zone`, `admin_zone`, `broker_zone`, `red_zone`, `public_zone`).
- Runs an AI multi-agent orchestrator in `convex/ai_zone/agents`, dispatching work to specialized teams/tools.
- Keeps routes thin and centralizes data access in `api/` hooks with shared shells and orchestrator pages.
- Supports channel adapters and HTTP ingress for external messaging workflows (e.g., WhatsApp).

How It Works (Repo-Based)

Surface (Web/Admin/Mobile/Channel) -> Owning Layer/Gateway -> Convex Backend -> Capability/Zone -> Projection -> UI

- Surfaces live under `apps/web`, `apps/admin`, and `apps/mobile`; channels ingress via Convex HTTP actions.
- Frontend routes stay thin and delegate to orchestrator pages and `api/` hooks; shared shell is in `workspace/`.
- Convex is the single source of truth for data, identity, access policy, and shared capabilities.
- AI requests flow through `assistantService` -> `anan.orchestrate()` -> intent analyzer -> team agents/tools -> merged response.
- Zones enforce ownership boundaries, with `shared_logic` providing reusable business capabilities.

How To Run (Minimal)

- Install dependencies: ``pnpm install``.
- Set required auth redirect env vars: ``SITE_URL``, ``ANAN_ADMIN_URL``, ``ANAN_MOBILE_URL`` (optional: ``ANAN_WEB_URL``, ``ANAN_AUTH_ALLOWED_ORIGINS``).
- Start locally: ``pnpm dev:all`` (backend + web + admin) and ``pnpm mobile:dev`` for mobile.