Lights



SL#	DESCRIPTION	CODE		IMAGE	SELLING PRICE
	Recessed Strip Light with Aluminum chanel and frosted cover (max 25meter) Warm white. 10	WLHSL04	Profile	10.2 11.5 11.5	60864
			Strip light(8mm)	Law Dang	
1			Driver 24W	A STATE OF THE PARTY OF THE PAR	
			PVC connector	8	
			Plug with 2mtr wire	>	
	Dado Strip Light with Aluminum chanel and frosted cover (max Zmeter) ALU. 10 W/m (Select-48W or 72 W drive if we need profile more than 2mtr)	WALOOI	Profile		33429
			Strip light(8mm)		
2			PVC connector	*	
			Plug with 2mtr wire		
			Driver 24W	The Walter	
	Dado Strip Light with Aluminum chanel and frosted cover (max 2.5meter) Black 10 W/m (Select 48W or 72 W driver if we need profile more than 2mtr)	WLHSL05	Profile		5437.4
3			Strip light(8mm)	Land Vienne	
			Driver 24W	A Wallet	
			PVC connector		
			Plug with 2mtr wire	•	

_				-	
4	Class shelf lights, use with glass shelf in wall cabinet Max 900mm Cabinet 9.6W/m	WLHSL06	Profile	1 (6/27) - (1/27) - (4670.4
			Strip light(8mm)		
			PVC connector	*	
			Plug with 2mtr wire	**	
			Driver 24W	And to State of the State of th	
	Surface light for Wardrobe 2m (Select WALOO4 strip light)	WALOO2	Profile	E To	3602.5
			PVC connector		
5			Plug with 2mtr wire		
			Driver	A Comment of the Comm	
		WALOO4	Strip light(5mm)		

	Surface light for Wardrobe /ktichen/Skirting 2m		Profile		3275.3
			Driver	ATT WEST COLUMN	
6			PVC connector		
			Plug with 2mtr wire		
		WALOO4	Strip light 5 mm		

7 Driver for Lights 4A 48w (D190XL20XH20) WALOOR Driver 8 Driver for Lights 6A 72w. (D240XL20XH20) WALOOR Driver 1336.7 Developed Light 450mm with sensor12V Colour was 50 Driver 9 2AW Select Driver (MALOO)WALONWALOWALOOS/distribution boxUWALOR/Pilug) Driver Light 500mm with sensor12V Colour was 50 Driver Waloof Waloo Waloo Select Driver was 50 Driver Waloo Wa						
Drawer Light 450mm with sensor.12V Colour white. 90 Degree Spread. 9 2.4W Scalect Driver (WAL010/WAL0113/MAL009(distribution box), WAL010 Warm light Drawer Light 600mm with sensor.12V Colour white. 110 Degree Spread. 4271.8 W Scalect Driver (WAL013/Plug) Drawer Light 600mm with sensor.12V Colour white. 110 Degree Spread. 4W Scalect Driver (WAL013/Plug) Drawer Light 900mm with sensor.12V Colour white. 110 Degree Spread. 4W Scalect Driver (WAL013/Plug) WAL010 Warm light 6486.5 Drawer Light 900mm with sensor.12V Colour white. 110 Degree Spread. 4W Scalect Driver (WAL010/WAL0114/NAL015) WAL013/Glistribution box(WAL014/Plug), WAL013 Warm light 6486.5 Drawer Light 900mm with sensor.12V Colour white. 110 Degree Spread. 4W Scalect Driver (WAL010/WAL0114/NAL015) WAL013/Glistribution box(WAL014/Plug), WAL013 Warm light 6486.5 Drawer Light 900mm with sensor.12V Colour white. 110 Degree Spread. 4W Scalect Driver (WAL013/WAL014/Plug), WAL013 Warm light 4271.8 Wal013 Wal013/Wal013/Glistribution box (WAL013/Wal013/Wal013/Glistribution box) 4271.8 Wal013 Wal013/Wal013/Wal013/Glistribution box (WAL013/Glistribution box) 4271.8 Wal013/Wal013/Wal013/Wal013/Glistribution box (WAL013/Glistribution box) 4271.8 Wal013/Wal013/Wal013/Wal013/Glistribution box (WAL013/Wal013/W	7	Driver for Lights 4A, 48w. (DI9OXL20XH20)	WALO07	Driver	A The Walter Walter	919.0
white, 90 Degree Spread. 9 2.AW (Select Driver (WAL010/WAL014/Plug) Drawer Light 600mm with sensor12V Colour white, 110 Degree Spread. 4W (Select Driver (WAL010/WAL011/WAL015/Glistribution box),WAL018/Plug) WAL010 WAL010 WAL011 WAL011 WAL011 WAL011 Warm light 6486.5 6486.5 Sensor for Spot and strip light with cables and house, Need to use Distribution box (WAL015/Glistribution box) (WAL015/Glistribution box 12V, Can connect 4 light and 1 WAL012 NA Distribution box 12V, Can connect 4 light and 1 WAL013 NA WAL013 NA WAL014 WAL015 NA WAL015 NA WAL015 NA WAL016 WAL017 NA WAL017	8	Driver for Lights 6A 72w. (D240XL20XH20)	WALOOB	Driver	With the state of	1336.7
white, 10 Degree Spread, WALO10 Warm light Drawer Light 900mm with sensor 32V Colcur white, 10 Degree Spread, Drawer Light 900mm with sensor 32V Colcur white, 10 Degree Spread, WALO10 Warm light Warm lig	9	white, 90 Degree Spread. 2.4W (Select Driver (WAL010/WAL011/WAL016), WAL009(distributio	WAL009	Warm light		4271.6
white, 10 Begree Spread. white, 10 Begree Spread. WAL011 warm light Warm l	10	white, 110 Degree Spread. 4W (Select Driver (WAL010/WAL011), WAL013 (distribution	WALOID	Warm light		5092.9
housing, Need to use Distribution box (WAL012 NA 2629.0 WAL013 (distribution box)) 13 Distribution box 12v, Can connect 4 light and 1 wAL013 NA 427.2	11	white, 110 Degree Spread. 4W (Select Driver (WAL010/WAL011/WAL016), WAL013 (distribution	WALOII	Warm light		6486.5
is sensor WALDIS IN 1212	12	housing, Need to use Distribution box	WAL012	NA	A Comment	2629.0
14 PVC connector WAL014 NA 35.4	13		WAL013	NA		427.2
	14	PVC connector	WAL014	NA	*	35.4
15 Two pin plug WAL015 NA 165.2	15	Two pin plug	WAL015	NA		165.2
16 Driver for Lights 1A, 24w (D240XL20XH20) WAL016 NA 691.5	16	Driver for Lights 1A 24w (D240XL20XH20)	WAL016	NA	A COLUMN TO STATE OF THE PARTY	691.5
17 Spot light for open cabinet (1 Watt) Black MLA09 NA 557.0	17	Spot light for open cabinet (1 Watt) Black	MLA09	NA		557.0
18 Spot light for open cabinet (3 Watt) MLAIO NA 1113.9	18	Spot light for open cabinet (3 Watt)	MLATO	NA		1113.9
Wireless Re-chargeable Cabinet/Wardrobe light with inbuilt motion sensor (Rectangular) WLEBROI Warm light 4342.4	19	Wireless,Re-chargeable Cabinet/Wardrobe light with inbuilt motion sensor (Rectangular)	WLEBROI	Warm light	7121	4342.4
Hanger Rod with sensor Light max 1200mm and Transformer ballast 12V/6W. (In the drawing has to be taken care where the wire will go fromlimight require double vertical if the light is coming in center) WLHHR01 Cool White Light forming the control of the light is coming in center)	20	to be taken care where the wire will go from)(might require double vertical if the light is	WLHHROI	Cool White Light		16413.8
21 Strip light(8mm) WAL017 NA 1481.3	21	Strip light(8mm)	WAL017	NA	Land Comment	1481.3