

In [12]:

```
print("UrduVirtualAcademy@Gmail.com")
```

UrduVirtualAcademy@Gmail.com

In [11]:

```
print(" Like \n Share \n Subscribe \n Give Star on GitHub")
```

Like  
Share  
Subscribe  
Give Star on GitHub

In [10]:

```
#int(), float(), bool(), str(), complex()
```

In [9]:

```
var1 = int(input("Enter a Number : "))  
var2 = int(input("Enter a Number : "))  
add = var1 + var2  
print("add",add)
```

Enter a Number : 10  
Enter a Number : 123.365

-----  
ValueError

Traceback (most recent call

last)  
<ipython-input-9-b26ac1f4cb26> in <module>()  
1 var1 = int(input("Enter a Number : "))  
----> 2 var2 = int(input("Enter a Number : "))  
3 add = var1 + var2  
4 print("add",add)

ValueError: invalid literal for int() with base 10: '123.365'

In [8]:

```
var1 = int(input("Enter a Number : "))  
var2 = int(input("Enter a Number : "))  
add = var1 + var2  
print("add",add)
```

Enter a Number : 10  
Enter a Number : 20  
add 30

In [7]:

```
var1 = input("Enter a Number : ") #input() always give values in str - String
print("Type:",type(var1))
var1 = int(var1)
print("Type:",type(var1))
```

Enter a Number : 123

Type: <class 'str'>

Type: <class 'int'>

In [6]:

```
var1 = input("Enter a Number : ") #input() always give values in str - String
print("You Entered: ",var1)
```

Enter a NumberUrdu Virtual Academy Youtube

You Entered: Urdu Virtual Academy Youtube

In [4]:

```
input("Enter some Value:")
```

Enter some Value:Urdu Virtual Academy Youtube

Out[4]:

'Urdu Virtual Academy Youtube'

In [3]:

```
input("Enter some Value:")
```

Enter some Value:10 Hello

Out[3]:

'10 Hello'

In [2]:

```
input()
```

12

Out[2]:

'12'

In [1]:

```
var1 = 10  
var2 = 20  
add = var1 + var2  
print("add",add)  
var1 = 15  
add = var1 + var2  
print("add",add)
```

```
add 30  
add 35
```