🟢 PASO 1 — Abrir la terminal de Ubuntu

```
ast login: Fri Sep 18 09:58:42 UTC 2026 from 10.0.2.2 on pts/0
rcerino@urcerino:~$
```

🟢 PASO 2 — Actualizar los paquetes

```
urcerino@urcerino:~$ sudo apt update
[sudo] password for urcerino:
Des:1 http://security.ubuntu.com/ubuntu jammy-security InRelease [129 kB]
Obj:2 http://es.archive.ubuntu.com/ubuntu jammy InRelease
Des:3 http://es.archive.ubuntu.com/ubuntu jammy-updates InRelease [128 kB]
Des:4 http://es.archive.ubuntu.com/ubuntu jammy-backports InRelease [127 kB]
Des:5 http://es.archive.ubuntu.com/ubuntu jammy-updates/main amd64 Packages [3.855 kB]
Des:6 http://security.ubuntu.com/ubuntu jammy-security/main amd64 Packages [3.579 kB]
Des:7 http://es.archive.ubuntu.com/ubuntu jammy-updates/main Translation-en [571 kB]
Des:8 http://es.archive.ubuntu.com/ubuntu jammy-updates/restricted amd64 Packages [6.632 kB]
Des:9 http://security.ubuntu.com/ubuntu jammy-security/main Translation-en [501 kB]
Des:10 http://security.ubuntu.com/ubuntu jammy-security/restricted amd64 Packages [6.390 kB]
Des:11 http://es.archive.ubuntu.com/ubuntu jammy-updates/restricted Translation-en [1.274 kB]
Des:12 http://es.archive.ubuntu.com/ubuntu jammy-updates/universe amd64 Packages [1.285 kB]
Des:13 http://es.archive.ubuntu.com/ubuntu jammy-updates/universe Translation-en [324 kB]
Des:14 http://es.archive.ubuntu.com/ubuntu jammy-backports/main amd64 Packages [70,2 kB]
Des:15 http://es.archive.ubuntu.com/ubuntu jammy-backports/universe amd64 Packages [30,8 kB]
Des:16 http://es.archive.ubuntu.com/ubuntu jammy-backports/universe Translation-en [16,9 kB]
Des:17 http://security.ubuntu.com/ubuntu jammy-security/restricted Translation-en [1.229 kB]
Des:18 http://security.ubuntu.com/ubuntu jammy-security/universe amd64 Packages [1.050 kB]
Des:19 http://security.ubuntu.com/ubuntu jammy-security/universe Translation-en [236 kB]
Descargados 27,4 MB en 1min 22s (335 kB/s)
Leyendo lista de paquetes... Hecho
Creando árbol de dependencias... Hecho
Leyendo la información de estado... Hecho
Se pueden actualizar 75 paquetes. Ejecute «apt list --upgradable» para verlos.
urcerino@urcerino:~$ _
```

🟢 PASO 3 — Instalar Apache

```
Enabling module alias.
Enabling module dir.
Enabling module autoindex.
Enabling module env.
Enabling module mime.
Enabling module negotiation.
Enabling module setenvif.
Enabling module filter.
Enabling module deflate.
Enabling module status.
Enabling module reqtimeout.
Enabling conf charset.
Enabling conf localized-error-pages.
Enabling conf other-vhosts-access-log.
Enabling conf security.
Enabling conf serve-cgi-bin.
Enabling site 000-default.
Created symlink /etc/systemd/system/multi-user.target.wants/apache2.service → /lib/systemd/system/ap
ache2.service.
Created symlink /etc/systemd/system/multi-user.target.wants/apache-htcacheclean.service → /lib/syste
md/system/apache-htcacheclean.service.
Procesando disparadores para ufw (0.36.1-4ubuntu0.1) ...
Procesando disparadores para man-db (2.10.2-1) ...
Procesando disparadores para libc-bin (2.35-0ubuntu3.15) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.
```

🟢 PASO 4 — Comprobar que Apache está instalado

```
Server version: Apache/2.4.52 (Ubuntu)
Server built:   2026-07-06T16:41:46
urcerino@urcerino:~$ _
```

🟢 PASO 5 — Comprobar el servicio Apache

```
nit apache2.service could not be found.
rcerino@urcerino:~$ sudo systemctl status apache2
 apache2.service - The Apache HTTP Server
    Loaded: loaded (/lib/systemd/system/apache2.s
    Active: active (running) since Thu 2026-09-24
      Docs: https://httpd.apache.org/docs/2.4/
  Main PID: 1536 (apache2)
     Tasks: 55 (limit: 2216)
    Memory: 4.9M
       CPU: 52ms
```

🟢 PASO 6 — Hacer que Apache arranque automáticamente

```
urcerino@urcerino:~$ sudo systemctl enable apache2
Synchronizing state of apache2.service with SysV service script with /lib/systemd/systemd-sysv-insta
ll.
Executing: /lib/systemd/systemd-sysv-install enable apache2
urcerino@urcerino:~$
```

🟢 PASO 7 — Probar Apache desde Ubuntu

```
_html</a>
                directories (when enabled) and <tt>/usr/share</tt> (for web
                applications). If your site is using a web document root
                located elsewhere (such as in <tt>/srv</tt>) you may need to whitelist your
                document root directory in <tt>/etc/apache2/apache2.conf</tt>.
            </p>
            <p>
                The default Ubuntu document root is <tt>/var/www/html</tt>. You
                can make your own virtual hosts under /var/www.
            </p>
        </div>

        <div class="section_header">
          <div id="bugs"></div>
                Reporting Problems
        </div>
        <div class="content_section_text">
          <p>
                Please use the <tt>ubuntu-bug</tt> tool to report bugs in the
                Apache2 package with Ubuntu. However, check <a
                href="https://bugs.launchpad.net/ubuntu/+source/apache2"
                rel="nofollow">existing bug reports</a> before reporting a new bug.
          </p>
          <p>
                Please report bugs specific to modules (such as PHP and others)
                to their respective packages, not to the web server itself.
          </p>
        </div>

      </div>
    </div>
    <div class="validator">
    </div>
  </body>
</html>
urcerino@urcerino:~$
```

🟢 PASO 8 — Vamos a comprobar el puerto 80

```
urcerino@urcerino:~$ sudo ss -tulpn | grep :80
tcp   LISTEN 0      511                *:80              *:*    users:(("apache2",pid=1542,fd=4)
("apache2",pid=1541,fd=4),("apache2",pid=1536,fd=4))
urcerino@urcerino:~$
```

🟢 PASO 9 — Comprobar desde Windows

Apache2 Default Page

Ubuntu

It works!

This is the default welcome page used to test the correct operation of the Apache2 server after installation on Ubuntu systems. It is based on the equivalent page on Debian, from which the Ubuntu Apache packaging is derived. If you can read this page, it means that the Apache HTTP server installed at this site is working properly. You should **replace this file** (located at `/var/www/html/index.html`) before continuing to operate your HTTP server.

If you are a normal user of this web site and don't know what this page is about, this probably means that the site is currently unavailable due to maintenance. If the problem persists, please contact the site's administrator.

Configuration Overview

Ubuntu's Apache2 default configuration is different from the upstream default configuration, and split into several files optimized for interaction with Ubuntu tools. The configuration system is **fully documented in /usr/share/doc/apache2/README.Debian.gz**. Refer to this for the full documentation. Documentation for the web server itself can be found by accessing the **manual** if the `apache2-doc` package was installed on this server.

The configuration layout for an Apache2 web server installation on Ubuntu systems is as follows:

```
/etc/apache2/
|-- apache2.conf
|       `--  ports.conf
|-- mods-enabled
|       |-- *.load
|       `-- *.conf
|-- conf-enabled
|       `-- *.conf
|-- sites-enabled
|       `-- *.conf
```