Here's how to do it when you don't have access to the dynatrace BizopsConfigurator:
 [BizOpsConfigurator (dynatrace.github.io)](BizOpsConfigurator)

1) Download:
   https://github.com/JLLormeau/dynatrace_template_fr/archive/refs/heads/main.zip
2) Import all dashboards with the import function

Resurrect the new dashboard id :

Update the ID table:

Name	old ID	New ID
Dynatrace_simply smarter	BBBBBBB-A003-A017-0000-000000000001	
User experience (web applications)	BBBBBBBB-A003-A017-0002-00000000001	
User experience (mobile apps)	bbbbbbb-a003-a017-0003-0000000000001	
Synthetic (browser)	BBBBBBBB-A003-A017-0004-000000000001	
Services	BBBBBBB-A003-A017-0001-000000000001	
Synthetic (service)	BBBBBBBB-A003-A017-0006-000000000001	
Database	BBBBBBB-A003-A017-0005-000000000001	
Database services	bbbbbbb-a003-a017-0007-000000000001	

3) Open all original json in notepad ++
Change ids on all jsons at the same time

4) Edit each dashbaord with up-to-date ids:
Share / Advanced Settings / Dashboard Json avec le nouveau json.
You can take the opportunity to change the user to "admin" for example.

5) Validate
Open each dashboard and test each link.

🖱Health

Dynatrace: simply smarter

Application h...	Synthetic	Service health	Database hea...	Host health
	0	0	0	0

/77

🔍 Digital experience

- web applications
- mobile apps
- synthetic (browser)
- visits↗
- frustrated visits↗

🔍 Services

- ✅ services
- database services
- synthetic (service)
- slow requests↗
- failed requests↗

🔍 Infrastructure & cloud

- infrastructure
- hosts↗
- techno↗
- docker↗
- kubernetes↗

...ess rate %	Web request	Web services	Response time	HTTP 4xx errors	HTTP 5xx errors
...ess rate %	Web requests count	Web services count	Response time (services...	HTTP 4xx errors	HTTP 5xx errors
No data	No data	No data	No data	No data	No data

...b Requests)		Success rate (Web Services)	