

|                                                                                                                                                                   |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Figure B.7 – Test set-up with resistive load.....                                                                                                                 | 72  |
| Figure B.8 – Assessment of harmonic emission where PDS is used (apparatus, systems or installations) .....                                                        | 77  |
| Figure C.1 – Reactive power compensation .....                                                                                                                    | 90  |
| Figure C.2 – Simplified diagram of an industrial network .....                                                                                                    | 92  |
| Figure C.3 – Impedance versus frequency of the simplified network.....                                                                                            | 92  |
| Figure C.4 – Example of passive filter battery .....                                                                                                              | 94  |
| Figure C.5 – Example of inadequate solution in reactive power compensation .....                                                                                  | 96  |
| Figure C.6 – VSI PWM active filter topologies .....                                                                                                               | 98  |
| Figure C.7 – Boost mode converter.....                                                                                                                            | 98  |
| Figure C.8 – Front-End inverter system.....                                                                                                                       | 99  |
| Figure D.1 – Conducted emission of various unfiltered PDSs .....                                                                                                  | 102 |
| Figure D.2 – Expected radiated emission of PDS up to rated voltage 400 V Peak values normalised at 10 m .....                                                     | 103 |
| Figure D.3 – Safety and filtering.....                                                                                                                            | 106 |
| Figure E.1 – Interaction between systems and EM environment .....                                                                                                 | 107 |
| Figure E.2 – Zone concept.....                                                                                                                                    | 108 |
| Figure E.3 – Example of drive .....                                                                                                                               | 109 |
| Table 1 – Subclauses containing alternative test methods .....                                                                                                    | 21  |
| Table 2 – Criteria to prove the acceptance of a PDS against electromagnetic disturbances .....                                                                    | 24  |
| Table 3 – Minimum immunity requirements for total harmonic distortion on power ports of low voltage PDSs.....                                                     | 26  |
| Table 4 – Minimum immunity requirements for individual harmonic orders on power ports of low voltage PDSs .....                                                   | 26  |
| Table 5 – Minimum immunity requirements for commutation notches on power ports of low voltage PDSs.....                                                           | 27  |
| Table 6 – Minimum immunity requirements for harmonics and commutation notches/ voltage distortion on main power ports of PDSs of rated voltage above 1 000 V..... | 27  |
| Table 7 – Minimum immunity requirements for voltage deviations, dips and short interruptions on power ports of low voltage PDSs .....                             | 28  |
| Table 8 – Minimum immunity requirements for voltage deviations, dips and short interruptions on main power ports of rated voltage above 1 000 V of PDSs .....     | 29  |
| Table 9 – Minimum immunity requirements for voltage deviations, dips and short interruptions on auxiliary low voltage power ports of PDSs .....                   | 30  |
| Table 10 – Minimum immunity requirements for voltage unbalance and frequency variations on power ports of low voltage PDSs.....                                   | 30  |
| Table 11 – Minimum immunity requirements for voltage unbalance and frequency variations on main power ports of rated voltage above 1 000 V of PDSs .....          | 31  |
| Table 12 – Minimum immunity requirements for voltage unbalance and frequency variations on auxiliary low voltage power ports of PDSs.....                         | 31  |
| Table 13 – Minimum immunity requirements for PDSs intended for use in the first environment.....                                                                  | 32  |
| Table 14 – Minimum immunity requirements for PDSs intended for use in the second environment.....                                                                 | 34  |
| Table 15 – Summary of emission requirements .....                                                                                                                 | 36  |

|                                                                                                                                                                         |     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Table 16 – Limits for mains terminal disturbance voltage in the frequency band<br>150 kHz to 30 MHz .....                                                               | 45  |
| Table 17 – Limits for electromagnetic radiation disturbance in the frequency band 30<br>MHz to 1 000 MHz .....                                                          | 46  |
| Table 18 – Limits of disturbance voltage on the power interface.....                                                                                                    | 46  |
| Table 19 – Limits for mains terminal disturbance voltage in the frequency band<br>150 kHz to 30 MHz for a PDS in the second environment – PDS of category C3 .....      | 47  |
| Table 20 – Limits for electromagnetic radiation disturbance in the frequency band<br>30 MHz to 1 000 MHz for a PDS in the second environment – PDS of category C3 ..... | 48  |
| Table 21 – Limits for propagated disturbance voltage ("outside" in the first environment)<br>.....                                                                      | 51  |
| Table 22 – Limits for propagated disturbance voltage ("outside" in the second<br>environment).....                                                                      | 51  |
| Table 23 – Limits for propagated electromagnetic disturbance above 30 MHz.....                                                                                          | 51  |
| Table 24 – Limits for electromagnetic disturbance below 30 MHz.....                                                                                                     | 52  |
| Table B.1 – Maximum allowable depth of commutation notches at the PC.....                                                                                               | 60  |
| Table B.2 – Harmonic current emission requirements relative to the total current of the<br>agreed power at the PCC or IPC .....                                         | 79  |
| Table B.3 – Verification plan for immunity to low frequency disturbances .....                                                                                          | 86  |
| Table E.1 – EM interaction between subsystems and environment.....                                                                                                      | 109 |
| Table E.2 – Frequency analysis .....                                                                                                                                    | 115 |

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**ADJUSTABLE SPEED ELECTRICAL POWER  
DRIVE SYSTEMS –****Part 3: EMC requirements and specific test methods****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61800-3 has been prepared by subcommittee 22G: Adjustable speed electric drive systems incorporating semiconductor power converters, of IEC technical committee 22: Power electronic systems and equipment.

This third edition cancels and replaces the second edition published in 2004 and Amendment 1:2011. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) clarification of requirements for the test report, particularly when a number of alternative test methods exist;
- b) introduction of a more detailed test setup for radiated emission measurements, along with the introduction of a 3 m measurement distance for small size equipment;
- c) general updates in the informative annexes.

The text of this standard is based on the following documents:

|              |                  |
|--------------|------------------|
| FDIS         | Report on voting |
| 22G/347/FDIS | 22G/350/RVD      |

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2, and with IEC Guide 107.

A list of all parts in the IEC 61800 series, published under the general title *Adjustable speed electrical power drive systems*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The "colour inside" logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this publication using a colour printer.**