

Cucumber Report

19 Dec 2023, 20:51:15

Start : Dec 19, 8:48:49.602 pm

End : Dec 19, 8:51:13.653 pm

Duration : 2 m 24.051 s

Features






PASSED - 0
FAILED - 3
SKIPPED - 0

Scenarios

PASSED - 1
FAILED - 11
SKIPPED - 0

Steps

PASSED - 29
FAILED - 11
SKIPPED - 45




Feature				Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S		
<i>Computer feature</i>	2 m 1.260 s	5	0	5	0	40	17	5	18		
<i>Login feature</i>	13.160 s	4	1	3	0	21	9	3	9		
<i>Register feature</i>	9.602 s	3	0	3	0	24	3	3	18		


#	Feature Name	Scenario Name
1	<u>Computer feature</u>	<u>verifyUserShouldNavigateToComputerPageSuccessfully</u>
2		<u>verifyUserShouldNavigateToDesktopsPageSuccessfully</u>
3		<u>: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessFully</u> *
4		<u>: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessFully</u> *
5		<u>: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessFully</u> *
6	<u>Login feature</u>	<u>verifyTheErrorMessageWithInValidCredentials</u>
7		<u>verifyThatUserShouldLogInSuccessFullyWithValidCredentials</u>
8		<u>VerifyThatUserShouldLogOutSuccessFully</u>
9	<u>Register feature</u>	<u>verifyUserShouldNavigateToRegisterPageSuccessfully</u>
10		<u>verifyThatFirstNameLastNameEmailPasswordAndConfirmPasswordFieldAreMandatory</u>

* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name
11	<u>Register feature</u>	<u>verifyThatUserShouldCreateAccountSuccessfully</u>




#	Feature Name	T	P	F	S	Duration
1	<u>Computer feature</u>	5	0	5	0	2 m 1.260 s
2	<u>Login feature</u>	4	1	3	0	13.160 s
3	<u>Register feature</u>	3	0	3	0	9.602 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Computer feature</u>	<u>verifyUserShouldNavigateToComputerPageSuccessfully</u>	3	2	1	0	24.232 s
2		<u>verifyUserShouldNavigateToDesktopsPageSuccessfully</u>	4	3	1	0	24.359 s
3		<u>: verifyThatUserShouldBuildYouOwnComputerAndAddTh *</u>	11	4	1	6	23.882 s
4		<u>: verifyThatUserShouldBuildYouOwnComputerAndAddTh *</u>	11	4	1	6	23.616 s
5		<u>: verifyThatUserShouldBuildYouOwnComputerAndAddTh *</u>	11	4	1	6	25.083 s
6	<u>Login feature</u>	<u>User should navigate to login page successfully</u>	3	3	0	0	2.915 s
7		<u>verifyTheErrorMessageWithInValidCredentials</u>	6	2	1	3	3.486 s
8		<u>verifyThatUserShouldLogInSuccessFullyWithValidCredentia- ls</u>	6	2	1	3	3.570 s
9		<u>VerifyThatUserShouldLogOutSuccessFully</u>	6	2	1	3	3.165 s
10	<u>Register feature</u>	<u>verifyUserShouldNavigateToRegisterPageSuccessfully</u>	3	1	1	1	3.401 s

* The feature name and/or scenario name has been cropped to fit in the available space.




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	<u>Register feature</u>	<u>verifyThatFirstNameLastNameEmailPasswordAndConfirmP-</u> <u>asswordFieldsAreMandatory</u>	8	1	1	6	3.118 s
12		<u>verifyThatUserShouldCreateAccountSuccessfully</u>	13	1	1	11	3.065 s


Computer feature




verifyUserShouldNavigateToComputerPageSuccessfully




#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When Click on Computer tab	PASSED	0.594 s
3	<p>Then Verify "Computer" text</p> <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[@id='FirstName-error']"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [01e5890a4101665e8b351b7246ebdd88, findElement {using=xpath, value=//span[@id='FirstName- error']} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\44798\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60470}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy}, se:cdp: ws://localhost:60470/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 01e5890a4101665e8b351b7246ebdd88 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</pre>	FAILED	20.090 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source) at com.nopcommerce.demo.utility.Utility.getTextFromElement(Utility.java:63) at com.nopcommerce.demo.pages.RegisterPage.getFirstNameRequired(RegisterPage.java:100) at com.nopcommerce.demo.steps.RegisterSteps.verifyText(RegisterSteps.java:25) at ?.Verify "Computer" text(file:///C:/Users/44798/IdeaProjects/demo.nopcommerce.com_SW_6/src/test/resources/features/Computer.feature:5) * Not displayable characters are replaced by '?'.		
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) verifyUserShouldNavigateToComputerPageSuccessfully 	PASSED	0.447 s


verifyUserShouldNavigateToDesktopsPageSuccessfully



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When Click on Computer tab	PASSED	0.977 s
3	Then Click on Desktops link	PASSED	0.434 s
4	Then Verify "Desktops" text <pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[@id='FirstName-error']"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [fbf0a0fbf99eda67249f2083ed53661b, findElement {using=xpath, value=/span[@id='FirstName- error']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\44798\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60640}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60640/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractivity: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: fbf0a0fbf99eda67249f2083ed53661b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</pre>	FAILED	20.050 s


#	Step / Hook Details	Status	Duration
	<pre>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getText(Unknown Source) at com.nopcommerce.demo.utility.Utility.getTextFromElement(Utility.java:63) at com.nopcommerce.demo.pages.RegisterPage.getFirstNameRequired(RegisterPage.java:100) at com.nopcommerce.demo.steps.RegisterSteps.verifyText(RegisterSteps.java:25) at ?.Verify "Desktops" text(file:///C:/Users/44798/IdeaProjects/demo.nopcommerce.com_SW_6/src/test/resources/features/Computer.feature:11) * Not displayable characters are replaced by '?'.</pre>		
	<p>AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>verifyUserShouldNavigateToDesktopsPageSuccessfully</p> 	PASSED	0.456 s

: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully




#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When Click on Computer tab	PASSED	0.590 s
3	Then Click on Desktops link	PASSED	0.426 s
4	And Click on product name "Build your own computer"	PASSED	0.003 s
5	And Select processor "processor"	FAILED	20.059 s
	<pre>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css</pre>		

#	Step / Hook Details	Status	Duration
	<p>selector","selector":"#product_attribute_1"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b270a835695d4d2a2617e1f411c8324e, findElement {using=id, value=product_attribute_1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\44798\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60712}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60712/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: b270a835695d4d2a2617e1f411c8324e</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getTagName(Unknown Source) at org.openqa.selenium.support.ui.Select.<init>(Select.java:43) at com.nopcommerce.demo.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:147) at com.nopcommerce.demo.pages.BuildYourOwnComputerPage.selectProcessor(BuildYourOwnComputerPage.java:62) at com.nopcommerce.demo.steps.ComputerSteps.selectProcessor(ComputerSteps.java:28) at ?.Select processor "processor"(file:///C:/Users/44798/IdeaProjects/demo.nopcommerce.com_SW_6/src/test/resources/features/Computer.feature:18) </pre> <p>* Not displayable characters are replaced by '?'.</p>		
6	And Select RAM "ram"	SKIPPED	0.000 s
7	And Select HDD "hdd"	SKIPPED	0.000 s
8	And Select OS "os"	SKIPPED	0.000 s
9	And Select Software "software"	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
10	And Click on "ADD TO CART" Button	SKIPPED	0.001 s
11	Then Verify message "The product has been added to your shopping cart"	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) : verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully 	PASSED	0.378 s

: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully





#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When Click on Computer tab	PASSED	0.505 s
3	Then Click on Desktops link	PASSED	0.437 s
4	And Click on product name "Build your own computer"	PASSED	0.001 s
5	And Select processor "processor" org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#product_attribute_1"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d00c5ca3214233a1e72021f9802e173d, findElement {using=id, value=product_attribute_1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\44798\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60763}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60763/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators:	FAILED	20.019 s

#	Step / Hook Details	Status	Duration
	true} Session ID: d00c5ca3214233a1e72021f9802e173d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getTagName(Unknown Source) at org.openqa.selenium.support.ui.Select.<init>(Select.java:43) at com.nopcommerce.demo.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:147) at com.nopcommerce.demo.pages.BuildYourOwnComputerPage.selectProcessor(BuildYourOwnComputerPage.java:62) at com.nopcommerce.demo.steps.ComputerSteps.selectProcessor(ComputerSteps.java:28) at ?.Select processor "processor"(file:///C:/Users/44798/IdeaProjects/demo.nopcommerce.com_SW_6/src/test/resources/features/Computer.feature:18) * Not displayable characters are replaced by '?'.		
6	And Select RAM "ram"	SKIPPED	0.000 s
7	And Select HDD "hdd"	SKIPPED	0.000 s
8	And Select OS "os"	SKIPPED	0.000 s
9	And Select Software "software"	SKIPPED	0.000 s
10	And Click on "ADD TO CART" Button	SKIPPED	0.000 s
11	Then Verify message "The product has been added to your shopping cart"	SKIPPED	0.001 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.380 s
	:verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully		

#	Step / Hook Details	Status	Duration
			

: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully

FAILED	DURATION - 25.083 s		Steps Total - 11 Pass - 4 Fail - 1 Skip - 6	
/ 8:50:25.779 pm // 8:50:50.862 pm /				
Computer feature				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When Click on Computer tab	PASSED	0.445 s
3	Then Click on Desktops link	PASSED	0.445 s
4	And Click on product name "Build your own computer"	PASSED	0.001 s
5	And Select processor "processor"	FAILED	20.064 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#product_attribute_1"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3da0930f92959a70715c855971f9c443, findElement {using=id, value=product_attribute_1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\44798\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60813}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60813/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3da0930f92959a70715c855971f9c443 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy29.getTagName(Unknown Source) at org.openqa.selenium.support.ui.Select.<init>(Select.java:43) at com.nopcommerce.demo.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:147) at com.nopcommerce.demo.pages.BuildYourOwnComputerPage.selectProcessor(BuildYourOwnComputerPage.java:62) at com.nopcommerce.demo.steps.ComputerSteps.selectProcessor(ComputerSteps.java:28) at ?.Select processor "processor"(file:///C:/Users/44798/IdeaProjects/demo.nopcommerce.com_SW_6/src/test/resources/features/Computer.feature:18) * Not displayable characters are replaced by '?'. </pre>		
6	And Select RAM "ram"	SKIPPED	0.000 s
7	And Select HDD "hdd"	SKIPPED	0.000 s
8	And Select OS "os"	SKIPPED	0.000 s
9	And Select Software "software"	SKIPPED	0.000 s
10	And Click on "ADD TO CART" Button	SKIPPED	0.000 s
11	Then Verify message "The product has been added to your shopping cart"	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	1.476 s
	<pre> org.openqa.selenium.remote.UnreachableBrowserException: Error communicating with the remote browser. It may have died. Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3da0930f92959a70715c855971f9c443, screenshot []] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\44798\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:60813}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:60813/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 3da0930f92959a70715c855971f9c443 at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:634) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.nopcommerce.demo.utility.Utility.getScreenShot(Utility.java:353) at com.nopcommerce.demo.steps.Hooks.tearDown(Hooks.java:18) Caused by: java.io.UncheckedIOException: java.net.ConnectException at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute0(JdkHttpClient.java:450) at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda\$apply\$0(AddSeleniumUserAgent.java:42) at org.openqa.selenium.remote.http.Filter.lambda\$andFinally\$1(Filter.java:55) at org.openqa.selenium.remote.http.jdk.JdkHttpClient.execute(JdkHttpClient.java:366) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:188) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.nopcommerce.demo.utility.Utility.getScreenShot(Utility.java:353) at com.nopcommerce.demo.steps.Hooks.tearDown(Hooks.java:18) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.dolInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaHookDefinition.execute(JavaHookDefinition.java:64) at io.cucumber.core.runner.CoreHookDefinition.execute(CoreHookDefinition.java:46) at io.cucumber.core.runner.HookDefinitionMatch.runStep(HookDefinitionMatch.java:21) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.TestCase.run(TestCase.java:90) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) </pre>		


#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) Caused by: java.net.ConnectException at java.net.http/jdk.internal.net.http.common.Utils.toConnectException(Utils.java:1047) at java.net.http/jdk.internal.net.http.PlanHttpConnection.connectAsync(PlanHttpConnection.java:198) at java.net.http/jdk.internal.net.http.PlanHttpConnection.checkRetryConnect(PlanHttpConnection.java:230) at java.net.http/jdk.internal.net.http.PlanHttpConnection.lambda\$connectAsync\$1(PlanHttpConnection.java:206) at java.base/java.util.concurrent.CompletableFuture.uniHandle(CompletableFuture.java:934) at java.base/java.util.concurrent.CompletableFuture\$UniHandle.tryFire(CompletableFuture.java:911) at java.base/java.util.concurrent.CompletableFuture.postComplete(CompletableFuture.java:510) at java.base/java.util.concurrent.CompletableFuture\$AsyncSupply.run(CompletableFuture.java:1773) at java.base/java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1136) at java.base/java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:635) at java.base/java.lang.Thread.run(Thread.java:833) Caused by: java.nio.channels.ClosedChannelException at java.base/sun.nio.ch.SocketChannelImpl.ensureOpen(SocketChannelImpl.java:195) at java.base/sun.nio.ch.SocketChannelImpl.beginConnect(SocketChannelImpl.java:760) </pre>		

#	Step / Hook Details	Status	Duration
	at java.base/sun.nio.ch.SocketChannelImpl.connect(SocketChannelImpl.java:848) at java.net.http/jdk.internal.net.http.PlanHttpConnection.lambda\$connectAsync\$0(PlainHttpConnection.java:183) at java.base/java.security.AccessController.doPrivileged(AccessController.java:569) at java.net.http/jdk.internal.net.http.PlanHttpConnection.connectAsync(PlainHttpConnection.java:185)		

Login feature




User should navigate to login page successfully



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When Click on login link	PASSED	0.519 s
3	Then verify that "Welcome, Please Sign In!" message display	PASSED	0.071 s


verifyTheErrorMessageWithInValidCredentials



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When Click on login link	PASSED	0.528 s
3	<p>And Enter EmailId</p> <pre>io.cucumber.core.exception.CucumberException: Step [Enter EmailId] is defined with 1 parameters at 'com.nopcommerce.demo.steps.LoginSteps.enterEmailId(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: Enter EmailId at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.MethodInvocationHelper.invokeMethod(TestInvoker.java:664) at org.testng.internal.MethodInvocationHelper.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.MethodInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.MethodInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.MethodInvoker.invokeTestMethods(TestMethodWorker.java:148)</pre>	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
4	And Enter Password	SKIPPED	0.000 s
5	And Click on Login Button	SKIPPED	0.000 s
6	Then Verify that the Error message	SKIPPED	0.000 s
	<p>AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)</p> <p>verifyTheErrorMessageWithInValidCredentials</p> 	PASSED	0.378 s


verifyThatUserShouldLoginSuccessFullyWithValidCredentials



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When Click on login link	PASSED	0.560 s
3	<p>And Enter EmailId</p> <pre>io.cucumber.core.exception.CucumberException: Step [Enter EmailId] is defined with 1 parameters at 'com.nopcommerce.demo.steps.LoginSteps.enterEmailId(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: Enter EmailId at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)</pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
4	And Enter Password	SKIPPED	0.001 s
5	And Click on Login Button	SKIPPED	0.001 s
6	Then Verify that LogOut link is display	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) verifyThatUserShouldLogInSuccessFullyWithValidCredentials	PASSED	0.369 s

VerifyThatUserShouldLogOutSuccessFully



#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When Click on login link	PASSED	0.537 s
3	And Enter EmailId io.cucumber.core.exception.CucumberException: Step [Enter EmailId] is defined with 1 parameters at 'com.nopcommerce.demo.steps.LoginSteps.enterEmailId(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: Enter EmailId at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)	FAILED	0.001 s


#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
4	And Enter Password	SKIPPED	0.000 s
5	And Click on LogOut Link	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	Then Verify that LogIn Link Display	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) VerifyThatUserShouldLogOutSuccessFully 	PASSED	0.338 s

Register feature




verifyUserShouldNavigateToLoginPageSuccessfully





#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When Click on Register Link io.cucumber.core.exception.CucumberException: Step [Click on Register Link] is defined with 1 parameters at 'com.nopcommerce.demo.steps.RegisterSteps.clickOnRegisterLink(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: Click on Register Link at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
3	Then Verify "Register" text	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.434 s


#	Step / Hook Details	Status	Duration
	verifyUserShouldNavigateToRegisterPageSuccessfully 		

verifyThatFirstNameLastNameEmailPasswordAndConfirmPasswordFieldsAreMandatory


FAILED	DURATION - 3.118 s		Steps Total - 8 Pass - 1 Fail - 1 Skip - 6	
/ 8:51:07.459 pm // 8:51:10.577 pm /				
Register feature				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When Click on Register Link io.cucumber.core.exception.CucumberException: Step [Click on Register Link] is defined with 1 parameters at 'com.nopcommerce.demo.steps.RegisterSteps.clickOnRegisterLink(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: Click on Register Link at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)	FAILED	0.000 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
3	When Click on "REGISTER" button	SKIPPED	0.000 s
4	And Verify the error message "First name is required."	SKIPPED	0.002 s
5	And Verify the error message "Last name is required."	SKIPPED	0.000 s
6	And Verify the error message "Email is required."	SKIPPED	0.001 s
7	And Verify the error message "Password is required."	SKIPPED	0.000 s
8	And Verify the error message "Password is required."	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.481 s
	verifyThatFirstNameLastNameEmailAndPasswordAndConfirmPasswordFieldsAreMandatory		

#	Step / Hook Details	Status	Duration
			

verifyThatUserShouldCreateAccountSuccessfully



#	Step / Hook Details	Status	Duration
1	Given I am on RegisterPage	PASSED	0.000 s
2	<p>When Click on Register Link</p> <pre>io.cucumber.core.exception.CucumberException: Step [Click on Register Link] is defined with 1 parameters at 'com.nopcommerce.demo.steps.RegisterSteps.clickOnRegisterLink(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: Click on Register Link at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</pre>	FAILED	0.002 s

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
3	And Select gender "Female"	SKIPPED	0.000 s
4	And Enter firstname	SKIPPED	0.001 s
5	And Enter lastname	SKIPPED	0.000 s
6	And Select day	SKIPPED	0.000 s
7	And Select month	SKIPPED	0.000 s
8	And Select year	SKIPPED	0.000 s
9	And Enter email	SKIPPED	0.000 s
10	And Enter password	SKIPPED	0.000 s
11	And Enter Confirm Password	SKIPPED	0.000 s
12	Then Click on "REGISTER" button	SKIPPED	0.001 s
13	Then Verify message "Your registration completed"	SKIPPED	0.001 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.443 s
	verifyThatUserShouldCreateAccountSuccessfully		

#	Step / Hook Details	Status	Duration
	