Cucumber Report

| Start : Dec 18, 8:13:26.367 pm	End : Dec 18, 8:15:47.434 pm	Duration : 2 m 21.067 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 3 SKIPPED - 0	PASSED - 1 FAILED - 11 SKIPPED - 0	PASSED - 29 FAILED - 11 SKIPPED - 45

Features: 3

Scenarios: 12

Steps: 85

Pass % — 0 %

Pass % — 8 %

Pass % — 34 %

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Computer feature	1 m 38.328 s	5	0	5	0	40	17	5	18
Login feature	26.717 s	4	1	3	0	21	9	3	9
Register feature	15.859 s	3	0	3	0	24	3	3	18

#	Feature Name	Scenario Name
1	*Computer feature*	*verifyUserShouldNavigateToComputerPageSuccessfully*
2		*verifyUserShouldNavigateToDesktopsPageSuccessfully*
3		*: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSucce **
4		*: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSucce **
5		*: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSucce **
6	*Login feature*	*verifyTheErrorMessageWithInValidCredentials*
7		*verifyThatUserShouldLogInSuccessFullyWithValidCredentials*
8		*VerifyThatUserShouldLogOutSuccessFully*
9	*Register feature*	*verifyUserShouldNavigateToRegisterPageSuccessfully*
10		*verifyThatFirstNameLastNameEmailPasswordAndConfirmPasswordFields-AreMandatory*

* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name
11	*Register feature*	*verifyThatUserShouldCreateAccountSuccessfully*

#	Feature Name	T	P	F	S	Duration
1	Computer feature	5	0	5	0	1 m 38.328 s
2	Login feature	4	1	3	0	26.717 s
3	Register feature	3	0	3	0	15.859 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Computer feature	verifyUserShouldNavigateToComputerPageSuccessfully	3	2	1	0	26.165 s
2		verifyUserShouldNavigateToDesktopsPageSuccessfully	4	3	1	0	14.394 s
3		: verifyThatUserShouldBuildYouOwnComputerAndAddTh *	11	4	1	6	16.968 s
4		: verifyThatUserShouldBuildYouOwnComputerAndAddTh *	11	4	1	6	27.865 s
5		: verifyThatUserShouldBuildYouOwnComputerAndAddTh *	11	4	1	6	12.298 s
6	Login feature	User should navigate to login page successfully	3	3	0	0	6.759 s
7		verifyTheErrorMessageWithInValidCredentials	6	2	1	3	6.468 s
8		verifyThatUserShouldLogInSuccessFullyWithValidCredentials	6	2	1	3	6.898 s
9		VerifyThatUserShouldLogOutSuccessFully	6	2	1	3	6.518 s
10	Register feature	verifyUserShouldNavigateToRegisterPageSuccessfully	3	1	1	1	5.424 s

* The feature name and/or scenario name has been cropped to fit in the available space.

#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Register feature	verifyThatFirstNameLastNameEmailPasswordAndConfirmPasswordFieldsAreMandatory	8	1	1	6	4.948 s
12		verifyThatUserShouldCreateAccountSuccessfully	13	1	1	11	5.456 s

Computer feature

FAILED	DURATION - 1 m 38.328 s	Scenarios Total - 5 Pass - 0 Fail - 5 Skip - 0		Steps Total - 40 Pass - 17 Fail - 5 Skip - 18	
/ 8:13:26.367 pm // 8:15:04.695 pm /			5		40

verifyUserShouldNavigateToComputerPageSuccessfully

FAILED	DURATION - 26.165 s		Steps Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 8:13:26.377 pm // 8:13:52.542 pm /				3
Computer feature				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When Click on Computer tab	PASSED	1.387 s
3	Then Verify "Computer" text	FAILED	15.458 s

	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //span[@id='FirstName-error'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:168)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy29.getText(Unknown Source)
	  at com.nopcommerce.demo.utility.Utility.getTextFromElement(Utility.java:63)
	  at com.nopcommerce.demo.pages.RegisterPage.getFirstNameRequired(RegisterPage.java:100)
	  at com.nopcommerce.demo.steps.RegisterSteps.verifyText(RegisterSteps.java:25)
	  at ?.Verify "Computer" text(file:///C:/Users/44798/IdeaProjects/demo.nopcommerce.com_SW_6/src/test/resources/features/Computer.		

| #	Step / Hook Details	Status	Duration
	feature:5) * Not displayable characters are replaced by '?'.		
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.229 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.110) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5dbb3516c29dda9d20d6a5f8a119787d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\44798\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57374}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57374/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5dbb3516c29dda9d20d6a5f8a119787d
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)
	  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330)
	  at com.nopcommerce.demo.utility.Utility.getScreenShot(Utility.java:353)
	  at com.nopcommerce.demo.steps.Hooks.tearDown(Hooks.java:18)		

verifyUserShouldNavigateToDesktopsPageSuccessfully

FAILED	**DURATION - 14.394 s**	
/ 8:13:52.764 pm // 8:14:07.158 pm /		
Computer feature		

Steps
Total - 4
Pass - 3
Fail - 1
Skip - 0

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When Click on Computer tab	PASSED	1.446 s
3	Then Click on Desktops link	PASSED	0.834 s
4	Then Verify "Desktops" text	FAILED	6.743 s

	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //span[@id='FirstName-error'] For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:168)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy29.getText(Unknown Source)
	  at com.nopcommerce.demo.utility.Utility.getTextFromElement(Utility.java:63)
	  at com.nopcommerce.demo.pages.RegisterPage.getFirstNameRequired(RegisterPage.java:100)
	  at com.nopcommerce.demo.steps.RegisterSteps.verifyText(RegisterSteps.java:25)
	  at ?.Verify "Desktops" text(file:///C:/Users/44798/IdeaProjects/demo.nopcommerce.com_SW_6/src/test/resources/features/Computer.feature:11)
	* Not displayable characters are replaced by '?'.		

	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.062 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.110) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [14fc928c876e9ecb1a2e577c6805d404, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\44798\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57395}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57395/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify,		

#	Step / Hook Details	Status	Duration

	webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 14fc928c876e9ecb1a2e577c6805d404
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)
	  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330)
	  at com.nopcommerce.demo.utility.Utility.getScreenShot(Utility.java:353)
	  at com.nopcommerce.demo.steps.Hooks.tearDown(Hooks.java:18)		

### : verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully

FAILED	DURATION - 16.968 s		Steps
/ 8:14:07.329 pm // 8:14:24.297 pm /			Total - 11
Computer feature			Pass - 4
			Fail - 1
			Skip - 6

11

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When Click on Computer tab	PASSED	1.001 s
3	Then Click on Desktops link	PASSED	0.802 s
4	And Click on product name "Build your own computer"	PASSED	0.003 s
5	And Select processor "processor"	FAILED	9.666 s
	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.id: product_attribute_1 For documentation on this error,		

| #	Step / Hook Details	Status	Duration

	please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver
	  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:168)
	  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	  at jdk.proxy2/jdk.proxy2.$Proxy29.getTagName(Unknown Source)
	  at org.openqa.selenium.support.ui.Select.<init>(Select.java:43)
	  at com.nopcommerce.demo.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:147)
	  at com.nopcommerce.demo.pages.BuildYourOwnComputerPage.selectProcessor(BuildYourOwnComputerPage.java:62)
	  at com.nopcommerce.demo.steps.ComputerSteps.selectProcessor(ComputerSteps.java:28)
	  at ?.Select processor "processor"(file:///C:/Users/44798/IdeaProjects/demo.nopcommerce.com_SW_6/src/test/resources/features/Computer.feature:18)
	* Not displayable characters are replaced by '?'.		

6	And Select RAM "ram"	SKIPPED	0.001 s
7	And Select HDD "hdd"	SKIPPED	0.017 s
8	And Select OS "os"	SKIPPED	0.003 s
9	And Select Software "software"	SKIPPED	0.002 s
10	And Click on "ADD TO CART" Button	SKIPPED	0.001 s
11	Then Verify message "The product has been added to your shopping cart"	SKIPPED	0.004 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.039 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.110) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [40f37f0c5940951d2652df10582d49f4, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\44798\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57432}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57432/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 40f37f0c5940951d2652df10582d49f4
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330) at com.nopcommerce.demo.utility.Utility.getScreenShot(Utility.java:353) at com.nopcommerce.demo.steps.Hooks.tearDown(Hooks.java:18)		

## : verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully

FAILED	DURATION - 27.865 s
/ 8:14:24.497 pm // 8:14:52.362 pm /	
Computer feature	

Steps
Total - 11
Pass - 4
Fail - 1
Skip - 6

11

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.002 s
2	When Click on Computer tab	PASSED	1.077 s
3	Then Click on Desktops link	PASSED	0.893 s
4	And Click on product name "Build your own computer"	PASSED	0.001 s
5	And Select processor "processor"	FAILED	20.044 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#product_attribute_1"} (Session info: chrome=120.0.6099.110) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [cea05a6129800e382b934a1b9e6f8649, findElement {using=id, value=product_attribute_1}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\44798\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57452}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57452/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		

#	Step / Hook Details	Status	Duration
	webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: cea05a6129800e382b934a1b9e6f8649 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.$Proxy29.getTagName(Unknown Source) at org.openqa.selenium.support.ui.Select.<init>(Select.java:43) at com.nopcommerce.demo.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:147) at com.nopcommerce.demo.pages.BuildYourOwnComputerPage.selectProcessor(BuildYourOwnComputerPage.java:62) at com.nopcommerce.demo.steps.ComputerSteps.selectProcessor(ComputerSteps.java:28) at ?.Select processor "processor"(file:///C:/Users/44798/IdeaProjects/demo.nopcommerce.com_SW_6/src/test/resources/features/Computer. feature:18) * Not displayable characters are replaced by '?'.		
6	And Select RAM "ram"	SKIPPED	0.000 s
7	And Select HDD "hdd"	SKIPPED	0.000 s
8	And Select OS "os"	SKIPPED	0.000 s
9	And Select Software "software"	SKIPPED	0.000 s
10	And Click on "ADD TO CART" Button	SKIPPED	0.000 s
11	Then Verify message "The product has been added to your shopping cart"	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) : verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully	PASSED	0.945 s

#	Step / Hook Details	Status	Duration

: verifyThatUserShouldBuildYouOwnComputerAndAddThemToCartSuccessfully

FAILED	DURATION - 12.298 s		Steps
/ 8:14:52.397 pm // 8:15:04.695 pm /			Total - 11
			Pass - 4
Computer feature			Fail - 1
			Skip - 6

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When Click on Computer tab	PASSED	1.016 s
3	Then Click on Desktops link	PASSED	0.831 s
4	And Click on product name "Build your own computer"	PASSED	0.001 s
5	And Select processor "processor"	FAILED	5.444 s

	org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.id: product_attribute_1 For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#no-such-element-exception Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: driver.version: RemoteWebDriver
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:168)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:364)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:358)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)
	   at jdk.proxy2/jdk.proxy2.$Proxy29.getTagName(Unknown Source)
	   at org.openqa.selenium.support.ui.Select.<init>(Select.java:43)
	   at com.nopcommerce.demo.utility.Utility.selectByVisibleTextFromDropDown(Utility.java:147)
	   at com.nopcommerce.demo.pages.BuildYourOwnComputerPage.selectProcessor(BuildYourOwnComputerPage.java:62)
	   at com.nopcommerce.demo.steps.ComputerSteps.selectProcessor(ComputerSteps.java:28)		

| #	Step / Hook Details	Status	Duration
	at ?.Select processor "processor"(file:///C:/Users/44798/IdeaProjects/demo.nopcommerce.com_SW_6/src/test/resources/features/Computer.feature:18) * Not displayable characters are replaced by '?'.		
6	And Select RAM "ram"	SKIPPED	0.001 s
7	And Select HDD "hdd"	SKIPPED	0.001 s
8	And Select OS "os"	SKIPPED	0.002 s
9	And Select Software "software"	SKIPPED	0.006 s
10	And Click on "ADD TO CART" Button	SKIPPED	0.002 s
11	Then Verify message "The product has been added to your shopping cart"	SKIPPED	0.004 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	0.028 s

	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=120.0.6099.110) Build info: version: '4.15.0', revision: '1d14b5521b' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.8' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [964c916339fafd49c9a7acaf09ec76b3, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 120.0.6099.110, chrome: {chromedriverVersion: 120.0.6099.109 (3419140ab66..., userDataDir: C:\Users\44798\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57474}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57474/devtoo..., se:cdpVersion: 120.0.6099.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 964c916339fafd49c9a7acaf09ec76b3
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:607)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:680)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:684)
	   at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:330)
	   at com.nopcommerce.demo.utility.Utility.getScreenShot(Utility.java:353)
	   at com.nopcommerce.demo.steps.Hooks.tearDown(Hooks.java:18)		

Login feature

FAILED	DURATION - 26.717 s	Scenarios		Steps	
/ 8:15:04.828 pm // 8:15:31.545 pm /		Total - 4 Pass - 1 Fail - 3 Skip - 0	4	Total - 21 Pass - 9 Fail - 3 Skip - 9	21

User should navigate to login page successfully

PASSED	DURATION - 6.759 s		Steps	
/ 8:15:04.829 pm // 8:15:11.588 pm /			Total - 3 Pass - 3 Fail - 0 Skip - 0	3
Login feature				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When Click on login link	PASSED	1.106 s
3	Then verify that "Welcome, Please Sign In!" message display	PASSED	0.218 s

verifyTheErrorMessageWithInValidCredentials

FAILED	DURATION - 6.468 s		Steps	
/ 8:15:11.605 pm // 8:15:18.073 pm /			Total - 6 Pass - 2 Fail - 1 Skip - 3	6
Login feature				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.000 s
2	When Click on login link	PASSED	1.135 s

| #	Step / Hook Details	Status	Duration
3	And Enter EmailId	FAILED	0.007 s
	io.cucumber.core.exception.CucumberException: Step [Enter EmailId] is defined with 1 parameters at 'com.nopcommerce.demo.steps.LoginSteps.enterEmailId(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: Enter EmailId		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		

#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
4	And Enter Password	SKIPPED	0.000 s
5	And Click on Login Button	SKIPPED	0.000 s
6	Then Verify that the Error message	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.802 s
	verifyTheErrorMessageWithInValidCredentials		

verifyThatUserShouldLogInSuccessFullyWithValidCredentials

FAILED	DURATION - 6.898 s		Steps Total - 6 Pass - 2 Fail - 1 Skip - 3	
/ 8:15:18.095 pm // 8:15:24.993 pm /				
Login feature				

| #	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.002 s
2	When Click on login link	PASSED	1.513 s
3	And Enter EmailId	FAILED	0.003 s

	io.cucumber.core.exception.CucumberException: Step [Enter EmailId] is defined with 1 parameters at 'com.nopcommerce.demo.steps.LoginSteps.enterEmailId(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: Enter EmailId
	  at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)
	  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)
	  at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)
	  at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		

#	Step / Hook Details	Status	Duration
	at io.cumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)		
	at io.cumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)		
	at io.cumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)		
	at io.cumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)		
	at io.cumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
4	And Enter Password	SKIPPED	0.001 s
5	And Click on Login Button	SKIPPED	0.000 s
6	Then Verify that LogOut link is display	SKIPPED	0.001 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.779 s

#	Step / Hook Details	Status	Duration
	verifyThatUserShouldLogInSuccessFullyWithValidCredentials		

VerifyThatUserShouldLogOutSuccessFully

FAILED	DURATION - 6.518 s		Steps
/ 8:15:25.026 pm // 8:15:31.544 pm /			Total - 6
Login feature			Pass - 2
			Fail - 1
			Skip - 3

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When Click on login link	PASSED	1.154 s
3	And Enter EmailId	FAILED	0.002 s

	io.cucumber.core.exception.CucumberException: Step [Enter EmailId] is defined with 1 parameters at 'com.nopcommerce.demo.steps. LoginSteps.enterEmailId(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: Enter EmailId
	  at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)
	  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)
	  at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)
	  at io.cucumber.core.runner.TestStep.run(TestStep.java:56)
	  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
	  at io.cucumber.core.runner.TestCase.run(TestCase.java:84)
	  at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
	  at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)
	  at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)
	  at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)
	  at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)
	  at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)
	  at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
4	And Enter Password	SKIPPED	0.000 s
5	And Click on LogOut Link	SKIPPED	0.000 s
6	Then Verify that LogIn Link Display	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.760 s
	VerifyThatUserShouldLogOutSuccessFully		

Register feature

| FAILED	DURATION - 15.859 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0	3	Steps Total - 24 Pass - 3 Fail - 3 Skip - 18	24
/ 8:15:31.575 pm // 8:15:47.434 pm /					

verifyUserShouldNavigateToRegisterPageSuccessfully

FAILED	DURATION - 5.424 s		Steps Total - 3 Pass - 1 Fail - 1 Skip - 1	3
/ 8:15:31.575 pm // 8:15:36.999 pm /				
Register feature				

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When Click on Register Link	FAILED	0.004 s

	io.cucumber.core.exception.CucumberException: Step [Click on Register Link] is defined with 1 parameters at 'com.nopcommerce.demo.steps. RegisterSteps.clickOnRegisterLink(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: Click on Register Link
	   at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)
	   at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)
	   at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	   at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)
	   at io.cucumber.core.runner.TestStep.run(TestStep.java:56)
	   at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
	   at io.cucumber.core.runner.TestCase.run(TestCase.java:84)
	   at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
	   at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)
	   at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)
	   at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)
	   at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)
	   at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)
	   at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)		
	at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)		
	at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)		
	at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957)		
	at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)		
	at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)		
	at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:848)		
	at org.testng.TestRunner.run(TestRunner.java:621)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:336)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)		
	at org.testng.TestNG.runSuites(TestNG.java:1114)		
	at org.testng.TestNG.run(TestNG.java:1082)		
	at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)		
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
3	Then Verify "Register" text	SKIPPED	0.001 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.895 s
	verifyUserShouldNavigateToRegisterPageSuccessfully		

verifyThatFirstNameLastNameEmailPasswordAndConfirmPasswordFieldsAreMandatory

FAILED	DURATION - 4.948 s

/ 8:15:37.014 pm // 8:15:41.962 pm /

Register feature

Steps
Total - 8
Pass - 1
Fail - 1
Skip - 6

#	Step / Hook Details	Status	Duration
1	Given I am on homepage	PASSED	0.001 s
2	When Click on Register Link	FAILED	0.001 s
	io.cucumber.core.exception.CucumberException: Step [Click on Register Link] is defined with 1 parameters at 'com.nopcommerce.demo.steps. RegisterSteps.clickOnRegisterLink(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: Click on Register Link		

    at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)
    at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)
    at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
    at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)
    at io.cucumber.core.runner.TestStep.run(TestStep.java:56)
    at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
    at io.cucumber.core.runner.TestCase.run(TestCase.java:84)
    at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
    at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)
    at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)
    at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)
    at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)
    at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)
    at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
    at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)
    at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)
    at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)
    at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)
    at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957)
    at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)
    at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)
    at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)

#	Step / Hook Details	Status	Duration
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
3	When Click on "REGISTER" button	SKIPPED	0.001 s
4	And Verify the error message "First name is required."	SKIPPED	0.001 s
5	And Verify the error message "Last name is required."	SKIPPED	0.000 s
6	And Verify the error message "Email is required."	SKIPPED	0.000 s
7	And Verify the error message "Password is required."	SKIPPED	0.001 s
8	And Verify the error message "Password is required."	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) verifyThatFirstNameLastNameEmailPasswordAndConfirmPasswordFieldsAreMandatory 	PASSED	0.932 s

verifyThatUserShouldCreateAccountSuccessfully

FAILED	DURATION - 5.456 s

/ 8:15:41.978 pm // 8:15:47.434 pm /

Register feature

Steps
Total - 13
Pass - 1
Fail - 1
Skip - 11

13

#	Step / Hook Details	Status	Duration
1	Given I am on RegisterPage	PASSED	0.001 s
2	When Click on Register Link	FAILED	0.003 s

	io.cucumber.core.exception.CucumberException: Step [Click on Register Link] is defined with 1 parameters at 'com.nopcommerce.demo.steps. RegisterSteps.clickOnRegisterLink(java.lang.String)'. However, the gherkin step has 0 arguments. Step text: Click on Register Link
	     at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)
	     at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)
	     at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)
	     at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)
	     at io.cucumber.core.runner.TestStep.run(TestStep.java:56)
	     at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)
	     at io.cucumber.core.runner.TestCase.run(TestCase.java:84)
	     at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)
	     at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$1(TestNGCucumberRunner.java:132)
	     at io.cucumber.core.runtime.CucumberExecutionContext.lambda$runTestCase$5(CucumberExecutionContext.java:137)
	     at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)
	     at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)
	     at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)
	     at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)
	     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	     at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	     at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)
	     at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)
	     at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)
	     at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)
	     at org.testng.internal.invokers.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:957)
	     at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)
	     at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)
	     at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)		

#	Step / Hook Details	Status	Duration
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
3	And Select gender "Female"	SKIPPED	0.001 s
4	And Enter firstname	SKIPPED	0.001 s
5	And Enter lastname	SKIPPED	0.001 s
6	And Select day	SKIPPED	0.001 s
7	And Select month	SKIPPED	0.001 s
8	And Select year	SKIPPED	0.001 s
9	And Enter email	SKIPPED	0.000 s
10	And Enter password	SKIPPED	0.000 s
11	And Enter Confirm Password	SKIPPED	0.000 s
12	Then Click on "REGISTER" button	SKIPPED	0.001 s
13	Then Verify message "Your registration completed"	SKIPPED	0.000 s
	AFTER - com.nopcommerce.demo.steps.Hooks.tearDown(io.cucumber.java.Scenario) verifyThatUserShouldCreateAccountSuccessfully	PASSED	1.009 s