

PROJECT PROFILE

Project Title	Samsung SmartPlaza
Objective:	Providing Information about Online shopping
Platform:	Server Side – Windows 7 or Windows 10 Client Side – Any Browser Supported
Front End:	PHP
Back End:	MYSQLIi 7.1.32
Editor:	Dreamweaver 8
Project Team Size:	3 Member
Developed By:	1. Hetal Hajani 2. Urvisha Sisodiya 3. Khushi Der
Submitted to:	M.M.G Mahila Arts & Commerce Collage, Junagadh.

INTRODUCTION & OBJECTIVE

- **Introduction**
- **title**
- **Object**

Introduction

The main aim behind this Project id to maintain the people problem and more element of people online shopping(order) the Smartphone, Laptop, Smartwatch, Buds, Speaker, Tv, Fridge, Washing-machine, Microwave, Camera, etc.

By using this php application people who are afriaed on derent there enough time to go select and purchase all type of Mobile, Laptop, Watch about they can give online to order any type of Smartphone, Laptop, Smartwatch, Buds, Speaker, Tv, Fridge, Washing-machine, Microwave, Camera, etc .

This website provides different type of Smartphone, Laptop, Smartwatch, Buds, Speaker, Tv, Fridge, Washing-machine, Microwave, Camera, etc.. are available.

Title : - Samsung SmartPlaza

Samsung SmartPlaza Product is basically a web application which is developed in Dreamweaver 8 & Visual studio code. We have used php language for server side coding and MYSQLi for the database. Internet helps people to move around the world.

Internet use has made communication faster, provides information from the corners of the world, made our work trouble-free and speedy. Today's life is so busy and people have no time for roaming in Malls for Buy products or any thing. So, to make life easy for people we make a small web service for Products purchasing. It gives facility to Purchase Buy Products online easily and speedy.

In the Online Products there are two levels of users. Administrator and User. Here administrator can add or modify data. User can view & Purchase.

Objective

Samsung SmartPlaza is a web application from which any person can Purchase Product online without physically presence of person. All the related information of the Product can be provided by this website

So the person can get each and every information of the Product.

TOOLS AND TECHNOLOGY

Introduction of PHP:-

PHP is a server side scripting language designed for web development but also used as a General-purpose programming language. PHP is now installed on more than 244 Million websites and 2.1 million web servers. Originally created by Rasmus Lerdorf in 1995, the reference implementation of PHP is now produced by The PHP Group. While PHP originally stood for Personal Home Page, it now stands for PHP:

Hypertext Preprocessor, a recursive acronym.

PHP code is interpreted by a web server with a PHP processor module, which generates The resulting web page: PHP commands can be embedded directly into an HTML source Document rather than calling an external file to process data. It has also evolved to Include a command-line interface capability and can be used in standaloneGraphical applications.

❖ FEATURES:-

➤ The features is following:

(1) Open Source

- ◆ PHP is freely available for use. The community of open source PHP developers provides technical support and is constantly improving updating the core PHP functionalities. PHP is available at free of cost under PHP General Public License and most of its associative required software's like MYSQLi, Text Editors and Apache Server are also freely available, so it proves very cost effective for the developers.

(2) Cross-Platform

- ◆ PHP provides high compatibility with leading operating systems and web servers such as thereby enabling it to be easily deployed across several different platforms. PHP scripts can run across operating systems such as Linux, Windows, Solaris, OpenBSD, Mac OSX etc and also provide support for all major web servers such as Apache, IIS, iPlanet etc.

(3) Power

- ◆ Several web tasks can now be easily perform using PHP. For example now we can develop from small websites to giant business and organizational websites, informative forums, chatting platforms, CRM solutions, e-commerce shopping carts, community websites, e-business, shopping carts and gigantic database driven sites.

(4) User Friendly

- ◆ Designed in a user friendly manner, PHP gives more flexibility than C, C++ and ASP and overall helps in increasing traffic to the site.

(5) Quick

- ◆ PHP is designed to work well with the web, and so things like accessing the GET and POST and working with HTML and URLs are built-ins in the PHP language. This makes it really concise and straightforward to make a website.

(6) **Extensions**

- ◆ Being an open source language, a large number of libraries and extensions, to extend its core functionalities, are available for download. The source code of PHP can be modified to include custom created extensions and components thereby increasing its extensibility.

(7) **Easy Deployment**

- ◆ There are many hosting companies that will, for a few dollars a month, give you a server running PHP so you can make a website really easily.

(8) **Community Support**

- ◆ A huge advantage that PHP offers is its community. If you are looking for a particular script, chances are another user has already created something similar. Check within the PHP community for availability. Likewise, if you have created a function that others might enjoy, be sure to post the code for others.

(9) **Security**

- ◆ PHP offers security as well that helps prevent malicious attacks. These security levels can be adjusted in the .ini file.

MYSQLi

The MYSQLi extension was introduced with PHP version 7.1.32 and the MYSQLi Native Driver was included in PHP version 7.1.32. It stands for improved in MYSQLi and provides various functions to access the MYSQLi database and to manipulate the data records inside the MYSQLi database. You would require to call the MYSQLi functions in the same way you call any other PHP function.

- Simply MYSQLi is,
 - ◆ MYSQLi is a database system used on the web
 - ◆ MYSQLi is a database system that runs on a server
 - ◆ MYSQLi is ideal for both small and large applications
 - ◆ MYSQLi is very fast, reliable, and easy to use
 - ◆ MYSQLi supports standard SQL
 - ◆ MYSQLi compiles on a number of platforms
 - ◆ MYSQLi is free to download and use
 - ◆ MYSQLi is developed, distributed, and supported by Oracle Corporation
 - ◆ The data in MYSQLi is stored in tables. A table is a collection of related data, and it consists of columns and rows.

Tool Used

■ This project is developed using the tools, which are most suited for development of the Application Package. These tools are as follows: -

- ✓ **Front End:** PHP,CSS,JAVASCRIPT
- ✓ **Back End:** MySQLi

❖ **Mozilla Firefox:**


➤ Mozilla Firefox 7.0 and more make it easier to get the most from the World Wide Web, whether you are searching for new information or browsing your favorite web sites. Built-in intelligence technology can save you time completing routine web tasks, such as automatically completing web addresses and forms for you, and automatically detecting your and connection status.

❖ **Description**

- ✓ Samsung SmartPlaza is a web application. The basic users of this system are administrator, registered users . This web application will be providing features such as registration of user and purchase Products.
- ✓ The scope of the administrator is he can manage the Product and view purchases done by users and the scope of users is to view all the items based on category and purchase it as per required quantity.
- ✓ The users of the system are as follows:
 - **Registered User:-** The role of the registered user is to manage his profile. Registered User can make purchase of shopping Products and give feedback about site.
 - **Simple User:-** The role of the simple user can see the hardware Products and give feedback but can't purchase product without login. Once the simple user registered in the web site he will get the full functionality of the website.
 - **Administrator:-** The role of the administrator is to send purchased products to the registered user and view feedback as well as it can manage category and items....

Analysis

- All projects follow a life cycle model (SDLC). The most widely used SDLC model in my project is:



- **Analysis:** Before a program is created, they have to know what they want to create. To understand the nature of the program to be built we must understand the information domain for the software as well as required function behavior, performance and interface requirements for both the system.
- **Designing:** once the analysis is done now it's time for designing. It is the process by which a person creates a specification of a software artifact, intended to accomplish goals, using a set of primitive components and subject to constraints. Software design usually involves problem solving and planning a software solution. This includes both low-level component and algorithm design and high-level, architecture design.
- **Coding:** The design must be translated in machine readable form. It performs this task. If design is performed in a detailed manner, code generation can be accomplished mechanically.
- **Testing:** once code has been generated, software testing begins. It is done before the release to the final audience. Software testing is meant to see how the software works under different conditions. Testing is done to understand if it will work correctly, partially fail to work properly, or totally fail to work properly. Each test may be used to see how one, or many, parts of the software work at a point in its development.

-
- Prescriptive process models define a distinct set of activities, actions, tasks, milestones, and work products, that are required to engineer high-quality software. They do provide a useful roadmap for software engineering work.
 - We discuss here the strategy of the system development in detail as the Register and search Application is developed using this strategy.
 - The SDLC method is classically thought of as the set of activities that Analyst, designer and user carry out to develop and implement an information system. This method consists of six steps. In most business situations the activities are all closely related, usually inseparable and even order of the steps in these activities may be difficult to determine. Different parts of the project can be in various phases at the same time, with some components undergoing analysis while other is at advanced design stages.....

PROJECT LIFE CYCLE SDLC

(1) SYSTEM ANALYSIS:-

+ Problem Definition

- Now a day's people have not enough time to go in market and search for the required items
- In the modern time people are want each and every thing at their door step without consuming much time.
- Some time people have to pay high cost of product as products are sold in retail store.
- People are never like to stay in a que for purchasing or payment.
- An online item wills online shopping.
- I have done this project using PHP as front end and MySQLi Server as back end easing the effort of user.

+ Modules of the Project

▪ Client Module:

- Each of the citizens, who want to purchase online ordering shopping, must first register with the Software. For the registration part each person enters their details name, address, phone no, E-Mail ID, User Id & password in the Software.
- Once the registration is complete, the citizen can sign-in to the website & make purchasing of different product items.

▪ Administrators Module

- The module will be protected by user ID and password. Ordinary users of the software will not be permitted to enter into this area of the software.
- The module will be focusing on the maintenance like Master Data Maintenance, Removal of old and outdated data from the software etc.

(2) Requirement Analysis

(1) Function Requirement

- Organization has following basic requirements to be performed by the website. So, user can be able to get following functionality from website.
- ✓ Information about online order shopping system.

- ✓ Information about different types of items and category in our site.
- ✓ Available range of searching facility.
- ✓ Admin can search client information.
- ✓ Admin can add, update and delete shopping detail.
- ✓ User able to put required information.
- ✓ User can do order clothes, shoe, home textiles, etc...
- ✓ User Can Update and View his Profile.
- ✓ Secure user Login account.

About existing manual system:

- ✚ User can view every category & item and buy every Samsung SmartPlaza item.
- ✚ User can not login without approval of Admin.
- ✚ User can view the also purchase a Samsung SmartPlaza item.
- ✚ Admin can delete user.
- ✚ Admin also rights for the whole website.

✚ FEASIBILITY STUDIES

- ✓ Feasibility study is most important and it concerns great to the customer, for which new system is to be developed.
- ✓ It includes the study of success and level of satisfaction that the customer and the user will get from the system. Feasibility means possibilities, i.e. this study explores the possibility of implementation of new system as a substitute to old system removing all shortcomings and including all new requirements.

✚ The feasibility study is needed to

- ✓ Answer the question whether a new system is to be installed or not?
- ✓ Determine the potential of the existing system.
- ✓ Improve the existing system.
- ✓ Know what should be embedded in the new system.
- ✓ Define the problems and objective involved in a project.
- ✓ Avoid costly repairs at a later stage when the system is implemented.
- ✓ Avoid crash implementation of a new system.
- ✓ Avoid the ‘Hardware Approach’ i.e. getting a computer first and then deciding how to use it.

- ✚ An initial determine in a proposal that whether an alternative system is feasible or not. To determine of candidate system in all respect I need to consider following feasibility factors:
 - I. Operational feasibility
 - II. Technical feasibility

III. Economical feasibility

(1) Technical Feasibility:

- It is determined by the hardware and supporting software. Hardware requirements: stand-alone computer with enough main memory space & backup storage more than 2 GB to support MYSQLIi and huge database. Software requirement: MYSQLIi.

Minimum Hardware Requirement

Component	Minimum Requirement
1.Processor	1.6GHz processor For above
2.Supported Architecture	32bit(* 86) 64*64
3.Memory	512MB for above
4.Hardisk	Total space 250GB Installing space in single drive 5GB

Minimum Software Requirement

Component	Minimum Requirement
1.Operating System	Window XP or above
2.PHP	Server side scripting language
3.MYSQLI	Database
4.Xampp	Web Application server
5.Other Tools	Photoshop
6.Web Browser	Microsoft IE 9.0, Mozilla Firefox 48

(2) Operational Feasibility:

- Our application has such a user friendly GUI that any person having a sound knowledge of computer can operate the system.

Page	Process	Affected Table	Operation
1.Item	Add,Updated,delete by admin	Login	Update
2.Registration	Upadate by user	Registration	Update
3.company	Add,Update And Delete by admin	Category	Add,Update And Delete
4.Product	Add,Update And Delete By admin	Product	Add,Update And Delete
5.Contact	Add by User	Contact	Add

Economical Feasibility

Component	Minimum Requirement	Price	Local Price	market	Website
1.Processor	1.6 GHz, Intel Pentium	1099	1200		www.ebay.in
2.Hardisk	250GB	2050	2200		www.harddrive.in
3.Memory	4GB RAM	1997	2000		www.sanpdeal.com
4.xampp		Free	Free		www.ebey.com

Software Requirement

Component	Price	Website
1.Window 7 OS	8199	www.Infibean.com
2.Add of Photoshop 7.0	5544	www.ebay.in
3.Mozilla Firefox	Free	www.amazon.com
4.xampp	Free	www.sanpdeal.com
5.Dreamweaver	Free	www.ebey.com

Limitation of existing system:

- ❖ Before we creating this Samsung SmartPlaza web site, we were faces many problems.
- ❖ People don't know about our one storage of Samsung SmartPlaza which is selling an every type of products.
- ❖ So, people were purchase a of products in different shop. So, her time is wasted.
- ❖ We were gives a many advertisement in news paper & TV.

Scope of the purposed system:


- ❖ This website has facility to view the purchase any of products.
- ❖ User can also buy a many items.
- ❖ User can give feedback and ask some query to admin.
- ❖ Admin is authorized so while admin not approve user until user not login.
This website is for all people who want to purchase any item..User first of all login. After login user can view item. After this user can send this opinion for this our web site.
- ❖ User can purchase the of products and give feedback..
- ❖ Admin can delete users..
- ❖ Admin can delete user and view user's order..
- ❖ Our web site providing a case on delivery..
- ❖ So, user can do not hasisate while purchasing a of products..

Design

DATA FLOW DIAGRAM

- A Data Flow Diagram (DFD) is a graphical representation of the "flow" of data through an Information System.
- A data flow diagram can also be used for the visualization of Data Processing. It is common practice for a designer to draw a context-level DFD first which shows the interaction between the system and outside entities.

DFD Symbols Description		
Symbol Name	Shape	Description
External Entity		The sharp cornered rectangles(or simply boxes) in a DFD indicates entities. Entities are people things, organizations etc
Process		The Process symbol represents an activity that transforms or manipulates the data (combines, reorders, converts, etc.).




Functional Modeling:-


Data Flow Diagram

Object Oriented Approach


(1) DFD for 0 levels



(2) DFD for Admin



(3) DFD for Client




Data Modeling:


Activity Diagram

- Activity diagram for Invalid User:


Activity diagram for user registration process is described below.



Activity Diagram For Admin




Activity diagram for Client



Traditional Approach

ERDiagram



DATA DICTIONARY

DATABASE DETAIL

- A **data dictionary** is as defined as a "centralized repository of information about data such as meaning, relationships to other data, origin, usage, and format. "
- A data dictionary can be consulted to understand where a data item fits in the structure, what values it may contain, and basically what the data item means in real-world terms.

[1] Table Name : Login

Description : This table is used to store administration information.

Field Name	Data Type	Extra
Id	int(11)	Auto_increment
Username	Varchar(50)	
Password	Varchar(50)	

[2] Table Name : Feedback

Description : This table is used to store customer Feedback information.

Field Name	Data Type	Extra
Id	int(11)	Auto_increment
Name	varchar(50)	
City	varchar (50)	
Mobileno	varchar(50)	
Email	varchar(20)	
Feedback	Varchar(100)	

[3] Table Name : Item

Description : This table is used to store InsertItem Information.

Field Name	Data Type	Extra
Id	Int(11)	Auto_increment
Itemname	Varchar(50)	
category	Varchar(50)	
price	Varchar(50)	
image	Varchar(50)	

[4] Table Name: Registration

Description : This table is used to Registration Information.

Field Name	Data Type	Extra
Id	Int(11)	Auto_increment
Name	Varchar(50)	
Address	Varchar(50)	
City	Varchar(15)	
Pincode	Int(6)	
State	Varchar(15)	
Country	Varchar(15)	
Username	Varchar(20)	
Password	Varchar(20)	
Gender	Varchar(6)	
Mobileno	Varchar(12)	
Email	Varchar(20)	
Birth-Date	date	

[5] Table Name : Purchase

Description : This table is used to store purchase Information.

Field Name	Data Type	Extra
Id	Int(20)	Auto_increment
Name	Varchar(50)	
Address	Varchar(50)	
City	Varchar(50)	
Itemname	Varchar(50)	
Total	Int(50)	
Payment	Int(50)	
Pur_date	date	

[6] Table Name : Addtocart

Description : This table is used to store addtocart Information.

Field Name	Data Type	Extra
Id	Int(20)	Auto_increment
Itemname	Varchar(100)	
Price	Int(50)	
Quantity	Int(50)	
Total	Int(20)	
Image	Varchar(50)	
Username	Varchar(40)	

(B)IMPLEMENTATION & PLANNING:-

❖ Gantt Chart:-

ID	Task Name	Start	Finish	Duration	June	July			Aug		Set		
					20-06	2-07	3-07	14-07	15-07	24-07	25-07	5-09	6-09
1	Requirements Analysis	20-06-2025	2-07-2025	14d									
2	Database design	3-07-2025	14-07-2025	11d									
3	Screeendesign	15-07-2025	24-07-2025	10d									
4	Programming	25-07-2025	5-09-2025	5wk									
5	Testing	6-09-2025	10-09-2025	4d									
6	User documentation	11-09-2025	17-09-2025	7d									


SCREEN LAYOUT

ADMIN SIDE

Coding :- con1.php

```
<?php  
    $con=mysqli_connect("localhost","root","");
    mysqli_select_db($con,"samsung_smartplaza");
?>
```

Index.php



Coding :- Index.php

```
<html>
<head>
<title>Untitled Document</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
</head>
<body background="project_image/bg/d8.jpg" height="100px" width="300px">
<table align="center">
    <tbody>
        <tr>
            <td>
                <ul>
                    <br>
                    <h1 class="f1">
                        <font color="#000000" style="font-size:120px; text-shadow:1px 1px 2px black,0
0 25px #DB7093,0 0 5px #CC7A8B;">Samsung SmartPlaza</font>
                    </h1>
                </ul>
            </td>
        </tr>
        <tr>
            <td align="center"><font color="#CC9999" size="+5">** WelCome To Admin Panel
**</font></td>
        </tr>
        <tr>
            <td align="center"><font color="#CC9999" size="+3">Please! login is
Require...</font></td>
        </tr>
        <tr>
            <td align="center"><br><br><br><br><br><br><br><br><br><br><br><br><br>
            <h1 style="border-radius:30px/50px;background:#CC9999;padding: 20px;width:
200px;height: 30px;">
                <a href="login.php">Login </a></p></h1>
            </td>
        </tr>
    </tbody>
</table>

```

```
</td>
</tr>
</tbody>
</table>
</body>
</html>
```

Samsung SmartPlaza

Login.php



Coding :- Login.php

```
<html>
<head>
<title>Samsung SmartPlaza</title>
</head>

<script type="text/javascript">
    function validateForm()
    {
        var a=document.forms["login"]["username"].value;
        var b=document.forms["login"]["password"].value;

        if((a==null || a=="")&&(b==null || b==""))

        if(a==null || a=="")
        {
            alert("username must be filled out.");
            return false;
        }
        if(b==null || b=="")
        {
            alert("password must be filled out.");
            return false;
        }
        if(b.length<5)
        {
            alert("password should be atleast 5 character.");
            return false;
        }
        if(!(b.match(/^[a-z,0-9][\w-]*$/i)))
        {
```

```

        alert("password can not contain any special character or spaces except '_' or '-'");
    }
}

</script>

<body background="project_image/bg/d8.jpg" height="100px" width="300px">
<table align="center">
    <tbody>
        <tr>
            <td>
                <ul>
                    <br>
                    <h1 class="f1">
                        <font color="#000000" style="font-size:120px; text-shadow:1px 1px 2px black,0
0 25px #DB7093,0 0 5px #CC7A8B;">Samsung SmartPlaza</font>
                    </h1>
                </ul>
            </td>
        </tr>
    </tbody>
</table>
<center><br>
</img>
<br><br>
<h1 align="center">
    <font color="#CC7A8B" size="+6">
        <b><u>LOGIN</u></b>
    </font>
</h1>
<form action="checklogin.php" method="post" name="login" onSubmit="return
validateForm()">
    <font size="+2" color="#3333CC">
        <table align="center" size="80%" style="display:flex; justify-content: center;">
            <tbody>
                <tr>
                    <td> <font size="+3" color="#CCCCCC"><b>Username:</b> </font> </td>
                    <td><input type="text" id="phone" name="username" style="height:25px;"></td>
                </tr>
                <tr>
                    <td><font size="+3" color="#CCCCCC"><b>Password :</b></font></td>
                    <td><input type="password" id="phone"
name="password" style="height:25px;"></td>
                </tr>
                <tr>
                    <td colspan="2" align="center"></td>
                </tr>
                <tr>
                    <td align="center" bgcolor="#CC7A8B">
                        <input name="Submit" type="submit" value="Login" style="height:30px;">
                    </td>
                    <td align="center" bgcolor="#CC7A8B">
                        <input name="reset" type="reset" value="Cancel" style="height:30px;">
                    </td>
                </tr>
            </tbody>
        </table>
    </font>
</form>
</center>
<?php include("footer.php");?>
</body>
</html>

```

Coding :- Checklogin.php

```
<?php
    include("con1.php");
    $username=$_POST['username'];
    $password=$_POST['password'];
    if($username==" " || $password==" ")
    {
        header("location:login.php");
    }
    else
    {
        $query="select * from login where username='$username' and password='$password'";
        $result=mysqli_query($con,$query);
        $res=mysqli_fetch_array($result);
        $count=mysqli_num_rows($result);
        if($count==0)
        {
            ?>
<script type="text/javascript">
    alert("In valid username or password");
    window.location.href="login.php";
</script>

<?php
        }
        else
        {
            session_start();
            $_SESSION['username']=$username;
        ?>
<script type="text/javascript">
    alert("login successfully");
    window.location.href="home.php"
</script>
<?php
        }
    }
?>
```



Loginmaster.php



© Samsung SmartPlaza, All Right Reserved.

Coding :- Loginmaster.php

```
<!DOCTYPE html>
<head>
    <title>Samsung SmartPlaza</title>
</head>
<body background="project_image/bg/d8.jpg" height="100px" width="300px">
    <table align="center">
        <tr>
            <td><ul>
                <br>
                <h1 class="f1"><font color="#000000" style="font-size:120px; text-
shadow:1px 1px 2px black,0 0 25px #DB7093,0 0 5px #CC7A8B;">Samsung SmartPlaza</font>
                </h1>
            </ul></td>
        </tr>
    </table>
    <a href="home.php"><h1><b> Home </b></h1></a>

    <script type="text/javascript">
$(function() {
    var Page = (function() {
        var $navArrows = $( '#nav-arrows' ),
            slitslider = $( '#slider' ).slitslider( {
                autoplay : true
            } ),
            init = function() {
                initEvents();
            },
            initEvents = function() {
                $navArrows.children( ':last' ).on( 'click', function() {
                    slitslider.next();
                });
            }
    })();
})();



```

```

        return false;
    });
    $navArrows.children( ':first' ).on( 'click', function() {
        slitslider.previous();
        return false;
    });
}
return { init : init };
})());
Page.init();
});
</script>

<?php
include("con1.php");
$query="SELECT * FROM `login` ";
$result=mysqli_query($con,$query);


echo"<table border='5' align='center' bgcolor='#CCCCCC' >
<h1 colspan='1' align='center'><font color='#CC7A8B' size='+5'><u> LOGIN MASTER
</u></font></h1>
<th><font color='#CC6666' size=+2><ul>Id</ul></th>
<th><font color='#CC6666' size=+2><ul>Username</ul></th>
<th><font color='#CC6666' size=+2><ul>Password</ul></th>
<th><font color='#CC6666' size=+2><ul>Edit</ul></th>
<th><font color='#CC6666' size=+2><ul>Delete</ul></th>";
while($row=mysqli_fetch_array($result))
{
    echo"<tr><td>";
    echo $row["id"];
    echo "</td><td>";
    echo $row["username"];
    echo "</td><td>";
    echo $row["password"];
    echo "</td><td><a href='loginedit.php? id=". $row[0] ."'><ul><img
src='project_image/edit_icon.png' /></ul></b></a></td>
<td><a href='logindelete.php?id=". $row[0] ."'><b><ul><img
src='project_image/deleteicon.png' /></img> </ul></b></a></td>";
}
echo"</tr>";
echo"<td colspan='10' align='center'><a href='logininsert.php?id=". $row[0] ."'><font
color='#CC7A8B' size=+3><b><ul> Insert New Admin </ul></font></a></td>";
echo"</table><br>";
?>

<?php include("footer.php"); ?>

        </font>
    </body>
</html>

```

Logininsert.php



Coding :- Logininsert.php

```
<!DOCTYPE html>

<head>
    <title>Samsung SmartPlaza</title>
</head>

    <script type="text/javascript">
function validateForm()
{
var a=document.forms["login"]["username"].value;
var b=document.forms["login"]["password"].value;

if ((a==null || a=="") && (b==null || b==""))

if (a==null || a=="")
{
    alert("username must be filled out");
    return false;
}
if (b==null || b=="")
{
alert("password must be filled out");
return false;
}

if(b.length<5)
{
    alert("password should be atleast 5 characters.");
    return false;
}
```

```

}

if(!(b.match(/^[a-z,0-9][\w-]*$/i)))
{
    alert("Password can not contain any special character or spaces except '_' or '-' . ");
}
}

</script>

<body background="project_image/bg/d8.jpg" height="100px" width="300px">
<table align="center">
<tr>
<td><ul>
<br>
<h1 class="f1"><font color="#000000" style=" font-size:100px;text-shadow: 1px 1px 2px black, 0 0 25px #DB7093, 0 0 5px #CC7A8B;">Samsung SmartPlaza</font></h1>
</ul></td>
</tr>
</table>

<script type="text/javascript">
$(function() {
    var Page = (function() {
        var $navArrows = $('#nav-arrows'),
            slitslider = $('#slider').slitslider( {
                autoplay : true
            }),
            init = function() {
                initEvents();
            },
            initEvents = function() {
                $navArrows.children( ':last' ).on( 'click', function() {
                    slitslider.next();
                    return false;
                });
                $navArrows.children( ':first' ).on( 'click', function() {
                    slitslider.previous();
                    return false;
                });
            };
        return { init : init };
    })();
    Page.init();
});
</script>
<br><br>
<br><br><br><br><br>
<h1 align="center"><font size="+6" color="#CC7A8B"><b><u> New Admin Login
</u></b></u></font></h1>

<form action="logininsertsave.php" method="post" name="login"
onSubmit="return validateForm()">

<table align="center" height="150" width="250">
<tr>
<td><font size="+3" color="#CCCCCC"><b> Username</b></font></td>
<td><input type="text" name="username" style="height: 20px;">
</td>
</tr>

<tr>
<td><font size="+3" color="#CCCCCC"><b> Password </b></font></td>
<td><input type="password" name="password" style="height: 20px;"></td>
</tr>

<tr>

```

```
<td align="center" bgcolor="#CC7A8B" colspan="+2" height="30" width="100"><input  
name="submit" type="submit" value="INSERT" style="height: 25px;" width="50"></td>  
</tr>  
</table>  
<br><br><br>  
<?php include("footer.php"); ?>  
</form>  
</body>  
</html>
```

Coding :- Logininsertsave.php

```
<html>
<body>
<?php
include("con1.php");
$username=$_POST['username'];
$password=$_POST['password'];
mysqli_query($con,"INSERT INTO `login` (`username`, `password`) VALUES
('{$username}', '{$password}')");
header("location:loginmaster.php");
?>
</body>
</html>
```

Loginedit.php



Coding :- Loginedit.php

```
<!DOCTYPE html>
<head>
    <title>Samsung SmartPlaza</title>
</head>

<script type="text/javascript">
function validateForm()
{
    var a=document.forms["login"]["username"].value;
    var b=document.forms["login"]["password"].value;

    if ((a==null || a=="") && (b==null || b==""))

        if (a==null || a=="")
        {
            alert("username must be filled out");
            return false;
        }
        if (b==null || b=="")
        {
            alert("password must be filled out");
            return false;
        }
        if(b.length<10)
        {
            alert("password should be atleast 10 characters.");
            return false;
        }
        if(!(b.match(/^[a-z,0-9][\w-]*$/i)))
        {
            alert("Password can not contain any special character or spaces except '_' or
'-' . ");
            return false;
        }
}
```

```

        }
    </script>

<body background="project_image/bg/d8.jpg" height="100px" width="300px">

    <table align="center">
        <tr>
            <td><ul>
                <br>
                <h1 class="f1"><font color="#000000" style=" font-size:100px; text-shadow: 1px 1px 2px black, 0 0 25px #DB7093, 0 0 5px #CC7A8B;">Samsung
SmartPlaza</font></h1>
                </ul></td>
            </tr>
        </table>
        <script type="text/javascript">
$(function() {
    var Page = (function() {
        var $navArrows = $( '#nav-arrows' ),
            slitslider = $( '#slider' ).slitslider( {
                autoplay : true
            } ),
            init = function() {
                initEvents();
            },
            initEvents = function() {
                $navArrows.children( ':last' ).on( 'click', function() {
                    slitslider.next();
                    return false;
                });
                $navArrows.children( ':first' ).on( 'click', function() {
                    slitslider.previous();
                    return false;
                });
            };
        return { init : init };
    })();
    Page.init();
});
</script>

<?php
    include("con1.php");
    $id=$_GET['id'];
    $query="select * from login where id=$id";
    $result=mysqli_query($con,$query);
    while($row=mysqli_fetch_array($result))
    {
?>
    <br>
    <br>
    <br><br>
    <form action="logineditsave.php" method="post" enctype="multipart/form-data"
        name="login" onSubmit="return validateForm()">
        <h1 align="center"><font size="+6" color="#CC7A8B"><b><u> Admin Login
</u></b></font></h1>
        <table align="center" height="200" width="300">
            <tr>
                <td><font size="+3" color="#CCCCCC"><b> Id </b> </td>
                <td><input type="text" name="id" value="<?php echo $row['0'];?>" style="height: 20px;"></td>
            </tr><br>
        </table>
    </form>
}

```

```
<tr>
    <td><font size="+3" color="#CCCCCC"><b> Username </b></font></td>
    <td><input type="text" name="username" value=<?php echo
$row[ '1' ] ;?>" style="height: 20px;"></td>
</tr>
<tr>
    <td><font size="+3" color="#CCCCCC"><b> Password </b></font></td>
    <td><input type="password" name="password" value=<?php echo
$row[ '2' ] ;?>" style="height: 20px;"></td>
</tr>

<tr>
    <td align="center" bgcolor="#CC7A8B" colspan="2"><input name="submit"
type="submit" value="UPDATE" style="height:30px;">
    </td>
</tr>
</table>
<br><br><br><br>
<?php include("footer.php"); ?>
</form>

<?php
}
?>

</body>
</html>
```

Coding :- Logineditsave.php


```
<html>
  <body>
    <?php
      include("con1.php");
      $id=$_POST['id'];
      $username=$_POST['username'];
      $password=$_POST['password'];
      $query="UPDATE `login` SET `username` = '$username', `password` = '$password' WHERE
`login`.`id` = $id";
      mysqli_query($con,$query);
      header("location:loginmaster.php");
    ?>
  </body>
</html>
```

Coding :- Logindelete.php

```
<?php include("session.php");?>
<?php
include("con1.php");
$id=$_GET['id'];
$query="delete from login where id=".$id;
$result=mysqli_query($con,$query);
if($result==NULL)
{?>
<script>
alert ("Record Not Deleted");
window.location="loginmaster.php";
</script>
<?php
}

else
{
    header("location:loginmaster.php");
}
?>
```

Home.php



Coding:- Home.php

```
<html>

<head>
    <title>Samsung SmartPlaza</title>
<style>
    /*#rcorners1 {
        border-radius: 15px / 50px;
        background: #CC7A8B;
        padding: 20px;
        width: 150px;
        height: 20px;
    }*/
</style>
</head>
<body background="project_image/bg/d8.jpg" height="100px" width="300px">
    <!---->
    <table align="center">
        <tr>
            <td><ul>
                <br>
                <h1 class="f1"><font color="#000000" style="font-size:120px; text-shadow:1px 1px 2px black,0 0 25px #DB7093,0 0 5px #CC7A8B;">Samsung SmartPlaza</font></h1>
            </ul></td>
        </tr>
        </table>

        <table align="Center" style='margin-top:180px'>
            <tr>
                <center></img></center>
                <td><ul>
                    <!--<h1><p id="rcorners1">-->
```

```

        <h1 style="border-radius:30px/50px;background:#CC9999;padding: 20px;width: 200px;height: 30px;">
            <a href="loginmaster.php">Login</a></p></h1>
        </ul></td>

        <td><ul>
            <!--<h1><p id="rcorners1">-->
            <h1 style="border-radius:50px/50px;background:#CC9999;padding: 20px;width: 200px;height: 30px;">
                <a href="registrationmaster.php">Registration</a></p></h1>
            </ul></td>

            <td><ul>
                <!--<h1><p id="rcorners1">-->
                <h1 style="border-radius:50px/50px;background:#CC9999;padding: 20px;width: 130px;height: 30px;">
                    <a href="itemmaster.php">Item</a></p></h1>
                </ul></td>

            <td><ul>
                <!--<h1><p id="rcorners1">-->
                <h1 style="border-radius:50px/50px;background:#CC9999;padding: 20px;width: 140px;height: 30px;">
                    <a href="purchasemaster.php">Purchase</a></p></h1>
                </ul></td>
            </tr>

            <tr>
                <td><ul>
                    <!--<h1><p id="rcorners1">-->
                    <h1 style="border-radius:50px/50px;background:#CC9999;padding: 20px;width: 200px;height: 30px;">
                        <a href="addtocartmaster.php">Add to cart</a></p></h1>
                    </ul></td>

                <td><ul>
                    <!--<h1><p id="rcorners1">-->
                    <h1 style="border-radius:50px/50px;background:#CC9999;padding: 20px;width: 150px;height: 30px;">
                        <a href="feedbackmaster.php">Feedback</a></p></h1>
                    </ul></td>

                <td><ul>
                    <!--<h1><p id="rcorners1">-->
                    <h1 style="border-radius:50px/50px;background:#CC9999;padding: 20px;width: 120px;height: 30px;">
                        <a href="login.php">Logout</a></p></h1>
                    </ul></td>
                </tr>
            </table>
            <?php include("footer.php");?>
        </body>
    </html>

```

Registrationmaster.php



Coding :- Registrationmaster.php

```
<!DOCTYPE html>
<head>
    <title>Samsung SmartPlaza</title>
</head>

<body background="project_image/bg/d8.jpg" height="100px" width="300px">

<table align="center">
<tr>
<td><ul>
<br>
<h1 class="f1"><font color="#000000" style=" font-size:100px; text-shadow: 1px 1px 2px black, 0 0 25px #DB7093, 0 0 5px #CC7A8B;">Samsung SmartPlaza</font></h1>
</ul></td>
</tr>
</table>

<a href="home.php"><h1><b>Home</b></h1></a>
<?php

include("con1.php");
$query="select * from registration";
$result=mysqli_query($con,$query);

echo"<table align='center' border='5'bgcolor='#CCCCCC' >
<h1 align='center'><font color='#CC7A8B' size='+5'><u> REGISTRATION MASTER </u></font></h1>
<th><font color='#CC6666' size='+2'><ul>Id</ul></font> </th>
<th><font color='#CC6666' size='+2'><ul>Name</ul></font></th>
<th><font color='#CC6666' size='+2'><ul>Address</ul></font></th>
```

```

<th><font color="#CC6666" size='+2'><ul>City</ul></font></th>
<th><font color="#CC6666" size='+2'><ul>Pincode</ul></font></th>
<th><font color="#CC6666" size='+2'><ul>State</ul></font></th>
<th><font color="#CC6666" size='+2'><ul>Country</ul></font></th>
<th><font color="#CC6666" size='+2'><ul>Username</ul></font></th>
<th><font color="#CC6666" size='+2'><ul>Password</ul></font></th>
<th><font color="#CC6666" size='+2'><ul>Gender</ul></font></th>
<th><font color="#CC6666" size='+2'><ul>Mobileno</ul></font></th>
<th><font color="#CC6666" size='+2'><ul>Email</ul></font></th>
<th><font color="#CC6666" size='+2'><ul>Birthdate</ul></font></th>
<th><font color="#CC6666" size='+2'><ul>Delete</ul></font></th>";
while($row=mysqli_fetch_array($result))
{
echo "<tr><td>";
echo $row[ "id" ];
echo "</td><td>";
echo $row[ "name" ];
echo "</td><td>";
echo $row[ "address" ];
echo "</td><td>";
echo $row[ "city" ];
echo "</td><td>";
echo $row[ "pincode" ];
echo "</td><td>";
echo $row[ "state" ];
echo "</td><td>";
echo $row[ "country" ];
echo "</td><td>";
echo $row[ "username" ];
echo "</td><td>";
echo $row[ "password" ];
echo "</td><td>";
echo $row[ "gender" ];
echo "</td><td>";
echo $row[ "mobileno" ];
echo "</td><td>";
echo $row[ "email" ];
echo "</td><td>";
echo $row[ "dob" ];
echo "</td><td>";


```



Coding :- Registrationdelete.php

```
<?php
include("con1.php");
$id=$_GET['id'];
$name=$_GET['nm'];
$address=$_GET['address'];
$city=$_GET['city'];
$pincode=$_GET['pincode'];
$state=$_GET['state'];
$country=$_GET['country'];
$username=$_GET['username'];
$password=$_GET['password'];
$gender=$_GET['gender'];
$mno=$_GET['mno'];
$email=$_GET['email'];
$dob=$_GET['dob'];
$query="DELETE FROM `registration` WHERE `registration`.`id` = '$id'";
mysqli_query($con,$query);
header("location:registrationmaster.php");
?>
```

Itemmaster.php

Samsung SmartPlaza							
ITEM MASTER							
Id	Itemname	Category	Price	Image	Edit	Delete	
3	Galaxy S23 Ultra	Smartphone	₹ 1,41,000				
4	Galaxy Z Fold 5	Smartphone	₹ 97,999				
5	Galaxy A05	Smartphone	₹ 50,000				
6	Galaxy S24 Ultra	Smartphone	₹ 80,699				
7	Galaxy Note 20 Ultra	Smartphone	₹ 49,699				
8	Galaxy A26 5G(White)	Smartphone	₹ 25,999				
10	Galaxy Z fold 6	Smartphone	₹1,06,099				
11	Galaxy S22 Ultra	Smartphone	₹ 56,299				
12	Samsung Galaxy 7 Watch	Smartwatch	₹19,999				
13	Samsung Galaxy Fit3 AMOLED Display	Smartwatch	₹ 2,999				
14	Galaxy Watch Ultra Samsung	Smartwatch	₹ 59,999				
15	Galaxy Watch Ultra (LTE, 4.7 cm)	Smartwatch	₹ 28,999				
16	Samsung Galaxy Watch8	Smartwatch	₹ 39,999				
17	SmartWatch-Golden	Smartwatch	₹3,299				
18	QLED TV	TV	₹ 49,990				
19	QLED QEFL 4K Samsung Vision AI Smart TV	TV	₹42,990				
20	Ultra HD QLED Smart TV 4K(43 inches)	TV	₹ 47,990				
21	FHD Smart LED TV(43 inchese)	TV	₹23,990				
22	Samsung 55 Inch 4K Ultra HD Smart QLED TV	TV	₹59,990				
23	Samsung Galaxy Z Flip6 5G	Smartphone	₹71,999				

24	Galaxy Book Flex 133 Intel	Laptop	₹70,814			
25	Samsung Galaxy Book4	Laptop	₹54,490			
26	Samsung 156 Galaxy Book3	Laptop	₹52,990			
27	Samsung Galaxy Book5 360	Laptop	₹1,04,990			
29	Samsung Galaxy Buds 2	Buds	₹6,990			
30	SAMSUNG Galaxy Buds3	Buds	₹8,999			
31	SAMSUNG Galaxy Buds3	Buds	₹6,999			
32	Samsung Galaxy Buds	Buds	₹6,999			
33	Samsung Galaxy Buds	Buds	₹2,999			
34	Samsung Galaxy Buds	Buds	₹2,399			
35	Samsung Galaxy Book2 15.6"	Laptop	₹54,990			
36	Galaxy Book2 Pro 360 15.6" Touch Screen	Laptop	₹1,17,990			
<u>Insert New Item</u>						

© Samsung SmartPlaza, All Right Reserved.

Coding :-itemmaster.php

```
<!DOCTYPE html><head>
    <title>Samsung SmartPlaza</title>
</head>

<body>
<style>
body {
    background-image:url('project_image/bg/d8.jpg');
    background-repeat:no-repeat;
    background-size:cover;
    background-attachment: scroll;
    margin: 0;
    padding: 0;
}
</style>
<table align="center" >
<tr>
    <td>
        <ul>
            <h1 class="f1"><font color="#000000" style=" font-size:100px;text-shadow: 1px 1px 2px black, 0 0 25px #DB7093, 0 0 5px #CC7A8B;">Samsung SmartPlaza</font></h1>
        </ul>
    </td>
</tr>
</table>
```

```

<?php
?>
</body>
</html></body>
</html>
<a href="home.php"><h1><b>Home</b></h1></a>
<?php
include("con1.php");
$query="select *from item";
$result=mysqli_query($con,$query);
echo "<table bgcolor='#CCCCCC' cellpadding='4' style = 'font-style:bold; color:black;font-size:20px;' class='tbl' align='center' cellspacing='2' border='5' ><tr class='th1'>
<h1 align='center'><font color='#CC7A8B' size='+5'><u> ITEM MASTER </u></font></h1>

<th><font color='#CC6666' size='+3'><ul>Id</ul></th>
<th><font color='#CC6666' size='+3'><b><ul>Itemname</ul></b></th>
<th><font color='#CC6666' size='+3'><b><ul>Category</ul></b></th>
<th><font color='#CC6666' size='+3'><b><ul>Price</ul></b></th>
<th><font color='#CC6666' size='+3'><b><ul>Image</ul></b></th>
<th><font color='#CC6666' size='+3'><b><ul>Edit</ul></b></th>
<th><font color='#CC6666' size='+3'><b><ul>Delete</ul></b></th>";
while($row=mysqli_fetch_array($result))
{
echo"<tr><td>";
echo $row[ "id"];
echo "</td><td>";
echo $row[ "itemname"];
echo "</td><td>";
echo $row[ "category"];
echo "</td><td>";
echo $row[ "price"];
echo "</td><td>";
echo "<img src='project_image/$row[4]' height=60 width=60 style='margin-left:5px'>";
echo "</td><td><a href='itemedit.php? id=".$row[0]."'><ul><img
src='project_image/edit_icon.png'/'></ul></a></td>

<td><a href='itemdelete.php?id=".$row[0]."'><ul><img
src='project_image/deleteicon.png'/'></ul></a></td>";
}


echo"</tr>";
echo"<br>";
echo"<td colspan='10' align='center'><a href='iteminsert.php?id=".$row[0]."'><h1><font
color='#CC7A8B'><ul> Insert New Item </ul></font></h1></a></td>";

echo"</table>";
?>

<?php include("footer.php"); ?>

```

Iteminsert.php



Coding :- iteminsert.php

```
<!DOCTYPE html>
<head>
    <title>Samsung SmartPlaza</title>
</head>

    <script type="text/javascript">
function validateForm()
{
var a=document.forms["itm"]["itemname"].value;
var b=document.forms["itm"]["category"].value;
var c=document.forms["itm"]["price"].value;
var d=document.forms["itm"]["im"].value;

if ((a==null || a=="") && (b==null || b=="") && (c==null || c=="") && (d==null || d==""))

{
alert("All Field must be filled out");
return false;
}
if (a==null || a=="")
{
alert("itemname must be filled out");
return false;
}
if (b==null || b=="")
{
alert("category must be filled out");
return false;
}
if (c==null || c=="")
{
alert("price must be filled out");
return false;
}

if (d==null || d=="")
{
```

```

alert("image must be filled out");
return false;
}
}

</script>

<body background="project_image/bg/d8.jpg" height="100px" width="300px">

<table align="center">
<tr>
<td><ul>
<br>
<h1 class="f1"><font color="#000000" style=" font-size:100px; text-shadow: 1px 1px 2px black, 0 0 25px #DB7093, 0 0 5px #CC7A8B;">Samsung SmartPlaza</font></h1>
</ul></td>

</tr>
</table>
<script type="text/javascript">
$(function() {
    var Page = (function() {
        var $navArrows = $( '#nav-arrows' ),
            slitslider = $( '#slider' ).slitslider( {
                autoplay : true
            } ),
            init = function() {
                initEvents();
            },
            initEvents = function() {
                $navArrows.children( ':last' ).on( 'click', function() {
                    slitslider.next();
                    return false;
                });
                $navArrows.children( ':first' ).on( 'click', function() {
                    slitslider.previous();
                    return false;
                });
            };
        return { init : init };
    })();
    Page.init();
});
</script>

<br><br>
<h1 align='center'><font color='#CC7A8B' size='+5'><u> ITEM </u></font></h1>

<form action="iteminsertsave.php" method="post" enctype="multipart/form-data" name="itm" onSubmit="return validateForm()">
<table align="center" >

<tr>
<td><font color="#CCCCCC" size='+3'> Itemname </font></td>
<td><input type="text" name="itemname" style="height: 20px;"></td>
</tr>

```

```

<tr>
<td><font color="#CCCCCC" size='+3'> Category </font></td>
<td><select name="category" style="height: 25px;">
    <option>--SELECT--</option>
    <option>Smartphone</option>
    <option>Smartwatch</option>
    <option>Laptop</option>
    <option>Buds</option>
    <option>TV</option>
    <option>Fridge</option>
    <option>Washing Machine</option>
    <option>Micro Wave</option>
    <option>Camera</option>
    <option>Speaker</option>
    <option>Tablet</option>
    <option>Others</option>
</select> </td>
</tr>

<tr>
<td><font color="#CCCCCC" size='+3'> Price </font></td>
<td><input type="text" name="price" style="height: 20px;"></td>
</tr>
<tr>
<td><font color="#CCCCCC" size='+3'> Image </font></td>
<td><input type="file" name="im" style=""></td>
</tr>
<tr>
<td align="center" bgcolor="#CC7A8B">
    <input name="submit" type="submit" value="insert" style="height: 30px; width:100px;">
</td>
<td align="center" bgcolor="#CC7A8B">
    <input name="reset" type="reset" value="Cancel" style="height:30px;">
</td>
</tr>
</table>
</form>
<br><br><br><br><br><br><br>


<?php include("footer.php"); ?>
</body>
</html>

```

Coding :- iteminsertsave.php

```
<?php
include("con1.php");
$itemname=$_POST['itemname'];
$category=$_POST['category'];
$price=$_POST['price'];
$image=$_FILES['im']['name'];
move_uploaded_file($_FILES['im']['tmp_name'],"img/".$image);
mysqli_query($con,"INSERT INTO item(`itemname`,`category`, `price`, `image`)
VALUES ('$itemname','$category','$price', '$image')");
header("location:itemmaster.php");
?>
```

Itemedit.php



Coding :- itemedit.php

```
<html>
<head>
    <title>Samsung SmartPlaza</title>
</head>
    <script type="text/javascript">
function validateForm()
{
var a=document.forms["itm"]["itemname"].value;
var b=document.forms["itm"]["category"].value;
var c=document.forms["itm"]["price"].value;
var d=document.forms["itm"]["im"].value;

if ((a==null || a=="") && (b==null || b=="") && (c==null || c=="") && (d==null || d==""))

{
alert("All Field must be filled out");
return false;
}
if (a==null || a=="")
{
alert("itemname must be filled out");
return false;
}
if (b==null || b=="")
{
alert("category must be filled out");
return false;
}
if (c==null || c=="")
{
alert("price must be filled out");
return false;
}
if (d==null || d=="")
{
```

```

    alert("image must be filled out");
    return false;
}
}
</script>

<body background="project_image/bg/d8.jpg" height="100px" width="300px">
<table align="center">
<tr>
<td><ul>
<br>
<h1 class="f1"><font color="#000000" style=" font-size:100px;
  text-shadow: 1px 1px 2px black, 0 0 25px #DB7093, 0 0 5px #CC7A8B;">Samsung
SmartPlaza</font></h1>
</ul></td>
</tr>
</table>
<script type="text/javascript">
$(function() {
    var Page = (function() {
        var $navArrows = $( '#nav-arrows' ),
            slitslider = $( '#slider' ).slitslider( {
                autoplay : true
            } ),
            init = function() {
                initEvents();
            },
            initEvents = function() {
                $navArrows.children( ':last' ).on( 'click', function() {
                    slitslider.next();
                    return false;
                });
                $navArrows.children( ':first' ).on( 'click', function() {
                    slitslider.previous();
                    return false;
                });
            };
            return { init : init };
        })();
        Page.init();
    });
    </script>

```

```

<?php
include("con1.php");
$id=$_GET['id'];
$query="select * from item where id=$id";
$result=mysqli_query($con,$query);
while($row=mysqli_fetch_array($result))
{
?>
<br><br><br>
<form action="itemeditsave.php" method="post" enctype="multipart/form-data">

<h1 align="center"><font color='#CC7A8B' size='+5'><u> ITEMS EDIT </u></font></h1>
<table align="center" height="300" width="400" >
<tr>
<td><font color='#CCCCCC' size='+3'> Id </font></td>
<td><input type="text" name="id" value=<?php echo $row['0'];?>" style="height:25px;"></td>
</tr>
<tr>
<td><font color='#CCCCCC' size='+3'> Itemname </font></td>

```

```

<td><input type="text" name="itemname" value=<?php echo
$row['1'];?>"style="height:25px;"></td>
</tr>

<tr>
<td> <font color="#CCCCCC" size='+3'> Category</td>
<td><select name="category" value=<?php echo $row['2'];?>"style="height:25px;">
    <option>-SELECT--</option>
    <option>Smartphone</option>
    <option>Smartwatch</option>
    <option>Laptop</option>
    <option>Buds</option>
    <option>TV</option>
    <option>Fridge</option>
    <option>Washing Machine</option>
    <option>Micro Wave</option>
    <option>Camera</option>
    <option>Speaker</option>
    <option>Tablet</option>
    <option>Others</option>
</select>
</td>
</tr>

<tr>
<td><font color="#CCCCCC" size='+3'> Price </font></td>
<td><input type="text" name="price" value=<?php echo
$row['3'];?>"style="height:25px;"></td>
</tr>
<tr>
<td><font color="#CCCCCC" size='+3'> Image </font></td>
<td><input type="file" name="im" value=<?php echo $row['4'];?>"style="height:25px;"></td>
</tr>
<tr>
<td align="center" bgcolor="#CC7A8B">
    <input name="submit" type="submit" value="update" style="height:30px;">
</td>
<td align="center" bgcolor="#CC7A8B">
    <input name="reset" type="reset" value="Cancel" style="height:30px;">
</td>
</tr>
</table>
<br><br></center>

</form>
<br><br><br><br><br><br><br><br><br>
<?php
}
?>

<?php include("footer.php"); ?>
</body>
</html>

```


Coding :-itemeditsave.php

```
<?php
    include("con1.php");
    $id=$_POST['id'];
    $itemname=$_POST['itemname'];
    $category=$_POST['category'];
    $size=$_POST['size'];
    $price=$_POST['price'];
    $image=$_FILES['im']['name'];
    move_uploaded_file($_FILES['image']['tmp_name'],"img/".$image);
    $query="UPDATE `item` SET `Itemname` = '$itemname', `Category` = '$category', `price` =
'$price', `image` = '$image'
    WHERE `item`.`id` = $id";
    mysqli_query($con,$query);
    header("location:itemmaster.php");
    if($result==NULL)
    {
?
<script>
    alert("Record Not Updated");
    window location="itemmaster.php";
</script>
<?php
    }
    else
    {
        header("location:itemmaster.php");
    }
?
>
```

Coding :- itemdelete.php

```
<?php
include("con1.php");
$id=$_GET['id'];
$query="DELETE FROM `item` WHERE `item`.`id` = $id";
mysqli_query($con,$query);
header("location:itemmaster.php");
?>
```

Feedbackmaster.php



Coding :- Feedbackmaster.php

```
<!DOCTYPE html>
<head>
    <title>Samsung SmartPlaza</title>
</head>

<body background="project_image/bg/d8.jpg" height="100px" width="300px">
<table align="center">
<tr>
<td><ul>
<br>
<h1 class="f1"><font color="#000000" style=" font-size:100px; text-shadow: 1px 1px 2px black, 0 0 25px #DB7093, 0 0 5px #CC7A8B;">Samsung SmartPlaza</font></h1>
</ul></td>
</tr>
</table>
    <a href="home.php"><h1><b>Home</b></h1></a>
<?php
include("con1.php");
$query="select * from feedback";
$result=mysqli_query($con,$query);

echo"<table border='5' align='center'bgcolor='#CCCCCC'>
<h1 align='center'><font color='#CC7A8B' size='+5'><u> FEEDBACK MASTER </u></font></h1>
<th><font color='#CC6666' size='+2'><ul> Id </ul></th>
<th><font color='#CC6666' size='+2'><ul> Name </ul></th>
<th><font color='#CC6666' size='+2'><ul> City </ul></th>
<th><font color='#CC6666' size='+2'><ul> Mo.no </ul></th>
<th><font color='#CC6666' size='+2'><ul> Email </ul></th>
<th><font color='#CC6666' size='+2'><ul> Feedback </ul></th>
<th><font color='#CC6666' size='+2'><ul> Delete </ul></th>";
while($row=mysqli_fetch_array($result))
{
echo"<tr><td>";
```

```
echo $row[ "id" ];
echo "</td><td>";
echo $row[ "name" ];
echo "</td><td>";
echo $row[ "city" ];
echo "</td><td>";
echo $row[ "mobilenumber" ];
echo "</td><td>";
echo $row[ "email" ];
echo "</td><td>";
echo $row[ "feedback" ];
echo"</td>
<td><a href='feedbackdelete.php? id=". $row[0] ."'><ul> <img
src='project_image/deleteicon.png' /></ul></a></td>";
}
echo"</tr></table>";
?>

<?php include("footer.php"); ?>

</body>
</html>
```

Coding :- Feedbackdelete.php

```
<?php
include("con1.php");
$id=$_GET['id'];
$query="DELETE FROM `feedback` WHERE `feedback`.`id` = $id";
mysqli_query($con,$query);
header("location:feedbackmaster.php");
?>
```

Purchasemaster.php

The screenshot shows a web page titled "Samsung SmartPlaza" with a dark background. At the top left is a "Home" link. Below it is a section titled "PURCHASE MASTER" containing a table with the following data:

ID	Name	Address	City	Item Name	Total	Payment	pur_date	Delete
34	Hetal Hajani	Bhanvad ,Dwarka	Dwarka	Ultra HD QLED Smart TV 4K(43 inches)	47990	47990	2025-09-03	
36	Urvi	arupak apartment,	Ahmedabad	SAMSUNG Galaxy Buds3	6999	6999	2025-09-03	
37	khushi	Rajkot	Rajkot	QLED TV	49990	49990	2025-09-02	
40	Urvi	arupak apartment,	Ahmedabad	SAMSUNG Galaxy Buds3	8999	8999	2025-09-12	

At the bottom of the page, there is a copyright notice: "© Samsung SmartPlaza, All Right Reserved."

Coding :- Purchasemaster.php

```
<!DOCTYPE html>
<head>
    <title>Samsung SmartPlaza</title>
</head>

<body background="project_image/bg/d8.jpg" height="100px" width="300px">



|                                                                                                                                                                                                                                                             |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li> <h1 class="f1">&lt;font color="#000000" style=" font-size:100px; text-shadow: 1px 1px 2px black, 0 0 25px #DB7093, 0 0 5px #CC7A8B;"&gt;Samsung SmartPlaza&lt;/font&gt;&lt;/h1&gt;                 </h1></li> </ul> |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|


<a href="home.php"><h1><b>Home</b></h1></a>
<?php
    include("con1.php");
    $query="select * from purchase";
    $result=mysqli_query($con,$query);
    echo"<table align='center' border='5' bgcolor='#CCCCCC'>
        <h1 align='center'><font color='#CC7A8B' size='+5'><u> PURCHASE MASTER </u></font></h1>
        <th><font color='#CC6666' size='+2'><u>Id</u></font></th>
        <th><font color='#CC6666' size='+2'><u>Name</u></font></th>
        <th><font color='#CC6666' size='+2'><u>Address</u></font></th>
        <th><font color='#CC6666' size='+2'><u>City</u></font></th>
        <th><font color='#CC6666' size='+2'><u>Item Name</u></font></th>
        <th><font color='#CC6666' size='+2'><u>Total</u></font></th>
        <th><font color='#CC6666' size='+2'><u>Payment</u></font></th>
        <th><font color='#CC6666' size='+2'><u>pur_date</u></font></th>
    </table>
    "
```


```
<th><font color='#CC6666' size='+2'><ul>Delete</ul></th>";
while($row=mysqli_fetch_array($result))
{
    echo "<tr><td>";
    echo $row["id"];
    echo "</td><td>";
    echo $row["name"];
    echo "</td><td>";
    echo $row["address"];
    echo "</td><td>";
    echo $row["city"];
    echo "</td><td>";
    echo $row["itemname"];
    echo "</td><td>";
    echo $row["total"];
    echo "</td><td>";
    echo $row["payment"];
    echo "</td><td>";
    echo $row["pur_date"];
    echo "</td><td><a href='purchasedelete.php?id='".$row[0]."'><ul><img
src='project_image/deleteicon.png'></img> </ul></a></td>";
}
echo"</tr></table>";
?>
<?php include("footer.php"); ?>
</font>
</body>
</html>
```

Coding:Purchasedelete.php

```
<?php
    include("con1.php");
    $id=$_GET['id'];
    $name=$_GET['nm'];
    $address=$_GET['address'];
    $city=$_GET['city'];
    $itemname=$_GET['itemname'];
    $total=$_GET['total'];
    $payment=$_GET['payment'];
    $pur_date=$_GET['pur_date'];

    $query="DELETE FROM `purchase` WHERE `purchase`.`id` = '$id'";
    mysqli_query($con,$query);
    header("location:purchasemaster.php");
?>
```

Addtocartmaster.php



Coding: Addtocartmaster.php

```
<!DOCTYPE html>
<head>
    <title>Samsung SmartPlaza</title>
</head>

<body background="project_image/bg/d8.jpg" height="100px" width="300px">
<table align="center">
    <tr>
        <td><ul>
            <br>
            <h1 class="f1"><font color="#000000" style=" font-size:100px; text-shadow: 1px 1px 2px black, 0 0 25px #DB7093, 0 0 5px #CC7A8B;">Samsung SmartPlaza</font></h1>
            </ul></td>
    </tr>
</table>
<a href="home.php"><h1><b>Home</b></h1></a>
<?php
    include("con1.php");
    $query="select * from addtocart";
    $result=mysqli_query($con,$query);
    echo"<table align='center' border='5'bgcolor='#CCCCCC' >
        <h1 align='center'><font color='#CC7A8B' size='+5'><u> ADD TO CART MASTER </u></font></h1>
        <th><font color='#CC6666' size='+2'><ul>Id</ul></font> </th>
        <th><font color='#CC6666' size='+2'><ul>Itemname</ul></font></th>
        <th><font color='#CC6666' size='+2'><ul>Price</ul></font></th>
        <th><font color='#CC6666' size='+2'><ul>Quantity</ul></font></th>
        <th><font color='#CC6666' size='+2'><ul>Total</ul></font></th>
        <th><font color='#CC6666' size='+2'><ul>Image</ul></font></th>
        <th><font color='#CC6666' size='+2'><ul>Username</ul></font></th>
        <th><font color='#CC6666' size='+2'><ul>Cart_Date</ul></font></th>
        <th><font color='#CC6666' size='+2'><ul>Delete</ul></font></th>";
    while($row=mysqli_fetch_array($result))
    {
```

```
echo"<tr><td>";
echo $row["id"];
echo "</td><td>";
echo $row["itemname"];
echo "</td><td>";
echo $row["price"];
echo "</td><td>";
echo $row["quantity"];
echo "</td><td>";
echo $row["total"];
echo "</td><td>";
echo $row["image"];
echo "</td><td>";
echo $row["username"];
echo "</td><td>";
echo $row["cart_date"];
echo "</td><td><a href='addtocartdelete.php?id=". $row[0] ."'><ul><img
src='project_image/deleteicon.png' /></ul></a></td>";
}
echo"</tr></table>";
?>
<?php include("footer.php"); ?>

</font>
</body>
</html>
```

Coding: Addtocartdelete.php

```
<?php
    include("con1.php");
    $id=$_GET['id'];
    $itemname=$_GET['itemnm'];
    $price=$_GET['price'];
    $quantity=$_GET['quantity'];
    $total=$_GET['total'];
    $image=$_GET['image'];
    $username=$_GET['username'];
    $cart_date=$_GET['cart_date'];
    $delete=$_GET['delete'];

    $query="DELETE FROM `addtocart` WHERE `addtocart`.`id` = '$id'";
    mysqli_query($con,$query);
    header("location:addtocartmaster.php");
?>
```

Coding:footer.php

```
<html>
<br><br><br>
<font size="+3" color="#CCCCCC">
<div>
    <marquee behavior="alternate" height="+10" width="1700">
        &copy; Samsung SmartPlaza, All Right Reserved.
    </marquee>
</div>
</html>
```

Coding :- Logout.php


```
<?php
    session_start();
    if(!isset($_SESSION['username']))
    {
?>
<script type="text/javascript"
        window.location.href="login.php";
</script>
<?php
    }
    else
    {
        session_destroy();
?>
<script type="text/javascript">
        window.location.href="login.php"
</script>
<?php
    }
?>
```

CLIENT SIDE

Con1.php

```
<?php  
    $con=mysqli_connect("localhost","root","");
    mysqli_select_db($con,"samsung_smartplaza");
?>
```

Home.php



NEW ARRIVAL ITEMS

[SHOP ALL](#)

GALAXY BUDS 2 PRO
₹ 15,990



GALAXY BOOK 5 PRO
₹ 131,990



28L MICROWAVE
₹ 17,990



GALAXY FIT3 SMARTWATCH
₹ 2,999

CUSTOMER'S REVIEWS

"Lorem ipsum dolor sit amet
consectetur adipiscing elit. Voluptate
non explico ea possimus
consequuntur vel."

JOHN DOE

"Lorem ipsum dolor sit amet
consectetur adipiscing elit. Voluptate
non explico ea possimus
consequuntur vel."

WILLIAM JACK

"Lorem ipsum dolor sit amet
consectetur adipiscing elit. Voluptate
non explico ea possimus
consequuntur vel."

NICHOLAS SHRESTHA

• • •



BEST-SELLING ITEMS

[SHOP ALL](#)

SAMSUNG LEVEL BOX BLUETOOTH
SPEAKER
₹ 4,485



NX 300 CAMERA
₹ 72,999



SAMSUNG GALAXY RING
₹ 36,999



SAMSUNG ALL-IN-ONE PRO PC
₹ 35,999

NEWS ARTICLES

[READ ALL](#)



BEST ELECTRIC PRODUCT
TO BUY THIS SEASON.



HOW TO FOLLOW THE TREND
IN BUDGET LIST.



UNIQUE GADGET TO
OWN BY TECH COLLECTORS.

SUBSCRIBE US

Write your email address here...

[SUBSCRIBE](#)

SAMSUNG SmartPlaza

Address:
No 88, Star Icon, Bus Stand, 7 & 8,
Naroda, opposite Hanspura,
Ahmedabad, Gujarat 382330

Phone:
9989989880

Email:
your@email.com

Website:
yoursite.com

© SAMSUNG SMARTPLAZA, ALL RIGHTS RESERVED.

PHOTO GALLERY

Coding :- Home.php

```
<!DOCTYPE html>
<html lang="en">

<head>
    <title>Samsung SmartPlaza</title>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="format-detection" content="telephone=no">
    <meta name="apple-mobile-web-app-capable" content="yes">
    <meta name="author" content="templatesjungle">
    <meta name="keywords" content="electronics gadget">
    <meta name="description" content="electronics gadget website template">

    <!--Bootstrap ==>
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hw+ALEwIH" crossorigin="anonymous">

    <!--Link Swiper's CSS ==>
```

```
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/swiper@9/swiper-bundle.min.css" />

<!-- Style Sheet ===== -->
<link rel="stylesheet" href="styles.css">

<!-- Google Fonts ===== -->
<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link href="https://fonts.googleapis.com/css2?family=Merriweather:ital,wght@0,300;0,400;0,700;0,900;1,300;1,400;1,700;1,900&family=Work+Sans:ital,wght@0,100..900;1,100..900&display=swap" rel="stylesheet">
<style>

.product-list {
  display: flex;
  flex-wrap: wrap;
  gap: 20px;
  padding: 20px;
  justify-content: center;
}

.product-item {
  width: 300;
  border: 1px solid #ccc;
  border-radius: 8px;
  padding: 20px;
  box-shadow: 0 4px 8px rgba(0,0,0,0.05);
  transition: transform 0.2s ease, box-shadow 0.2s ease;
  background-color: #fff;
  text-align:left;
}

.product-item:hover {
  transform: translateY(-5px);
  box-shadow: 0 16px 32px rgba(0,0,0,0.1);
}

.product-item img {
  width: 150;
  height: 300;
  border-radius: 20px;
}

.product-item h2 {
  font-size: 18px;
  margin: 12px 0 8px;
  color: #333;
}

.product-item .description {
  font-size: 14px;
  color: #666;
  margin-bottom: 12px;
}

.product-item .price {
  font-size: 16px;
  font-weight: bold;
  color: #27ae60;
  display: black;
  margin-bottom: 20px;
}

.product-item button {
```

```

padding: 10px 16px;
background-color: #3498db;
color: black;
border: none;
border-radius: 4px;
cursor: pointer;
}

.product-item button:hover {
  background-color: #2980b9;
}

```

</style>

</head>

<?php include 'header.php';?>

<body>

<main id="billboard">

<div id="carouselExampleIndicators" class="carousel slide" data-bs-ride="carousel">

<div class="carousel-indicators">

<button type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide-to="0" class="active" aria-current="true" aria-label="Slide 1"></button>

<button type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide-to="1" aria-label="Slide 2"></button>

<button type="button" data-bs-target="#carouselExampleIndicators" data-bs-slide-to="2" aria-label="Slide 3"></button>

</div>

<div class="carousel-inner" style="height: 100vh;">

<div class="carousel-item active" style="background: url('project_image/samsung_store.jpg'); background-size: cover; background-repeat: no-repeat; background-position: center; height: 100vh;">

<div class="container">

<div class="offset-2 position-absolute top-50 start-0 translate-middle-y">

<p class="fs-2 text-white">up to 30% off</p>

<!--<h2 class="display-1 text-gray fw-medium mt-3">Experience the power
of smarter world</h2>-->

SHOP COLLECTION

</div>

</div>

</div>

<div class="carousel-item" style="background: url('project_image/samsung_phone.webp'); background-size: cover; background-repeat: no-repeat; background-position: center; height: 100vh;">

<div class="container">

<div class="offset-2 position-absolute top-50 start-0 translate-middle-y">

<p class="fs-2 text-white">New Arrivals</p>

<h2 class="display-1 text-white fw-medium mt-3">
</h2>

EXPLORE NOW

</div>

</div>

</div>

<div class="carousel-item" style="background: url('project_image/all.jpg'); background-size: cover; background-repeat: no-repeat; background-position: center; height: 100vh;">

<div class="container">

<div class="offset-2 position-absolute top-50 start-0 translate-middle-y">

```

        <p class="fs-2 text-white">Limited Time Offer</p>
        <h2 class="display-1 text-white fw-medium mt-3">Find the Perfect
<br>product for You</h2>
            <a href="shop.php" class="btn btn-outline-light mt-3">SHOP ALL</a>
        </div>
    </div>
</div>

<button class="carousel-control-prev" type="button" data-bs-
target="#carouselExampleIndicators" data-bs-slide="prev">
    <span class="carousel-control-prev-icon" aria-hidden="true"></span>
    <span class="visually-hidden">Previous</span>
</button>
<button class="carousel-control-next" type="button" data-bs-
target="#carouselExampleIndicators" data-bs-slide="next">
    <span class="carousel-control-next-icon" aria-hidden="true"></span>
    <span class="visually-hidden">Next</span>
</button>

</div>
</main>

<section id="collection">
    <div class="container-fluid">
        <div class="row mt-4">
            <div class="col-lg-6 ps-lg-0">
                <div class="position-relative img-fluid"
                    style="background: url(project_image/lap.jpg);background-size:
cover; background-repeat: no-repeat; background-position: center; height: 70vh; width:
100vh">
                    <div class="text position-absolute text-center m-auto w-100 top-50
bg-black bg-opacity-10 py-5">
                        <h3 class="display-4 fw-medium text-white mb-3">Deal Of the
day</h3>
                        <p class="fs-3 text-white">Up to 45% off on laptops</p>
                        <div>
                            <a href="laptop.php" class="btn btn-light mt-3">SHOP Now
</a>
                        </div>
                    </div>
                </div>
                <div class="col-lg-6 pe-lg-0">
                    <div class="position-relative img-fluid"
                        style="background: url(project_image/tv1.jpg);background-size:
cover; background-repeat: no-repeat; background-position: center; height: 70vh; width:
100vh">
                        <div class="text position-absolute text-center m-auto w-100 top-50
bg-black bg-opacity-10 py-5">
                            <h3 class="display-4 fw-medium text-white mb-3">The Best
Selling</h3>
                            <p class="fs-3 text-white">Starting price from &#8377
1,64,800</p>
                            <div>
                                <a href="tv.php" class="btn btn-light mt-3">SHOP Now </a>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</section>

<section id="new-arrivals" class="position-relative padding-medium">

```

```


### NEW ARRIVAL ITEMS



SHOP ALL



!\[new1\]\(project\_image/Galaxy S24 Ultra.jpg\)

<u>add to cart



##### Galaxy S24 Ultra



##### &#8377 1,00,990



!\[new1\]\(project\_image/4door1.jpg\)

##### 4Door Fridge



##### &#8377 99,990



!\[new1\]\(project\_image/headphone.jpg\)

##### Galaxy Headphone



##### &#8377 2,999


```

```

        <div class="product-item position-relative">
            <a href="other.php" class="item-name">
                </a>
                    <div class="mt-2">
                        <h5>Washing Machine</h5>
                        <h5 class="money fw-bold ">₹ 69,999</h5>
                    </div>
            </div>
        </div>

        <div class="swiper-slide">
            <div class="product-item position-relative">
                <a href="buds.php" class="item-name">
                    </a>
                    <div class="mt-2">
                        <h5>Galaxy Buds 2 Pro</h5>
                        <h5 class="money fw-bold ">₹ 15,990</h5>
                    </div>
            </div>
        </div>

        <div class="swiper-slide">
            <div class="product-item position-relative">
                <a href="laptop.php" class="item-name">
                    </a>
                    <div class="mt-2">
                        <h5>Galaxy Book 5 Pro</h5>
                        <h5 class="money fw-bold ">₹ 1,31,990</h5>
                    </div>
            </div>
        </div>

        <div class="swiper-slide">
            <div class="product-item position-relative">
                <a href="other.php" class="item-name">
                    </a>
                    <div class="mt-2">
                        <h5>28L Microwave</h5>
                        <h5 class="money fw-bold ">₹ 17,990</h5>
                    </div>
            </div>
        </div>

        <div class="swiper-slide">
            <div class="product-item position-relative">
                <a href="smartwatch.php" class="item-name">
                    </a>
                    <div class="mt-2">
                        <h5>Galaxy Fit3 SmartWatch</h5>
                        <h5 class="money fw-bold ">₹ 2,999</h5>
                    </div>
            </div>
        </div>
    </div></div>
    <div class="swiper-pagination new-arrival-pagination position-relative d-block d-lg-none mt-4"></div>

```

```

        </div>
    </div>
</section>

<section id="review">
    <h3 class="display-1 mb-5 text-muted opacity-25 fw-medium secondary-font text-center">CUSTOMER'S REVIEWS</h3>

    <div class="container">
        <div class="swiper testimonial-Swiper text-center">
            <div class="swiper-wrapper">
                <div class="swiper-slide">
                    <p class="review fw-light fs-5 lh-base">"Lorem ipsum dolor sit amet
consectetur adipisicing
                    elit. Voluptate non
                    explicabo ea possimus consequuntur vel."</p>
                    <span class="fw-bold d-block mt-3">JOHN DOE</span>
                </div>
                <div class="swiper-slide">
                    <p class="review fw-light fs-5 lh-base">"Lorem ipsum dolor sit amet
consectetur adipisicing
                    elit. Voluptate non
                    explicabo ea possimus consequuntur vel."</p>
                    <span class="fw-bold d-block mt-3">WILLIAM JACK</span>
                </div>
                <div class="swiper-slide">
                    <p class="review fw-light fs-5 lh-base">"Lorem ipsum dolor sit amet
consectetur adipisicing
                    elit. Voluptate non
                    explicabo ea possimus consequuntur vel."</p>
                    <span class="fw-bold d-block mt-3">NICHOLAS SHRESTHA</span>
                </div>
                <div class="swiper-slide">
                    <p class="review fw-light fs-5 lh-base">"Lorem ipsum dolor sit amet
consectetur adipisicing
                    elit. Voluptate non
                    explicabo ea possimus consequuntur vel."</p>
                    <span class="fw-bold d-block mt-3">WILLIAM JACK</span>
                </div>
                <div class="swiper-slide">
                    <p class="review fw-light fs-5 lh-base">"Lorem ipsum dolor sit amet
consectetur adipisicing
                    elit. Voluptate non
                    explicabo ea possimus consequuntur vel."</p>
                    <span class="fw-bold d-block mt-3">NICHOLAS SHRESTHA</span>
                </div>
            </div>
            <div class="swiper-pagination testimonial-pagination position-relative mt-5"></div>
        </div>
    </div>
</section>

<section id="video-modish" class="padding-medium">
    <div class="imageblock position-relative d-flex justify-content-center">
        
        <a type="button" data-bs-toggle="modal" data-src="project_image\v1.webm" data-bs-target="#myModal" class="play-btn position-absolute top-50 start-50 translate-middle">
            <div class="play border border-2 border-white p-4 p-md-5 rounded-circle">
                <svg class="play-icon text-white" width="60" height="60">
                    <use xlink:href="#play"></use>
                </svg>
            </div>
        </a>
    </div>

```

```

        </section>

<section id="best-selling" class="position-relative ">
    <div class="container-fluid">
        <div class="d-block d-md-flex justify-content-between align-items-center mb-4">
            <h3 class="display-5 fw-medium ">Best-Selling ITEMS</h3>
            <div><a href="#" class="btn btn-dark">SHOP ALL</a></div>
        </div>
        <div class="swiper mySwiper">
            <div class="swiper-wrapper">
                <div class="swiper-slide">
                    <div class="product-item position-relative">
                        <a href="smartphone.php" class="item-name">
                            </a>
                            <div class="cart-concern">
                                <div class="cart-button d-flex justify-content-between align-items-center text-capitalize fs-6">
                                    <a href="addtocart.php" class="btn-wrap d-flex align-items-center text-capitalize fs-6">
                                        <font color="#1974D2" size='+2'><u>add to cart</u></font> </a>
                                    <a href="single-product.html" class="view-btn">
                                        <svg class="expand" width="16" height="16">
                                            <use xlink:href="#expand"></use>
                                        </svg>
                                    </a>
                                    <a href="smartphone.php" class="wishlist-btn">
                                        <svg class="wishlist" width="20" height="20">
                                            <use xlink:href="#wishlist"></use>
                                        </svg>
                                    </a>
                                </div>
                            </div>
                            <div class="mt-2"><br><br><br>
                                <h5>Galaxy S25 Ultra Smartphone</h5>
                                <h5 class="money fw-bold">₹8377 1,41,999</h5>
                            </div>
                        </div>
                    </div>
                <div class="swiper-slide">
                    <div class="product-item position-relative">
                        <a href="laptop.php" class="item-name">
                            </a>
                            <div class="mt-2">
                                <h5>Galaxy Book4 Pro Laptop</h5>
                                <h5 class="money fw-bold">₹8377 48,990</h5>
                            </div>
                        </div>
                    </div>
                </div>
                <div class="swiper-slide">
                    <div class="product-item position-relative">
                        <a href="other.php" class="item-name">
                            </a>
                            <div class="mt-2">
                                <h5>Galaxy tab S10 Ultra</h5>
                                <h5 class="money fw-bold">₹8377 1,22,999</h5>
                            </div>
                        </div>
                    </div>
                </div>
                <div class="swiper-slide">
                    <div class="product-item position-relative">

```

```

        <a href="ac.php" class="item-name">
            </a>
            <div class="mt-2">
                <h5>Samsung 3Star AC</h5>
                <h5 class="money fw-bold">₹377 35,990</h5>
            </div>
        </div>
        <div class="swiper-slide">
            <div class="product-item position-relative">
                <a href="speaker.php" class="item-name">
                    </a>
                    <div class="mt-2">
                        <h5>Samsung Level Box Bluetooth Speaker</h5>
                        <h5 class="money fw-bold">₹377 4,485</h5>
                    </div>
                </div>
            </div>
        </div>

        <div class="swiper-slide">
            <div class="product-item position-relative">
                <a href="camera.php" class="wishlist-btn">
                    </a>
                    <div class="mt-2"><br>
                        <h5>NX 300 Camera</h5>
                        <h5 class="money fw-bold">₹377 72,999</h5>
                    </div>
                </div>
            </div>
        </div>
        <div class="swiper-slide">
            <div class="product-item position-relative">
                <a href="other.php" class="item-name">
                    </a>
                    <div class="mt-2">
                        <h5>Samsung Galaxy Ring</h5>
                        <h5 class="money fw-bold">₹377 36,999</h5>
                    </div>
                </div>
            </div>
        </div>
        <div class="swiper-slide">
            <div class="product-item position-relative">
                <a href="laptop.php" class="item-name">
                    </a>
                    <div class="mt-2">
                        <h5>Samsung All-In-One Pro PC</h5>
                        <h5 class="money fw-bold">₹377; 35,990</h5>
                    </div>
                </div>
            </div>
        </div>
        <div class="swiper-pagination new-arrival-pagination position-relative d-
block d-lg-none mt-4"></div>
    </div>
</section>

<section id="blogs" class="padding-medium">
    <div class="container-fluid">
        <div class="d-block d-md-flex justify-content-between align-items-center mb-4">
            <h3 class="display-5 fw-medium">NEWS ARTICLES</h3>
            <div><a href="blog.html" class="btn btn-dark">read all</a></div>

```

```

        </div>
    <div class="article">
        <div class="row">
            <div class="col-md-4 mb-3 mb-md-0">
                <a href="other.php" > 
                </a>
                <h5 class="fs-3 mt-2">Best electric product <br>to buy this season.</h5>
            </div>
            <div class="col-md-4 mb-3 mb-md-0">
                <a href="buds.php" > 
                </a>
                <h5 class="fs-3 mt-2">How to follow the trend<br> in budget list.</h5>
            </div>
            <div class="col-md-4 mb-3 mb-md-0">
                <a href="other.php" > 
                </a>
                <h5 class="fs-3 mt-2">unique gadget to<br> own by tech collectors.</h5>
            </div>
        </div>
    </div>
</section>

<section id="subscribe" class="padding-medium pt-0">
    <div class="container">
        <h3 class="display-1 text-center mb-5 text-muted opacity-25 secondary-font fw-medium">SUBSCRIBE US</h3>
        <div class="offset-lg-3 col-lg-6">
            <form>
                <div class="input-group">
                    <input type="email" class="form-control rounded-0 border-black" placeholder="Write your email address here...">
                    <span class="input-group-btn">
                        <button class="btn btn-dark rounded-0 px-5" type="submit">Subscribe</button>
                    </span>
                </div>
            </form>
        </div>
    </div>
</section>

<!-- Video Popup -->
<div class="modal fade" id="myModal" tabindex="-1" role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
    <div class="modal-dialog" role="document">
        <div class="modal-content">
            <div class="modal-body">
                <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"><svg class="bi">
                    width="40" height="40">
                    <use xlink:href="#close-sharp"></use>
                </svg></button>
                <div class="ratio ratio-16x9">
                    <iframe class="embed-responsive-item" src="" id="video" allowscriptaccess="always" allow="autoplay"></iframe>


```

```
        </div>
    </div>
</div>
</div>

<!-- Script -->
<script src="js/jquery-1.11.0.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"
    integrity="sha384-YvpcrYf0tY3lHB60NNkmXc5s9fDVZLESaAA55NDz0xhy9GkcIds1K1eN7N6jIeHz"
    crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/swiper/swiper-bundle.min.js"></script>
<script type="text/javascript" src="js/plugins.js"></script>
<script type="text/javascript" src="js/script.js"></script>
<?php include 'footer.php';?>
</body>

</html>
```

Login.php



Coding:-Login.php

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Login</title>
    <?php include('header.php'); ?>
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <!-- Bootstrap CSS -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">

    <script type="text/javascript">
        function validateForm() {
            var a = document.forms["login"]["username"].value.trim();
            var b = document.forms["login"]["password"].value;

            if (a === "" && b === "") {
                alert("Both fields are required.");
                return false;
            }
            if (a === "") {
```

```

        alert("Username must be filled out.");
        return false;
    }
    if (b === "") {
        alert("Password must be filled out.");
        return false;
    }
    if (b.length < 5) {
        alert("Password should be at least 5 characters.");
        return false;
    }
    if (!b.match(/^[a-z0-9][\w-]*$/i)) {
        alert("Password cannot contain special characters or spaces except '_' or '-'.");
        return false;
    }
    return true;
}
</script>

<style>
body {
    background: url('PROJECT_IMAGE/I4.jpg') no-repeat center center fixed;
    background-size: cover;
}
.login-card {
    margin-top: 20vh;
    background: rgba(255, 255, 255, 0.95);
    border-radius: 15px;
    padding: 60px;
    box-shadow: 0 5px 15px rgba(0,0,0,0.3);
}
h1 {
    color: #CC3366;
    font-family: 'Times New Roman', serif;
    font-size: 40px;
}
label {
    font-family: 'Times New Roman', serif;
    color: #CC3366;
}
</style>
</head>
<body>

<div class="container">
    <div class="row justify-content-center">
        <div class="col-md-6 col-lg-5">
            <div class="login-card">
                <h1 class="text-center mb-4"><u>LOGIN</u></h1>

                <form action="checklogin.php" method="post" name="login"
onsubmit="return validateForm();">
                    <div class="mb-3">
                        <label for="username" class="form-label">Username:</label>
                        <input type="text" name="username" id="username" class="form-control" placeholder="Enter username..."/>
                    </div>

                    <div class="mb-3">
                        <label for="password" class="form-label">Password:</label>
                        <input type="password" name="password" id="password"
class="form-control" placeholder="Enter password..."/>
                    </div>

                    <div class="d-grid gap-2">

```

```
        <button type="submit" class="btn btn-primary">Login</button>
        <button type="reset" class="btn btn-secondary">Cancel</button>
    </div>
</form>

<div class="text-center mt-4">
    <p>Don't have an account?,For create a new account</p>
    <a href="registration.php" class="btn btn-outline-success">Sign
Up</a>
    </div>
</div>
</div>
</div>
<BR><BR>
<?php include("footer.php"); ?>


<a href="#" class="btn btn-lg btn-primary btn-lg-square back-to-top"><i class="bi bi-arrow-up"></i></a>


<script src="https://code.jquery.com/jquery-3.7.0.min.js"></script>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>
>
</body>
</html>
```


Coding :- CheckLogin.php

```
<?php
    include("con1.php");
    $username=$_POST['username'];
    $password=$_POST['password'];
    if($username=="" || $password=="")
    {
        header("location:login.php");
    }
    else
    {
        $query="select * from registration where username= '$username' and password=
        '$password';

        $result=mysqli_query($con,$query);
        $res=mysqli_fetch_array($result);
        $count=mysqli_num_rows($result);
        if($count==0)
        {
            ?>
            <script type="text/javascript">
                alert("Invalid username or password");
                window.location.href="login.php";
            </script>
        <?php
        }
        else
        {
            session_start();
            $_SESSION['username']=$username;
        ?>
            <script type="text/javascript">
                alert("Login Successfully");
                window.location.href="home.php";
            </script>
        <?php
        }
    }
?>
```



Coding :-Registration.php



Coding :-Registrationsave.php

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Registration</title>
    <?php include('header.php'); ?>

    <!-- Bootstrap CSS -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">

    <script>
        function validateForm() {
            var form = document.forms["regi"];
            var requiredFields = ["nm", "address", "city", "pincode", "state", "country",
"username", "password", "gender", "mno", "email", "dob"];

            for (var i = 0; i < requiredFields.length; i++) {
                var field = form[requiredFields[i]].value.trim();
                if (!field) {
                    alert(requiredFields[i] + " must be filled out");
                }
            }
        }
    </script>

```

```

        return false;
    }
}

var pincode = form["pincode"].value;
if (pincode.length < 6 || !pincode.match(/^[a-zA-Z][\w-]*$/i)) {
    alert("Invalid pincode");
    return false;
}

var password = form["password"].value;
if (password.length < 5 || !password.match(/^[a-zA-Z][\w-]*$/i)) {
    alert("Password must be at least 5 characters and contain no special
characters except _ or -");
    return false;
}

var mno = form["mno"].value;
if (!mno.match(/^\d{10}$/)) {
    alert("Invalid mobile number");
    return false;
}

var email = form["email"].value;
if (!email.match(/^[\w]+([._-][\w]+)*@[.\w-]+\.[a-zA-Z]{2,4}$/i)) {
    alert("Invalid email");
    return false;
}

return true;
}
</script>

<style>
body {
    background: url('project_image/I4.jpg') no-repeat center center fixed;
    background-size: cover;
}
.form-container {
    background: rgba(255,255,255,0.95);
    border-radius: 15px;
    padding: 60px;
    box-shadow: 0 5px 15px rgba(0,0,0,0.2);
    margin-top: 20vh;
}
h2.title {
    color: #000000;
    font-family: 'Times New Roman', serif;
    font-size: 40px;
}
</style>
</head>
<body>

<div class="container">
    <div class="row justify-content-center">
        <div class="col-lg-8">
            <div class="form-container">
                <h2 class="text-center title mb-4"><u><b>REGISTRATION</b></u></h2>
                <form name="regi" action="registrationsave.php" method="POST"
onsubmit="return validateForm();">

                    <div class="row mb-3">
                        <div class="col-md-6">
                            <label for="nm" class="form-label"><b>Name</b></label>
                            <input type="text" class="form-control" name="nm" id="nm">

```

```

        </div>
        <div class="col-md-6">
            <label for="city" class="form-label"><b>City</b></label>
            <input type="text" class="form-control" name="city" id="city">
        </div>
    </div>

    <div class="mb-3">
        <label for="address" class="form-label"><b>Address</b></label>
        <textarea class="form-control" name="address" id="address"
rows="2"></textarea>
    </div>

    <div class="row mb-3">
        <div class="col-md-6">
            <label for="pincode" class="form-label"><b>Pincode</b></label>
            <input type="text" class="form-control" name="pincode"
id="pincode">
        </div>
        <div class="col-md-6">
            <label for="state" class="form-label"><b>State</b></label>
            <input type="text" class="form-control" name="state"
id="state">
        </div>
    </div>

    <div class="mb-3">
        <label for="country" class="form-label"><b>Country</b></label>
        <input type="text" class="form-control" name="country"
id="country">
    </div>

    <div class="row mb-3">
        <div class="col-md-6">
            <label for="username" class="form-
label"><b>Username</b></label>
            <input type="text" class="form-control" name="username"
id="username">
        </div>
        <div class="col-md-6">
            <label for="password" class="form-
label"><b>Password</b></label>
            <input type="password" class="form-control" name="password"
id="password">
        </div>
    </div>

    <div class="mb-3">
        <label class="form-label d-block"><b>Gender</b></label>
        <div class="form-check form-check-inline">
            <input class="form-check-input" type="radio" name="gender"
id="male" value="male">
            <label class="form-check-label" for="male">Male</label>
        </div>
        <div class="form-check form-check-inline">
            <input class="form-check-input" type="radio" name="gender"
id="female" value="female">
            <label class="form-check-label" for="female">Female</label>
        </div>
    </div>

    <div class="row mb-3">
        <div class="col-md-6">
            <label for="mno" class="form-label"><b>Mobile No</b></label>
            <input type="text" class="form-control" name="mno" id="mno">
        </div>
    </div>

```

```
</div>
<div class="col-md-6">
    <label for="email" class="form-label"><b>Email</b></label>
    <input type="email" class="form-control" name="email"
id="email">
        </div>
    </div>

    <div class="mb-4">
        <label for="dob" class="form-label"><b>Date of Birth</b></label>
        <input type="date" class="form-control" name="dob" id="dob">
    </div>

    <div class="d-flex justify-content-between">
        <button type="submit" name="submit" class="btn" style="width:350px;
background-color: #007bff; color: white; border: none;">Register</button>
        <button type="reset" name="reset" class="btn" style="width:350px;
background-color: gray; color: white; border: none;">Cancel</button>
    </div>
</form>
</div>
</div>
</div>

<!-- Back to Top -->
<a href="#" class="btn btn-lg btn-primary btn-lg-square back-to-top"><i class="bi bi-arrow-up"></i></a>

<!-- JS -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>

<?php include("footer.php"); ?>
</body>
</html>
```

Smartphone.php

SAMSUNG SmartPlaza

HOME ABOUT SHOP CONTACT FEEDBACK LOGOUT

SMARTPHONE'S

 Galaxy S23 Ultra Smartphone ₹ 1,41,000	 Galaxy Z Fold 5 Smartphone ₹ 97,999	 Galaxy A05 Smartphone ₹ 50,000	 Galaxy S24 Ultra Smartphone ₹ 80,699	 Galaxy Note 20 Ultra Smartphone ₹ 49,699
 Galaxy A26 5G(White) Smartphone ₹ 25,999	 Galaxy Z fold 6 Smartphone ₹ 1,06,099	 Galaxy S22 Ultra Smartphone ₹ 56,299	 Samsung Galaxy Z Flip6 5G Smartphone ₹71,999	

Address:
No 88, Star Icon, Bus Stand, 7 & 8,
Naroda, opposite Hanspura,
Ahmedabad, Gujarat 382330

Phone:
9989989880

Email:
your@email.com

Website:
yoursite.com

PHOTO GALLERY

© SAMSUNG SMARTPLAZA, ALL RIGHTS RESERVED.

Coding:- Smartphone.php

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>About_Us</title>
    <?php include('header.php'); ?>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```

<meta name="format-detection" content="telephone=no">
<meta name="apple-mobile-web-app-capable" content="yes">
<meta name="author" content="templatesjungle">
<meta name="keywords" content="electronics gadget">
<meta name="description" content="electronics gadget website template">

<!--Bootstrap ===== -->
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet"
integrity="sha384-QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pN1yT2bRjXh0JMhjY6hW+ALEwIH"
crossorigin="anonymous">

<!--Link Swiper's CSS ===== -->
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/swiper@9/swiper-
bundle.min.css" />

<!-- Style Sheet ===== -->
<link rel="stylesheet" href="styles.css">

<!-- Google Fonts ===== -->
<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link

href="https://fonts.googleapis.com/css2?family=Merriweather:ital,wght@0,300;0,400;0,700;0,9
00;1,300;1,400;1,700;1,900&family=Work+Sans:ital,wght@0,100..900;1,100..900&display=swap"
rel="stylesheet">

<style>
.product-list {
  display: flex;
  flex-wrap: wrap;
  gap: 20px;
  padding: 20px;
  justify-content: center;
}

.product-item {
  width: 300;
  border: 1px solid #ccc;
  border-radius: 8px;
  padding: 20px;
  box-shadow: 0 4px 8px rgba(0,0,0,0.05);
  transition: transform 0.2s ease, box-shadow 0.2s ease;
  background-color: #fff;
  text-align:left;
}

.product-item:hover {
  transform: translateY(-5px);
  box-shadow: 0 16px 32px rgba(0,0,0,0.1);
}

.product-item img {
  width: 150;
  height: 300;
  border-radius: 20px;
}

.product-item h2 {
  font-size: 18px;
  margin: 12px 0 8px;
  color: #333;
}

.product-item .description {

```

```

        font-size: 14px;
        color: #666;
        margin-bottom: 12px;
    }

.product-item .price {
    font-size: 16px;
    font-weight: bold;
    color: #27ae60;
    display: block;
    margin-bottom: 20px;
}

.product-item button {
    padding: 10px 16px;
    background-color: #3498db;
    color: black;
    border: none;
    border-radius: 4px;
    cursor: pointer;
}

.product-item button:hover {
    background-color: #2980b9;
}

```

</style>

</head>

<body>

<!-- svg icon -->

<?php include ('svgicon.php');?>

<?php

include("con1.php");

\$query="select *from item where category='smartphone'";

\$result=mysqli_query(\$con,\$query);

echo"<table align='center' style='margin-left:50px'>

<h2 align='center'><u>SMARTPHONE's</u></h2>";

\$cnt = 0;

while(\$row=mysqli_fetch_array(\$result))

{

\$cnt = \$cnt + 1;

echo "<td>";

echo "
";

echo"<div class='swiper mySwiper'>

<div class='swiper-wrapper'>

<div class='swiper-slide'>

<div class='product-list'>

<div class='product-item'>

 &nbsp &nbsp

&nbsp &nbsp &nbsp &nbsp &nbsp &nbsp &nbsp &nbsp

<div class='cart-concern'>

<div class='cart-button d-flex justify-content-between align-items-center px-4'>

<u> Add to Cart</u>

<svg class='arrow' width='20' height='20'>

<use xlink:href='#arrow-right'></use>

</svg>


```

                </div>
            </div>";
        echo "<br>";
        echo "<font size='+2'>";
        echo $row["itemname"];
        echo "<br>";
        echo "<font size='+2'>";
        echo $row["category"];
        echo "<br>";
        echo "<font size='+2'><b>";
        echo $row["price"];
        echo "<br>";
        echo "</font>";
        echo "</td>";
        if($cnt == 5)
        {
            echo "<tr>";
            $cnt = 0;
        }
    }
    echo"</tr>";
    echo"<br>";
    echo"</table>";
?>

<!-- JavaScript Libraries
&lt;script src="https://code.jquery.com/jquery-3.4.1.min.js"&gt;&lt;/script&gt;
&lt;script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min.js"&gt;&lt;/script
&gt;
&lt;script src="lib/wow/wow.min.js"&gt;&lt;/script&gt;
&lt;script src="lib/easing/easing.min.js"&gt;&lt;/script&gt;
&lt;script src="lib/waypoints/waypoints.min.js"&gt;&lt;/script&gt;
&lt;script src="lib/owlcarousel/owl.carousel.min.js"&gt;&lt;/script&gt;

Template Javascript --&gt;
&lt!--&lt;script src="js/main.js"&gt;&lt;/script&gt;--&gt;
&lt;/div&gt;
&lt;br&gt;
<!-- Back to Top --&gt;
&lt;a href="#" class="btn btn-lg btn-primary btn-lg-square back-to-top"&gt;&lt;i class="bi bi-arrow-up"&gt;&lt;/i&gt;&lt;/a&gt;

<!-- JS --&gt;
&lt;script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"&gt;&lt;/script
&gt;

&lt;?php include ('footer.php');?&gt;

&lt;/body&gt;
&lt;/html&gt;
</pre>

```

Smartwatch.php

SAMSUNG SmartPlaza

HOME ABOUT SHOP CONTACT FEEDBACK LOGOUT

SMARTWATCH

Samsung Galaxy 7 Watch Smartwatch
₹19,999

Samsung Galaxy Fit3 AMOLED Display Smartwatch
₹ 2,999

Galaxy Watch Ultra Samsung Smartwatch
₹ 59,999

Galaxy Watch Ultra (LTE, 4.7 cm) Smartwatch
₹ 28,999

Samsung Galaxy Watch8 Smartwatch
₹ 39,999

SmartWatch-Golden Smartwatch
₹3,299

Samsung Galaxy Watch Active2 Smartwatch
₹25,999

SAMSUNG SmartPlaza

Address:
No 88, Star Icon, Bus Stand, 7 & 8,
Naroda, opposite Hanspura,
Ahmedabad, Gujarat 382330

Phone:
9989989880

Email:
your@email.com

Website:
yoursite.com

PHOTO GALLERY

© SAMSUNG SMARTPLAZA, ALL RIGHTS RESERVED.

Coding :- Smartwatch.php

```
<?php include("header.php");?>
<br><br><br><br><br>
<!DOCTYPE html>
<html lang="en">

<head>
```

```

<title>Samsung SmartPlaza</title>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta name="format-detection" content="telephone=no">
<meta name="apple-mobile-web-app-capable" content="yes">
<meta name="author" content="templatesjungle">
<meta name="keywords" content="electronics gadget">
<meta name="description" content="electronics gadget website template">

<!--Bootstrap ===== -->
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hw+ALEwIH" crossorigin="anonymous">

<!--Link Swiper's CSS ===== -->
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/swiper@9/swiper-bundle.min.css" />

<!-- Style Sheet ===== -->
<link rel="stylesheet" href="styles.css">

<!-- Google Fonts ===== -->
<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link

href="https://fonts.googleapis.com/css2?family=Merriweather:ital,wght@0,300;0,400;0,700;0,900;1,300;1,400;1,700;1,900&family=Work+Sans:ital,wght@0,100..900;1,100..900&display=swap" rel="stylesheet">

<style>
.product-list {
  display: flex;
  flex-wrap: wrap;
  gap: 20px;
  padding: 20px;
  justify-content: center;
}

.product-item {
  width: 300;
  border: 1px solid #ccc;
  border-radius: 8px;
  padding: 20px;
  box-shadow: 0 4px 8px rgba(0,0,0,0.05);
  transition: transform 0.2s ease, box-shadow 0.2s ease;
  background-color: #fff;
  text-align:left;
}

.product-item:hover {
  transform: translateY(-5px);
  box-shadow: 0 16px 32px rgba(0,0,0,0.1);
}

.product-item img {
  width: 150;
  height: 300;
  border-radius: 20px;
}

.product-item h2 {
  font-size: 18px;
}

```

```

        margin: 12px 0 8px;
        color: #333;
    }

.product-item .description {
    font-size: 14px;
    color: #666;
    margin-bottom: 12px;
}

.product-item .price {
    font-size: 16px;
    font-weight: bold;
    color: #27ae60;
    display: block;
    margin-bottom: 20px;
}

.product-item button {
    padding: 10px 16px;
    background-color: #3498db;
    color: black;
    border: none;
    border-radius: 4px;
    cursor: pointer;
}

.product-item button:hover {
    background-color: #2980b9;
}

```

</style>

</head>

<body>

```

<!-- svg icon -->
<?php include ('svgicon.php');?>

<?php include('con1.php');
$query="select *from item where category='smartwatch'";
$result=mysqli_query($con,$query);
echo"<table align='center' style='margin-left:50px' bgcolor='#FFFFFF'><br><br><br>
    <h2 align='center'><font color='#CCCCCC'
size='+3'><u><b>SMARTWATCH</b></u></font></h2>";
$cnt = 0;
while($row=mysqli_fetch_array($result))
{
    $cnt = $cnt + 1;
    echo "<td>";
    echo "<br>";

    echo"<div class='swiper mySwiper'>
        <div class='swiper-wrapper'>
            <div class='swiper-slide'>

                <div class='product-list'>
                    <div class='product-item'>
                        <img src='project_image/$row[4]' height='250'> &nbsp &nbsp
&nbsp &nbsp &nbsp &nbsp &nbsp &nbsp
                        <div class='cart-concern'>
                            <div class='cart-button d-flex justify-content-between
align-items-center px-4'>

                                <a href='addtocart.php?id=".$row[0]."'><font
color='purple' size='+2'><u> Add to Cart</u></font></a>
                                <svg class='arrow' width='20' height='20'>
                                    <use xlink:href='#arrow-right'></use>

```

```

                </svg>
            </a>
        </div>
    </div>";
    echo"<br>";
    echo "<font size='+2'>";
    echo $row["itemname"];
    echo "<br>";
    echo "<font size='+2'>";
    echo $row["category"];
    echo "<br>";
    echo "<font size='+2'><b>";
    echo $row["price"];
    echo "<br>";
    echo "</font>";
    echo "</td>";
    if($cnt == 5)
    {
        echo "<tr>";
        $cnt = 0;
    }
}
echo"</tr>";
echo"<br>";
echo"</table>";
?>
</div>
<br>
<!-- Back to Top --&gt;
<a href="#" class="btn btn-lg btn-primary btn-lg-square back-to-top">

<!-- JS --&gt;
&lt;script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"&gt;&lt;/script&gt;

&lt;?php include ('footer.php');?&gt;

&lt;/body&gt;
&lt;/html&gt;
</pre>

```

Laptop.php

SAMSUNG SmartPlaza

HOME ABOUT SHOP CONTACT FEEDBACK LOGOUT

SEARCH CART PROFILE

LAPTOP'S

Galaxy Book Flex 133
Intel
Laptop
₹70,814

Samsung Galaxy
Book4
Laptop
₹54,490

Samsung 156
Galaxy Book3
Laptop
₹52,990

Samsung Galaxy
Book5 360
Laptop
₹1,04,990

Samsung Galaxy
Book2 15.6"
Laptop
₹54,990

Galaxy Book2 Pro 360
15.6" Touch Screen
Laptop
₹1,17,990

SAMSUNG SmartPlaza

Address:
No 88, Star Icon, Bus Stand, 7 & 8,
Naroda, opposite Hanspura,
Ahmedabad, Gujarat 382330

Phone:
9989989880

Email:
your@email.com

Website:
yoursite.com

PHOTO GALLERY

© SAMSUNG SMARTPLAZA, ALL RIGHTS RESERVED.

Coding :- Laptop.php

```
<?php include("header.php");?>
<br><br><br><br><br>
<!DOCTYPE html>
<html lang="en">

<head>
```

```

<title>Samsung SmartPlaza</title>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta name="format-detection" content="telephone=no">
<meta name="apple-mobile-web-app-capable" content="yes">
<meta name="author" content="templatesjungle">
<meta name="keywords" content="electronics gadget">
<meta name="description" content="electronics gadget website template">

<!--Bootstrap ===== -->
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet"
integrity="sha384-QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pN1yT2bRjXh0JMhjY6hW+ALEwIH"
crossorigin="anonymous">

<!--Link Swiper's CSS ===== -->
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/swiper@9/swiper-
bundle.min.css" />

<!-- Style Sheet ===== -->
<link rel="stylesheet" href="styles.css">

<!-- Google Fonts ===== -->
<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link

href="https://fonts.googleapis.com/css2?family=Merriweather:ital,wght@0,300;0,400;0,700;0,9
00;1,300;1,400;1,700;1,900&family=Work+Sans:ital,wght@0,100..900;1,100..900&display=swap"
rel="stylesheet">

<style>
.product-list {
  display: flex;
  flex-wrap: wrap;
  gap: 15px;
  padding: 15px;
  justify-content: center;
}

.product-item {
  width: 300; /* 4 per row with some margin */
  border: 1px solid #ccc;
  border-radius: 8px;
  padding: 20px;
  box-shadow: 0 4px 8px rgba(0,0,0,0.05);
  transition: transform 0.2s ease, box-shadow 0.2s ease;
  background-color: #fff;
  text-align:left;
}

.product-item:hover {
  transform: translateY(-4px);
  box-shadow: 0 8px 16px rgba(0,0,0,0.1);
}

.product-item img {
  width: 100%;
  height: 250px;
  object-fit: contain;
  border-radius: 12px;
}

.product-item h2 {
  font-size: 18px;
}

```

```

        margin: 12px 0 8px;
        color: #333;
    }

    .product-item .description {
        font-size: 14px;
        color: #666;
        margin-bottom: 12px;
    }

    .product-item .price {
        font-size: 16px;
        font-weight: bold;
        color: #27ae60;
        margin-bottom: 12px;
    }

    .product-item .btn {
        margin: 5px;
    }

    @media (max-width: 992px) {
        .product-item {
            width: 45%;
        }
    }

    @media (max-width: 600px) {
        .product-item {
            width: 90%;
        }
    }

```

</style>

</head>

<body>

```

        <!-- svg icon -->
        <?php include ('svgicon.php');?>

        <?php include('con1.php');
        $query="select *from item where category='Laptop'";
        $result=mysqli_query($con,$query);
        echo"<table align='center'style='margin-left:50px'><br><br><br>
        <h2 align='center'><font color='#CCCCCC'
        size='+3'><u><b>Laptop's</b></u></font></h2>";
        $cnt = 0;
        while($row=mysqli_fetch_array($result))
        {
            $cnt = $cnt + 1;
            echo "<td>";
            echo "<br>";

            echo"<div class='swiper mySwiper'>
                <div class='swiper-wrapper'>
                    <div class='swiper-slide'>

                        <div class='product-list'>
                            <div class='product-item'>
                                <img src='project_image/$row[4]' height='250'> &nbsp &nbsp
&nbsp &nbsp &nbsp &nbsp &nbsp &nbsp
                                <div class='cart-concern'>
                                    <div class='cart-button d-flex justify-content-between
align-items-center px-4'>

                                        <a href='addtocart.php?id='".$row[0]."'><font
color='purple' size='+2' ><u> Add to Cart</u></font></a>

```

```

                <svg class='arrow' width='20' height='20'>
                    <use xlink:href='#arrow-right'></use>
                </svg>
            </a>
        </div>
    </div>";
    echo"<br>";
echo "<font size='+2'>";
echo $row["itemname"];
echo "<br>";
echo "<font size='+2'>";
echo $row["category"];
echo "<br>";
echo "<font size='+2'><b>";
echo $row["price"];
echo "<br>";
echo "</font>";
echo "</td>";
if($cnt == 5)
{
    echo "<tr>";
    $cnt = 0;
}
echo"</tr>";
echo"<br>";
echo"</table>";
?>
</div>
<br>
<!-- Back to Top --&gt;
<a href="#" class="btn btn-lg btn-primary btn-lg-square back-to-top">

<!-- JS --&gt;
&lt;script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"&gt;&lt;/script&gt;
&lt;?php include ('footer.php');?&gt;

&lt;/body&gt;
&lt;/html&gt;
</pre>

```

Buds.php

SAMSUNG SmartPlaza


HOME ABOUT SHOP CONTACT FEEDBACK LOGOUT

Q

BUDS



Samsung Galaxy
Buds 2
Buds
₹6,990



SAMSUNG Galaxy
Buds3
Buds
₹8,999



SAMSUNG Galaxy
Buds3
Buds
₹6,999



Samsung Galaxy Buds
Buds
₹6,999



Samsung Galaxy Buds
Buds
₹2,999



Samsung Galaxy
Buds
Buds
₹2,399

PHOTO GALLERY



Address:

No 88, Star Icon, Bus Stand, 7 & 8,
Naroda, opposite Hanspura,
Ahmedabad, Gujarat 382330

Phone:

9989989880

Email:

your@email.com

Website:

yoursite.com

© SAMSUNG SMARTPLAZA, ALL RIGHTS RESERVED.

Coding :- Buds.php

```
<?php include("header.php");?>
<br><br><br><br><br>
<!DOCTYPE html>
<html lang="en">

<head>

<title>Samsung SmartPlaza</title>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```

<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta name="format-detection" content="telephone=no">
<meta name="apple-mobile-web-app-capable" content="yes">
<meta name="author" content="templatesjungle">
<meta name="keywords" content="electronics gadget">
<meta name="description" content="electronics gadget website template">

<!--Bootstrap ===== -->
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet"
      integrity="sha384-QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hW+ALEwIH"
crossorigin="anonymous">

<!--Link Swiper's CSS ===== -->
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/swiper@9/swiper-
bundle.min.css" />

<!-- Style Sheet ===== -->
<link rel="stylesheet" href="styles.css">

<!-- Google Fonts ===== -->
<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link

href="https://fonts.googleapis.com/css2?family=Merriweather:ital,wght@0,300;0,400;0,700;0,9
00;1,300;1,400;1,700;1,900&family=Work+Sans:ital,wght@0,100..900;1,100..900&display=swap"
rel="stylesheet">

<style>
.product-list {
  display: flex;
  flex-wrap: wrap;
  gap: 20px;
  padding: 20px;
  justify-content: center;
}

.product-item {
  width: 250;
  border: 1px solid #ccc;
  border-radius: 8px;
  padding: 20px;
  box-shadow: 0 4px 8px rgba(0,0,0,0.05);
  transition: transform 0.2s ease, box-shadow 0.2s ease;
  background-color: #fff;
  text-align:left;
}

.product-item:hover {
  transform: translateY(-5px);
  box-shadow: 0 8px 16px rgba(0,0,0,0.1);
}

.product-item img {
  width: 150;
  height: 300;
  border-radius: 20px;
}

.product-item h2 {
  font-size: 18px;
  margin: 12px 0 8px;
  color: #333;
}

```

```

.product-item .description {
    font-size: 14px;
    color: #666;
    margin-bottom: 12px;
}

.product-item .price {
    font-size: 16px;
    font-weight: bold;
    color: #27ae60;
    display: block;
    margin-bottom: 20px;
}

.product-item button {
    padding: 10px 16px;
    background-color: #3498db;
    color: black;
    border: none;
    border-radius: 4px;
    cursor: pointer;
}

.product-item button:hover {
    background-color: #2980b9;
}

```

</style>

</head>

<body>

<!-- svg icon -->

<?php include ('svgicon.php');?>

<?php include('con1.php');

\$query="select *from item where category='Buds'";

\$result=mysqli_query(\$con,\$query);

echo"<table align='center' style='margin-left:50px'>

 <h2 align='center'><u>Buds</u></h2>";

\$cnt = 0;

while(\$row=mysqli_fetch_array(\$result))

{

 \$cnt = \$cnt + 1;

 echo "<td>";

 echo "
";

 echo"<div class='swiper mySwiper'>
 <div class='swiper-wrapper'>
 <div class='swiper-slide'>

 <div class='product-list'>
 <div class='product-item'>
 &nbsp &nbsp

 <div class='cart-concern'>
 <div class='cart-button d-flex justify-content-between
align-items-center px-4'>

 <u> Add to Cart</u>
 <svg class='arrow' width='20' height='20'>
 <use xlink:href='#arrow-right'></use>
 </svg>

 </div>
 </div>";

 echo"
";

```
echo "<font size='+2'>";
echo $row["itemname"];
echo "<br>";
echo "<font size='+2'>";
echo $row["category"];
echo "<br>";
echo "<font size='+2'><b>";
echo $row["price"];
echo "<br>";
echo "</font>";
echo "</td>";
if($cnt == 5)
{
    echo "<tr>";
    $cnt = 0;
}
echo"</tr>";
echo"<br>";
echo"</table>";
?>
</div>
<br>
<!-- Back to Top --&gt;
<a href="#" class="btn btn-lg btn-primary btn-lg-square back-to-top"><i class="bi bi-arrow-up"></i></a>

<!-- JS --&gt;
&lt;script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"&gt;&lt;/script&gt;

&lt;?php include ('footer.php');?&gt;

&lt;/body&gt;
&lt;/html&gt;</pre>
```

Speaker.php

SAMSUNG SmartPlaza

HOME ABOUT SHOP CONTACT FEEDBACK LOGOUT

SPEAKER'S



Address:

No 88, Star Icon, Bus Stand, 7 & 8,
Naroda, opposite Hanspura,
Ahmedabad, Gujarat 382330

Phone:
9999999980

Email:
your@email.com

Website:
yoursite.com

PHOTO GALLERY



© SAMSUNG SMARTPLAZA, ALL RIGHTS RESERVED.

Coding :- Speaker.php

```
<?php include("header.php");?>
<br><br><br><br><br>
<!DOCTYPE html>
<html lang="en">

<head>

<title>Samsung SmartPlaza</title>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta name="format-detection" content="telephone=no">
<meta name="apple-mobile-web-app-capable" content="yes">
<meta name="author" content="templatesjungle">
```

```

<meta name="keywords" content="electronics gadget">
<meta name="description" content="electronics gadget website template">

<!--Bootstrap ===== -->
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet"
integrity="sha384-QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hw+ALEwIH"
crossorigin="anonymous">

<!--Link Swiper's CSS ===== -->
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/swiper@9/swiper-
bundle.min.css" />

<!-- Style Sheet ===== -->
<link rel="stylesheet" href="styles.css">

<!-- Google Fonts ===== -->
<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link

href="https://fonts.googleapis.com/css2?family=Merriweather:ital,wght@0,300;0,400;0,700;0,9
00;1,300;1,400;1,700;1,900&family=Work+Sans:ital,wght@0,100..900;1,100..900&display=swap"
rel="stylesheet">

<style>
.product-list {
  display: flex;
  flex-wrap: wrap;
  gap: 15px;
  padding: 15px;
  justify-content: center;
}

.product-item {
  width: 300; /* 4 per row with some margin */
  border: 1px solid #ccc;
  border-radius: 8px;
  padding: 20px;
  box-shadow: 0 4px 8px rgba(0,0,0,0.05);
  transition: transform 0.2s ease, box-shadow 0.2s ease;
  background-color: #fff;
  text-align:left;
}

.product-item:hover {
  transform: translateY(-4px);
  box-shadow: 0 8px 16px rgba(0,0,0,0.1);
}

.product-item img {
  width: 100%;
  height: 250px;
  object-fit: contain;
  border-radius: 12px;
}

.product-item h2 {
  font-size: 18px;
  margin: 12px 0 8px;
  color: #333;
}

.product-item .description {
  font-size: 14px;
  color: #666;
}

```

```

        margin-bottom: 12px;
    }

    .product-item .price {
        font-size: 16px;
        font-weight: bold;
        color: #27ae60;
        margin-bottom: 12px;
    }

    .product-item .btn {
        margin: 5px;
    }

    @media (max-width: 992px) {
        .product-item {
            width: 45%;
        }
    }

    @media (max-width: 600px) {
        .product-item {
            width: 90%;
        }
    }

```

</style>

</head>

<body>

<!-- svg icon -->

<?php include ('svgicon.php');?>

<?php include('con1.php');

\$query="select *from item where category='Speaker'";

\$result=mysqli_query(\$con,\$query);

echo"<table align='center' style='margin-left:50px'>

<h2 align='center'><font color='#CCCCCC'

size='+3'><u>Speaker's</u></h2>";

\$cnt = 0;

while(\$row=mysqli_fetch_array(\$result))

{

\$cnt = \$cnt + 1;

echo "<td>";

echo "
";

echo"<div class='swiper mySwiper'>

<div class='swiper-wrapper'>

<div class='swiper-slide'>

<div class='product-list'>

<div class='product-item'>

 &nbsp &nbsp

<div class='cart-concern'>

<div class='cart-button d-flex justify-content-between'

align-items-center px-4'>

<font

color='purple' size='+2'><u> Add to Cart</u>

<svg class='arrow' width='20' height='20'>

<use xlink:href='#arrow-right'></use>

</svg>

</div>

</div>";

echo"
";



```
echo "<font size='+2'>";
echo $row["itemname"];
echo "<br>";
echo "<font size='+2'>";
echo $row["category"];
echo "<br>";
echo "<font size='+2'><b>";
echo $row["price"];
echo "<br>";
echo "</font>";
echo "</td>";
if($cnt == 5)
{
    echo "<tr>";
    $cnt = 0;
}
echo"</tr>";
echo"<br>";
echo"</table>";
?>
</div>
<br>
<!-- Back to Top --&gt;
<a href="#" class="btn btn-lg btn-primary btn-lg-square back-to-top"><i class="bi bi-arrow-up"></i></a>

<!-- JS --&gt;
&lt;script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"&gt;&lt;/script&gt;

&lt;?php include ('footer.php');?&gt;

&lt;/body&gt;
&lt;/html&gt;</pre>
```

TV.php



Coding :- TV.php

```
<?php include("header.php");?>
<br><br><br><br><br>
<!DOCTYPE html>
<html lang="en">

<head>

<title>Samsung SmartPlaza</title>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta name="format-detection" content="telephone=no">
<meta name="apple-mobile-web-app-capable" content="yes">
<meta name="author" content="templatesjungle">
<meta name="keywords" content="electronics gadget">
<meta name="description" content="electronics gadget website template">
```

```

<!--Bootstrap ===== -->
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet"
integrity="sha384-QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hw+ALEwIH"
crossorigin="anonymous">

<!--Link Swiper's CSS ===== -->
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/swiper@9/swiper-
bundle.min.css" />

<!-- Style Sheet ===== -->
<link rel="stylesheet" href="styles.css">

<!-- Google Fonts ===== -->
<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link

href="https://fonts.googleapis.com/css2?family=Merriweather:ital,wght@0,300;0,400;0,700;0,9
00;1,300;1,400;1,700;1,900&family=Work+Sans:ital,wght@0,100..900;1,100..900&display=swap"
rel="stylesheet">

<style>
.product-list {
  display: flex;
  flex-wrap: wrap;
  gap: 15px;
  padding: 15px;
  justify-content: center;
}

.product-item {
  width: 300; /* 4 per row with some margin */
  border: 1px solid #ccc;
  border-radius: 8px;
  padding: 20px;
  box-shadow: 0 4px 8px rgba(0,0,0,0.05);
  transition: transform 0.2s ease, box-shadow 0.2s ease;
  background-color: #fff;
  text-align:left;
}

.product-item:hover {
  transform: translateY(-4px);
  box-shadow: 0 8px 16px rgba(0,0,0,0.1);
}

.product-item img {
  width: 100%;
  height: 250px;
  object-fit: contain;
  border-radius: 12px;
}

.product-item h2 {
  font-size: 18px;
  margin: 12px 0 8px;
  color: #333;
}

.product-item .description {
  font-size: 14px;
  color: #666;
  margin-bottom: 12px;
}

```

```

.product-item .price {
    font-size: 16px;
    font-weight: bold;
    color: #27ae60;
    margin-bottom: 12px;
}

.product-item .btn {
    margin: 5px;
}

@media (max-width: 992px) {
    .product-item {
        width: 45%;
    }
}

@media (max-width: 600px) {
    .product-item {
        width: 90%;
    }
}

</style>
</head>

<body>
    <!-- svg icon -->
    <?php include ('svgicon.php');?>

    <?php include('con1.php');
$query="select *from item where category='Tv'";
$result=mysqli_query($con,$query);
echo"<table align='center' style='margin-left:50px'><br><br><br>
<h2 align='center'><font color='#CCCCCC' size='+3'><u><b>Tv</b></u></font></h2>";
$cnt = 0;
while($row=mysqli_fetch_array($result))
{
    $cnt = $cnt + 1;
    echo "<td>";
    echo "<br>";

    echo"<div class='swiper mySwiper'>
        <div class='swiper-wrapper'>
            <div class='swiper-slide'>

                <div class='product-list'>
                    <div class='product-item'>
                        <img src='project_image/$row[4]' height='250'> &nbsp &nbsp
&nbsp &nbsp &nbsp &nbsp &nbsp &nbsp
                        <div class='cart-concern'>
                            <div class='cart-button d-flex justify-content-between
align-items-center px-4'>

                                <a href='addtocart.php?id=".$row[0]."'><font
color='purple' size='+2'><u> Add to Cart</u></font></a>
                                <svg class='arrow' width='20' height='20'>
                                    <use xlink:href='#arrow-right'></use>
                                </svg>
                            </div>
                        </div>;
                    echo"<br>";
    echo "<font size='+2'>";
    echo $row["itemname"];
    echo "<br>";

```

```
echo "<font size='+2'>";
echo $row["category"];
echo "<br>";
echo "<font size='+2'><b>";
echo $row["price"];
echo "<br>";
echo "</font>";
echo "</td>";
if($cnt == 5)
{
    echo "<tr>";
    $cnt = 0;
}
echo"</tr>";
echo"<br>";
echo"</table>";
?>
</div>
<br>
<!-- Back to Top --&gt;
<a href="#" class="btn btn-lg btn-primary btn-lg-square back-to-top"><i class="bi bi-arrow-up"></i></a>

<!-- JS --&gt;
&lt;script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"&gt;&lt;/script&gt;
&lt;?php include ('footer.php');?&gt;

&lt;/body&gt;
&lt;/html&gt;</pre>
```

Camera.php

SAMSUNG SmartPlaza

HOME ABOUT SHOP CONTACT FEEDBACK LOGOUT

CAMERA'S

Samsung ES91 14.2MP
Point & Shoot
Camera
₹4,250

Samsung Galaxy
Camera
Camera
₹23,000

Galaxy CCTV
Camera
₹13,700

Samsung XND-6080RV
Security
Camera
₹79,600

Samsung CCTV 2
Megapixel 1080P HD
CCTV
Camera
₹14,395

Samsung 2MP IR PTZ
Camera
₹56,904

SAMSUNG SmartPlaza

Address:
No 88, Star Icon, Bus Stand, 7 & 8,
Naroda, opposite Hanspura,
Ahmedabad, Gujarat 382330

Phone:
9989989880

Email:
your@email.com

Website:
yoursite.com

PHOTO GALLERY

© SAMSUNG SMARTPLAZA, ALL RIGHTS RESERVED.

Coding :- Camera.php

```
<?php include("header.php");?>
<br><br><br><br><br>
<!DOCTYPE html>
<html lang="en">

<head>

<title>Samsung SmartPlaza</title>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta name="format-detection" content="telephone=no">
<meta name="apple-mobile-web-app-capable" content="yes">
<meta name="author" content="templatesjungle">
<meta name="keywords" content="electronics gadget">
<meta name="description" content="electronics gadget website template">
```

```

<!--Bootstrap ===== -->
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet"
integrity="sha384-QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hw+ALEwIH"
crossorigin="anonymous">

<!--Link Swiper's CSS ===== -->
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/swiper@9/swiper-
bundle.min.css" />

<!-- Style Sheet ===== -->
<link rel="stylesheet" href="styles.css">

<!-- Google Fonts ===== -->
<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link

href="https://fonts.googleapis.com/css2?family=Merriweather:ital,wght@0,300;0,400;0,700;0,9
00;1,300;1,400;1,700;1,900&family=Work+Sans:ital,wght@0,100..900;1,100..900&display=swap"
rel="stylesheet">

<style>
.product-list {
  display: flex;
  flex-wrap: wrap;
  gap: 15px;
  padding: 15px;
  justify-content: center;
}

.product-item {
  width: 300; /* 4 per row with some margin */
  border: 1px solid #ccc;
  border-radius: 8px;
  padding: 20px;
  box-shadow: 0 4px 8px rgba(0,0,0,0.05);
  transition: transform 0.2s ease, box-shadow 0.2s ease;
  background-color: #fff;
  text-align:left;
}

.product-item:hover {
  transform: translateY(-4px);
  box-shadow: 0 8px 16px rgba(0,0,0,0.1);
}

.product-item img {
  width: 100%;
  height: 250px;
  object-fit: contain;
  border-radius: 12px;
}

.product-item h2 {
  font-size: 18px;
  margin: 12px 0 8px;
  color: #333;
}

.product-item .description {
  font-size: 14px;
  color: #666;
  margin-bottom: 12px;
}

```

```

.product-item .price {
    font-size: 16px;
    font-weight: bold;
    color: #27ae60;
    margin-bottom: 12px;
}

.product-item .btn {
    margin: 5px;
}

@media (max-width: 992px) {
    .product-item {
        width: 45%;
    }
}

@media (max-width: 600px) {
    .product-item {
        width: 90%;
    }
}

</style>
</head>
<?php include('header.php');?>
<body>
    <!-- svg icon -->
    <?php include ('svgicon.php');?>

    <?php include('con1.php');
$query="select *from item where category='Camera'";
$result=mysqli_query($con,$query);
echo"<table align='center' style='margin-left:50px'><br><br><br>
<h2 align='center'><font color='#CCCCCC'
size='+3'><u><b>Camera's</b></u></font></h2>";
$cnt = 0;
while($row=mysqli_fetch_array($result))
{
    $cnt = $cnt + 1;
    echo "<td>";
    echo "<br>";

    echo"<div class='swiper mySwiper'>
        <div class='swiper-wrapper'>
            <div class='swiper-slide'>

                <div class='product-list'>
                    <div class='product-item'>
                        <img src='project_image/$row[4]' height='250'> &ampnbsp &ampnbsp
&ampnbsp &ampnbsp &ampnbsp &ampnbsp &ampnbsp &ampnbsp &ampnbsp
<div class='cart-concern'>
                <div class='cart-button d-flex justify-content-between
align-items-center px-4'>

                    <a href='addtocart.php?id=".$row[0]."'><font
color='purple' size='+2'><u> Add to Cart</u></font></a>
                    <svg class='arrow' width='20' height='20'>
                        <use xlink:href='#arrow-right'></use>
                    </svg>
                </a>
            </div>
        </div>";
    echo"<br>";

    echo "<font size='+2'>";
    echo $row["itemname"];
}

```

```

echo "<br>";
echo "<font size='+2'>";
echo $row["category"];
echo "<br>";
echo "<font size='+2'><b>";
echo $row["price"];
echo "<br>";
echo "</font>";
echo "</td>";
if($cnt == 5)
{
    echo "<tr>";
    $cnt = 0;
}
echo"</tr>";
echo"<br>";
echo"</table>";
?>
</div>
<br>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>

<?php include ('footer.php');?>

</body>
</html>

```


Fridge.php

SAMSUNG SmartPlaza

HOME ABOUT SHOP CONTACT FEEDBACK LOGOUT

SEARCH CART USER

FRIDGE



Samsung 650 L Frost Free
French Door
Fridge
₹1,63,599



Samsung Double
Door
Fridge
₹47,190




samsung single-Door
Fridge
₹14690



Samsung Single Door
183 Litres 5
Fridge
₹17,200



396 L Bespoke AI Double Door
Fridge
₹48490



Samsung 633 L,3
Star,Double Door
Fridge
₹1,12,990

SAMSUNG SmartPlaza

Address:
No 88, Star Icon, Bus Stand, 7 & 8,
Naroda, opposite Hanspura,
Ahmedabad, Gujarat 382330

Phone:
9989998980

Email:
your@email.com

Website:
yoursite.com

© SAMSUNG SMARTPLAZA, ALL RIGHTS RESERVED.

PHOTO GALLERY

Coding :- Fridge.php

```
<?php include("header.php");?>
<br><br><br><br><br>
<!DOCTYPE html>
<html lang="en">

<head>

<title>Samsung SmartPlaza</title>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta name="format-detection" content="telephone=no">
<meta name="apple-mobile-web-app-capable" content="yes">
<meta name="author" content="templatesjungle">
<meta name="keywords" content="electronics gadget">
```

```

<meta name="description" content="electronics gadget website template">

<!--Bootstrap ===== -->
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet"
integrity="sha384-QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pN1yT2bRjXh0JMhjY6hW+ALEwIH"
crossorigin="anonymous">

<!--Link Swiper's CSS ===== -->
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/swiper@9/swiper-
bundle.min.css" />

<!-- Style Sheet ===== -->
<link rel="stylesheet" href="styles.css">

<!-- Google Fonts ===== -->
<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link

href="https://fonts.googleapis.com/css2?family=Merriweather:ital,wght@0,300;0,400;0,700;0,9
00;1,300;1,400;1,700;1,900&family=Work+Sans:ital,wght@0,100..900;1,100..900&display=swap"
rel="stylesheet">

<style>
.product-list {
display: flex;
flex-wrap: wrap;
gap: 20px;
padding: 20px;
justify-content: center;
}

.product-item {
width: 300;
border: 1px solid #ccc;
border-radius: 8px;
padding: 20px;
box-shadow: 0 4px 8px rgba(0,0,0,0.05);
transition: transform 0.2s ease, box-shadow 0.2s ease;
background-color: #fff;
text-align:left;
}

.product-item:hover {
transform: translateY(-5px);
box-shadow: 0 16px 32px rgba(0,0,0,0.1);
}

.product-item img {
width: 150;
height: 300;
border-radius: 20px;
}

.product-item h2 {
font-size: 18px;
margin: 12px 0 8px;
color: #333;
}

.product-item .description {
font-size: 14px;
color: #666;
margin-bottom: 12px;
}

```

```

.product-item .price {
    font-size: 16px;
    font-weight: bold;
    color: #27ae60;
    display: block;
    margin-bottom: 20px;
}

.product-item button {
    padding: 10px 16px;
    background-color: #3498db;
    color: black;
    border: none;
    border-radius: 4px;
    cursor: pointer;
}

.product-item button:hover {
    background-color: #2980b9;
}

```

</style>

</head>

<body>

```

<!-- svg icon -->
<?php include ('svgicon.php');?>

<?php include('con1.php');
$query="select *from item where category='Fridge'";
$result=mysqli_query($con,$query);
echo"<table align='center' style='margin-left:50px'><br><br><br>
    <h2 align='center'><font color='#CCCCCC' size='+3'><u><b>Fridge</b></u></font></h2>";
$cnt = 0;
while($row=mysqli_fetch_array($result))
{
    $cnt = $cnt + 1;
    echo "<td>";
    echo "<br>";

    echo"<div class='swiper mySwiper'>
        <div class='swiper-wrapper'>
            <div class='swiper-slide'>

                <div class='product-list'>
                    <div class='product-item'>
                        <img src='project_image/$row[4]' height='250'> &ampnbsp &ampnbsp
&ampnbsp &ampnbsp &ampnbsp &ampnbsp &ampnbsp &ampnbsp &ampnbsp &ampnbsp
                        <div class='cart-concern'>
                            <div class='cart-button d-flex justify-content-between
align-items-center px-4'>

                                <a href='addtocart.php?id=".$row[0]."'><font
color='purple' size='+2'><u> Add to Cart</u></font></a>
                                <svg class='arrow' width='20' height='20'>
                                    <use xlink:href='#arrow-right'></use>
                                </svg>
                            </div>
                        </div>
                    </div>
                </div>;
    echo"<br>";
    echo "<font size='+2'>";
    echo $row["itemname"];

```

```

echo "<br>";
echo "<font size='+2'>";
echo $row["category"];
echo "<br>";
echo "<font size='+2'><b>";
echo $row["price"];
echo "<br>";
echo "</font>";
echo "</td>";
if($cnt == 5)
{
    echo "<tr>";
    $cnt = 0;
}
echo"</tr>";
echo"<br>";
echo"</table>";
?>
</div>
<br>
<!-- Back to Top --&gt;
<a href="#" class="btn btn-lg btn-primary btn-lg-square back-to-top"><i class="bi bi-arrow-up"></i></a>


<!-- JS --&gt;
&lt;script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"&gt;&lt;/script&gt;

&lt;?php include ('footer.php');?&gt;

&lt;/body&gt;
&lt;/html&gt;
</pre>

```

Tablet.php



TV



QLED TV
TV
₹ 49,990



QLED QEF1 4K
Samsung Smart TV
TV
₹42,990



Ultra HD QLED Smart TV
4K(43 inches)
TV
₹ 47,990



FHD Smart LED TV(43
inchese)
TV
₹23,990



Samsung 55 Inch 4K Ultra
HD Smart QLED TV
TV
₹59,990



samsung Smart LED TV
TV
₹12,490



Address:
No 88, Star Icon, Bus Stand, 7 & 8,
Naroda, opposite Hanspura,
Ahmedabad, Gujarat 382330

Phone:
9999998880

Email:
your@email.com

Website:
yoursite.com

© SAMSUNG SMARTPLAZA, ALL RIGHTS RESERVED.

Coding :- Tablet.php

```
<?php include("header.php");?>
<br><br><br><br><br>
<!DOCTYPE html>
<html lang="en">

<head>

<title>Samsung SmartPlaza</title>
<meta charset="utf-8">
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<meta name="format-detection" content="telephone=no">
<meta name="apple-mobile-web-app-capable" content="yes">
<meta name="author" content="templatesjungle">
```

```

<meta name="keywords" content="electronics gadget">
<meta name="description" content="electronics gadget website template">

<!--Bootstrap ===== -->
<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet"
integrity="sha384-QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hw+ALEwIH"
crossorigin="anonymous">

<!--Link Swiper's CSS ===== -->
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/swiper@9/swiper-
bundle.min.css" />

<!-- Style Sheet ===== -->
<link rel="stylesheet" href="styles.css">

<!-- Google Fonts ===== -->
<link rel="preconnect" href="https://fonts.googleapis.com">
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
<link

href="https://fonts.googleapis.com/css2?family=Merriweather:ital,wght@0,300;0,400;0,700;0,9
00;1,300;1,400;1,700;1,900&family=Work+Sans:ital,wght@0,100..900;1,100..900&display=swap"
rel="stylesheet">

<style>
.product-list {
  display: flex;
  flex-wrap: wrap;
  gap: 15px;
  padding: 15px;
  justify-content: center;
}

.product-item {
  width: 300; /* 4 per row with some margin */
  border: 1px solid #ccc;
  border-radius: 8px;
  padding: 20px;
  box-shadow: 0 4px 8px rgba(0,0,0,0.05);
  transition: transform 0.2s ease, box-shadow 0.2s ease;
  background-color: #fff;
  text-align:left;
}

.product-item:hover {
  transform: translateY(-4px);
  box-shadow: 0 8px 16px rgba(0,0,0,0.1);
}

.product-item img {
  width: 100%;
  height: 250px;
  object-fit: contain;
  border-radius: 12px;
}

.product-item h2 {
  font-size: 18px;
  margin: 12px 0 8px;
  color: #333;
}

.product-item .description {
  font-size: 14px;
  color: #666;
}

```

```

        margin-bottom: 12px;
    }

    .product-item .price {
        font-size: 16px;
        font-weight: bold;
        color: #27ae60;
        margin-bottom: 12px;
    }

    .product-item .btn {
        margin: 5px;
    }

    @media (max-width: 992px) {
        .product-item {
            width: 45%;
        }
    }

    @media (max-width: 600px) {
        .product-item {
            width: 90%;
        }
    }

```

</style>

</head>

<body>

<!-- svg icon -->

<?php include ('svgicon.php');?>

<?php include('con1.php');

\$query="select *from item where category='Tablet'";

\$result=mysqli_query(\$con,\$query);

echo"<table align='center'style='margin-left:50px'>

<h2 align='center'><font color='#CCCCCC'

size='+3'><u>Tablet's</u></h2>";

\$cnt = 0;

while(\$row=mysqli_fetch_array(\$result))

{

\$cnt = \$cnt + 1;

echo "<td>";

echo "
";

echo"<div class='swiper mySwiper'>

<div class='swiper-wrapper'>

<div class='swiper-slide'>

<div class='product-list'>

<div class='product-item'>

 &nbsp &nbsp

<div class='cart-concern'>

<div class='cart-button d-flex justify-content-between'

align-items-center px-4'>

<font

color='purple' size='+2' ><u> Add to Cart</u>

<svg class='arrow' width='20' height='20'>

<use xlink:href='#arrow-right'></use>

</svg>

</div>

</div>";

echo"
";

```

echo "<font size='+2'>";
echo $row["itemname"];
echo "<br>";
echo "<font size='+2'>";
echo $row["category"];
echo "<br>";
echo "<font size='+2'><b>";
echo $row["price"];
echo "<br>";
echo "</font>";
echo "</td>";
if($cnt == 5)
{
    echo "<tr>";
    $cnt = 0;
}
echo"</tr>";
echo"<br>";
echo"</table>";
?>
</div>
<br>
<!-- Back to Top --&gt;
<a href="#" class="btn btn-lg btn-primary btn-lg-square back-to-top">



<!-- JS --&gt;
&lt;script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"&gt;&lt;/script&gt;

&lt;?php include ('footer.php');?&gt;

&lt;/body&gt;
&lt;/html&gt;
</pre>

```

Addtocart.php



Coding:- Addtocart.php

```
<?php
session_start();
if (!isset($_SESSION['username'])) {
    header("location:login.php");
    exit();
}
?>

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <title>Samsung SmartPlaza</title>
    <meta content="width=device-width, initial-scale=1.0" name="viewport">

    <!-- Favicon -->
    <link href="img/favicon.ico" rel="icon">

    <!-- Google Fonts -->
```

```

        <link
        href="https://fonts.googleapis.com/css2?family=Heebo:wght@400;500;600&family=Inter:wght@600
        &family=Lobster+Two:wght@700&display=swap" rel="stylesheet">

        <!-- Icon Fonts -->
        <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.10.0/css/all.min.css"
        rel="stylesheet">
        <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-
        icons.css" rel="stylesheet">

        <!-- Libraries CSS -->
        <link href="lib/animate/animate.min.css" rel="stylesheet">
        <link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet">

        <!-- Bootstrap and Custom CSS -->
        <link href="css/bootstrap.min.css" rel="stylesheet">
        <link href="css/style.css" rel="stylesheet">

        <script type="text/javascript">
            function validateForm() {
                var qty = document.forms["addtocart"]["quantity"].value;
                if (qty == null || qty == "") {
                    alert("Quantity must be filled out");
                    return false;
                }
                if (!qty.match(/^\d+$/)) {
                    alert("Quantity must be a number");
                    return false;
                }
            }
        </script>

        <style>
            .button {
                border-radius: 18px;
                background-color: #FE5D37;
                border: none;
                color: white;
                padding: 5px;
                font-size: 16px;
                cursor: pointer;
                width: 140px;
                height: 40px;
            }
        </style>
    </head>
    <body>
        <?php include('header.php'); ?>

        <br><br><br><br><br>

        <?php
            include("con1.php");
            $id=$_GET['id'];
            $query="select * from item where id=".$id;
            // $price=$_GET['price'];
            // $q1="select price from addtocart where price=".$price;

            $result=mysqli_query($con,$query);
            // $ins="insert into addtocart(`id`, `itemname`, `price`, `quantity`, `total`, `image`,
            `username`, `cart_date`) VALUES ($id,$itemname, $price, $quantity, $total`, `image`,
            `username`, `cart_date`)"
            while($row=mysqli_fetch_array($result))

```

```

{
?>
<form method="post" action="purchase2.php" name="addtocart.php" onSubmit="return validateForm()">





```

```
<?php
}
?>
<br>
<!-- Back to Top -->
<a href="#" class="btn btn-lg btn-primary btn-lg-square back-to-top"><i class="bi bi-arrow-up"></i></a>

<!-- JS -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>

<?php include ('footer.php');?>

</body>
</html>
```

Viewcart.php

The screenshot shows a shopping cart interface. At the top, there's a navigation bar with links for HOME, ABOUT, SHOP, CONTACT, FEEDBACK, and LOGOUT. A search icon and a user profile icon are also present. Below the navigation is a table with the following data:

Image	Item Name	Price	Quantity	Total	Purchase Date	Action
	Samsung Galaxy Buds	6999	2	13998	11-09-2025	<button>DELETE</button>
	Galaxy S23 Ultra	141000	1	141000	09-09-2025	<button>DELETE</button>

Total Amount: 154998

[PURCHASE](#)

Below the table, there's a contact section with fields for Address, Phone, Email, and Website, all set to placeholder values. To the right, there's a "PHOTO GALLERY" section with six thumbnail images. At the bottom, a copyright notice reads: © SAMSUNG SMARTPLAZA, ALL RIGHTS RESERVED.

Coding:- Viewcart.php

```
<?php
session_start();
if (!isset($_SESSION['username'])) {
    header("location:login.php");
    exit();
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <title>Samsung SmartPlaza</title>
    <meta content="width=device-width, initial-scale=1.0" name="viewport">
    <!-- Include your stylesheets and fonts here -->
    <link href="css/bootstrap.min.css" rel="stylesheet">
    <link href="css/style.css" rel="stylesheet">
<style>
    .button {
        border-radius: 18px;
        background-color: #CCCCCC;
        border: none;
        color: white;
```

```

        padding: 5px;
        font-size: 16px;
        width: 120px;
        height: 30px;
        cursor: pointer;
    }

```

```

</style>
</head>
<body>
<?php include('header.php'); ?>

```

```

<br><br><br><br><br>
```

```

<section class="cta-area d-flex flex-wrap">
    <div class="container">

        <?php
        $con = mysqli_connect("localhost", "root", "", "samsung_smartplaza");
        if (!$con) {
            die("Connection failed: " . mysqli_connect_error());
        }

        $username = $_SESSION['username'];
        $query = "SELECT * FROM addtocart WHERE username='$username'";
        $result = mysqli_query($con, $query);

        if (mysqli_num_rows($result) > 0) {
            $total_amount = 0;
            echo '<form method="post" action="deletecart.php" onsubmit="return
validateForm();">';
            echo '<table class="table table-bordered">';
            echo '<thead><tr>
                    <th>Image</th>
                    <th>Item Name</th>
                    <th>Price</th>
                    <th>Quantity</th>
                    <th>Total</th>
                    <th>Purchase Date</th>
                    <th>Action</th>
                </tr></thead><tbody>';

            while ($row = mysqli_fetch_assoc($result)) {
                $item_total = $row['price'] * $row['quantity'];
                $total_amount += $item_total;

                echo '<tr>';
                echo '<td></td>';
                echo '<td><input type="text" name="itemname" value="' .
                htmlspecialchars($row['itemname']) . '" readonly></td>';
                echo '<td><input type="number" name="price" value="' . $row['price'] . '"'
                . ' readonly></td>';
                echo '<td><input type="number" name="quantity/" value="' . $row['quantity'] .
                '" readonly></td>';
                echo '<td><input type="number" name="total" value="' . $item_total . '"'
                . ' readonly></td>';
                echo '<td><input type="date" name="pur_date" value="' .
                htmlspecialchars($row['cart_date']) . '" readonly></td>';
                echo '<td><a href="deletecartitem.php?id=' . $row['id'] . '" class="btn btn-
danger btn-sm">Delete</a></td>';
                echo '</tr>';

                echo '<tr><td colspan="4" style="text-align:right;"><strong>Total
Amount:</strong></td>';
                echo '<td colspan="3"><strong>' . $total_amount . '</strong></td></tr>';
            }
        }
    
```

```
echo '</tbody></table>';

echo '<button type="submit" name="submit" class="btn" style="width:250px;
background-color: #007bff; color: white; border: none;">Purchase</button>';
echo '</form>';
} else {
    echo '<p>Your cart is empty.</p>';
}
mysqli_close($con);
?>
</div>
</section>

<script>
function validateForm() {
    // Example validation if needed
    return true;
}
</script>

<!-- Back to Top -->
<a href="#" class="btn btn-lg btn-primary btn-lg-square back-to-top"><i class="bi bi-arrow-up"></i></a>

<!-- JS -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>
>

<?php include ('footer.php');?>

</body>
</html>
```

deletecart.php

```
<?php
session_start();
if(!isset($_SESSION['username']))
header("location:login.php");
else
{
?>

<?php
include("con1.php");
include("viwecart.php");
$user=$_SESSION['username'];
$total=$_POST['total'];
$itemname=$_POST['itemname'];
$payment=$total;
$pur_date=$_POST['pur_date'];
$q1="select * from registration where username='$user'";
$res=mysqli_query($con,$q1);

while($row=mysqli_fetch_array($res))
{
    $name= $row['1'];
    $add=$row['2'];
    $city= $row['3'];


}
$p="INSERT INTO purchase( name, address, city, itemname,total, payment, pur_date)
VALUES ('$name','$add','$city','$itemname','$total','$payment','$pur_date')";
mysqli_query($con,$p);
$q="delete from addtocart where username='$user'";
mysqli_query($con,$q);
//header("location:home.php");
?>
<script type="text/javascript">
    alert("Congratulations! your order is conformed, Cash on delivery.....");
    window.location.href="home.php";
</script>

<?php
}
?>
```

deletecartitem.php

```
<?php
    session_start();
    if(!isset($_SESSION['username']))
        header("location:login.php");
    else
    {
?>
<?php
    include("con1.php");
    $id=$_GET['id'];
    $user=$_SESSION['username'];
    $q="delete from addtocart where id='$id'";
    mysqli_query($con,$q);
    header("location:viewcart.php");
?>
    <script type="text/javascript">
        alert("Congratulations! your order is conformed, Cash on delivery....");
        window.location="index.php";
    </script>
<?php
    }
?>
```

Purchase.php



Coding:- Purchase.php

```
<?php
session_start();
if (!isset($_SESSION['username'])) {
    header("location:login.php");
    exit();
}
?>
<br><br><br><br><br><br><br>
<!DOCTYPE html><head>
    <meta charset="utf-8">
    <title>Samsung SmartPlaza</title>
    <meta content="width=device-width, initial-scale=1.0" name="viewport">
    <meta content="" name="keywords">
    <meta content="" name="description">

    <!-- Favicon -->
    <link href="img/favicon.ico" rel="icon">

    <!-- Google Web Fonts -->
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    <link
        href="https://fonts.googleapis.com/css2?family=Heebo:wght@400;500;600&family=Inter:wght@600&family=Lobster+Two:wght@700&display=swap" rel="stylesheet">

    <!-- Icon Font Stylesheet -->
    <link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.10.0/css/all.min.css" rel="stylesheet">
    <link href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">

    <!-- Libraries Stylesheet -->
    <link href="lib/animate/animate.min.css" rel="stylesheet">
    <link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet">

    <!-- Customized Bootstrap Stylesheet -->
    <link href="css/bootstrap.min.css" rel="stylesheet">

    <!-- Template Stylesheet -->
    <link href="css/style.css" rel="stylesheet">

<?php include("con1.php");
```

```

// Redirect if not logged in

if ($_SERVER["REQUEST_METHOD"] == "POST") {
    // Get values and sanitize
    $itemname = $_POST['itemname'];
    $price = $_POST['price'];
    $quantity = $_POST['quantity'];
    $image = $_POST['image'];
    $cart_date = $_POST['cart_date'];
    $username = $_SESSION['username']; // Use session username

    // Clean price string: remove ₹, spaces, commas
    $price_clean = str_replace(['₹', ' ', ','], '', $price);

    // Validate numeric inputs
    if (!is_numeric($price_clean) || !is_numeric($quantity)) {
        die("Price and quantity must be numeric. Got price='$price' and
quantity='$quantity'");
    }

    // Calculate total using cleaned price
    $total = (float)$price_clean * (int)$quantity;

    // Insert query (assuming id is auto-increment)
    $sql = "INSERT INTO addtocart (itemname, price, quantity, total, image, username,
cart_date)
VALUES ('$itemname', '$price_clean', '$quantity', '$total', '$image',
'$username', '$cart_date')";

    if (mysqli_query($con, $sql))
    {
        header("Location: viewcart.php");
        exit();
    } else {
        echo "Database Error: " . mysqli_error($con);
    }
} else {
    echo "Invalid access method.";
}
?>

<br><br><br><br><br><br><br><br><br>
<!-- Back to Top -->
<a href="#" class="btn btn-lg btn-primary btn-lg-square back-to-top"><i class="bi bi-arrow-up"></i></a>


<!-- JS -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>

<?php include ('footer.php');?>

</body>
</html>

```

Feedback.php



Coding:- Feedback.php

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Feedback</title>
    <?php include('header.php'); ?>

    <!-- Bootstrap CSS -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
<style>
    body {
        background: url('project_image/I4.jpg') no-repeat center center fixed;
        background-size: cover;
    }
    .form-container {
        background: rgba(255,255,255,0.95);
    }
</style>
```

```

        border-radius: 15px;
        padding: 60px;
        box-shadow: 0 5px 15px rgba(0,0,0,0.2);
        margin-top: 20vh;
    }
    h2.title {
        color: #000000;
        font-family: 'Times New Roman', serif;
        font-size: 40px;
    }

```

```
</head>
</head>
<body>
```

```

<div class="container">
    <div class="row justify-content-center">
        <div class="col-md-7 col-lg-6">
            <div class="form-container">
                <h2 class="text-center title mb-4"><u><b>Feedback</b></u></h2>
                <form name="regi" action="registrationsave.php" method="POST"
onsubmit="return validateForm();">

                    <div class="row mb-3">
                        <div class="col-md-6">
                            <label for="nm" class="form-label"><b>Name</b></label>
                            <input type="text" class="form-control" name="nm"
id="nm" style="width:500px;" placeholder="Enter name...">

                            <label for="city" class="form-label"><b>City</b></label>
                            <input type="text" class="form-control" name="city"
id="city" style="width:500px;" placeholder="Enter City...">
                        </div>
                    </div>
                    <div class="row mb-3">
                        <div class="col-md-6">
                            <label for="mno" class="form-label"><b>Mobile No</b></label>
                            <input type="text" class="form-control" name="mno"
id="mno" style="width:500px;" placeholder="Enter Mobile_no...">
                            <label for="email" class="form-label"><b>Email</b></label>
                            <input type="email" class="form-control" name="email"
id="email" style="width:500px;" placeholder="Enter E-mail...">
                        </div>
                    </div>

                    <div class="mb-3">
                        <label for="address" class="form-label"><b>Feedback</b></label>
                        <textarea class="form-control" name="feedback" id="feedback"
rows="2" placeholder="Write your feedback or message here...."></textarea>
                    </div>
                    <div class="d-flex justify-content-between">
                        <button type="submit" name="submit" class="btn" style="width:300px;
background-color: #007bff; color: white; border: none;">Send</button>
                        <button type="reset" name="reset" class="btn" style="width:300px;
background-color: gray; color: white; border: none;">Cancel</button>
                    </div>
                </form>
            </div>
        </div>
    </div>
<!-- Back to Top -->
<a href="#" class="btn btn-lg btn-primary btn-lg-square back-to-top"><i class="bi bi-arrow-up"></i></a>

```

```
<!-- JS -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>

<?php include("footer.php"); ?>
</body>
</html>
```

Coding:- Feedbacksave.php

```
<?php
    include("con1.php");
    $name=$_POST['nm'];
    $city=$_POST['city'];
    $mno=$_POST['mno'];
    $email=$_POST['email'];
    $feedback=$_POST['feedback'];

    mysqli_query($con,"INSERT INTO `feedback` (`name`, `city`, `mobileno`, `email`,) VALUES
    ('$name', '$address', '$city', '$mno', '$email', '$feedback')");
    header("location:home.php");
?>
```

About.php

We are a team of passionate individuals committed to delivering excellence.

Our mission is to innovate and lead in our industry.

MEET OUR TEAM

HETAL
HAJANI

URVISHA
SISODIYA

KHUSHI DER

Address:
No 88, Star Icon, Bus Stand, 7 & 8,
Naroda, opposite Hanspura,
Ahmedabad, Gujarat 382330

Phone:
9999999990

Email:
your@email.com

Website:
yoursite.com

PHOTO GALLERY

© SAMSUNG SMARTPLAZA, ALL RIGHTS RESERVED.

Coding:About.php

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <title>Samsung SmartPlaza</title>
    <?php include('header.php'); ?>

    <!-- Bootstrap CSS -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
    <style>
.team-container {
    display: flex;          /* Flexbox activate karein */
    justify-content: center; /* Center me align karein */
    gap: 50px;              /* Members ke beech me gap */
    flex-wrap: wrap;         /* Chhoti screen par wrap bhi ho sake */
    margin-top: 20px;
}
```

```

}

.team-member {
    width: 220px;
    text-align: center;
    border: 1px solid #ccc;
    padding: 15px;
    border-radius: 10px;
    background-color: #f9f9f9;
    box-shadow: 0 0 10px rgba(0,0,0,0.1);
}

.team-member img {
    width: 200px;
    height: 200px;
    object-fit: cover;
    border-radius: 50%; /* Circular image */
    margin-bottom: 10px;
}

```

</style>

</head>

<?php

// team.php

```

$teamMembers = [
    [
        'name' => 'Hetal Hajani',
        'image' => 'project_image\hetal'
    ],
    [
        'name' => 'Urvisha Sisodiya',
        'image' => 'project_image/Urvisha.jpg'
    ],
    [
        'name' => 'Khushi Der',
        'image' => 'project_image/Khushi.jpg'
    ]
];
?>
<body>

<div style="text-align: center;">
<section id="about">
    <h1>About Us</h1>
    
    <p>We are a team of passionate individuals committed to delivering excellence.</p>
    <p>Our mission is to innovate and lead in our industry.</p>
</section></div>
<section id="team">
    <div style="text-align: center;">
        <h1>Meet Our Team</h1>
        <div class="team-container"<!-- Yeh container add karein --&gt;
            &lt;?php foreach ($teamMembers as $member): ?&gt;
            &lt;div class="team-member"&gt;
                &lt;img src=&lt;?= htmlspecialchars($member['image']) ?&gt; alt=&lt;?=
                htmlspecialchars($member['name']) ?&gt; width="150" height="150"&gt;
                &lt;h3&gt;&lt;?= htmlspecialchars($member['name']) ?&gt;&lt;/h3&gt;

            &lt;/div&gt;
            &lt;?php endforeach; ?&gt;
        &lt;/div&gt;
    &lt;/div&gt;
&lt;/section&gt;
&lt;br&gt;&lt;br&gt;&lt;br&gt;
&lt;!-- Back to Top --&gt;
&lt;a href="#" class="btn btn-lg btn-primary btn-lg-square back-to-top"&gt;&lt;i class="bi bi-arrow-up"&gt;&lt;/i&gt;&lt;/a&gt;
</pre>

```

```
<!-- JS -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>
>

<?php include ('footer.php');?>

</body>
</html>
```

Contact.php

Address: No 88, Star Icon, Bus Stand, 7 & 8, Naroda, opposite Hanspura, Ahmedabad, Gujarat 382330

Phone: 9989989880

Email: info@samsungsmartplaza.com

Website: samsungsmartplaza.com

Address: No 88, Star Icon, Bus Stand, 7 & 8, Naroda, opposite Hanspura, Ahmedabad, Gujarat 382330

Phone: 9989989880

Email: your@email.com

Website: yoursitename.com

PHOTO GALLERY

© SAMSUNG SMARTPLAZA, ALL RIGHTS RESERVED.

Coding:Contact.php

```
<?php include 'header.php'?>
<html lang="en">
<head>
    <script>(function(w,i,g){w[g]=w[g]||[];if(typeof w[g].push=='function')w[g].push(i))
        (window,'G-SEKJ4E9T4H','google_tags_first_party');</script><script async="" src="/s9cc/"></script>
    <script>
        window.dataLayer = window.dataLayer || [];
        function gtag(){dataLayer.push(arguments);}
        gtag('js', new Date());
    </script>
```

```
        gtag('set', 'developer_id.dYzg1YT', true);
        gtag('config', 'G-SEKJ4E9T4H');
    </script>

<title>Contact Us</title>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

<link href="https://fonts.googleapis.com/css?family=Roboto:400,100,300,700"
rel="stylesheet" type="text/css">

<link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/font-
awesome/4.7.0/css/font-awesome.min.css">

<link rel="stylesheet" href="css/style.css">

<style>
    body {
        font-family: Verdana, Arial, Helvetica, sans-serif;
        color: #666666;
        background: #f9f9f9 url('your-image.jpg') no-repeat center center fixed;
        background-size: cover;
        margin: 2rem;
    }
    .contact-wrap {
        max-width: 600px;
        margin: 0 auto;
        background: #fff;
        padding: 2rem;
        border-radius: 8px;
        box-shadow: 0 0 10px rgba(0 0 0 / 0.1);
    }
    h3 {
        font-size: 2rem;
        margin-bottom: 0.5rem;
    }
    p.lead {
        font-weight: bold;
        margin-bottom: 2rem;
    }
    .info-item {
        display: flex;
        align-items: flex-start;
        margin-bottom: 1.5rem;
    }
    .info-item .icon {
        font-size: 1.5rem;
        color: #333;
        width: 40px;
        text-align: center;
        margin-right: 1rem;
    }
    .info-item .text p {
        margin: 0;
        line-height: 1.4;
    }
    .info-item a {
        color: #007bff;
        text-decoration: none;
    }
    .info-item a:hover {
        text-decoration: underline;
    }
</style>
```

```

/* New simplified styling for a clean, light look */
.contactForm {
    background-color: #007bff; /* Very light gray */
    padding: 20px;
    border-radius: 8px;
    max-width: 500px; /* Reduced max-width for a more compact size */
    margin: 40px auto;
    border: 1px solid #e9ecef; /* Light border */
    font-family: Arial, sans-serif;
}

.form-group {
    margin-bottom: 15px; /* Reduced spacing */
}

.form-control {
    width: 100%;
    padding: 10px; /* Reduced padding */
    border: 1px solid #ced4da; /* Subtle border */
    border-radius: 5px;
    background-color: #fff; /* White background */
    font-size: 14px; /* Reduced font size */
    color: #495057;
    transition: border-color 0.2s ease, box-shadow 0.2s ease;
}

.form-control:focus {
    border-color: #80bdff; /* Light blue border on focus */
    outline: none;
    box-shadow: 0 0 0 0.2rem rgba(0, 123, 255, 0.25);
}

::placeholder {
    color: #6c757d;
}

.btn.btn-primary {
    background-color: #1a72d0ff; /* Standard blue button */
    color: #fff;
    border: none;
    padding: 12px 25px; /* Reduced padding */
    border-radius: 5px;
    cursor: pointer;
    font-size: 16px;
    font-weight: bold;
    transition: background-color 0.2s ease;
}

.btn.btn-primary:hover {
    background-color: #0056b3; /* Darker blue on hover */
}

```

```

</style>

</head>
<body>
<br><br><br><br>
<section class="ftco-section">
<div class="container">
    <div class="row justify-content-center">
        <div class="col-md-6 text-center mb-5">
            <br><br>
            <h1 class="heading-section" style="color: #3399ff;">Contact Us</h1>
        </div>
    </div>
    <div class="row justify-content-center">
        <div class="col-lg-10">

```

```

<div class="wrapper">
    <div class="row no-gutters">
        <div class="col-md-6 d-flex align-items-stretch">
            <div class="contact-wrap w-100 p-md-5 p-4 py-5">

                <div id="form-message-warning" class="mb-4"></div>
                <form method="POST" id="contactForm" name="contactForm"
class="contactForm">
                    <div class="row">
                        <div class="col-md-12">
                            <div class="form-group">
                                <input type="text" class="form-control" name="name"
id="name" placeholder="Name">
                            </div>
                        </div>

                        <div class="col-md-12">
                            <div class="form-group">
                                <input type="email" class="form-control" name="email"
id="email" placeholder="Email">
                            </div>
                        </div>

                        <div class="col-md-12">
                            <div class="form-group">
                                <input type="text" class="form-control" name="subject"
id="subject" placeholder="Subject">
                            </div>
                        </div>

                        <div class="col-md-12">
                            <div class="form-group">
                                <textarea name="message" class="form-control" id="message"
rows="4" placeholder="Message"></textarea>
                            </div>
                        </div>

                        <div class="col-md-12">
                            <div class="form-group">
                                <input type="submit" value="Send Message" class="btn btn-
primary">
                                    <div class="submitting"></div>
                                </div>
                            </div>
                        </div>
                    </form>
                </div>
            </div>
        </div>
    </div>
<div class="col-lg-6 wow fadeIn" data-wow-delay="0.5s" style="min-height: 500px;
width: 500px">
    <div class="position-relative h-100">

        <iframe
src="https://www.google.com/maps/embed?pb=!1m14!1m8!1m3!1d102181.81014810267!2d72.688627537
05994!3d23.096489915562724!3m2!1i1024!2i768!4f13.1!3m3!1m2!1s0x395e81bf049035cb%3A0xdec2219
ac577c032!2sSamsung%20SmartPlaza%20-
%20E%20Zone%20Marketing!5e1!3m2!1sen!2sin!4v1757311497359!5m2!1sen!2sin"
width="100%"
height="550"
style="border: 2px; border-radius: 8px;""
allowfullscreen=""
loading="lazy"
referrerpolicy="no-referrer-when-downgrade">
    </iframe>

```

```

        </div>
    </div>

    <center>
        <table><div class="contact-info-box d-flex justify-content-around flex-wrap py-5 bg-white rounded shadow">
            <!-- Address -->
            <div class="info-item text-center mx-3 my-2">
                <i class="fa fa-map-marker fa-2x text-primary mb-2"></i>
                <p><strong>Address</strong><br>No 88, Star Icon, Bus Stand, 7 & 8,<br>Naroda, opposite Hanspura,<br> Ahmedabad, Gujarat 382330</p>
            </div>

            <!-- Phone -->
            <div class="info-item text-center mx-3 my-2">
                <i class="fa fa-phone fa-2x text-primary mb-2"></i>
                <p><strong>Phone</strong><br><a href="tel:+919989989880">9989989880</a></p>
            </div>

            <!-- Email -->
            <div class="info-item text-center mx-3 my-2">
                <i class="fa fa-paper-plane fa-2x text-primary mb-2"></i>
                <p><strong>Email</strong><br><a href="mailto:info@yoursite.com">info@samsungsmartplaza.com</a></p>
            </div>

            <!-- Website -->
            <div class="info-item text-center mx-3 my-2">
                <i class="fa fa-globe fa-2x text-primary mb-2"></i>
                <p><strong>Website</strong><br><a href="https://yoursite.com" target="_blank">samsungsmartplaza.com</a></p>
            </div>
        </table>
    </center>
</section>

<script data-cfasync="false" src="/cdn-cgi/scripts/5c5dd728/cloudflare-static/email-decode.min.js"></script><script src="js/jquery.min.js"></script>
<script src="js/popper.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/jquery.validate.min.js"></script>
<script src="js/main.js"></script>

<script defer="" src="https://static.cloudflareinsights.com/beacon.min.js/vcd15cbe7772f49c399c6a5babf22c1241717689176015" integrity="sha512-Zps0mlRQV6y907TI0dKBBq9Md29nnaEIP1kf84rnaERnq6zvWvPUqr2ft8M1aS28oN72PdrCzSjY4U6VaAw1EQ==" data-cf-beacon="{""rayId":"9662bf8f5b3c0cc7","serverTiming":{"name":"cfExtPri":&gt;true,&gt;"cfEdge":&gt;true,&gt;"cfOrigin":&gt;true,&gt;"cfl4":&gt;true,&gt;"cfSpeedBrain":&gt;true,&gt;"cfCacheStatus":&gt;true},"version":&gt;2025.7.0&gt;,&gt;"token":&gt;cd0b4b3a733644fc843ef0b185f98241&gt;}" crossorigin="anonymous"></script>

<br>
<!-- Back to Top -->
<a href="#" class="btn btn-lg btn-primary btn-lg-square back-to-top"><i class="bi bi-arrow-up"></i></a>

<!-- JS -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"></script>

```

```
<?php include ('footer.php');?>  
</body>  
</html>
```

Samsung SmartPlaza

Header.php

```
<!DOCTYPE html>
<html lang="en">

<head>
    <title>Samsung SmartPlaza</title>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta name="format-detection" content="telephone=no">
    <meta name="apple-mobile-web-app-capable" content="yes">
    <meta name="author" content="templatesjungle">
    <meta name="keywords" content="electronics gadget">
    <meta name="description" content="electronics gadget website template">

    <!--Bootstrap ===== -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hW+ALEwIH" crossorigin="anonymous">

    <!--Link Swiper's CSS ===== -->
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/swiper@9/swiper-bundle.min.css" />

    <!-- Style Sheet ===== -->
    <link rel="stylesheet" href="styles.css">

    <!-- Google Fonts ===== -->
    <link rel="preconnect" href="https://fonts.googleapis.com">
    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
    <link href="https://fonts.googleapis.com/css2?family=Merriweather:ital,wght@0,300;0,400;0,700;0,900;1,300;1,400;1,700;1,900&family=Work+Sans:ital,wght@0,100..900;1,100..900&display=swap" rel="stylesheet">
    <style>
        header {

            position: relative;
            background: url('project_image/b2.jpg') no-repeat center center/cover;
            color: black;
            padding: 40px 0;

            height: 100px; /* Adjust height as needed */
            color: black;
            display: flex;
            align-items: center;
            justify-content: center;
            text-align: center;
        }
    </style>

</head>

<body>
    <!-- svg icon -->

    <svg xmlns="http://www.w3.org/2000/svg" style="display: none;">
        <symbol id="arrow-left" viewBox="0 0 256 256">
            <path fill="currentColor" />
        </symbol>
    </svg>

```

```

        d="M220 128a4 4 0 0 1-4 4H49.66165.17 65.17a4 4 0 0 1-5.66 5.66l-72-72a4 4
0 0 1 0-5.66l72-72a4 4 0 0 1 5.66 5.66L49.66 124H216a4 4 0 0 1 4 4" />
    </symbol>
    <symbol id="arrow-right" viewBox="0 0 256 256">
        <path fill="currentColor"
            d="m218.83 130.83l-72 72a4 4 0 0 1-5.66-5.66L206.34 132H40a4 4 0 0 1 0-
8h166.34l-65.17-65.17a4 4 0 0 1 5.66-5.66l72 72a4 4 0 0 1 0 5.66" />
    </symbol>
    <symbol id="man" viewBox="0 0 512 512">
        <path fill="currentColor"
            d="M332.64 64.58C313.18 43.57 286 32 256 32c-30.16 0-57.43 11.5-76.8
32.38c-19.58 21.11-29.12 49.8-26.88 80.78C156.76 206.28 203.27 256 256 256s99.16-49.71
103.67-110.82c2.27-30.7-7.33-59.33-27.03-80.6M432 480H80a31 31 0 0 1-24.2-11.13c-6.5-7.77-
9.12-18.38-7.18-29.11C57.06 392.94 83.4 353.61 124.8 326c36.78-24.51 83.37-38 131.2-
38s94.42 13.5 131.2 38c41.4 27.6 67.74 66.93 76.18 113.75c1.94 10.73-.68 21.34-7.18
29.11A31 31 0 0 1 432 480" />
    </symbol>
    <symbol id="search" viewBox="0 0 512 512">
        <path fill="currentColor"
            d="M456.69 421.39L362.6 327.3a173.8 173.8 0 0 0 34.84-104.58C397.44 126.38
319.06 48 222.72 48S48 126.38 48 222.72s78.38 174.72 174.72 174.72A173.8 173.8 0 0 0 327.3
362.6194.09 94.09a25 25 0 0 0 35.3-35.3M97.92 222.72a124.8 124.8 0 1 1 124.8 124.8a124.95
124.95 0 0 0 1-124.8-124.8" />
    </symbol>
    <symbol id="expand" viewBox="0 0 32 32">
        <path fill="currentColor"
            d="m25.545 23.328l-7.627-7.705l7.616-7.616l1.857l2.26-8.428l-8.428
2.258l1.836 1.836l-7.603 7.604l-7.513-7.59L9.81 3.695L1.392 1.394l2.215 8.44l1.848-
1.8317.524 7.604l-7.515 7.515l-1.856-1.855l-2.26 8.427l8.43-2.257L7.94 25.617.503-
7.502l7.614 7.693l-1.867 1.848l8.416 2.31-2.213-8.438z" />
    </symbol>
    <symbol id="wishlist" viewBox="0 0 512 512">
        <path fill="currentColor"
            d="M256 448a32 32 0 0 1-18-5.57c-78.59-53.35-112.62-89.93-131.39-112.8c-40-
48.75-59.15-98.8-58.61-153C48.63 114.52 98.46 64 159.08 64c44.08 0 74.61 24.83 92.39
45.51a6 6 0 0 0 9.06 0C278.31 88.81 308.84 64 352.92 64c60.62 0 110.45 50.52 111.08
112.64c.54 54.21-18.63 104.26-58.61 153c-18.77 22.87-52.8 59.45-131.39 112.8a32 32 0 0 1-18
5.56" />
    </symbol>
    <symbol id="cart" viewBox="0 0 512 512">
        <circle cx="176" cy="416" r="32" fill="currentColor" />
        <circle cx="400" cy="416" r="32" fill="currentColor" />
        <path fill="currentColor"
            d="M456.8 120.78a23.92 23.92 0 0 0 -18.56-8.78H133.89l-6.13-34.78A16 16 0 0
0 112 64H48a16 16 0 0 0 32h50.58l45.66 258.78A16 16 0 0 0 160 368h256a16 16 0 0 0 0-
32H173.42l-5.64-32h241.66A24.07 24.07 0 0 0 433 284.71l28.8-144a24 24 0 0 0 -5-19.93" />
    </symbol>
    <symbol id="play" viewBox="0 0 512 512">
        <path fill="currentColor" d="m96 448l320-192L96 64z" />
    </symbol>
    <symbol id="down" viewBox="0 0 24 24">
        <g fill="none" fill-rule="evenodd">
            <path
                d="M24 0v24H0V0zM12.593 23.258l-.011.002l-.071.035l-.02.004l-.014-
.004l-.071-.035q-.016-.005-.024.005l-.005l-.004l-.011.017.428l.005.021.01.013l.104.074l.015.004l.012-.004l.104-.074l.012-.016l.004-.017l.017-
.427q-.004-.016-.017-.018m.265-.113l-.013.002l-.185.093l-.01.011-
.003.011l.018.43l.005.012l.008.007l.201.093q.019.005.029-.008l.004-.014l-.034-.614q-.005-
.019-.02-.022m-.715.002a.02.02 0 0 0 -.027.006l-.006.014l-.034.614q.001.018.017.024l.015-
.002l.201-.093l.01-.008l.004-.011l.017-.43l-.003-.012l-.01-.01z" />
            <path fill="currentColor"
                d="M13.06 16.06a1.5 1.5 0 0 1-2.12 0l-5.658-5.656a1.5 1.5 0 1 1 2.122-
2.121L12 12.879l4.596-4.596a1.5 1.5 0 0 1 2.122 2.121-5.657 5.658z" />
        </g>
    </symbol>
    <symbol id="navbar-icon" viewBox="0 0 24 24">

```

```

        <path fill="none" stroke="currentColor" stroke-linecap="round" stroke-
linejoin="round" stroke-width="2"
      d="M3 17h18M3 12h18M3 7h18" />
    </symbol>
  </svg>
<!-- svg icon End -->

<header id="header" class=" bg-black text-white site-header py-3 px-3 px-lg-5 position-
absolute top-0 start-0 w-100 z-1">

<div class="container-fluid">
  <div class="row">
    <nav class="navbar navbar-expand-lg">
      <button class="navbar-toggler d-flex d-lg-none order-3 p-0 border-0 shadow-none"
type="button" data-bs-toggle="offcanvas" data-bs-target="#bdNavbar" aria-
controls="bdNavbar" aria-expanded="false" aria-label="Toggle navigation">
        <svg class="navbar-icon text-white" width="30" height="30">
          <use xlink:href="#navbar-icon"></use>
        </svg>
      </button>
      <a href="#" class="navbar-brand order-2 order-lg-2 d-flex d-lg-none">
        
      </a>
      <div class="offcanvas offcanvas-end bg-black order-3" tabindex="-1" id="bdNavbar" aria-
labelledby="bdNavbarOffcanvasLabel">
        <div class="offcanvas-body align-items-center">
          <div class="offcanvas-header p-0 py-4 ms-2">
            <button type="button" class="btn-close btn-close-white shadow-none" data-bs-
dismiss="offcanvas" aria-label="Close" data-bs-target="#bdNavbar"></button>
          </div>
          <div class="col-md-2 d-flex">
            <a href="#" class="navbar-brand order-2 order-lg-2 d-none d-lg-flex">
              
            </a>
          </div>
        <div class="col-md-5 offset-lg-2">
          <div class="navbar-collapse order-1 order-lg-1 ms-3 ms-lg-0" id="navbarMenu">
            <ul class="navbar-nav d-flex justify-content-center">
              <li class="nav-item me-5">
                <a class="nav-link nav-link-ltr text-white pb-1 pe-0" href="home.php">Home</a>
              </li>
              <li class="nav-item me-5">
                <a class="nav-link nav-link-ltr text-white pb-1 pe-0" href="about.php">About</a>
              </li>
            </ul>
          </div>
        <!-- Dropdown for category -->
        <li class="nav-item me-5 dropdown">
          <a class="nav-link nav-link-ltr text-white pb-1 pe-0 dropdown-toggle show"
href="#" id="navbarDropdownShop" role="button" data-bs-toggle="dropdown" aria-
expanded="true">Shop</a>
          <ul class="dropdown-menu" aria-labelledby="navbarDropdowncategory">
            <li><a href="other.php" class="dropdown-item">All Product</a></li>
            <li><a href="smartphone.php" class="dropdown-item">Smartphone</a></li>
            <li><a href="smartwatch.php" class="dropdown-item">Smartwatch</a></li>
            <li><a href="laptop.php" class="dropdown-item">Laptop</a></li>
            <li><a href="buds.php" class="dropdown-item">Buds</a></li>
            <li><a href="speaker.php" class="dropdown-item">Speaker</a></li>
            <li><a href="tv.php" class="dropdown-item">TV</a></li>
            <li><a href="camera.php" class="dropdown-item">Camera</a></li>
            <li><a href="fridge.php" class="dropdown-item">Fridge</a></li>
            <li><a href="tablet.php" class="dropdown-item">Tablet</a></li>
          </ul>
        </li>
      </div>
    </nav>
  </div>
</div>

```

```
<!-- Dropdown for Contact -->
<li class="nav-item me-5">
    <a class="nav-link nav-link-ltr text-white pb-1 pe-0"
        href="contact_us.php">Contact</a>
</li>

<!-- Dropdown for FeedBack -->
<li class="nav-item me-5">
    <a class="nav-link nav-link-ltr text-white pb-1 pe-0" href="feedback.php" >FeedBack</a>
</li>
<li class="nav-item me-5">
    <a class="nav-link nav-link-ltr text-white pb-1 pe-0" href="logout.php" >Logout</a>
</li>
</ul>

    </div>
</div>
<div class="col-md-3">
    <ul class="user-items list-unstyled d-none d-lg-flex justify-content-end align-items-center order-3 flex-grow-1 gap-4 m-0">
        <li class="search-item" data-bs-toggle="collapse" data-bs-target="#search-box" aria-controls="search-box" aria-expanded="false" aria-label="Toggle navigation">
            <a href="search.php" class="search-button">
                <svg class="text-white search" width="20" height="20">
                    <use xlink:href="#search"></use>
                </svg>
            </a>
        </li>
        <li>
            <a href="viewcart.php">
                <svg class="text-white cart" width="20" height="20">
                    <use xlink:href="#cart"></use>
                </svg>
            </a>
        </li>
        <li>
            <a href="registration.php">
                <svg class="text-white man" width="20" height="20">
                    <use xlink:href="#man"></use>
                </svg>
            </a>
        </li>
    </ul>
</div>
</div>
</div>
</section>
</header>
</body>
</html>
```

Footer.php

```
<html>
<head>
    <!-- Bootstrap CSS -->
    <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css" rel="stylesheet">
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.0/css/all.min.css">

    <style>
        /* Footer with background image */
        #footer {
            position: relative;
            background: url('project_image/bg12.jpg') no-repeat center center/cover;
            color: white;
            padding: 40px 0;
        }

        /* Dark overlay for better text visibility */
        #footer::before {
            content: "";
            position: absolute;
            top: 0;
            left: 0;
            height: 100%;
            width: 100%;
            background-color: rgba(0, 0, 0, 0.7);
            z-index: 0;
        }

        #footer .container {
            position: relative;
            z-index: 1;
        }

        .footer-contact p,
        .footer-contact a {
            color: white;
            text-decoration: none;
            margin: 0;
        }

        .footer-contact a:hover {
            text-decoration: underline;
        }

        .icon {
            width: 30px;
            text-align: center;
        }

        .footer-contact .d-flex {
            gap: 10px;
            align-items: flex-start;
        }

        .logo img {
            max-width: 100%;
            height: auto;
        }

        hr.bg-light {
            opacity: 0.4;
```

```

        }

    @media (max-width: 768px) {
        .footer-contact .col-md {
            margin-bottom: 20px;
        }
    }

```

</head>

<body>
 <section id="footer">

<div class="container">
 <div class="row">
 <!-- Column 1: Logo -->
 <div class="col-md-3 mb-4 mb-md-0 text-center text-md-start">
 <div class="logo">
 </div>
 </div>
 <!-- Column 2: General Contact -->
 <div class="col-md footer-contact">

 <!-- Column 3: Address -->
 <div class="col-md1 footer-contact">
 <div class="d-flex mb-3">
 <div class="icon"><i class="fa fa-map-marker-alt"></i></div>
 <div>
 <p>Address:

No 88, Star Icon, Bus Stand, 7 & 8,
 Naroda, opposite Hanspura,

 Ahmedabad, Gujarat 382330</p>

 </div>
 </div>
 </div>
 <!-- Column 4: Phone -->
 <div class="col-md footer-contact">

 <div class="d-flex mb-3">
 <div class="icon"><i class="fa fa-phone"></i></div>
 <div>
 <p>Phone:

 9989989880 </p>

 </div>
 </div>
 </div>
 <!-- Column 5: Email -->
 <div class="col-md footer-contact">

 <div class="d-flex mb-3">
 <div class="icon"><i class="fa fa-envelope"></i></div>
 <div>
 <p>Email:

 your@email.com </p>

 </div>
 </div>
 </div>
 <!-- Column 6: Website -->
 <div class="col-md footer-contact">

 <div class="d-flex mb-3">
 <div class="icon"><i class="fa fa-globe"></i></div>
 <div>
 <p>Website:

 yoursite.com </p>

```
<div class="col-lg-3 col-md-6">
    <h3 class="text-white mb-4">Photo Gallery</h3>
    <div class="row g-2 pt-2">
        <div class="col-4">
            
        </div>
        <div class="col-4">
            
        </div>
    </div>
    <hr class="bg-light mt-4">
    <div class="text-center">
        <p class="m-0 pb-3"><h4>© Samsung SmartPlaza, All rights reserved.</h4></p>
    </div>
</div>
</section>
</body>
</html>
```

Logout.php

```
<?php
session_start();
if(!isset($_SESSION['username']))
{
?>
<script type="text/javascript">
alert("You Must Login First");
window.location.href="login.php";

</script>
<?php
}
else
{
session_destroy();
?>
<script type="text/javascript">
window.location.href="login.php";

</script>
<?php
}
?>
```

TESTING

White-box Testing

White Box testing is used as an important primary testing approach. Code is tested using code scripts, driver etc that are employed to directly interface with and drive the code.

White-box testing, sometimes called glass-box testing is a test case design method that uses the control structure of the procedural design to derive test cases. White-box tests can be designed only after a component-level design (or source code) exists.

- Condition Testing.
- Unit Testing.

Black-box Testing:

In Black-Box Testing or Functional Testing, the output of the module and software, is taken into consideration, i.e. whether the software gives proper output as per the requirements or not. This can be done in Input, Interface Processing and Output Interface.

Black-box testing, also called behavioral testing, focuses on the functional requirements of the software. That is, black-box testing enables the software engineer to derive sets of input conditions that will fully exercise all functional requirements for a program.

Test Case

Testcase of Registration form:

No	Test Case	Description	Prerequisites	Input data	Severity	Priority	Expected Result	Actual Result	Pass /fail
1	name	To check that f name field have cursor	Internet should have available	-	Low-level	Low	Cursor should display in the fname	Cursor not able to display in the fname	Fail
2	Password field	To check that Password Can contain Space or special character	Password Must Entered	mmmm m mmm m	High-level	High	Password Can't Have Space or special character	Password Have not Space or special character	pass
3	Mo_no	To check Minimum boundary Of mo_no	Mo_No	12345 67894	Low-level	High	Mo_No must be a 10 digit long.	Mo_No is 10 digit long	Pass
4	DOB	To check That dob have dd-mm-yy formate	dd-mm-yy	-	Low-level	High	DOB must entered digit or character	DOB is not valid format	fail
5	Country	To check that Country have character	Country must be enter	nnnrrr ji	Low-level	High	Country Shoule have display text area format	Country Display in The text area	fail
6	User name	To check user Name can be left blank.	Internet	-	Low-level	Low	Username can't be blank.	Username is blank	Fail
7	Email	To check that email is	Internet should have available	ssssss	Low-level	Low	Email must Be in valid	Email is not in valid	Fail

		valid or not.					format	format	
--	--	---------------	--	--	--	--	--------	--------	--

Testcase of Login form:

No	Test Case	Description	Prerequisite	Input data	Servability	Priority	Expected Result	Actual Result	Pass /fail
1	User name field	To check that User name field can't be blank	Browser should have available	-	Lowlevel	Low	Should not blank the user name	Should not blank the user name	Pass
2	Password field	To check that user enter minimum 6 character.	Browser should have available	Riya9525	Lowlevel	Low	User enter character and digit .	User enter character and digit.	pass
3	User name field	To check that user can't enter first digit.	Browser should have available	5855	Lowlevel	Low	User can't enter digit.	User can enter digit	Fail
4	Password field	To check that user can't enter any special character.	Browser should have available	riddhikarangiyaa@ 25	Lowlevel	Low	User can'I Enter not space	User enter space	Fail

Future Enhancements

- ✓ In our websites we provide cash on delivery because people will be hasisate for online payment.
- ✓ We give facilities to people send feedback to our site.
- ✓ The whole items gives by us.
- ✓ The user can purchase any items from case on delivery.
- ✓ In future we can change our template & also we will also put a new bridal item in this web-site.
- ✓ Also we will provide other item in this web-site.
- ✓ We will also add some new category.
- ✓ Inb future our web-site is change also.

Conclusion

- Wireless world Products include integrated circuits for parallel optical interconect applications intended for the smartphone, laptop, smartwatch ,buds, speaker etc... storage and communication wireless world.
- The important reason behind foundation of the store is that it is not time consuming as people across the world can also do wireless world of such kind of smartphone, laptop, smartwatch ,buds, speaker etc... appliances.
- Today's life is so busy and people have no time for roaming in Malls for purchasing goods or products or any thing. So, to make life easy for people we make a small web service smartphone, laptop, smartwatch ,buds, speaker etc... purchasing.

BIBLIOGRAPHY

Books Referred:

- ◆ **Php Project BlackBook**

Websites Visited

- ◆ www.amazon.com
- ◆ www.flipkart.com
- ◆ www.snapdeal.com
- ◆ www.aliexpress.com



Sam