Q.1 All major browsers by default display HTML table headings as _____.

A. None of the given options
B. Bold and left aligned
C. Bold and right aligned
D. Bold and centered aligned

Q.2 _____ element is used to define links in HTML and link address is specified in _____ attribute?

A. <anchor>, ID
B. <hyperlink>, href
C. <link>, address
D. <a>, href

Q.3 In HTML tables, rowspan attribute is used _____.

A. To make a cell span more than one column.
B. To make a cell span more than one row.
C. To make a row span more than one cell.
D. To make a column span more than one row.

Q.4 Which of the following is correct property to define the font for an HTML element using style attribute?

A. fontfamily
B. definefont
C. font-family
D. fontstyle

Q.5 The id selector uses the id attribute of the HTML element, and is defined with a_____.

A. @
B. #
C. %
D. _

Q.6 The following piece of code defines _____CSS style sheet. <head> <link rel="stylesheet" type="text/css" href="mystyle.css"> </head>

A. All of the given.
B. Inline
C. Internal
D. External

Q.7 Table borders can be collapsed into one border using CSS _____ property.

A. border-single
B. border-collapse
C. single-border
D. collapse-border

Q.8 The default color for a page is defined in the _____ selector.

A. Container Tag
B. Body Tag
C. HTML Tag
D. Heading Tag

Q.9 In HTML, <blockquote> element is used _____.

A. For long quotation

B. For short quotation

C. To block the quotation

D. To block the unauthorized access

Q.10 In HTML, table headings are defined with _____ tag.

A. <theading>

B. <h>

C. <th>

D. <heading>